

Richard Dwyer Manager of Licensing, Nunavut Water Board

Delivered electronically to: richard.dwyer@nwb-oen.ca and licensing@nwb-oen.ca

March 31, 2025

Re: 2024 Annual Reports for the Lupin Mine Project: Water Licence No: 2AM-LUP2032

Dear Mr. Dwyer,

Lupin Mines Incorporated (LMI), a wholly owned, indirect subsidiary of Mandalay Resources Corporation (Mandalay) is pleased to present the 2024 Annual Report for the Lupin Mine, satisfying annual reporting obligations under 2AM-LUP2032.

LMI and Mandalay are committed to meeting timelines and objectives outlined in the 2024 Annual Report, with projections to anticipated 2025 site activities towards final closure. These timelines represent our most accurate predictions. These timelines to closure are subject to change, however, due to unforeseen circumstances that could arise, such as the construction of the winter road, contractor availability, weather, site conditions, logistics, and outcomes from engagement.

I appreciate your time to review this annual report. If we can provide any further information, please reach directly, out or contact any of the those cc'd below.

Sincerely,

Frazer Bourchier

President/Chief Executive Officer Mandalay Resources Corporation f.bourchier@mandalayresources.com.

CC.

Jon Melnyk, JDS Energy & Mining. <u>Jonm@jdsmining.ca</u>
Kellie Leedham, Falkirk Environmental Consultants Ltd. <u>Kellie@falkirk.ca</u>
Max Brownhill, Falkirk Environmental Consultants Ltd. <u>Max@falkirk.ca</u>



2AM-LUP2032 LUPIN MINE SITE 2024 ANNUAL REPORT

PREPARED FOR:

NUNAVUT WATER BOARD

PREPARED BY:

KELLIE LEEDHAM, FALKIRK ENVIRONMENTAL CONSULTANTS

JON MELNYK, JDS MINING AND ENGINEERING

APPROVED BY:

FRAZER BOURCHIER

President & Chief Executive Officer, Mandalay Resources Inc.



DOCUMENT CONTROL

Document History	Date	Section	Summary of Changes	Author
1	Feb.02, 2025	All	Document Creation	K.Leedham - Falkirk
2	March 28, 2025	All	Review	J.Melnyk - JDS
3	March 30, 2025	All	Final Draft Review and Issue for Signature	K.Leedham – Falkirk
4	March 31, 2025	All	Final Review and Issue for Distribution	Frazer Bourchier - Mandalay

This document has been prepared in cooperation with cooperation with JDS Energy and Mining Inc. (JDS), Falkirk Environmental Consultants Ltd., with subject matter expert content provided by WSP Canada Inc., Stantec and SLR Consulting Ltd.

Approved by:

Frazer Bourchier, President & Chief Executive Officer, Mandalay Resources Corp.

March 31, 2025.



Executive Summary

The Mandalay Lupin Mine was in temporary "Care and Maintenance" Phase throughout 2024. The Site was accessed via aircraft and helicopter, as the winter road was not constructed in 2024, restricting the mobilization of any equipment. For the 2024 season, the Lupin Mine camp opened on June 24 through August 5 and August 27 through September 9 for a total of 57 days. During this period, care & maintenance and closure activities included the following:

- Pumping water from Contwoyto Lake for freshwater use and deposit of sewage to the Sewage Lakes Disposal Facility to support camp operations
- Incineration of general camp wastes
- General site maintenance and housekeeping
- General sediment and erosion control works
- 1,660 m³ of contaminated soil was excavated and disposed underground via the Crown Pillar.
- An "as-built" survey of the Temporary Fuel Farm was completed in June 2024, and corresponding "as-built" drawings were created.
- Ongoing water quality monitoring was conducted, as per the requirements of 2AM-LUP2032.
- A fuel conversion program was undertaken to clean and convert the remaining jet fuel into useable diesel.
- Repairs to dam structures were completed in accordance with priorities identified in the 2023 Geotechnical Inspection.
- Design and installation of a passive limestone drainage system in Cell 4.
- Bulk filled approx. 17,800 m³ of esker material in the NW corner of Cell 4.
- Annual geotechnical inspection of engineered facilities including the Tailings Containment Area

The following activities did not occur:

- No pumping of water from ponds was used for industrial purposes or dust suppression
- No mobilization or demobilization of equipment was undertaken, as the winter road was not constructed in 2024.
- No mine water discharge from the underground workings
- No unauthorised discharges or spills were reported in 2024.
- No waste was shipped offsite. Wastes, hazardous waste, and chemicals were consolidated and prepared for shipment to a certified acceptance location in Yellowknife via the planned winter road in 2025/2026.
- No reclamation work was undertaken on the underground, waste rock, borrow and quarry areas, landfill, site roads, water management facilities, or explosives magazine.

Crown Indigenous Relations and Northern Affairs (CIRNAC) conducted an inspection at the Lupin Mine site on July 15, 2024 for the Water Licence and associated Land Leases. Representatives from Mandalay were present for this inspection.



EXECUTIVE SUMMARY INUKTITUT

ح۰۲۰۵۲ کون مهمی

- ΔσΓγΟΚΓ 6LΓγ6'σ% \¬'L%\Δσ'¬
- Po%N%CD&-cdo%r d'L $_2$ V<-cdo%r $_2$ $_3$ CD $_4$ CD $_4$
- bተ/ተ $^{\circ}$ Δ L $^{\circ}$ $^$
- ሷጐየቦሷጐርኦታጐቦና ለΓናጋልታጐጋና ኣፈለደተና ለሷታጐርኦረኦጐጋና ኒሮ•¿በ৬ ለቃ፦ሮኦንኦኦስሲሷሮጐታና
 ፈጐየቦሷጐርኦታኒተና 2023-Γና ውልፐና ቴኦኦትጐታራና.
- Δ⊃^cc⁶δ'5J 17.800 ΓC^c m³ Λ⁶JdĊσ⁶ NW ΩΩ⁶δdσσ Δ⁵P
- ◁ˤĠJCĹˤ ϼᇲᠸ᠒᠈ᢆᠯᠬᠥና ᢐᠫᢣᢣᢐᠺᢗᠮᢖᡑᢆ᠈᠘ᡓᡟᡶ᠒᠂ᢩᠣᡕ᠘ᡩ᠘ᡒ᠘᠘᠘ᠮ

PP

- D^{5} $D^$
- $\wedge \forall \alpha \cap C \rightarrow L^{\infty} \cap C \rightarrow d \land \forall \alpha \in D^{\infty} \cap C \rightarrow L^{\infty} \cap C \rightarrow d \land \forall \alpha \in D^{\infty} \cap C \rightarrow D^$



- Δραθυσ ἀιβριαισοκουντου Νγιδσι, αυθυαισοκου αιμ υακοτικό, αυθυαισοκου αιμ υακοτικός, αυθυαισοκου αιμαισοκου αιμαισοκο αιμαισοκου αιμαισοκο αιμαισοκο αιμαισοκο αι



Executive Summary (Innuinaqtun)

Ataniuyut Unipkangit Naunarhimayut

Una Mandalay Lupin-mi Uyaraqhiukvik umiktauhimayuq Munariyauvluni Havakviuyuq Hannayiuyunit tatvani ukkiumi 2024-mi. Una Havakvik upparauqattaqtuq tingmiakut tatvalu hallikaptakutlu, una ukkiumi apquhiuqtauhimayut hannayauhimangitmat tatvani 2024-mi, taima piyungnangittut ingilgatjutilugit tahapkua angiyut arhalutit. Tatvani 2024-mi havagiyauyut, Una Lupin-mi Uyaraqhiuqvik havakviat angmarhimayuq June 24-min angmaumavluni tatvunga August 5-mut tatvalu angmaumavluni August 27-min tatvunga September 9-mut kititlugit ublut angmaumatitlugu tatva 57-nik ublunik. Tatvuna havagiyautitlugu, munariyautitlugu & havakviuyuq hannatiuyunit tatvalu umiktauvarhuni havagiyauyut tahapkua illaliutilugit:

- Pappautikut imiktakpaktut imiraqhanik tatvanga Tahikjuakmit turhuakut kuviugaqpagait annait tatvunga Annaitnik Kuviviatnut Tahiraqmi ikkayutaungmat hallumania iglukpaqaqvitni havakviat
- Ikkualativikagamik Ingnikvikjuamik ikkualatigattagtait ikkakuktaktik
- Havagiyait tatvani havakvikmi hunnanik hannayagiaqaqtunik tatvalu iglukpait hallumapkarhutjuk
- Havaqarhutik hallumailunik halligaqattaqtut huruqtiqpallaqunagulu nuna munagivagait hallumaktirhutjuk
- 1660 m³-nik ullugiangaktunik hallumairunnik hikmiknik hallagarhimayut tatvalu nunap attanut piruuqpagaat tatvunga kaplunaatut attiqaqtuq Crown Pillar-mik.
- Una "hannayauqaffurhimayuq" naunaiyautauvluni Hadjaqaffuk Attuqtauyurhaq Urhuqjuaqaqvik inniktauhimaliktuq June 2024-mi, tatvalu titiraqtauvluni "hannayauqaffurhimayuq" titirauyaqhutjuk hannahimayaat.
- Huli immaup qanurinninganik takkuqtauqattaqtat, maligiaqaqmata titiqat uvani 2AM-LUP2032.
- Una kasilinnik avuritjutauyuq havagiyauhimayuq hallumaqpairhugit hapkua kasiliiit avuuqhutjuk urhuqjualiuqutauvaktuq tingmitjutit kasilingatnik.
- Ilingaiyarhutjuk hannavagait tahapkua happuhiurhimayut tunngaviit maliqavlutjuk tahapkua hivuliutiyagiaqaqtut havarhat naunaiyaqtauhimayut tatvani 2023-mi Nunanik Takkurutauyaqattaqtut.
- Illiuraqtauhimangmiyuq una angiyuq ukkuhirhalik uyaraq kuviagakvirhaq tatvani Tunngavik 4-mi.
- Tattahimayumik illiuraqtaungmiyuq immatut 17,800 m³ uappalianik tatvanga pihimayauyumik qinguuqnit illiriyauhimayuq tatvunga Tunnuanut Uatanitup ippuani uma Tunngaviup 4-mi.
- Aipagurangat nunalikinikut nunaitnik havakviup nayugariyaitnik takkuqattaqtut hannayauhimayunik iglutaitnik havakviuyup illaliutivlugit tahapkua Kuviugakviita Hiamaliupkutait Kingnirhimayut Avatingni

Tahapkua titiraqhimayut havariyauyurhat havagiyaungitut:

- Piyuqangituq papautit immaknik attuqtaunguttut immiktaktunik tahiraqnit attuqtauyukhanik tatvani hannaviuyumi havagiyauyunut uvalunin apqutinnik hiuqqamut kinnitiritjutaungittut.
- Tahapkua attuqtaungitut uvalunin arhinnaqtaungitut angiyut arhalutit, taimaitmat tatvuna ukkiumi apquhiuqtuqangitmat uvani 2024-mi.
- Piyuqangituq uyaraqhiukvikmi immakmik kuviyuqangituq tatvanga nunap ikkiangani attani havakviuyumit



- Piyuqangituq ataniitnit kuvitquyauhimayunik uvalunin kuviyuqarhimangittuq unipkagiyauyuni tatvani 2024-mi.
- Ikkaguqtauhimayut aullaktitauyuqangittuq havakvikmit. Ikkaquqtauhimayut, Ullurianaktut hallumailgut tatvalu huangayut kuviitaaktut ullurianaaktut katirhuqtauhimayut tatvalu hannaiqtauhimayut puuqtauvlutik aullaktitauniarhimayut illiitariyauhimayunut namariyautiaktunut tutquqvirhauyunut tatvani Yallunaimi attuqlugu tahamna parnaiyaqtauhimayut ukkiumi apquhiuktauhimaliqat 2025/2026-mi.
- Piyuqangitut halligaktauhimangittuq tahamani nunnap ikkiangani atanni,tahapkuanunanilunin attuqtaungitut uyaragalluit, atturhimayut tatvalu hiuraqtaqviuyuni kingirhimayuni, kukvikukvikmi, havakvikmi apquhiuqtauhimayuni, immap hallumarhakviatni iglutaitni, qarraqtautiqaqviqmnilu.

Kavamatuqqatkut Nunaqaqaqtunik Ikkayuqtiuyut tatvalu Ukkiuktaktumi Pivalialiriyiuyut (CIRNAC-kut) havakhimayut takkuqtauhimavlutjuk tamna Lupin-mi Uyaraqhiuqvik tatvani Mine July 15, 2024-mi piqariaqhaita tahapkuninga Immat Attuqtauniaktut Laisirhaitnik tatvalu piqattigiklugit hapkua Nunnanik Attuqniaktaitnik Laisirhaitnik. Tahapkua Kivgaktuiyut Nanminiqaqtutlu katimayiuyutlu tatvani Mandalaykut Uyaraqhiukviatnit tatvaniqattauyut takkuktautitlugu.



Executive Summary	iii
EXECUTIVE SUMMARY INUKTITUT	iv
᠆᠆᠘ᢞᠾ᠙᠘᠙᠘᠙᠘᠘᠘	iv
Executive Summary (Innuinaqtun)	vi
Ataniuyut Unipkangit Naunarhimayut	vi
Introduction	1
Location	2
Reporting	5
(A) - Volume of Water Pumped at LUP-01	5
(B) Water Volumes Pumped from Ponds for Industrial Use	5
(C) Tailings Effluent Discharged at LUP-10	5
(D) Discharge from LUP-11	6
(E) Treated Sewage Effluent discharged at Station LUP-14	6
(F) Hazardous Waste and Chemical Storage	6
(G) Monitoring Program Summary	7
(H) Inspection Results and Actions to Comply	14
(I) Water Supply and Waste Management Facility Works	15
(J) Unauthorized Discharges	16
(K) Revision to Plans, Reports or Manuals	16
(L) Engagement	16
(M) Reclamation work completed in 2024 and Anticipated Works for 2025	17
(N) Additional Details Requested	19
2. Schedule B.2 - Post Closure Monitoring Plan Update	20
LIST OF FIGURES	
Figure 1: General Location of the Lupin Mine	3
FIGURE AT UNERVIEW OF WIND LEVOIT	//



LIST OF TABLES

Table 1: Quantity of Water Pumped at LUP-01	5
Table 2: Sewage Effluent Discharge Quantities at LUP-14	
Table 3: Quantities of hazardous wastes and chemical remaining onsite as of Dec.31, 2024	. 6
Table 4: Tabular Summaries of all data generated under the "Monitoring Program, Schedule J, Table 1."	"8
Table 5: Summary of 2024-KIT-001-JB Inspection Issues and Remediation	14
Table 6: Summary of Works Completed in 2024 and Proposed Works for 2025	17

APPENDICES

APPENDIX A.	2024 DSI Geotech	nical Inspection
-------------	------------------	------------------

APPENDIX B. 2024 Water Sampling Data and Certificates of Analysis

APPENDIX C. Schedule B.2 Summary of Measures for Post Closure Monitoring ("Table 14")

APPENDIX D. Lupin Mine Dam Safety Review and Dam Safety Inspection Recommendation

Management Plan

APPENDIX E. Lupin Mine Waste Management Plan (2025)

APPENDIX F. Temporary Fuel Farm (TFF) 2024 As-Built Design Plan

APPENDIX G. 2021-2023 Annual Report Additional Requests

APPENDIX H. Passive Limestone Drainage System Design



Introduction

The Lupin Mine (the Mine) is located approximately 285 km southeast of Kugluktuk in the Kitikmeot Region of Nunavut and is owned by Lupin Mines Incorporated (LMI), a wholly owned, indirect subsidiary of Mandalay Resources Corporation (Mandalay). The mine site is situated on the western shore of Contwoyto Lake, approximately 60 km south of the Arctic Circle. It is an underground gold mine that was in operation from 1982 to 2005 with temporary suspensions of activities between January 1998 and April 2000, and again between August 2003 and March 2004. The mine resumed production in March 2004 until February 2005 when the Site was placed into "Care and Maintenance", and no active mining has taken place since.

On October 20, 2017, Mandalay announced, through its wholly owned and independent subsidiary, Lupin Mines Incorporated (LMI), that the Lupin Mine (the Mine) will transition from "Care and Maintenance" to full closure and reclamation, beginning in 2018 through to 2020. An application for renewal and amendment of the current water licence (Application), as well as a Final Closure and Reclamation Plan (FCRP) was submitted to the Nunavut Water Board on July 27, 2018 which underwent an extensive review process and culminated in the issuance of amended Type A Water Licence 2AM-LUP2032 on February 29, 2020 by the Nunavut Water Board (NWB) and approval by the Minister of Crown Indigenous Relations and Northern Affairs Canada (CIRNAC) on April 9, 2020. LMI continued active preparatory work and initiated year one of the active closure phase in Q1 of 2020. At the beginning of 2022 LMI once again entered "Care and Maintenance" with limited on-site activities in 2023.

The 2021-2023 2AM-LUP2032 Annual Reports were submitted together on April 30, 2024. CIRNAC, Environment and Climate Chance Canada (ECCC) and the Nunavut Water Board (NWB) provided additional comments and requests for additional information. These requests were responded to on September 27, 2024 and have been incorporated into these responses, and are summarized in Appendix G.

In the 2024 summer field season, the Mine was accessed via aircraft and helicopter, as the winter road was not constructed in 2024, thus restricting the mobilization of any equipment and limiting on-site activities. The 2024 work was primarily focused on satisfying monitoring and reporting requirements outlined in Licence 2AM-LUP2032, such as water quality monitoring, site water management, and geotechnical investigations. Additionally, maintenance and housekeeping work was undertaken with equipment already located onsite and are further detailed in this report.

Permits allowing for the construction of the 2024/2025 winter road construction to access the Mine and were obtained by Mandalay. However, following a strategic review, Mandalay decided to reschedule the construction of the winter road for the 2025 season. The decision was influenced by the fact that contractor proposals, for the 2025 winter road, did not align with the project's requirements or timeline constraints for the 2025 field season, despite Mandalay issuing the RFP (August 2, 2024) to a mix of local and southern contractors. While we were unable to secure a compliant bid from a local contractor, Mandalay remains committed to supporting local contractors to ensure that the benefits of this project stay in the North as much as possible. As such, some reclamation and closure activities originally scheduled for the 2025 field season have been delayed to future years. These are detailed further in this report.

This 2024 Annual Report was created by Falkirk Environmental Consultants Ltd. (Falkirk) and JDS Energy and Mining Inc. (JDS), who both actively support regulatory and operational planning for the Lupin Mine,



in consultation with the following Subject Matter Experts (SME) who actively participated in studies and monitoring activities at the Site in 2024, including:

- Stantec Engineer of Record (EOR) for the Tailings Containment Area
- WSP EOR for the Mine Site
- SLR SME for water quality in TCA and water quality data interpretations.
- JDS Mine site management

Part B, Item 2 of the Licence 2AM-LUP2032 requires an Annual Report to be submitted to the NWB prior to March 31 of the year following the calendar year being reported and prepared in accordance with Schedule B of the Licence.


The following sections provide the information as required under Schedule B of Water Licence No. 2AM-LUP2032. The includes appendices to provide further detail on these requirements. Appendices have been created by subject matter experts, relative to their area of practice and role at the Mine.


Location

The Lupin Mine is located approximately 285 km southeast of Kugluktuk, in the Kitikmeot Region of Nunavut, on the western shore of Contwoyto Lake, approximately 60 km south of the Arctic Circle.

Figure 1 (taken from: 210708 2AM-LUP2032 Appendix B1 - 200928 Final Closure & Reclamation Plan Part 2-IMLE) shows the general location of the Mine.

Figure 2 (taken from: 10708 2AM-LUP2032 Appendix B - 200928 Final Closure & Reclamation Plan Part 1-IMLE) shows a general overview of the Mine layout, including relevant infrastructure and features.







REPORTING

The following sections detail the Annual Report Requirements as outlined in Section B of 2AM-LUP2032.

(A) - VOLUME OF WATER PUMPED AT LUP-01

The following section details Monthly and annual quantities of water pumped from Contwoyto Lake at Station LUP-01.

The Lupin Mine camp opened on June 24, 2024. Pumping water from Contwoyto Lake at the causeway began on June 24, 2024 until September 9, 2024 utilizing a submersible pump, filling a 4,542 litre (1,200 usg) plastic tank within a water truck that is used to transport water to the camp's two (2) 4,542 litre storage tanks. The water is then run through a series of filters with disinfection provided by a flow-through Ultraviolet chamber prior to distribution in camp.

The camp was open for 57 days in 2024, June 24 through August 5, and August 27 through September 9, 2024, using a total of 392.79 m³ of freshwater, for an average water use of 6.89 m³/day. A Blue-White Industries Model F-1000-RT Totalizer flow meter is used to calculate the daily freshwater consumption. For domestic purposes, these volumes are well within the maximum authorized water use of 250,025 m³/year during Active Closure and Reclamation Phase under the water licence.

The following table summarizes the monthly and annual quantities in cubic metres of Water pumped from Contwoyto Lake at Monitoring Station LUP-01.

Table 1: Quantity of Water Pumped at LUP-01

2024	J	F	М	Α	M	Jun	Jul	Aug	Sep	0	N	D	Average Use
Water Use (m³/day)						7.31	9.08	3.93	2.31				6.89
Water use (m³/month)						51.2	281.5	39.3	20.8				98.2
TOTAL USAGE (m³)							392.7	9 m³					

(B) WATER VOLUMES PUMPED FROM PONDS FOR INDUSTRIAL USE

This section details monthly and annual quantities of water pumped from ponds against the roads, or ponds or lakes proximal to the road for industrial purpose, including dust suppression.

No (zero) water was pumped from ponds against the roads or proximal to the road for either industrial purposes or for dust suppression. Water used for these purposes was taken from the freshwater intake at Contwoyto Lake and included in the overall camp use volumes.

(C) Tailings Effluent Discharged at LUP-10

This section details Monthly and annual quantities of treated Tailings Effluent discharged at Station LUP-10.



No tailings effluent discharge at Station LUP-10 occurred in 2024.

(D) DISCHARGE FROM LUP-11.

This section details monthly and annual quantities of Mine water discharged at Station LUP-11.

There was zero mine water was discharged from the underground workings at the Lupin Mine Site LUP-11 in 2024 while carrying out closure and reclamation activities.

(E) Treated Sewage Effluent discharged at Station LUP-14.

This section details Monthly and annual quantities of treated Sewage Effluent discharged at LUP-14

One four-inch pump and one syphon line was installed at the Lower Sewage Lake discharge. Controlled effluent release from the Sewage Lakes Disposal Facilities began on August 2, 2024, and continued until August 5, 2025, and again from August 27, 2024, until September 8, 2024. Total volume of effluent discharged at Monitoring Station LUP-14 was approximately 119,710m³. The following table illustrates the monthly and annual discharge quantity of Sewage Effluent at monitoring Station LUP-14 in 2024. Additional analyses as required under Schedule J are included in Appendix B, in the attached Certificate of Analysis, Lab WO#: YL2400958, Lab WO#YL2401120 and Lab WO#2401443.

Table 2: Sewage Effluent Discharge Quantities at LUP-14

2024	J	F	М	Α	М	J	J	Aug	Sep	0	N	D	Average Use
Average Effluent Discharge (m³/day)								4,204	10,760				7,481
Total Seasonal Discharge (m³)												1	119,710 m ³

(F) HAZARDOUS WASTE AND CHEMICAL STORAGE

This section details the types and quantities of Hazardous Waste and Chemicals stored at the Mine.

The following table summarizes the types and quantities of hazardous waste and chemicals remaining on site as of 31 December 2024, to be used or transported offsite.

Table 3: Quantities of hazardous wastes and chemical remaining onsite as of Dec.31, 2024.

Type Hazardous Waste or Chemicals	Quantity to be Used or to be Transported for Final Disposal
Waste Motor Oil	3,000 litres (3 ea $-$ 1,000 L totes) in equipment shop; 14,350 litres (70 ea $-$ 205 L drums) in in seacans ready for demob; 19,000 litres (19 ea $-$ 1,000 L Steel totes) in TPDS; 15,750 litres (21 ea $-$ 750 L plastic totes) in seacans ready for demob;



Type Hazardous Waste or Chemicals	Quantity to be Used or to be Transported for Final Disposal
Contaminated (old) Diesel Fuel	7,380 litres (36 ea – 205 L drums) expired Diesel in seacan; 17,015 litres expired diesel in drums located in the Main Fuel Berm
Contaminated (old) Jet Fuel	4,305 litres (21 ea – 205 L drums) expired AV gas in TPDS; 9,840 litres (48 ea – 205 L Drums) expired AV gas in seacans ready for demobilization; 2,000 litres (2 ea - 1000L steel totes) of waste from fuel conversion located in Main Fuel Berm.
Contaminated (old) Gasoline	3,075 litres (15 ea – 205 L drums) located in fuel berm.
Oily Water	3,000 litres (3 ea - 1,000 L tanks) in TPDS;
Acid Filled Batteries	16 ea - 12V lead/acid batteries in Shop (usable) approx. 20 ea - 12V lead/acid batteries in Shop (dead)
Hydrated Lime	Approx. 800kg (40 ea - 20kg bags) in Cold Storage
Soda Ash	Approx. 10 ea - 907kg totes in Cold Storage
Portland Cement	3,000 kg (150 - 20kg bags) in Cold Storage
Calcium Chloride	Approx. 30 ea - 900kg sacks in Cold Storage
Fuel and Petroleum	453,424L Diesel fuel. Zero (0)L jet fuel
Other	20,820 litres (1 ea – 5,500-gallon pup trailer) antifreeze, motor oil, waste oil mix in TPDS

No waste was shipped offsite in 2024. As all waste, hazardous waste and chemicals will be shipped to Yellowknife via the winter road in the future.

Food waste and cardboard are disposed of via the incinerator. The incinerator is located SE of the main camp.

Fuel and Petroleum Products Inventory Description:

In July 2024, a fuel conversion program was undertaken to clean and convert the remaining jet fuel stored in Tank 15 to usable Diesel. The program was largely successful and as of December 31, 2024, there was approximately 453,424 litres of diesel fuel and 0 litres of jet fuel in storage in large fuel tanks within the Bulk Fuel Storage (Main Tank Farm) and Temporary Tank Farm (TFF).

Additionally, there are several empty 205 litre drums and twenty (20) empty 1,000 litre totes available for spill contingency and/or temporary storage of hydrocarbons or hydrocarbon contaminated water. The Lupin Mine Waste Management Plan (Appendix E) has been updated to reflect best management practices and to address specific information requests from Environment and Climate Change Canada in response to the Lupin 2021-2023 annual reports.

(G) MONITORING PROGRAM SUMMARY

This section includes Tabular Summaries of all data generated under the "Monitoring Program" Summary of Monitoring Program, as required by 2AM-LUP2032, Schedule J, Table 1.

Effluent was discharged from the Sewage Lakes Disposal Facility in 2024. Discharge was not required from the Tailings Containment Area or the Bulk Fuel Storage Facility (including the Satellite Tank Farm and the



Third-Party Drum Storage area) in 2024.

Water quantity and water quality monitoring was conducted for discharge from the Sewage Lakes Disposal Facility in 2024 as required by the Monitoring Program Requirements (Schedule J, Table 1) of 2AM-LUP2032. All effluent discharged from the Sewage Lakes Disposal Facility at ID LUP-14 must not exceed the water quality limits as described in Part E, Item 9 of the Water License.

Approval for discharge was received and discharge from the Sewage Lakes Disposal Facility (Monitoring Station LUP-14) began on August 2, 2024. Effluent was discharged between August 02-05, 2024, and August 28 – September 8, 2024. Approximately 33,000 m³ and 86,000 m³ of effluent was discharged in August and September, respectively, for a combined annual total of 119,000 m³.

Water samples were collected on three dates: July 5, July 21, and September 9, 2024. The analytical results of the water samples were compared against the criteria outlined in Part E, Item 9 of 2AM-LUP2032 and were confirmed to be well within the criteria.

A notable result was an exceedance of duplicate QA/QC criteria for sample 'LUP-14D PRE-DECANT' with regards to fecal coliform results. However, both the parent sample result (< 1.0 CFU/100mL) and the duplicate result (6.0 CFU/100mL) were under the discharge criteria.

As there was no discharge from the TCA in 2024, no sampling of the downstream monitoring locations was carried out. Sampling at East Lake, and Boot Lake took place on July 15, 2024, and September 8,2024. See Appendix B, Certificates of Analysis Lab W/O#: YL2400916 and YL2401443.

No sampling took place at LUP-SP-01 to LUP-SP-xx because no seepage was observed.

See Appendix B for the water quality analytical data and the Certificates of Analyses.

Table 4: Tabular Summaries of all data generated under the "Monitoring Program, Schedule J, Table 1."

Station ID	Location	Frequency	Parameter	2024 Annual Update
LUP-01	Freshwater Intake from Contwoyto Lake	Annually	Field, Conventional, Total Metals, and Biological	Refer to Appendix B, Table B2
		Monthly	Quantity of water measured and recorded in cubic metres	Refer to Item 1 (a) above.
LUP-10	Pond 2 discharge at Dam 1A	Daily during periods of Discharge	Field, Conventional, Total Metals, Cyanide, no visible sheen of Oil & Grease	No discharge in 2024



Station ID	Location	Frequency	Parameter	2024 Annual Update
			Quantity of treated effluent discharged, measured and recorded in cubic metres	No discharge in 2024
		Weekly during periods of discharge from the Tailings Containment Area	Nutrients Radium (²²⁶ RA)	No discharge in 2024
		Monthly (no less than one-month Intervals) commencing with the first day of decant	Cyanide Bioassay	No discharge in 2024
LUP-10a (LUP- 102)	Internal station in TCA Pond 2, approximately 100 m upstream from siphon intake	Once prior to initiation of decant and once prior to termination of decant	Field, Conventional, Nutrients, Total Metals, Cyanide, and Radium (226RA), and Bioassay	No decant in 2024
LUP-11	Mine water discharge at automatic sampler in the mill	Not Active		Not Active
LUP-12	Mill tailings taken at the mill	Not Active		Not Active
LUP-14	Decant structure from the Sewage Lakes Disposal Facilities	First day of discharge and then monthly thereafter during periods of flow	Field, Conventional, Nutrients, Total Metals, Biological, and Other: Biochemical Oxygen Demand (BOD5), Total Phosphorus, Total Orthophosphorus - (OPO4), Total Kjeldahl Nitrogen (TKN))	Refer to Appendix B, Table B1



Station ID	Location	Frequency	Parameter	2024 Annual Update
		Monthly	Quantity of treated effluent discharged in cubic metres	Aug 2024: 33,000 m ³ Sept 2024: 86,000 m ³
LUP-15	Discharge from TCA Pond 1 (east pond) into TCA Pond 2 (west pond)	Not Active		Not Active
LUP-16	TCA Pond 2 at center	Not Active		Not Active
LUP-17	TCA Pond 2 upstream of Station LUP-10	Not Active		Not Active
LUP-19	East end of Seep Creek in Dam 2 Lake	Not Active		Not Active
LUP-20	West end of Seep Creek before discharge into Unnamed Lake	Weekly during discharge from the Tailings Containment Area commencing with the first day of discharge	Field, Conventional, Nutrients, Total Metals, Cyanide, and Radium (226RA)	No discharge in 2024
LUP-21	North end of Concession Creek before discharge into Unnamed Lake	Weekly during discharge from the Tailings Containment Area commencing with the first day of discharge	Field, Conventional, Nutrients, Total Metals, Cyanide, and Radium (226RA)	No discharge in 2024
LUP-22	Inner Sun Bay near center and midway between end of peninsula and west shore	Weekly at mid-depth, commencing one (1) week prior to discharge from the Tailings Containment Area and concluding two (2) weeks after cessation of the discharge	Field, Conventional, Nutrients, Total Metals, Cyanide, and Radium (226RA)	No discharge in 2024



Station ID	Location	Frequency	Parameter	2024 Annual Update
LUP-24	Inner Sun Bay near narrows	Weekly at mid-depth, commencing one (1) week prior to discharge from the Tailings Containment Area, and concluding two (2) weeks after cessation of the discharge and when bioassay sample is collected at LUP-10 just prior to termination of decant	Field, Conventional, Nutrients, Total Metals, Cyanide, and Radium (226RA)	No discharge in 2024
LUP-25	Outer Sun Bay (Total Rather than specific metals)	Weekly at mid-depth, commencing one (1) week prior to discharge from the Tailings Containment Area, and concluding two (2) weeks after cessation of the discharge	Field, Conventional, Nutrients, Total Metals, Cyanide, and Radium (226RA)	No discharge in 2024
LUP-26	Contwoyto Lake in bay east of water intake	Not Active		Not Active
LUP-27	Bulk Fuel Storage Facility	Once prior to discharge and weekly during periods of discharge	Field, Conventional, Nutrients, Total Metals, Total Oil and Grease, BTEX	No discharge in 2024
LUP-28	Discharge from the Landfarm Facility	Once prior to discharge and weekly during periods of discharge	Field, Conventional, Nutrients, Total Metals, Total Oil and Grease, BTEX	No discharge in 2024
LUP-29	Landfarm Facility Monitoring Well – Up gradient	Monthly during periods of observed flow – June through September	Field, Conventional, Nutrients, Total Metals, Total Oil and Grease, BTEX	No observed flow while on site



Station ID	Location	Frequency	Parameter	2024 Annual Update
LUP-30a	Landfarm Facility Monitoring Well – Down gradient	Monthly during periods of observed flow – June through September	Field, Conventional, Nutrients, Total Metals, Total Oil and Grease, BTEX	No observed flow while on site
LUP-30b	Landfarm Facility Monitoring Well – Down gradient	Monthly during periods of observed flow – June through September	Field, Conventional, Nutrients, Total Metals, Total Oil and Grease, BTEX	No observed flow while on site
LUP-31	Seepage from the Landfill Facility	Monthly during periods of observed flow	Field, Conventional, Nutrients, Total Metals, Total Oil and Grease, BTEX	No observed flow while on site
LUP-32	Landfill Facility Monitoring Well – Up gradient	Monthly during periods of observed flow – June through September	Field, Conventional, Nutrients, Total Metals, Total Oil and Grease, BTEX	No observed flow while on site
LUP-33a	Landfill Facility Monitoring Well – Down gradient	Monthly during periods of observed flow – June through September	Field, Conventional, Nutrients, Total Metals, Total Oil and Grease, BTEX	No observed flow while on site
LUP-34b	Landfill Facility Monitoring Well – Down gradient	Monthly during periods of observed flow – June through September	Field, Conventional, Nutrients, Total Metals, Total Oil and Grease, BTEX	No observed flow while on site



Station ID	Location	Frequency	Parameter	2024 Annual Update
LUP-35	Seepage from the Landfill Facility	Monthly during periods of observed flow	Field, Conventional, Nutrients, Total Metals, Total Oil and Grease, BTEX	No observed flow while on site
LUP-36	Demolition Landfill Facility Monitoring Well – Up gradient	Monthly during periods of observed flow – June through September	Field, Conventional, Nutrients, Total Metals, Total Oil and Grease, BTEX	No observed flow while on site
LUP-37a	Demolition Landfill Facility Monitoring Well – Down gradient	Monthly during periods of observed flow – June through September	Field, Conventional, Nutrients, Total Metals, Total Oil and Grease, BTEX	No observed flow while on site
LUP-37b	Demolition Landfill Facility Monitoring Well – Down gradient	Monthly during periods of observed flow – June through September	Field, Conventional, Nutrients, Total Metals, Total Oil and Grease, BTEX	No observed flow while on site
LUP-EL- 01	East Lake near shoreline near the potential seepage inputs	Twice-yearly: Once in freshet and once in late open-water season, ensuring that baseline samples are collected prior to construction of the waste rock dome.	Field, Conventional, Total Metals	Refer to Appendix B, Table B2
LUP-BL- 01	Boot Lake near shoreline near the potential seepage inputs	Twice-yearly: Once in freshet and once in late open-water season, ensuring that baseline samples are collected prior to construction of the waste rock dome.	Field, Conventional, Total Metals	Refer to Appendix B, Table B2



Station ID	Location	Frequency	Parameter	2024 Annual Update
LUP-LSL- 01	Lower Sewage Lake near shoreline near the potential seepage inputs	Twice-yearly: Once in freshet and once in late open-water season, ensuring that baseline samples are collected prior to construction of the waste rock dome.	Field, Conventional, Total Metals	Refer to Appendix B, Table B2
LUP-SP- 01 to LUP-SP- XX(a)	Seeps from the Waste Rock Dome, Locations of observed seepage or flow from waste rock pile	Twice-yearly: Once in freshet and once in late open-water season	Field, Conventional, Total Metals	No seepage observed
LUP- TCA-01 to LUP- TCA- XX(a)	Seeps from the Tailings Containment Area (TCA), Locations of observed seepage or flow from waste rock pile	Twice-yearly: Once in freshet and once in late open-water season	Field, Conventional, Total Metals	No seepage observed

Notes:

(a) Seep Sampling locations will be added to the post-closure monitoring program as new seeps are documented.

(H) Inspection Results and Actions to Comply

This section details a Summary of actions taken to address concerns or deficiencies listed in inspection reports and/or compliance reports filed by an Inspector.

Crown Indigenous Relations and Northern Affairs (CIRNAC) conducted an inspection at the Lupin Mine on July 15, 2024, for the Water Licence and associated Land Leases. Representatives from Mandalay were present for this inspection.

Inspection form 2024-KIT-001-JB included several general housekeeping items of note that site staff have taken action to address. The table below summarizes compliance issues noted during this inspection and actions taken to address these deficiencies.

Table 5: Summary of 2024-KIT-001-JB Inspection Issues and Remediation

Compliance Issue Observed	Recommendation from CIRNAC to Achieve Compliance	Actions Taken to Achieve Compliance
Part E, Item 10: "The licensee is authorized to treat petroleum hydrocarbon contaminated soil generated by the project at the Landfarm Facility as per the Waste	Ensure all spills/stains and contaminated water are cleaned up and contaminated soil or	A total of 1,660 m ³ of contaminated soil was disposed underground via the Crown Pillar, as per the water license.



Compliance Issue Observed	Recommendation from CIRNAC to Achieve Compliance	Actions Taken to Achieve Compliance
Management Plan (Solid and Hazardous), dated March 2016, or disposed of underground as per the final closure and reclamation plan, sated July 2018 or as otherwise approved by the Board in writing."	water is placed into a Landfarm or underground as per the water license.	This process for disposal of any contaminated soils will continue in the future.
Part G, Item 5: "The licensee shall implement sediment and erosion control measures prior to and during construction, and reclamation and closure, to prevent entry of sediment into water."	Ensure all erosion is being mitigated.	These erosion control issues were primarily associated with Dam walls. The Tailings Containment Area Geotechnical Inspection includes measures that will be taken in 2025 to mitigate these concerns.
Part G, Item 10: "The licensee shall implement preventative and mitigation measures to prevent any chemicals, fuels, or wastes associated with the undertaking from entering a waterbody, unless otherwise authorized under this license."	Ensure all culverts are working properly and not causing any ponding or contributing to erosion.	The culvert on the Esker Haul Road near Fox Lake will be re-installed in 2025 to address potential drainage issues and associated ponding concerns near the roadway
authorized under this license.	Hazardous waste and used hazardous waste containers should be placed into the hazardous waste berm	Mine staff will ensure that hazardous wastes and used hazardous waste containers will be placed in the hazardous waste berm and will be managed in accordance with the updated Waste Management Plan.

(I) WATER SUPPLY AND WASTE MANAGEMENT FACILITY WORKS

This section details a summary of modifications and/or major maintenance work carried out on the Water Supply and the Waste Management Facilities, including associated structures.

Work completed during the 2024 "care and maintenance"/closure phase period focused on addressing items identified in the 2023 Geotechnical Inspection to the satisfaction of the Engineer of Record. These works included:

- A passive limestone drain was designed and installed in Cell 4 to address the acidic seep in the area
- Water was pumped from Pond 1 to Pond 2 to allow sufficient dam freeboard for 2025 freshet.
- Minor repairs to erosional features were completed on an as needed basis by August 3.
- Nine new thermistors were installed in dam embankments and cover surfaces in July.
- One additional thermistor was installed at the location of the passive limestone drain in July.
- Two new water content sensors installed in Cell 3 and Cell 4 during July.
- Three existing thermistors were repaired in July.
- Regraded embankment crests to improve drainage and reduce erosion



(J) UNAUTHORIZED DISCHARGES

This section includes a description of all unauthorized discharges including volumes, spill report line identification number and summaries of any follow-up action taken.

There were no unauthorised discharges or spills reported in 2024.

(K) REVISION TO PLANS, REPORTS OR MANUALS

This section details any Applicable revisions for Plans, Reports or Manuals.

The following updates were made:

- The Waste Management Plan was updated to reflect comments made by Environment and Climate Change Canada (ECCC) and to include a more detailed overview of waste materials on site and management practices. This update plan is included in Appendix E.
- Updates to Table 14 of the Final Closure and Reclamation Plan has been updated to reflect schedules works towards reclamation and closure. Additions include closure of Temporary Fuel Farm, including the removal and disposal of liner and regrading of TFF bunds. This table has been adjusted to reflect schedule limitations and changes associated with the winter road not being constructed in 2025, as discussed in section 1. (M). This updated table is included as Appendix C.
- Plans and designs were created for the Cell 4 Passive Limestone Drainage System, and the system was installed. These details are included in Appendix H.
- An as-built" survey of the Temporary Fuel Farm was completed in June 2024. The "as-built" report for the TFF was submitted via email to NWB, CIRNAC, and ECCC on September 27, 2024. The report documented the design and the Construction Quality Assurance (CQA) of the liner and containment bund system. These designs for the Temporary Fuel Facility are included in Appendix F.

(L) ENGAGEMENT

This section summarizes any public consultation and participation with local organization and residents of nearby communities, including schedule of upcoming events and information sessions.

The focus of public consultation carried out by Mandalay in 2024 was on communications related to the intention to build the 2025 Winter Road, which would allow for equipment mobilization, and other reclamation and closure works needed for Mine progress. When Mandalay decided not to build the 2025 Winter Road, due to reasons previously mentioned in this report, engagement efforts were reduced.

In 2025, Mandalay will engage and communicate with applicable organizations, residents of nearby communities, and Indigenous Groups about reclamation work scheduled for 2025. While no events are yet scheduled for 2025, Mandalay will be engaging in 2025/2026 as appropriate, and when new information or updates is available. Mandalay is committed to engaging in meaningful discussions on reclamation and closure of the Mine. Engagement in 2025 will focus on future site activities planned to achieve final closure of the Lupin Mine. Mandalay intends to address any information requests and



concerns raised while the Mine is reclaimed and progresses towards closure.

(M) RECLAMATION WORK COMPLETED IN 2024 AND ANTICIPATED WORKS FOR 2025

This section summarizes abandonment and reclamation work completed during the year and an outline of any work anticipated for the next year.

In 2024, the Mine was accessed solely via aircraft and helicopter. Permits allowing for the construction of the 2024/2025 winter road construction to access the Mine were obtained by Mandalay. However, following a strategic review, Mandalay decided to reschedule the construction of the winter road for the 2025 season. The decision was influenced by the fact that contractor proposals, for the 2025 winter road, did not align with the project's requirements or timeline constraints for the 2025 field season, despite Mandalay issuing the RFP (August 2, 2024) to a mix of local and southern contractors. While we were unable to secure a compliant bid from a local contractor, Mandalay remains committed to supporting local contractors to ensure that the benefits of this project stay in the North as much as possible. As such, some reclamation and closure activities originally scheduled for the 2025 field season have been delayed to future years. The table below summarizes reclamation works completed in 2025 and proposed works planed for the 2025 field season.

Table 6: Summary of Works Completed in 2024 and Proposed Works for 2025

Component	Works completed in 2024	Proposed Works proposed in 2025	
Underground Mine	No reclamation work completed in 2024.	No reclamation work planned for 2025.	
Contaminated Soil	A limited program of hydrocarbon cleanup was undertaken in the Mill Site Area in 2024. Removed soil was placed into the crown pillar. The volumes were as follows: 996 m³ from the landfarm, 48 m³ from TP05-25, 72 m³ from TP17-42, and 108 m³ from TP17-22 for a total of 1,660 m³.	 No specific reclamation work of contaminated soil planned for 2025. Any soil contamination that inadvertently occurs will be managed in accordance with the Waste Management Plan. 	
Waste Rock	No reclamation work was completed in 2024	No reclamation work planned for 2025	
Tailings Containment Area	Work completed in 2024 in the Tailings Containment Area include: Constructed Passive Limestone Drainage system at Seep in NW Cell 4 Designed and began bulk placement of esker cover over exposed tailings in NW Cell 4 Dam Safety Inspection (DSI) See Appendix D. Safety Review and Dam Safety Inspection Recommendation Management Plan, updated for 2024	Address outstanding findings and recommendations from 2024 annual geotechnical inspection reports, including: Develop a plan to address Cell 3 drainage swale erosion issues Continue remediation for exposed tailings and seep in the NW corner of Cell 4 Assess and design remediation for acidic water located at and adjacent to Cell N	



Component	Works completed in 2024	Proposed Works proposed in 2025
		 Assess and design remediation for exposed tailings between the Pond 1 closure elevation and J Dam Assess and design remediation for exposed tailings between the Pond 2 closure elevation and the proposed M Dam toe
		Develop engineered drawings for Dam 1A and J Dam spillways.
		 Assess and design re-slope of Dam3
		 Full details provided in Appendix A, Tailings Containment Area Geotechnical Inspection.
Buildings and Equipment	No demolition or reclamation work was completed in 2024.	No reclamation work planned for 2025
Borrow and Quarry Areas	No reclamation work was completed in 2024	No reclamation work planned for 2025
Chemicals and Fuel	No chemicals were shipped off-site in 2024. A fuel conversion program successfully cleaned and converted the remaining jet fuel stored in Tank 15 to usable Diesel	 Continue preparations for Waste fuel, oils, and chemicals to be demobilized on upcoming winter road. Potential for cleaning of tank 4.
Machinery and Mobile Equipment	Minor repairs to mobile equipment were completed in 2024.	Minor repairs to rock trucks, excavators and dozer planned for 2025.
		 Further equipment will be drained of fluids and placed in the landfill in 2025, some equipment will remain for post closure, but a majority of the equipment will be shipped to Yellowknife via the winter road in upcoming years. Fluids drained from the equipment are stored in a bermed area to be shipped offsite on the winter road for disposal. See Section 1(f) for a waste inventory on-site as of December 31, 2024.
Landfill	No reclamation work completed in 2024. Fuel drums noted during the CIRNAC inspection were removed from	No reclamation work planned for 2025



Component	Works completed in 2024	Proposed Works proposed in 2025
	the landfill and prepped for shipment off-site.	
Roads	Typical road maintenance was performed in 2024.	Reinstallation of the culvert along the Esker Haul Road near Fox Lake to address drainage issues is planned for 2025
Water Management Facilities	No reclamation work completed in 2024	No reclamation work planned for 2025.
Mobilization/Demobilization	Necessary Winter Roads permits received in 2024.	No reclamation work planned for 2025.
Explosives Magazine	No reclamation work completed in 2024.	Planned to be demobilized via Winter Road in 2026
Emergency Dump Ponds	No reclamation work completed in 2024.	Assess and design remediation for exposed tailings impounded by the emergency tailings dump ponds.
Sewage Lagoons	No reclamation work completed in 2024.	Assess and design spillway configuration, sizing, and specifications at the upper and lower sewage lagoon.

Fuel Storage Facility Update:

As of December 2024, only the former Jet A tank (Tank 15) is in use. MTF Tank 2 and Tank 3 have been cleaned and prepared for deconstruction and disposal in the landfill. One individual tank (MTF Tank 4) has been emptied and prepped for cleaning, deconstruction, and disposal in the landfill. A new Temporary Fuel Farm (TFF) was constructed in September 2023 to store fuel for the completion of closure operations and to allow for the decommissioning of the Main Tank Farm. An "as-built" survey was completed and associated "as-built" drawings were produced in 2024 and are contained in Appendix F. The TFF now contains diesel that was converted from the Jet fuel.

As of December 31, 2024, there was approximately 453,424 litres of diesel fuel and zero (0) litres of jet fuel in storage in large fuel tanks within the Bulk Fuel Storage (Main Tank Farm) and temporary tank farm (TFF).

(N) Additional Details Requested

This section details any other details on water use or waste disposal requested by the Board by November 1 of the year being reported.

Any additional outstanding information requested by the Board and other Regulators is included in Appendix G.



2. SCHEDULE B.2 - POST CLOSURE MONITORING PLAN UPDATE

This section details updates to Schedule B for Annual Reporting Requirements, reflecting the Post Closure Monitoring Plan as outlined in Schedule J, Item 13 of 2AM-LUP2032.

LMI is currently in modified active Care and Maintenance of the Closure Phase. Given that no winter road was constructed in 2024, limiting reclamation activities, Mandalay will update requirements for the Post Closure Phase in the 2025 annual report.



APPENDIX A. 2024 DSI Geotechnical Inspection



2024 Lupin Mine Tailings Containment Area Annual Inspection Report

March 17, 2025

Prepared for:

Lupin Mines Incorporated

Prepared by:

Steven Bundrock, P.Eng. Lindsay Pistner, P.Eng.

Sign-off Sheet

This document entitled 2024 Lupin Mine Tailings Containment Area Annual Inspection Report was prepared by Stantec Consulting Ltd. ("Stantec") for the account of Lupin Mines Inc. (the "Client"). Any reliance on this document by any third party is strictly prohibited. The material in it reflects Stantec's professional judgment in light of the scope, schedule and other limitations stated in the document and in the contract between Stantec and the Client. The opinions in the document are based on conditions and information existing at the time the document was published and do not take into account any subsequent changes. In preparing the document, Stantec did not verify information supplied to it by others. Any use which a third party makes of this document is the responsibility of such third party. Such third party agrees that Stantec shall not be responsible for costs or damages of any kind, if any, suffered by it or any other third party as a result of decisions made or actions taken based on this document.

Lindsay Pistner, P.Eng.		
Reviewed and Approved by		
Steven Bundrock, P.Eng.		

Prepared by _____



2024 LUPIN MINE TAILINGS CONTAINMENT AREA ANNUAL INSPECTION REPORT

Table of Contents

1.0	INTRODUCTION	1.1
2.0	BACKGROUND INFORMATION	2.1
2.1	PROJECT DESCRIPTION	
	2.1.1 Location and Access	
	2.1.2 History and Current Status	2.3
	2.1.3 Site Infrastructure	
2.2	CLIMATE	2.4
2.3	SITE GEOLOGICAL CONDITIONS	2.4
2.4	PERMAFROST MONITORING	
3.0	TAILINGS CONTAINMENT AREA DAMS	3.1
3.1	DAM CONSEQUENCE CLASSIFICATIONS	3.2
4.0	2024 TCA INSPECTION	4.1
4.1	GENERAL	4.1
4.2	INSTRUMENTATION MONITORING RESULTS	4.1
	4.2.1 Thermistors	
	4.2.2 Water Content Sensors	4.9
	4.2.3 Transducers	4.12
	4.2.4 Multi-Channel Loggers	4.14
4.3	PERIMETER DAMS	4.15
4.4	INTERNAL DAMS	4.16
5.0	RECOMMENDATIONS	5.1
5.1	DAM 2 COLLECTION POND	5.10
5.2	MAINTENANCE AND CLOSURE PRIORITIES	5.10
6.0	LIMITATIONS	6.1
7.0	REFERENCES	7.1



2024 LUPIN MINE TAILINGS CONTAINMENT AREA ANNUAL INSPECTION REPORT

LIST OF TABL	ES	
Table 3-2: TCA Table 4-1: VW	A Dam Consequence Classifications A Dam Consequence Classifications C Installation Details Dection Observations and Recommendations	4.10
LIST OF FIGUR	RES	
Figure 4-1: TC	1-3 Thermistor Results	4.3
	3-1 Thermistor Results	
	-1 Thermistor Results	
	-3 Thermistor Results	
	-4 Thermistor Results	
	-00-2 Thermistor Results -00-2N Thermistor Results	
	II 1-1 VWC Results	
•	Il 3-1 VWC Results	
Figure 4-10: Tr	ansducer Results	4.13
Figure 4-11: TO	C3-2 Multichannel Logger Results	4.14
LIST OF APPE	NDICES	
APPENDIX A	SITE FIGURES	A.1
APPENDIX B	PHOTOGRAPHIC LOG	B.1
APPENDIX C	ESKER COVER DEPTH HEAT MAPS	C.1



Introduction

1.0 INTRODUCTION

Lupin Mines Incorporated (LMI), a wholly owned indirect subsidiary of Mandalay Resources, retained Stantec Consulting Ltd. (Stantec) to complete the annual dam safety inspection (DSI) at the Lupin Mine Tailings Containment Area (TCA). Stantec carried out a site visit and dam safety inspection of the TCA in the summer of 2024. This report presents background information, results and recommendations from the DSI.

2.0 BACKGROUND INFORMATION

The Lupin Mine is located on the western shore of Contwoyto Lake, approximately 400 km northeast of Yellowknife, Northwest Territories, in the Kitikmeot Region of Nunavut (Appendix A – Figure 1). The site includes camp and support facilities, fuel storage, an airstrip, overflow and sewage ponds, and the TCA as shown in Appendix A – Figure 2. A plan view of the TCA is provided in Appendix A – Figure 3.

Lupin mining operations ceased in 2005. The Lupin Mine site is currently undergoing active closure activities. Closure activities are detailed in the approved Final Closure and Reclamation Plan, issued by Golder Associates in 2018 (Golder, 2018).

The Lupin Mine operates under the Nunavut Water Licence 2AM-LUP2032 (NWB, 2020), issued to LMI by the Nunavut Water Board (NWB, or The Board). Part J, Condition 12 of the water licence requires an annual geotechnical inspection to be completed for the TCA during ice free, open-water conditions by a Geotechnical Engineer (NWB, 2020). Stantec has provided a qualified person to conduct the geotechnical inspection in order to fulfill the requirements of Part E, Condition 7 of the water licence, which stipulates that the TCA shall be constructed, operated, and maintained to engineering standards such that:

- A minimum freeboard of 1.0 metre is maintained at all times or as recommended by a Geotechnical Engineer and as approved by the Board in writing
- Seepage from the TCA is minimized
- Seepage that occurs is collected and returned immediately to the TCA
- · Erosion of constructed facilities is addressed immediately
- The solids fraction of the mill tailings is permanently contained within the TCA or underground as backfill
- Measures are implemented so that the TCA is adequately covered or managed, including the use of approved binding agents, so as to prevent windblown tailings from impacting other areas of the project site

(

Background Information

 Transducers are installed and maintained within existing standpipes to collect water level data and ensure tailings saturation.

The water licence further stipulates that during the active Closure and Care and Maintenance Phases, inspections are to be carried out on a bi-weekly basis during freshet (approximately May and June), and monthly during the remainder of the open water period (approximately July to October) for the following:

- · Seepage from dams
- Water levels in ponds/cells
- General surface erosion, tension cracks, and/or anomalies on dams
- Records of these inspection are to be kept for review upon the request of Inspector, or as otherwise approved by the Board. More frequent inspections will be performed at the request of an Inspector.

To meet these conditions, this report summarizes Stantec's observations of the TCA's condition in 2024 and presents our recommendations. Previous annual inspections, safety reviews, and risk assessments with respect to the TCA are as follows:

- Construction reporting during active closure activities by JDS, WSP, and LMI
- Inspection Reports from 2018-2023 by Stantec Consulting Ltd
- Inspection Reports from 2016 and 2017 by Norwest Corporation
- Inspection Reports from 2012-2015 by SRK Consulting
- 2015 Dam Safety Review Report by SRK Consulting
- 2023 Dam Safety Review Report by SLR Consulting
- 2012 TCA Risk Assessment and Water Quality Review by SRK Consulting.

While the annual inspection is carried out to satisfy the licence requirements, the format and methodology used are performed in accordance with good engineering practices laid out in Canadian Dam Association (CDA) Dam Safety Guidelines (2013, 2014) and Province of British Columbia Water Management Branch (BCWMB, 2011) Dam Safety Guidelines.

2.1 PROJECT DESCRIPTION

2.1.1 Location and Access

The Lupin Mine is accessible by air or winter road. Air access is serviced by a gravel airstrip, capable of handling large aircraft. Charter flights from Yellowknife support the site. When the mine was in operation, the Tibbitt, Northwest Territories to Contwoyto, Nunavut Winter Road was



Background Information

utilized to resupply the mine. Since 2005, this winter road terminated at the Ekati Diamond Mine and has not been extended to the Lupin Mine since 2005, when the mine went into the Care and Maintenance Phase. An overland access trail was constructed to the Lupin site in the winter of 2020 to facilitate equipment mobilization for closure activities. This trail was reestablished in order to mobilize additional equipment to site in the winter of 2023/2024, and will be reestablished for equipment demobilization once the closure activities have been completed.

2.1.2 History and Current Status

In accordance with the approved FCRP, the Lupin Mine current closure activities include, but are not limited to, infrastructure demolition, identification and disposal of contaminated soils, water treatment and discharge, water quality and geochemical monitoring, tailings cover and shoreline armouring construction, construction of passive outfalls and spillways, tailings dam resloping and dam repairs, and waste management.

2.1.3 Site Infrastructure

Numerous mine facilities have been decommissioned as part of closure activities, including:

- The mill underground hoist and wheelhouse, ball mill, concentrator, and paste backfill plant (decommissioned and demolished).
- The camp and support facilities which historically included multiple accommodation
 wings, an office building, recreation facilities, a shop, carpentry building, weather station,
 cold and warm storage, and generators. Most of these structures were demolished, with
 only two wings of the camp, the shop, cold storage buildings, and associated generators
 remaining.
- A waste management incinerator, landfill, and a burn pit.
- Fuel storage facilities (included the main tank farm containing diesel and jet fuel for annual operations). Most of the fuel tanks were decommissioned and demolished. In 2023, a temporary fuel storage berm was constructed to facilitate decommissioning and demolition activities.

In addition to the decommissioned facilities noted above, the following mine facilities remain:

- A gravel airstrip capable of accommodating large aircraft such as Boeing 737s. Airstrip
 instrumentation has been decommissioned but the airstrip is to remain indefinitely for
 emergency purposes.
- Gravel roads connecting facilities and the various site infrastructure. These roads were largely still in place at the time of inspection but are to be decommissioned and scarified as part of the FCRP.
- Two sewage lagoons. These facilities are to be decommissioned, drained, and breached
 as part of closure activities. Spillways are to be constructed through the existing
 embankments to facilitate passive drainage.



Background Information

- The TCA, consisting of frozen core dams that contain tailings cells undergoing
 progressive reclamation which has been completed at several cells. Water treatment
 equipment was present at the TCA and typically consisted of a water treatment plant at
 Dam 1A and at the arsenic treatment building, as well as temporary equipment. Various
 instrumentation is present at the TCA, and consists of a barometer, thermistors,
 volumetric water content sensors, and pressure transducers.
- Two emergency tailings dump ponds, located along the historical tailings pipeline alignment.

2.2 CLIMATE

Stantec evaluated climate data from an automated weather station known as Lupin (CWIJ) available via the Weather Underground database (WU, 2016). Intermittent climate data was also available from the Environment Canada database under station LUPIN CS Climate ID 230N002. The climate data evaluation was completed in 2018, and updated in 2024, for the period of May 2005 to April 2017. Details from the climate data evaluation were as follows:

- Annual mean temperature: -10.9°C
- Average winter temperature (from October to April): -21°C
- Average summer temperature (from May to September): 8°C
- Average annual precipitation: 592 mm (*data does not differentiate between snow and rain)
- Average wind direction: south-southwest
- Average wind speed: 16 km/h

2.3 SITE GEOLOGICAL CONDITIONS

The Lupin Mine was located in an area underlain by an Archean metaturbidite sequence of the Contwoyto Formation. The rocks have been subjected to both regional and contact metamorphism, which included deformations and intrusions of various ages.

The area was glaciated and experienced isostatic rebound after the glaciers ablated. Runoff related to glaciation washed out erodible soils and formed lakes in low-lying areas. The easily erodible glaciolacustrine and glaciofluvial sands were reworked and displaced by meltwater and resulted in the outcrops present with thin soil veneers, abandoned beaches, and esker formations (Kinross, 2005). Where bedrock is not present at the surface, overburden typically consists of coarse-grained glacial till which is intermittently covered by glaciolacustrine and glaciofluvial deposits. The till is a silty sand with gravel and boulders, with low plasticity and ice content depending on the depth.

A substantial esker deposit, referred to as the Finger Lakes borrow source, is located roughly five km southeast of the TCA. Material at this borrow source has been classified as a gravely sand



Background Information

and was demonstrated to be geochemically stable under various wetting/drying cycles and leaching. Gravely sand sourced from the Finger Lakes borrow source has been used for most of the progressive reclamation and tailings/contaminated materials cover onsite. Prior to selection for progressive reclamation material, sand and gravel from this source was utilized for road and dam construction. Several other inactive borrow sources consisting of similar esker deposits are present near the TCA perimeter.

2.4 PERMAFROST MONITORING

The site is located within a permafrost region. The active layer has been observed to be variable between depths of 1.25 m to 3 m based on available data. During operation, scheduled monitoring was completed for instrumentation, water level records, water quality, and production volumes. This monitoring program was reduced accordingly during the Care and Maintenance Phase of the mine and is now carried out when work is being done on site, where applicable. Thermistors were installed in several dams and in the tailings cover to monitor performance. Some thermistors are no longer functional and/or are damaged beyond repair. Nine thermistors were drilled and installed in July 2024 in order to support the performance monitoring requirements of the FCRP. Functional thermistors are monitored at least once annually during the geotechnical inspection and more often when site access allows. The results indicate that permafrost remains within the dams and reclaimed tailings, and the results are consistent with reasonable historical variation and limits.

Tailings Containment Area Dams

3.0 TAILINGS CONTAINMENT AREA DAMS

The TCA tailings are primarily comprised of amphibole and quartz, which account for 80% of the volume. Pyrrhotite and arsenopyrite make up an additional 17%. Studies have demonstrated that the tailings have a potential for acid generation (Kinross, 2005).

The TCA consisted of eight perimeter dams named Dams 1A, 1B, 1C, 2, 3, 4, 5, and 6 and 11 internal dams named Dams 3a, 3b, 3c, 3d, 3e, J, K, L, M, N, and the Divider Dykes.

Five tailings cells (1 to 5) were used for tailings containment. During reclamation, internal dams 3a, 3b, 3c, and 3e were covered and are no longer considered to be dams. Cells 1 and 2 have been reclaimed. Cells 3 and 5 were covered in 2021 while Cell N was partially covered in 2022. Cell 4 was partially covered during the 2024 construction season. Remaining tailings requiring cover includes isolated areas of exposed tailings situated above the closure elevation within Ponds 1 and 2, additional fill at the Cell 4 northwest corner exposed tailings area, small areas of additional fill at Cell N, and an unquantified volume of tailings situated in the two emergency tailings dump ponds. No tailings have been produced since 2005.

Dams were constructed with esker sands and gravels and fine-grained tailings material. Perimeter dams and K Dam included a geosynthetic liner for seepage control and reduction of fines migration. The dams had frozen cores overlying a permafrost foundation. Perimeter dams ranged in height from one to eight metres and internal dams ranged in height from six to 12 metres.

Most of the tailings were historically contained within the TCA. However, there were two emergency tailings dump ponds which were utilized during adverse weather conditions. The extent, volume, and location of tailings impounded in the emergency dump ponds is unknown but is expected to be limited based on visual observation. The North emergency tailings dump pond is situated between the upper and lower sewage lagoon and the South emergency tailings dump pond is located one kilometre south.

The active closure procedure for water management includes the following steps:

- Runoff is directed from Cell 3 into Cell 4 via the passive drain outfall structure through L Dam.
- From Cell 4, the water is drained by a spillway constructed through the Divider Dykes, where it enters the Chain of Lakes natural drainage system near the southeast corner of the TCA. Comingled water from the natural system and Cell 3/Cell 4 flows into Pond 1.
- Cell 1 and 2 runoff is directed into Pond 1, while the remainder is left on the cover.
- Cell 5 runoff is directed into Pond 1 via the passively draining outfall structure through J Dam.
- Pond 1 water levels are managed by siphoning water across J Dam and into Pond 2.

(

Tailings Containment Area Dams

 Pond 2 water treatment occurs by adding neutralizing products, such as soda ash or lime, to raise the pH to the acceptable water licence discharge criteria. Precipitates from treatment are deposited in Pond 2 and treated water is siphoned to the receiving environment in accordance with the Water Licence requirements (NWB, 2020). Pond 2 does not have a flood overflow structure or means of passively discharging runoff; instead, water is retained, and discharge is restricted until water quality achieves the discharge requirements outlined in the Water Licence.

3.1 DAM CONSEQUENCE CLASSIFICATIONS

Stantec used the CDA Guidelines (CDA, 2013) to determine dam consequence classifications. Classifications and associated incremental losses are presented in Table 3-1.



Tailings Containment Area Dams

Table 3-1: CDA Dam Consequence Classifications

	Denuistien et	Incremental Losses				
Dam Class	Population at Risk ⁽¹⁾	Loss of Environmental and Cultural Values		Infrastructure and Economics		
			Minimal short-term loss	Low economic losses		
Low	None	0	No long-term loss	Area contains limited infrastructure or services		
			No significant loss or deterioration of fish or wildlife habitat	Losses to recreational facilities,		
Significant	Temporary only	Unspecified	Loss of marginal habitat only	seasonal workplaces, and infrequently used		
			Restoration or compensation in kind highly possible	transportation routes		
High	Permanent	10 or fewer	Significant loss or deterioration of important fish or wildlife habitat	High economic losses affecting infrastructure, public		
g		TO STITUTE	Restoration or compensation in kind highly possible	transportation, and commercial facilities		
Mama I limb	Damaanant	Permanent 100 or fewer	Significant loss or deterioration of critical fish or wildlife habitat	Very high economic losses affecting important infrastructure or services (e.g.,		
Very High	Permanent		Restoration or compensation in kind possible but impractical	highway, industrial facility, storage facilities for dangerous substances)		
		More than	Major loss of critical fish or wildlife habitat	Extreme losses affecting critical infrastructure or services (e.g., hospital, major		
Extreme	Permanent		Restoration or compensation in kind impossible	industrial complex, major storage facilities for dangerous substances)		

Note 1. Definition for population at risk:

None - There is no identifiable population at risk, so there is no possibility of loss of life other than through unforeseeable misadventure. Temporary - People are only temporary in the dam-breach inundation zone (e.g., seasonal cottage use, passing through on transportation routes, participating in recreational activities).

Permanent - The population at risk is ordinarily located in the dam-breach inundation zone (e.g., as permanent resident); three consequence classes (high, very high, extreme) are proposed to allow for more detailed estimate of potential loss life (to assist in decision-making if the appropriate analysis is carried out).

Note 2. Definition for loss of life:

Unspecified - The appropriate level of safety required at a dam where people are temporarily at risk depends on the number of people, the exposure time, the nature of their activity, and other conditions. A higher class could be appropriate, depending on the requirements. However, the design flood requirement, for example, might not be higher if the temporary population is not likely to be present during the flood season.



Tailings Containment Area Dams

Based on Stantec's 2024 inspection, dam consequence classifications are outlined in Table 3-2.

Table 3-2: TCA Dam Consequence Classifications

Dam		Consequence Classification	Rationale
	1A	Significant	Release of water that may not meet discharge criteria into the environment
	1B	Significant	Release of water that may not meet discharge criteria into the environment
દ	1C	Significant	Release of water that may not meet discharge criteria into the environment
Perimeter Dams	2	Significant	Release of water that may not meet discharge criteria into the environment
erimete	3	Low	No free-standing water; stable reclaimed tailings with very limited impact upon failure
ď	4	Significant	Release of water that may not meet discharge criteria into the environment
	5	Low	No free-standing water; stable reclaimed tailings with very limited impact upon failure
	6	Low	No free-standing water; stable reclaimed tailings with very limited impact upon failure
	3D	Low	Any release of effluent or tailings are contained within the TCA
	J	Low	Any release of effluent or tailings are contained within the TCA
ams	К	Low	Any release of effluent or tailings are contained within the TCA
Internal Dams	L	Low	Any release of effluent or tailings are contained within the TCA
Inte	М	Low	Any release of effluent or tailings are contained within the TCA
	N	Low	Any release of effluent or tailings are contained within the TCA
	Divider Dykes	Low	Any release of effluent or tailings are contained within the TCA

Tailings Containment Area Dams

These consequence classifications are in line with the classifications outlined in the 2015 Dam Safety Review (SRK, 2015) and the 2023 Dam Safety Review (SLR Consulting, 2023).

In 2023, SLR noted that an emergency response plan (ERP) was in place and made recommendations to enhance the ERP such that potential dam safety emergencies are considered and planned for accordingly. Typically, an ERP is informed by an inundation study which identifies impacted areas downstream. However, due to the lack of transportable tailings, and the lack of a permanent population or infrastructure downstream of the TCA, a detailed inundation study has been deemed to be non-applicable. In response to the recommendation from SLR and to update the ERP for closure conditions, a new ERP may be needed. An inundation study may also be needed to guide the ERP. Results of the inundation study would also confirm the adequacy of the dam consequence classifications.

2024 TCA Inspection

4.0 2024 TCA INSPECTION

4.1 GENERAL

The DSI was completed by Stantec's Steve Bundrock (Engineer of Record) and Lindsay Pistner from July 29 to July 31, 2024. Weather during the site visit was primarily clear to partly cloudy with light winds. No substantial precipitation events occurred during the inspection or in the days leading up to the inspection. Temperatures were typically 10° to 15°C during the day. Access roads were clear and mostly dry and were otherwise in good condition. All key TCA areas were accessible via light duty pickup truck, in the site 4WD Kubota, or on foot.

The DSI included a walkover, visual observation, and photography of the TCA upstream and downstream embankments, dam crest and toe areas, Cell 3 and 5 outfall structures, the Cell 4/Divider Dykes spillway. A cursory inspection of the two emergency tailings dump ponds, and the upper and lower sewage lagoons was also carried out as the structures contain limited ponded water, are generally dormant and have a history of acceptable stability. In addition to collecting observations for existing infrastructure, the recently constructed Cell 4 limestone drain and partial cover surface was inspected.

The inspection team observed for visible signs of instability (cracking, settling, slumping, toe heave, bulging, or other displacement), oversteepened slopes, uneven crests, erosion, ponded water, seeps, material types, fugitive tailings, vegetation, animal burrows, and other indicators of changing or unfavorable physical conditions. Photograph logs are provided in Appendix B. Geochemical observations (mineralization, precipitate, colour and vegetation changes, staining etc.) were also collected. Monitoring results from various instrumentation were collected, including thermistors, pressure sensors, and volumetric water content sensors (VWCs). Instrumentation conditions were documented with photographs. Water sampling and monitoring was carried out at seven locations; three samples were collected from Pond 1 and four samples were collected from Cell 4.

Water samples were packaged, transported, and delivered to the ALS laboratory in Yellowknife on July 31, 2024. Stantec received laboratory results on August 9, 2024.

4.2 INSTRUMENTATION MONITORING RESULTS

4.2.1 Thermistors

Thermistors were installed in the TCA between 1995, 2004, 2022 and 2024, to monitor the thermal performance of the dams, tailings, and covers. The additional thermistors that were drilled and installed in the summer of 2022 and 2024 were executed with the intent of satisfying conditions of the approved Final TCA Closure Plan and the Final Closure and Reclamation Plan. During the Operational Phase of the mine, thermistors were monitored monthly. When the mine



2024 TCA Inspection

entered the Care and Maintenance Phase, monitoring shifted to a semi-annual frequency. Not all functional thermistors were consistently monitored through the Care and Maintenance Phase.

According to historical records, there were 13 thermistors installed in the dams; three of these have been functional in recent years. Of the functional thermistors, two were located in the perimeter dams and one was located in an internal dam. D3D-1 was noted to have three nonfunctional beads in 2024, including through the permafrost-active layer interface. Historically, this was considered to be a functional instrument. No repairs were attempted in 2024. In 2024, successful repairs were completed at D2-00-02N, D4-3, and D1-00-02N which restored the functionality of these instruments. Two instruments were unable to be repaired without excavating material and should be abandoned, including instruments D1A-00-01S and DK-3. Five of the existing thermistors within dam embankments were fully functional, including D4-1, D4-3, D4-4, D1A-00-02N, and D2-00-02N.

In addition to thermistors installed in the dam embankments, there were ten historical thermistors installed in the reclaimed tailings and cover material, but three of these do not have calibration data on record to evaluate the results and four of them were damaged. In 2024, repairs were attempted at three of the four damaged instruments. It was determined that two of these instruments (TC1-6 and TC1-7) were unrepairable without excavating material and they should be abandoned. Although TC3-1 had a non-functional thermistor bead, this was located at a sufficient depth that an annual assessment of the permafrost-active layer can still be completed, and this instrument should be considered functional. Two of the existing thermistors located in the reclaimed tailings and cover material were functional, including TC1-3 and TC3-1.

Ten new thermistors were installed in July 2024 in TCA dam embankments and cover surfaces, as well as at the location of the passive limestone drain. Limited borehole logging was completed with drilling activities. Post-installation readings were collected at each thermistor to confirm their functionality. However, this data was not incorporated into this report since these temperature readings were noted to be stabilizing; most of the readings appeared to be recording latent heat from drilling and installation. Three thermistors were installed into the cover material/tailings underlying the tailings cells while six were installed in dam embankments and/or their foundation. One thermistor was installed at the constructed limestone drain at the Cell 4 cover area.

For the two existing, functional thermistors in cover material and tailings, and the three repaired thermistors, data series were selected to span August to September from the years 2010 to 2024. Minimum and maximum values were calculated and plotted using data series collected in the 1990s to 2024. Historically, the internal dam thermistors were not monitored as often as the thermistors installed in the perimeter dams and these instruments have a shortened dataset ranging from 2014 to the present day. Monitoring results are presented in Figures 4-1 to 4-7 on the following pages.




Figure 4-1: TC1-3 Thermistor Results




Figure 4-2: TC3-1 Thermistor Results




Figure 4-3: D4-1 Thermistor Results




Figure 4-4: D4-3 Thermistor Results




Figure 4-5: D4-4 Thermistor Results




Figure 4-6: D1-00-2 Thermistor Results

2024 TCA Inspection




Figure 4-7: D2-00-2N Thermistor Results

Based upon the thermistor monitoring results, the active layer associated with annual summertime permafrost thaw ranged from roughly 1.2 m to slightly less than 3 m deep. For a majority of the instruments, the active layer was observed to be located at a relatively consistent depth of 2.0 m below ground. 2024 results suggest that several thermistor beads were either at, or in excess of, historical maximums that have been plotted on Figures 4-1 to 4-7. Although temperatures were at, or in excess of, historical maximums, results indicated intact permafrost dam cores and foundations below the active zone.

4.2.2 Water Content Sensors

To monitor performance of the tailings cover, volumetric water content sensors were installed in Cell 1 and Cell 3 covers in 2018 with additional sensors installed at Cell 3 and Cell 5 in 2024. These instruments included a TEROS-12 VWC sensor that measures volumetric water content, temperature, and electrical conductivity. The sensor datalogger records results once every 12 hours. Four volumetric water sensors have also been installed. Cell 1 and Cell 5 each have one string of five vertical sensors installed within the cover and Cell 3 has two strings of five vertical sensors installed within the cover (C1-VWC1, C3-VWC1, C3-VWC2, and TC5-VWC1). Sensor information is provided in Table 4-1.



2024 TCA Inspection

Table 4-1: VWC Installation Details

	Cell 1-1		С	ell 3-1		Cell 3-2		Cell 5-1
vwc	Install	ed: 2018	Insta	lled: 2018	Ins	talled: 2024	Ins	talled: 2024
ID	Depth (m)	Material	Depth (m)	Material	Depth (m)	Material	Depth (m)	Material
Port 5	1.0	Fine Sand (Cover)	0.35	Sand and Gravel (Cover)	0.30	Sand (Cover)	0.30	Sand (Cover)
Port 4	1.2	Fine Sand (Cover)	0.5	Sand and Gravel (Cover)	0.50	Sand (Cover)	0.50	Sand (Cover)
Port 3	1.4	Fine Sand (Cover)	0.6	Sand and Gravel (Cover)	1.26	Sand (Cover)	1.3	Sand (Cover)
Port 2	1.6	Fine Sand (Cover)	0.7	Sand and Gravel (Cover)	1.56	Sand (Cover/Tailing s Interface)	1.6	Sand (Cover/Tailings Interface)
Port 1	1.8	Tailings	1.0	Sand and Gravel (Cover)	1.76	Tailings	1.8	Tailings

Monitoring is carried out to assess the percent saturation at various depths within the cover material. The Mine Environment Neutral Drainage (MEND) Program (MEND, 2009) demonstrated that a soil cover moisture content (percent saturation) greater than 85% provides an effective barrier against oxidization. Sensors register ice as a dry void so as pore water freezes, the measured water content drops during the winter months.

Data collected from VWCs in 2024 are presented in Figures 4-8 and 4-9. The large data gap associated with the Cell 3-1VWC was the result of a nonfunctional instrument. This instrument was repaired in 2024. Data associated with Cell 3-2VWC and Cell 5-1VWC will be presented in subsequent reports when sufficient data has been collected.

4.2.2.1 Cell 1-1 VWC

Figure 4-8 shows the percentage saturation for the VWC installed in the Cell 1 cover for July 2024 and earlier.

2024 TCA Inspection




Figure 4-8: Cell 1-1 VWC Results

There was a gap in data collection between July 6th to August 7th, 2020. The cause of the data gap is unknown but has been documented.

4.2.2.2 Cell 3-1 VWC

The functionality of Cell 3-1 VWC was restored in July 2024. Figure 4-9 shows the percentage saturation for the VWC installed in the northern portion of the Cell 3 cover for July 2024 and earlier.

2024 TCA Inspection




Figure 4-9: Cell 3-1 VWC Results

There were two sizable data gaps associated with Cell 3-VWC1 as indicated on Figure 4-9. The functionality of this instrument was restored in July 2024.

Most of the sensors demonstrated frozen conditions between October and June. The 2022 data indicated Port 4 moisture contents above 85% saturation once thawed. Ports 1, 2, and 3, which are situated deeper than Port 4, showed a variable trend but remained around 80% saturation. It was previously determined that the lower degree of saturation in Ports 1 through 3 could be the result of near freezing temperatures measured at depth. The VWC interprets frozen material as voids, thus reporting a lower degree of saturation. A similar assessment of the data will be required once this instrument collects sufficient data for interpretation.

4.2.3 Transducers

Three In-Situ Level TROLL 400 transducers and one In-Situ BaroTROLL transducer were installed in four standpipes in the Cell 1 cover in 2019. Based on information from Kinross (2006), the standpipes were installed to the tailings/cover contact. Transducers were installed a few centimetres off the bottom of the standpipes. The installation summaries indicated that there was approximately 1.0 m of cover thickness at the three transducer locations. These transducers



2024 TCA Inspection

provide insight into the historical performance of the tailings and aid in reconciling the VWC data. The transducers were programmed to record the depth of water above the sensor in each standpipe at 4-hour intervals. The transducers are winterized such that they remain operational throughout the freezing period, but water level readings recorded at temperatures below 0°C are not representative of real water/ice thickness.

Water level data downloaded from the transducers are provided in Figure 4-10.




Figure 4-10: Transducer Results

Data collected during the freezing period have been removed from the plots since these results are unreliable. Results collected over the open-water period fluctuate in response to evaporation and precipitation events, but the general trend indicates that there was typically a minimum of 20 cm of water above the contact point of the tailings and cover material over the period of record. Some results show water levels extending beyond the top of cover (ponding on surface).

Instrument SP5 was disturbed by wind or other weather, the instrument cable was repositioned as a result, which raised the transducer elevation. As a result, monitoring results for SP5 were approximately 20 cm lower during 2022 and 2023. The transducer was repositioned in 2023 and based on recent results, it appears that the transducer is now at a similar elevation as originally installed.

2024 TCA Inspection

According to the data from the transducers, the cover and tailings were saturated at these locations, indicating that the cover was functioning as designed.

4.2.4 Multi-Channel Loggers

One multi-channel logger (TC3-2) was installed in the Cell 3 cover surface in 2021. This instrument records temperature once per day at depths ranging from 1.5 m above ground surface to 5.5 m below ground surface. In total, eight sensors are functional at this instrument which are installed at one metre intervals from 1.5 m above ground surface (Sensor 1) to 5.5 m below ground surface (Sensor 8). Recorded data from this instrument is presented in Figure 4-11.




Figure 4-11: TC3-2 Multichannel Logger Results

Upon review of the multichannel logger data, the permafrost active layer at Cell 3 was observed to be located between sensor 4 and sensor 5 (1.5 to 2.5 m depth). Because sensor 4's (1.5 m depth) maximum temperature is typically 0.5°C or lower throughout the year, the actual permafrost depth at Cell 3 is likely at 1.5 m depth. As expected, year-round temperature stability increases with depth. The data appears to be relatively consistent and aside from seasonal variability, no apparent increasing or decreasing trend in temperature has been noted.

2024 TCA Inspection

4.3 PERIMETER DAMS

The perimeter dams (Dams 1A through 6) were observed to be in stable condition. Minor variations in crest height (<1m) were observed at most dams. Shrubs and grasses vegetated some dam embankments, but does not pose a threat to dam integrity.

On some perimeter dam upstream embankments, erosional features from wave action were observed. These erosional features appear to be unchanged from previous years based on visual observation and photographic records.

Erosional gullies were observed on several downstream embankments. Most of these erosional gullies were noted historically though some fresh features were observed at Dam 4 as well as Dam 2. Erosional gullies varied in size and geometry, and no active erosion was observed at the time of inspection. These features will require filling and compaction with granular material and may need additional armouring or local grading to prevent concentrated flows from impacting the dams. It is recommended that this work be prioritized once geochemical stability is demonstrated throughout the TCA waterbodies and final closure spillways are constructed.

Some recently enlarged erosional features were identified on downstream embankments of the perimeter dams, primarily at Dam 3. Related to this, the existing surface water collection channel and armoured drains along the contact between Cell 1a and Dam 3 were not functioning as intended, as collected flows were not reaching the drains due to improper grading, resulting in erosion in non-armoured sections of the embankment. The erosional features should be backfilled, compacted and armoured to protect against erosion.

Previously observed tension cracking near the crest of Dam 3 appeared to be worsening. A length of 75 m along the crest alignment is cracking. It is recommended that either the area should be resloped to a shallower slope or a toe berm should be constructed to stabilize the area.

During the inspection, perimeter access road berms were being flattened to reduce the likelihood for the development of concentrated surface water flows and erosion. It is recommended that this maintenance activity be completed on an as-needed basis.

Once the final closure activities are completed, the water level across the TCA will be passively managed at elevations lower than the Dam 1A, 1B, 1C, Dam 2, and Dam 5 structure elevations such that these embankments will no longer be performing as water retaining structures.

At the time of inspection, the water surface elevation at Pond 2 was surveyed at 481.08 m.

Water levels within Pond 2 were estimated to be approximately 0.5 m higher than the 2023 inspection water levels and 0.75 m higher than 2022 inspection water levels based on historical survey data and comparisons of visual observations from 2023. In 2024, the perimeter dam freeboard values were estimated to be greater than 4.5 m. This is greater than the minimum freeboard amount of 1.0 m required. Dams 1B, 1C, 5, and 6 did not have water at the toe of their upstream embankments due to low water levels.

(

2024 TCA Inspection

Previous annual inspections noted seepage at the downstream toe of Dam 2 near its northeastern abutment. This seepage was historically collected in two seepage collection dams/ponds downstream of Dam 2. Since 2021 closure activities, Pond 2 water levels have been maintained at a lower elevation than the seepage collection pond. This supports the conclusion that the source of any water in the Dam 2 collection ponds is not a result of seepage, but instead is runoff from upstream areas. Ponded water was observed in the northern seepage collection dam/pond during the inspection. The amount of ponded water appeared to be less than what was observed in 2022 and 2023, presumably due to dry conditions onsite. The southern seepage collection pond was dry in 2024. Ponded water in the seepage collection ponds was not pumped back into the TCA in 2024 and was instead left to evaporate. It is recommended that the seepage pond berms be removed and regraded to restore the original ground conditions downstream of Dam 2, thus preventing ponds from impounding runoff.

Numerous animal burrows, likely caused by Siksiks or Lemmings, were observed on perimeter dam embankments and crests. Burrows were most common on western and southern slopes and near/at the dam crest. New burrows were observed in 2024 on the crest of Dam 1C. Burrows are not expected to be a major concern for the structures due to reduced water levels across the TCA but may serve as a preferential seepage pathway if water levels are higher.

As noted in Section 3.2, instrumentation repairs and new installation occurred at the perimeter dams in 2024. Additional details can be reviewed in Section 3.2. Instrumentation appeared to be in acceptable condition at the time of inspection.

4.4 INTERNAL DAMS

Major earthworks activities were completed in 2024, as part of the closure activities as well as routine maintenance. 2024 activities included placement of an esker cover on the exposed tailings in the NW section of Cell 4 and construction of a limestone drain system. Additional fill and shoreline armouring remain to be completed. Heat maps were generated which identified the depth of cover on exposed Cell 4 tailings, included in Appendix C.

A limestone drain system was also constructed in 2024 to neutralize acidic seepage water. The drain was installed downgradient of the seep and included a screened outlet, geotextile filter cloth, and limestone fill. A thermistor was installed to monitor thermal performance of the surrounding Cell 4 cover. Based upon observations made by JDS and Stantec construction personnel, the historical seep was not actively discharging during drain construction.

At J Dam, freeboard was measured to be 3.71 m on July 30. The Divider Dykes were surveyed as having approximately 3.0 m of freeboard which has remained consistent as a result of the constructed spillway through the Divider Dykes. During the 2024 DSI inspection, a small sump, plywood, and rock check dam were located within the Cell 4 spillway. It was recommended that these items be removed and the small sump filled with riprap material to restore its full function.

The Cell N diversion ditch was concentrating flow and eroding the N Dam downstream toe area in 2024. It is recommended that the ditch be filled and compacted with cover material to encourage

2024 TCA Inspection

sheet flow and reduce erosion. A heat map was produced for the Cell N surface, indicating depth of cover, included as Appendix C.

Existing erosional features that were identified in previous DSIs and DSRs appeared to be similar in size, shape, and overall geometry. Some new erosional features were noted on upstream and downstream embankments by the inspection team. Small windrows created by road grading appear to be contributing to this issue as they trap and direct water to a single low spot on dam crests producing a higher volume of flow off the dam.

New, recent erosion was observed at several locations on the M Dam downstream embankment and crest. It is expected that these erosional features will be covered and remediated during the planned resloping works.

Existing erosional features related to wave action and scour appeared to be similar in size and extent to observations collected in previous years.

Minor amounts of shrubs and grasses were noted to vegetate some dam slopes and, to a lesser extent, the esker cover surfaces but do not pose a threat to stability. Revegetation of the esker cover surfaces is beneficial and is a crucial part of the closure plan.

The K Dam reslope completed in 2022 appeared to be performing adequately. Some minor erosional features (rills) were identified. The thermistor on K Dam was damaged during regrading work and repairs should be attempted in 2025.

The Cell 3 tailings cover, drainage swale, and outfall structure incorporated in L Dam were completed in 2021. Similar to observations made in 2023, the drainage swale had multiple erosional gullies (estimated to be 30-50 cm deep and 2 m wide) adjacent to it. Some accumulation of sediment was also observed on the floor of the drainage swale. The outfall structure appeared to be functioning adequately but was not actively discharging water at the time of inspection. In response to the progressive erosion of the cover surface adjacent to the Cell 3 drainage swale, mitigation will be required in 2025 which may include resloping side slopes, filling and compacting erosional features, realignment of the swale, and/or armouring with coarse material.

The Cell 5 tailings cover and outfall structure in J Dam were completed in 2021. Minimal to no erosion has been noted for the added Cell 5 infrastructure. The tailings cover and outfall structure appeared to be functioning adequately, and no active discharge was occurring at the time of inspection. Additional fill was placed in the outfall to allow for haulage in 2024 and this material should be removed when haulage is complete.

No seepage or saturated areas were identified in the downstream toe areas.

As noted in Section 4.2, instrumentation repairs and new installation occurred at the internal dams in 2024. Additional details can be reviewed in Section 4.2. Instrumentation appeared to be in acceptable condition at the time of inspection.

Recommendations

5.0 RECOMMENDATIONS

Table 5-1 summarizes the observations and recommendations related to the 2024 inspection. For comparison purposes, the findings from the 2023 inspection report have been tabulated.

Table 5-1: Inspection Observations and Recommendations

Inspection		2024 Inspection	on	2023 Inspection		
Item	Estimated Freeboard (m) ⁽²⁾	Observation	Recommendations	Observations	Recommendations	
Perimeter D	ams					
Dam 1A	5.23(2)	No progressive deterioration was observed for erosional features. Repairs were attempted at thermistor D1A-00-01 but were not completed. Repairs at D1A-00-02 also remain.	Monitor erosional features for progressive deterioration and fill and compact during spillway construction. Repair instruments.	No progressive deterioration was observed for erosional features. The centre dewatering siphon was broken. Animal burrows present near crest.	Continue to monitor erosional features for progressive deterioration. If no deterioration is observed, make repairs during final spillway construction. Repair the centre siphon if additional dewatering capacity is anticipated. Monitor for increased animal activity and consider backfilling burrows.	
Dam 1B	4.72 ⁽²⁾	No progressive deterioration was observed for erosional features. Animal burrows were present near crest.	Monitor erosional features for progressive deterioration and fill and compact during spillway construction	No progressive deterioration was observed for erosional features. Animal burrows present near crest. The Pond 2 shoreline was located a significant distance from the upstream toe.	Monitor for increased animal activity and consider backfilling burrows.	
Dam 1C	4.64(2)	No progressive deterioration was observed for historical erosional features. Animal burrows observed on crest of Dam 1C. The Pond 2 shoreline was located at a significant distance from the upstream toe.	Monitor erosional features for progressive deterioration and fill and compact during spillway construction.	Fresh erosional features were noted near the crest and on the downstream embankment. The Pond 2 shoreline was located a significant distance from the upstream toe.	Continue to monitor erosional features for progressive deterioration. Consider backfilling and compacting erosional features with well-graded esker sand and gravels and consider removing windrows from dam crest.	

Inspection		2024 Inspection	on	2023	2023 Inspection		
Item	Estimated Freeboard (m) ⁽²⁾	Observation	Recommendations	Observations	Recommendations		
Dam 2	5.28(2)	New and historical erosional features were observed. The NW seepage collection pond contained presumed runoff. Thermistor D2-00-02 was repaired. Thermistor D2-00-03 cable was severed and was not repaired. Thermistor D2-4-2024 was installed.	Fill and compact erosional features. Remove windrows from the dam crest. Pump water from seepage collection ponds back to Pond 2. Remove/regrade pond embankments. Repair D2-00-03.	Historical erosional features were observed. The SW seepage collection pond was dry, the NW seepage collection pond contained presumed runoff. The Pond 2 water elevation was lower than the ponded water elevation at the seepage collection system. The damaged thermistor was not repaired. Pond 2 was contacting the upstream toe in some locations.	Continue to monitor erosional features for progressive deterioration. Consider backfilling and compacting erosional features with well-graded esker sand and gravels and consider removing windrows from dam crest. Pump water from seepage collection system back to Pond 2 (or other suitable location in the TCA).		
Dam 3	No water is impounded by this dam	New tension cracking, enlarged erosional features, and existing animal burrows were observed. Volunteer vegetation continued to establish on the tailings cover surface.	Fill and compact and armour erosional features. Reslope or construct a toe berm downstream of the tension crack area.	Tension cracking, erosional features, and animal burrows were observed. Volunteer vegetation is occurring on the tailings cover surface.	Monitor tension cracks and erosional features for progressive deterioration. Consider backfilling and compacting features and regrade if features persist. Monitor for increased animal activity and consider backfilling burrows.		
Dam 4	N/A ⁽³⁾	New erosional features and existing erosional features were observed. Thermistor D4-3 was repaired.	Fill and compact erosional features. Remove windrows from dam crests.	Erosional features on the upstream and downstream embankments were observed. Historical erosional repairs appeared to be performing adequately. One of the three thermistors was not reporting results.	Consider backfilling and compacting erosional features and consider removing windrows from dam crest. Repair the thermistor if practicable.		

Inspection		2024 Inspection	on	2023 Inspection		
Item	Estimated Freeboard (m) ⁽²⁾	Observation	Recommendations	Observations	Recommendations	
Dam 5	N/A ⁽¹⁾	No progressive deterioration was observed for the historical erosional features.	Fill and compact erosional features.	No progressive deterioration was observed for the historical erosional features.	Continue to monitor erosional features for progressive deterioration.	
Dam 6	N/A ⁽¹⁾	No progressive deterioration was observed for the historical erosional features.	Fill and compact erosional features. Remove windrows from the dam crest.	Erosional features were observed near the crest and downstream embankment. The surface water management feature added in 2021 appeared to be functioning adequately.	Continue to monitor erosional features for progressive deterioration. Consider backfilling and compacting features and removing windrows from dam crest.	
Internal Dar	ms					
Dams 3A to 3D	No water is impounded by these dams	No progressive deterioration was observed for historical erosional features and wave-action erosion at Dam 3D. Thermistor TC2-2-2024	Fill, compact and if needed, armour wave action and other erosional features.	Historical erosional features and wave-action erosion were noted. No progressive deteriorations were observed for the historical erosional features.	Continue to monitor the historical wave-action erosion and erosional features for any progressive deterioration.	
		was installed in the Cell 2 cover.				

Inspection		2024 Inspection	on	2023 Inspection		
Item	Estimated Freeboard (m) ⁽²⁾	Observation	Recommendations	Observations	Recommendations	
Dam J	3.71(2)	Siphon intakes were decommissioned. Pumping of water from Pond 1 to Pond 2 was carried out. No progressive deterioration observed for historical wave-action erosion. Thermistor DJ-1-2024	Armour areas of wave- action erosion as needed. Update the Pond 1 closure elevation on detailed design drawings to reflect design changes	Historical wave-action erosion was noted. No progressive deterioration was observed for the historical wave-action erosion.	Continue to monitor the historical wave-action erosion for progressive deterioration. Update the Pond 1 closure elevation listed on the detailed design drawings to reflect recent discussions and design changes.	
Dam K	N/A ⁽¹⁾	was installed. The recently completed embankment re-slope has been performing well. Minor erosional features were noted. Thermistor DK-3's severed cable was located below ground surface. Repairs were attempted but not completed in 2024.	Monitor erosion. Attempt repair of damaged thermistor and abandon the instrument if repairs are not feasible.	Overall, the recently completed embankment reslope has been performing well. Minor erosional features (riling) were noted. A thermistor is damaged at this location.	Continue to monitor these rills and the re-sloped embankment for progressive deterioration. Complete repairs to the damaged thermistor.	

Inspection		2024 Inspection	on	2023 Inspection		
Item	Estimated Freeboard (m) ⁽²⁾	Observation	Recommendations	Observations	Recommendations	
Dam L	N/A ⁽⁴⁾	Historical erosion features were noted near the crest and downstream embankment at L Dam.	Fill and compact erosion. Remove windrows from dam crest.	Presumed fresh erosional features were noted near the crest and downstream embankment at L Dam.	Monitor erosional features for progressive deterioration. Consider backfilling and compacting features and removing windrows from dam crest.	
		The Cell 3 outfall structure appeared to be functioning adequately. Discharge was not occurring. The Cell 3 drainage swale had multiple new erosional gullies and sediment accumulation was observed. Thermistor DL-1-2024 was installed in Dam L. Thermistor DL-2-2024 was installed in the limestone drain. TC3-VWC2 was installed.	Monitor the outfall structure for deformation or performance issues. Mitigate Cell 3 drainage swale issues by resloping side slopes, filling and compacting erosional features, realigning the drainage swale, and/or armouring.	The Cell 3 outfall structure incorporated in L Dam appeared to be functioning adequately. Discharge was not occurring at the time of inspection. The Cell 3 drainage swale had multiple erosional gullies and sediment accumulation was observed in the swale bottom. This was also noted by SLR Consulting in their DSR Report.	Continue to monitor the outfall structure for deformation and/or performance issues. Work with the EoR and DSR Engineer to develop a long-term strategy to mitigate freshet-related erosion at the Cell 3 drainage swale.	

Inspection		2024 Inspection	on	2023 Inspection		
Item	Estimated Freeboard (m) ⁽²⁾	Observation	Recommendations	Observations	Recommendations	
Dam M	N/A ⁽⁴⁾	The Cell 5 outfall structure appeared to be functioning adequately. Discharge was not occurring at the time of inspection. Some portions of the outfall were backfilled to allow for haulage to pass through the area. Existing erosional features were noted near the crest and on the downstream embankment. Historical tension cracking/erosion appeared to be largely unchanged from historical observations. Tailings exists at the M Dam toe area. Thermistor TC5-1-2024 and DM-1-2024 were installed. TC5-VWC1 was installed.	Remove backfill material when haulage is complete. Reslope the downstream embankment to 2.1H:1V. Fill and compact erosional. Cover exposed tailings with fill or water cap.	The Cell 5 outfall structure in J Dam appeared to be functioning adequately. Discharge was not occurring at the time of inspection. Fresh erosional features were noted near the crest and on the downstream embankment at M Dam. Historical tension cracking/erosion appeared to be largely unchanged from historical observations. Fine-grained material (presumed tailings) exists at the M Dam toe area. This material was underwater prior to 2022 and has largely been uncharacterized. A similar observation was made by SLR Consulting in the DSR Report.	Continue to monitor the Cell 5 outfall structure for deformation and/or performance issues. Complete resloping of the downstream embankment to the design 2.1H:1V. Continue to monitor fresh and historical erosional features for progressive deterioration. If no progressive deterioration is observed, complete repairs to these features during resloping activities. Consider updating the stability model and designs to reflect the insitu conditions at M Dam. Add 1 m of clean fill on the exposed tailings between the Pond 2 closure shoreline and the M Dam design toe. Update the Pond 2 closure elevation in the detailed design to reflect changes.	

Inspection		2024 Inspection	on	2023 Inspection	
Item	Estimated Freeboard (m) ⁽²⁾	Observation	Recommendations	Observations	Recommendations
Dam N	N/A ⁽⁵⁾	Erosion was observed at the downstream toe near the NW corner of Cell N. Heat maps for depth of cover are included as Appendix C. Thermistor DN-1-2024 and TCN-1-2024 were installed.	Fill and compact cover material at NW corner to achieve 1.0 m cover.	Ponded water was present on and adjacent to the 1.0 m cover surface at Cell N – water sampling indicated that this water was acidic. No erosion was observed – the cover surface and diversion ditches appeared to be performing well.	Consider having a water quality specialist interpret the laboratory and field parameter results and identify potential improvements. Continue to monitor cell cover, N Dam, and the added diversion ditch for progressive deterioration.

Inspection		2024 Inspection	on	2023 Inspection		
Item	Estimated Freeboard (m) ⁽²⁾	Observation	Recommendations	Observations	Recommendations	
Divider Dykes	3.09(3)	A small sump, plywood, and rock check dam were located in the Divider Dykes spillway. The spillway was functioning adequately. Discharge was occurring at the time of inspection. Historical tension cracks and erosional features were unchanged. Esker cover was placed on historically exposed tailings at the NW corner of Cell 4. Based on analyses, 50% of the cover surface at Cell 4 was placed in 2024. The passive limestone drain was completed in July 2024 in accordance with design guidance.	Remove the sump, plywood, and rock check dam from the constructed spillway. Backfill the sump with riprap. Monitor the spillway for deformation or performance issues. Place clean esker fill on the historically exposed area of tailings at the NW corner of Cell 4 to bring the final cover surface to at least 1.0 m. Armour the shoreline. Monitor the passive limestone drain system. Consider collecting water samples downstream of this feature during active discharge to monitor water quality.	The spillway incorporated in the Divider Dykes appeared to be functioning adequately. Discharge was not occurring at the time of inspection. A localized section of exposed geotextile was observed, though conditions appeared to be similar to historical observations. Historical tension cracks and erosional features appeared to be largely unchanged when compared to historical observations.	Continue to monitor the spillway for deformation and/or performance issues.	

^{4.} An outfall structure is constructed to passively manage water below the dam structure.

5. Cell has been covered in 1.0 m of esker material. Cover surface ties-in to the dam crest, no water is impounded in this cell as a result.



Number is not adjacent to the dam to determine available freeboard.
 Freeboard was measured with survey equipment on July 31, 2024.

^{3.} A spillway is constructed to passively manage water to be below the dam structure.

Recommendations

5.1 DAM 2 COLLECTION POND

In response to dewatering efforts over the past few years, ponded water levels at Pond 2 remained lower than water impounded in the Dam 2 collection pond. The 2022 DSI concluded that the source of water in the collection pond was not due to seepage from Pond 2, but surface run-on from the surrounding native ground upgradient of the pond. Previous DSIs recommended that operational procedures be reconsidered as the water in the pond should not be considered as impacted water. Based on the results of this DSI, these recommendations remain valid.

5.2 MAINTENANCE AND CLOSURE PRIORITIES

The following maintenance and closure items documented in Table 5-1 should be prioritized:

- 1. Reslope Dam M in accordance with the closure design.
- Continue to execute remediation for the NW corner of Cell 4. As detailed in Appendix C, additional fill should be added to achieve 1.0 m of esker cover over tailings. Also, complete shoreline protection (riprap).
- 3. Design and execute improvements for managing the acidic seep(s) at Cell N.
- 4. Assess onsite conditions and develop detailed drawings for spillway designs for Dam 1A, J Dam, and the two sewage lagoons.
- 5. Assess onsite conditions and develop a strategy for covering or removing tailings impounded in the two emergency tailings dump ponds.
- 6. Assess the Cell 3/Dam L drainage swale erosion issue for potential to worsen over time. If needed, identify and implement remediation which may include placement of riprap, regrading, realignment and/or other approaches.

After the completion of the priority maintenance, LMI should carry out the following:

- Fill and compact large and progressing erosional features (see Table 5-1 above) with well graded esker sand and gravel during spillway construction and resloping activities.
- Continue to remove windrows from dam crests and access roads to reduce the extent to which ponded water can accumulate on the crests.
- Repair thermistors and any other damaged instruments where possible (as indicated in Table 5-1).
- Secure monitoring instruments on mounting systems.

Limitations

6.0 LIMITATIONS

This annual inspection report has been prepared for the sole benefit of Lupin Mines Inc. or its agent and may not be used by any third party without the express written consent of Stantec and LMI. Any use which a third party makes of this report is the responsibility of such third party.

The annual inspection performed by Stantec is based on information provided by others. Stantec has a right to reasonably rely on the information and data provided by LMI or obtained from generally acceptable sources within the industry without independent verification except to the extent such verification is expressly included in the services. Unless expressly stated otherwise, assumptions, data and information supplied by, or gathered from other sources upon which Stantec opinion as set out herein is based has not been verified by Stantec and Stantec makes no representation as to its accuracy and disclaims all liability with respect thereto.

The findings and conclusions in this annual inspection report are limited in terms of accuracy to the time, scope, and purpose for which the report was prepared and do not necessarily represent the conditions at any other time. An annual inspection is not intended to reflect the status of the dam for any significant period and reflects the current conditions at the time of issuance of the report. It is critical to note that the condition of the dams depends on numerous and constantly changing internal and external conditions and is evolutionary in nature. It would be incorrect to assume that the present conditions of the dams will continue to represent the condition of the dams in the future. Only through continued care and inspection can there be any chance that unsafe conditions will be detected. The information, opinions, and/or recommendations made in this report are in accordance with Stantec's present understanding of the site-specific project as described by LMI and observed by Stantec. The applicability of these is restricted to the site conditions encountered at the time of the investigation or study. If the proposed site-specific project differs or is modified from what is described in this report or if the site conditions are altered, this report is no longer valid unless Stantec is requested by LMI to review and revise the report to reflect the differing or modified project specifics and/or the altered site conditions.

Preparation of this report, and all associated work, was conducted in accordance with the normally accepted standard of care for the specific professional service provided to LMI. No other warranty is made and Stantec does not guarantee the performance of the project in any respect, only that its engineering work and judgements rendered meet the standard of care.

Should any site or sub-surface conditions be encountered that are different from those described in this report, Stantec must be notified immediately to assess if the varying or unexpected conditions are substantial and if reassessments of the report conclusions or recommendations are required. Stantec will not be responsible to any party for damages incurred as a result of failing to notify Stantec that differing site or sub-surface conditions are present upon becoming aware of such conditions.

(

7.0 REFERENCES

- Canadian Dam Association (CDA) 2013. CDA Dam Safety Guidelines, 2013.
- Canadian Dam Association (CDA) 2014. Technical Bulletin, Application of Dam Safety Guidelines to Mining Dams, 2014.
- Golder Associates (Golder) 2018. Lupin Mine Site Final Closure and Reclamation Plan. Prepared for Lupin Mines Incorporated (A wholly owned indirect subsidiary of Mandalay Resources Corporation), submitted to Nunavut Water Board, July 2018.
- Kinross Gold Corporation (Kinross) 2006. Final Abandonment and Restoration Plan and 2006 Response to Technical Review Comments Lupin Mine. Prepared for Nunavut Water Board, 2006.
- MEND Report 1.20.1 (MEND) 2009. Prediction Manual for Drainage Chemistry from Sulphidic Geologic Material, December 2009.
- Norwest Corporation, 2016. 2016 Lupin Mine Tailings Containment Area Geotechnical Inspection Report, submitted to Lupin Mine Incorporated, October 2016.
- Norwest Corporation, 2017. 2017 Lupin Mine Tailings Containment Area Geotechnical Inspection Report, submitted to Lupin Mine Incorporated, August 2017.
- Nunavut Water Board (NWB) 2020. Nunavut Water Licence 2AM-LUP2032, issued to Lupin Mines Incorporated, February 2020.
- Penner, E., and Crawford, C.B., 1983. Frost Action and Foundations, published as DBR paper no. 1090 of the Division of Building Research, National Research Council of Canada, March 1983.
- Province of British Columbia, Water Management Branch (BCWMB) 2011. Dam Safety Guidelines, Inspection & Maintenance of Dams. Prepared by Dam Safety Section. ISBN 0-7726-3520-X. March 2016.
- SLR Consulting Ltd. (SLR) 2023. 2023 Dam Safety Review Lupin Mine Tailings Containment Area (TCA). March 2024.
- SRK Consulting Ltd. (SRK) 2012. Lupin Mine Site 2012 Geotechnical Inspection Follow-up Risk Assessment and Water Quality Review. Prepared for Lupin Mines Incorporated, 2012.
- SRK Consulting Ltd. (SRK) 2016. Lupin Mine Tailings Management Facility 2015 Dam Safety Review. Prepared for Lupin Mine Incorporated, January 2016.

(


References


- Stantec Consulting, 2018. 2018 Lupin Mine Tailings Area Inspection Report, Annual Geotechnical Inspection of the Tailings Containment Area. Report submitted to Lupin Mine Incorporated, November 16, 2018.
- Stantec Consulting, 2019. 2019 Lupin Mine Tailings Area Inspection Report, Annual Geotechnical Inspection of the Tailings Containment Area. Report submitted to Lupin Mine Incorporated, October 24, 2019.
- Stantec Consulting, 2020. 2020 Lupin Mine Tailings Area Inspection Report, Annual Geotechnical Inspection of the Tailings Containment Area. Report submitted to Lupin Mine Incorporated, November 17, 2020.
- Stantec Consulting, 2021a. 2021 Lupin Mine Tailings Area Inspection Report, Annual Geotechnical Inspection of the Tailings Containment Area. Report submitted to Lupin Mines Incorporated on November 5, 2021.
- Stantec Consulting, 2021b. Lupin Mine Reclamation, 2021 Construction Summary Report Dam K Reslope. November 19, 2021.
- Stantec Consulting, 2021c. Lupin Mine Reclamation, 2021 Construction Summary Report Cell 3. November 19, 2021.
- Stantec Consulting, 2021d. Lupin Mine Reclamation, 2021 Construction Summary Report Cell 5. November 19, 2021.
- Stantec Consulting, 2021e. Lupin Mine Reclamation, 2021 Construction Summary Report Divider Dyke Spillway. November 19, 2021.
- Stantec Consulting, 2022. 2022 Lupin Mine Tailings Area Inspection Report, Annual Geotechnical Inspection of the Tailings Containment Area. Report submitted to Lupin Mines Incorporated on August 22, 2022.
- Stantec Consulting, 2024. 2023 Lupin Mine Tailings Area Annual Inspection Report, Annual Geotechnical Inspection of the Tailings Containment Area. Report submitted to Lupin Mines Incorporated on March 21, 2024.


Appendix A Site Figures

Appendix A SITE FIGURES









Appendix B Photographic Log

Appendix B PHOTOGRAPHIC LOG





Photo 1: Overview of the Dam 1A crest as viewed from near the southeast abutment.



Photo 5: Dewatering siphons routed over the crest of Dam 1A.



Photo 2: Overview of the Dam 1A crest and upstream embankment.



Photo 6: An old metal cylinder on the downstream slope of Dam 1A. Minor erosional features (rills and small gullies) were also observed in the vicinity.



Photo 3: Overview of the downstream embankment at Dam 1A.



Photo 4: Thermistor on Dam 1A.

LMI

Lupin Mines Incorporated

2024 Dam Safety Inspection

Site Inspection Photograph Log for Dam 1A



PN: 169524561 Page 1



Photo 7: Overview of the crest at Dam 1B, and the downstream area.



Photo 10: Two small animal burrows situated near the crest of Dam 1B.



Photo 8: Overview of the downstream embankment and toe area at Dam 1B.



Photo 11: General conditions at Dam 1B at the time of inspection.



Photo 9: Overview of the upstream embankment at Dam 1B.

LMI

Lupin Mines Incorporated

2024 Dam Safety Inspection

Site Inspection Photograph Log for Dam 1B



PN: 169524561 Page 2




Photo 12: Overview of the crest and upstream embankment at Dam 1C.



Photo 16: The upstream embankment and Pond 2 at Dam 2.



Photo 13: Overview of the downstream embankment and toe area at Dam 1C.




Photo 17: The downstream embankment at Dam 2 and the NW seepage collection pond, which had water present at the time of inspection, presumably runoff.



Photo 14: Instance of a small erosional feature extending from the crest to the downstream embankment at Dam 1C.



Photo 18: Thermistor D2-4-2024, installed on July 21, 2024, on Dam 2.



Photo 15: Overview of the crest and the northeast abutment at Dam 2.

Lupin Mines Incorporated LMI

Site Inspection Photograph Log for Dams 1C and 2



PN: 169524561 Page 3

2024 Dam Safety Inspection




Photo 19: Overview of the crest at Dam 3.




Photo 23: Overview of the surface water management feature at Dam 3.



Photo 20: Tension cracking on the downstream embankment, circled in red.



Photo 24: An erosional feature situated near the crest and on the downstream embankment of Dam 3.



Photo 21: Close up of the tension cracking on the downstream embankment.



Photo 25: Erosional feature developing on the downstream embankment of Dam 3.



Photo 22: Overview of the existing tailings cover at Dam 3.

Lupin Mines Incorporated LMI 2024 Dam Safety Inspection

Site Inspection Photograph Log for Dam 3



PN: 169524561 Page 4



Photo 26: Overview of the crest at Dam 4. The windrows were graded prior to the inspection.



Photo 29: Dam 4 southwest abutment. The windrows were graded and tied into natural ground at the abutment.



Photo 27: The downstream embankment and toe area at Dam 4.



Photo 30: Overview of an existing erosional feature on the downstream embankment at Dam 4.



Photo 28: Overview of the crest and upstream embankment at Dam 4.



Photo 31: Thermistor D4-3. The thermistor was repaired on July 26, 2024.

Lupin Mines Incorporated LMI 2024 Dam Safety Inspection

Site Inspection Photograph Log for Dam 4



PN: 169524561 Page 5



Photo 32: Overview of the crest and upstream embankment at Dam 5.



Photo 35: Overview of the crest, downstream embankment, and toe area at Dam 6.



Photo 33: Overview of the downstream embankment at Dam 5.



Photo 36: An erosional feature situated near the crest on the downstream embankment at Dam 6.



Photo 34: Overview of Dam 6 and the upstream embankment.



Photo 37: Overview of the surface water management feature on Dam 6.

Lupin Mines Incorporated LMI

2024 Dam Safety Inspection

Site Inspection Photograph Log for Dams 5 and 6



PN: 169524561 Page 6



Photo 38: Overview of the crest at Dam 3D.



Photo 41: The upstream embankment at J Dam.



Photo 39: Overview of the downstream embankment at Dam 3D.




Photo 42: Downstream embankment at J Dam.



Photo 40: Existing erosional feature near the crest on the downstream embankment at Dam 3D.



Photo 43: Pumps on the upstream embankment of J Dam.

I MI	Lupin Mines Incorporated								
	2024 D	am Sa	fety Inspect	ion					
Site Inspection	Photogra	ph L	og for Da	m 3D					
	and J Da	am							
Stantec	PN: 169524561	Page	7	REV. A					




Photo 44: The downstream embankment and toe area at K Dam, viewed from near its southwest abutment.



Photo 47: Overview of the K Dam crest and downstream embankment.




Photo 45: Crest and downstream embankment of K Dam, viewed from the southwest abutment.




Photo 46: Overview of the K Dam downstream embankment and toe area as viewed from near its right northeast abutment.

LMI

Lupin Mines Incorporated

2024 Dam Safety Inspection

Site Inspection Photograph Log for K Dam



PN: 169524561 Page 8



Photo 48: The downstream embankment at L Dam, viewed form the north abutment.



Photo 49: Esker cover placed over the installed limestone drain in the NW corner of Cell 4, looking north.



Photo 50: Esker cover placed over the limestone drain on Cell 4, looking south.



Photo 51: Extent of esker cover placed on the exposed shoreline tailings.



Photo 52: Overview of the esker cover placed over previously exposed tailings and the limestone drain in the NW corner of Cell 4.

Lupin Mines Incorporated LMI

2024 Dam Safety Inspection

Site Inspection Photograph Log for L Dam and Cell 4





Photo 53: Overview of the crest at M Dam, with thermistor DM-1-2024 in the background, installed on July 22, 2024.



Photo 57: Thermistor DN-1-2024, installed in N Dam on July 21, 2024.




Photo 54: Overview of the downstream embankment at M Dam, looking south.



Photo 58: The field-fit diversion ditch on the NW corner of Cell N.



Photo 55: Erosional features on the downstream embankment at M Dam.



Photo 59: Erosional feature downstream of the field-fit diversion ditch on the NW corner of Cell N.




Photo 56: Overview of the crest and downstream embankment at N Dam.

LMI

Lupin Mines Incorporated

2024 Dam Safety Inspection

Site Inspection Photograph Log for Dams M and N



PN: 169524561 Page 10



Photo 60: Overview of the South Divider Dyke crest as viewed from near its south abutment.



Photo 63: Divider Dyke spillway, looking southwest towards Cell 4.



Photo 61: Existing erosional feature on the crest and downstream embankment on the South Divider Dyke.



Photo 64: Plywood and small rock check dam in the Divider Dyke spillway.



Photo 62: Existing erosional feature on the crest and upstream embankment of the South Divider Dyke.

LMI

Lupin Mines Incorporated

2024 Dam Safety Inspection


Site Inspection Photograph Log for the Divider Dykes and Cell 4 Spillway



PN: 169524561 Page 11


Appendix C Esker Cover Depth Heat Maps





-0 m

Stantec





APPENDIX B. 2024 Water Sampling Data and Certificates of Analysis

		Sample Location			LUP-14	Pre Decant			
TARLE DA. Essler de Constitue Reco		Sample ID	LUP-14 Pre	LUP-14 Pre	LUP-14 Pre	LUP-14D PRE	LUP-14	LUP-14 PD	
TABLE B1: Effluent Quality Res Sewage Lake at Station LU			Decant D	Decant	decant	DECANT			
Sewage Lake at Station Lo	r-1 4	Date Sampled	05-Jul-2024	05-Jul-2024	21-Jul-2024	21-Jul-2024	09-Sep-2024	09-Sep-2024	
		Time Sampled	09:57	10:05	14:50	13:06	11:57	11:59	
Parameters	Units	Water Licence Sewage Lake Effluent Criteria							
Field Measured	l								
рН	pH unit	6.5-9.0	7.1	7.1	7.02	7.02	7.08	7.06	
Specific Conductivity	µS/cm	nc	244	244	240	240	196	196	
Temperature	deg °C	nc	12.6	12.6	18.9	18.9	8.9	8.9	
Dissolved Oxygen	mg/L	nc	10.4	10.4	10.26	10.26	11.23	11.24	
Conventional Parmeters	*		•	•	•				
рН	pH unit	6.5-9.0	7.53	7.54	7.45	-	7.18	7.31	
Conductivity	μS/cm	nc	275	272	266	-	279	278	
Acidity (as CaCO3)	mg/L	nc	-	-	<2.0	-			
Alkalinity, bicarbonate (as HCO3)	mg/L	nc	-	-	-	-	27.6	28.9	
Alkalinity, carbonate (as CO3)	mg/L	nc	-	-	-	-	<1.0	<1.0	
Alkalinity, hydroxide (as OH)	mg/L	nc	-	-	-	-	<1.0	<1.0	
Alkalinity, bicarbonate (as CaCO3)	mg/L	nc	18.9	18.9	-	-	-	-	
Alkalinity, carbonate (as CaCO3)	mg/L	nc	<2.0	<2.0	-	-	-	-	
Alkalinity, hydroxide (as CaCO3)	mg/L	nc	<2.0	<2.0	-	-	-	-	
Alkalinity, phenolphthalein (as CaCO3)	mg/L	nc	<2.0	<2.0	-	-	-	-	
Alkalinity, total (as CaCO3)	mg/L	nc	18.9	18.9	22.7	-	22.6	23.7	
Hardness (as CaCO3), dissolved	mg/L	nc	-	-	-	-	94.8	94.3	
	mg/l	no	89.7	91.0	93.2	_	95.2	96.0	
Hardness (as CaCO3), from total Ca/Mg	mg/L	nc	09.7	91.0	93.2	-	95.2	96.0	
Solids, total dissolved [TDS]	mg/L	nc	-	-	162	-	-	-	
Solids, total dissolved [TDS], calculated	mg/L	nc	-	-	-	-	161	161	
Solids, total suspended [TSS]	ma/l	35	8.3	<3.0	7.4	_	-		
	mg/L	33	0.3	<3.0	7.4	-	-	-	
Microbiological Tests	OFIL(400I	1000	4.0	1.0	4.0	0.0	4.0	4.0	
Coliforms, thermotolerant [fecal]	CFU/100mL	1000	<1.0	<1.0	<1.0	6.0	<1.0	<1.0	
Anions and Nutrients	1				0.400	1			
Bromide	mg/L	nc	-	-	0.166	-	-	-	
Chloride	mg/L	nc	-	-	19.6	-	18.8	18.8	
Fluoride	mg/L	nc	-	-	0.083	-	0.075	0.074	
Kjeldahl nitrogen, total [TKN]	mg/L	nc	-	-	0.407	-	0.411	0.431	
Nitrate (as N)	mg/L	nc	-	-	<0.0030	-	<0.020	<0.020	
Nitrate + Nitrite (as N)	mg/L	nc	-	-		-	<0.0500	<0.0500	
Nitrite (as N)	mg/L	nc	-	-	<0.0010	-	<0.010	<0.010	
Phosphate, ortho-, dissolved (as P)	mg/L	nc	-	-		-	<0.0010	<0.0010	
Phosphorus, total	mg/L	nc	-	-	0.0111	-	0.0118	0.0126	
Sulfate (as SO4)	mg/L	nc	-	-	74.5	-	77.6	77.1	
Ion Balance				1		I		9.51	
Anion sum	meq/L	nc	-	-	-	-	2.60	2.61	
Cation sum	meq/L	nc	-	-	-	-	2.54	2.53	
Ion balance (APHA)	%	nc	-	-	-	-	-1.17	-1.56	
Ion balance (cations/anions)	%	nc	-	-	-	-	97.7	96.9	
Total Metals				1 _	_	1	_	_	
Aluminum, total	mg/L	nc	0.0524	0.0310	0.0154	-	0.0300	0.0206	
Antimony, total	mg/L	nc	<0.00010	<0.00010	<0.00010	-	<0.00010	<0.00010	
Arsenic, total	mg/L	0.05	0.00567	0.00514	0.00511	-	0.00723	0.00687	
Barium, total	mg/L	nc	0.0141	0.0137	0.0136	-	0.0131	0.0132	
Beryllium, total	mg/L	nc	<0.000100	<0.000100	<0.000100	-	<0.000100	<0.000100	
Bismuth, total	mg/L	nc	<0.000050	<0.000050	<0.000050	-	<0.000050	<0.000050	
Boron, total	mg/L	nc	0.079	0.077	0.078	-	0.085	0.090	
Cadmium, total	mg/L	nc	0.0000174	0.0000087	<0.0000050	-	0.0000056	<0.000050	
Calcium, total	mg/L	nc	26.7	27.2	27.2	-	27.6	27.7	
Cesium, total	mg/L	nc	0.000100	0.000096	0.000098	-	0.000120	0.000107	

TABLE B1: Effluent Quality Results from Sewage Lake at Station LUP-14 Date Sample ID LUP-14 Pre Decant D Decant D	LUP-14 09-Sep-2024 11:57	LUP-14 PD 09-Sep-2024
Sewage Lake at Station LUP-14 Date Sampled 05-Jul-2024 05-Jul-2024 21-Jul-2024 21-Jul-2024 05-Jul-2024 21-Jul-2024 05-Jul-2024		09-Sep-2024
	11:57	00 00p 202.
Time Sampled 09:57 10:05 14:50 13:06		11:59
Parameters Units Sewage Lake Effluent Criteria		
Chromium, total mg/L nc <0.00050 <0.00050 -	<0.00050	<0.00050
Cobalt, total mg/L nc 0.00111 0.00051 0.00032 -	0.00077	0.00048
Copper, total mg/L 0.2 0.00132 0.00114 0.00092 -	0.00118	0.00113
Iron, total mg/L nc 0.226 0.122 0.063 -	0.195	0.169
Lead, total mg/L 0.05 0.000092 0.000100 <0.000050 -	<0.000050	0.000088
Lithium, total mg/L nc 0.0121 0.0122 0.0144 -	0.0136	0.0146
Magnesium, total mg/L nc 5.59 5.60 6.15 -	6.38	6.53
Manganese, total mg/L nc 0.0607 0.0304 0.0260 -	0.0186	0.0155
Mercury, total mg/L nc <0.0000050 <0.0000050 -	<0.0000050	<0.000050
Molybdenum, total mg/L nc 0.000140 0.000124 0.000147 -	0.000192	0.000202
Nickel, total mg/L 0.3 0.00647 0.00575 0.00469 -	0.00628	0.00548
Phosphorus, total mg/L nc <0.050 <0.050 -	<0.050	<0.050
Potassium, total mg/L nc 2.92 2.94 2.98 -	3.24	3.26
Rubidium, total mg/L nc 0.00595 0.00593 0.00602 -	0.00624	0.00634
Selenium, total mg/L nc <0.000050 <0.000050 -	<0.000050	<0.000050
Silicon, total mg/L nc 0.17 <0.10 <0.10 -	0.38	0.34
Silver, total mg/L nc <0.000010 <0.000010 -	<0.000010	<0.000010
Sodium, total mg/L nc 12.4 12.6 12.3 -	13.1	13.3
Strontium, total mg/L nc 0.162 0.160 0.171 -	0.183	0.177
Sulfur, total mg/L nc 24.8 24.8 24.9 -	27.6	27.2
Tellurium, total mg/L nc <0.00020 <0.00020 -	<0.00020	<0.00020
Thallium, total mg/L nc <0.000010 <0.000010 -	<0.000010	<0.000010
Thorium, total mg/L nc <0.00010 <0.00010 -	<0.00010	<0.00010
Tin, total mg/L nc <0.00010 <0.00010 -	<0.00010	<0.00010
Titanium, total mg/L nc 0.00124 0.00084 <0.00030 -	0.00033	0.00037
Tungsten, total mg/L nc <0.00010 <0.00010 -	<0.00010	0.00013
Uranium, total mg/L nc 0.000025 0.000023 0.000023 -	0.000082	0.000021
Vanadium, total mg/L nc <0.00050 <0.00050 -	<0.00050	<0.00050
Zinc, total mg/L 0.5 0.0041 0.0035 <0.0030 -	<0.0030	<0.0030
Zirconium, total mg/L nc <0.00020 <0.00020 -	<0.00020	<0.00020
Aggregate Organics		
Biochemical oxygen demand [BOD] mg/L 30 - - <2.0 <2.0	-	-
Oil & grease (visible sheen) - no visible sheen	-	-

Notes:

nc = no criteria listed

- = sample not analyzed for parameter indicated

mg/L -= milligram per litre

 μ g/L = microgram per litre

pH = potential of hydrogen

< = less than reported detection limit

μS/cm = microsiemens per centimeter

deg °C = degrees celsius

meq/L = milliequivalents per liter

% = percent

CFU/100mL = colony forming units per 100 millilitres

Water Licence Sewage Lake Effluent Criteria

As described in Water License No. 2AM-LUP2032, Part E, Item 9

			Sample Location		LUP-01		LUP-E	3L-01	LUP-	EL-01	LUP-LSL-01		
TABLE B2: Water Quality Res	ults from	Contwovto Lake	Sample ID	Sample 1	LUP-01	Contwoyto Lake	LUP-BL-01	LUP-BL-01	LUP-EL-01	LUP-EL-01	LUP-LSL-01	LUP-LSL-01D	LUP-LSL-01
(Station LUP-01), Boot Lake, E	ast Lake a	=	Date Sampled	25-Jun-2024	15-Jul-2024	10-Jul-2024	15-Jul-2024	08-Sep-2024	15-Jul-2024	08-Sep-2024	3-Jun-2024	3-Jun-2024	08-Sep-2024
			Time Sampled	00:00	07:11	14:30	08:06	14:48	07:39	15:14	13:38	13:38	00:00
Parameters	Units	CCME WQG Fresh	water Aquatic Life										
		Short-term	Long-term										
Field Measured													
pH	pH unit	ng	6.5-9.0	6.48	6.55	6.45	6.22	5.91	5.21	4.75	6.9	6.9	6.75
Specific Conductivity	μS/cm	ng	ng	18.8	14.3	31.4	85.1	75.7	122	97.2	130.1	130.1	196.3
Temperature	deg °C	ng	ng	5.5	6.7	6.5	10.6	9.3	8.8	7.5	7.4	7.4	9.3
Dissolved Oxygen	mg/L	ng	6.5	10.34	10.22	10.1	11.85	11.54	10.18	10.79	10.99	10.99	11.53
Conventional Parmeters													
pH	pH units	ng	6.5-9.0	6.70	6.70	6.78	6.77	6.29	5.80	4.81	7.09	7.06	7.24
Conductivity	μS/cm	ng	ng	-	14.6	34.0	36.9	105	122	142	142	142	279
Acidity (as CaCO3)	mg/L	ng	ng	-	-	<2.0	-	-	-	-	-	-	-
Alkalinity, bicarbonate (as HCO3)	mg/L	ng	ng	-	-	-	-	2.4	-	<1.0	-	-	28.8
Alkalinity, carbonate (as CO3)	mg/L	ng	ng	-	-	-	-	<1.0	-	<1.0	-	-	<1.0
Alkalinity, hydroxide (as OH)	mg/L	ng	ng	-	-	-	-	<1.0	-	<1.0	-	-	<1.0
Alkalinity, bicarbonate (as CaCO3)	mg/L	ng	ng	-	3.2	-	3.9	-	<2.0	-	7.2	6.1	-
Alkalinity, carbonate (as CaCO3)	mg/L	ng	ng	-	<2.0	-	<2.0	-	<2.0	-	<2.0	<2.0	-
Alkalinity, hydroxide (as CaCO3)	mg/L	ng	ng	-	<2.0	-	<2.0	-	<2.0	-	<2.0	<2.0	-
Alkalinity, phenolphthalein (as CaCO3)	mg/L	ng	ng	-	<2.0	-	<2.0	-	<2.0	-	<2.0	<2.0	-
Alkalinity, total (as CaCO3)	mg/L	ng	ng	3.7	3.2	3.9	3.9	2.0	<2.0	<2.0	7.2	6.1	23.6
Hardness (as CaCO3), dissolved Hardness (as CaCO3), from total	mg/L	ng	ng	-	-	10.3	-	37.2	-	50.1	-	-	93.6
Ca/Mg	mg/L	ng	ng	8.55	5.15	10.8	13.0	37.5	49.7	50.9	45.5	45.1	95.1
Solids, total dissolved [TDS]	mg/L	ng	ng	-	-	30	-	-	-	-	-	-	-
Solids, total dissolved [TDS], calculated	mg/L	ng	ng	-	-	-	-	61.5	-	87.5	-	-	160
Solids, total suspended [TSS]	mg/L	ng	ng	<1.0	<3.0	2.1	<3.0	-	5.4	-	<3.0	6.1	-
Microbiological Tests													
Coliforms, thermotolerant [fecal]	CFU/100 mL	-	-	-	<1.0	-	-	-	-	-	-	-	-
Anions and Nutrients									•			•	
Bromide	mg/L	ng	ng	-	-	0.0081	-	-	-	-	-	-	
Chloride	mg/L	640	120	-	-	0.46	1	1.34	-	1.05	-	-	18.9
Fluoride	mg/L	ng	0.12	-	-	0.030	-	0.057	-	0.098	-	-	0.076
Nitrate (as N)	mg/L	124	2.9	-	-	0.0087	-	<0.020	-	0.026	-	-	<0.020
Nitrate + Nitrite (as N)	mg/L	ng	ng	-	-	-	-	<0.0500	-	<0.0500	-	-	<0.0500
Nitrite (as N)	mg/L	ng	0.06	-	-	<0.0010	-	<0.010	-	<0.010	-	-	<0.010
Sulfate (as SO4)	mg/L	ng	ng	-	-	8.89	-	38.4	-	54.2	-	-	77.1
Cyanides							-						
Cyanide, strong acid dissociable (Total)	mg/L	ng	0.0005	-	-	<0.0050	•	-	-	-	-	-	•
Ion Balance													
Anion sum	meq/L	ng	ng	-	-	-	-	0.88	-	1.16	-	-	2.61
Cation sum	meq/L	ng	ng	-	-	-	-	0.90	-	1.21	-	-	2.52
Ion balance (APHA)	%	ng	ng	-	-	-		1.12	-	2.11	-	-	-1.75
Ion balance (cations/anions)	%	ng	ng	-	-	-	-	102	-	104	-	-	96.6

			Sample Location		LUP-01		LUP-I	3L-01	LUP-	EL-01		LUP-LSL-01	
TABLE B2: Water Quality Res (Station LUP-01), Boot Lake, E		•	Sample ID	Sample 1	LUP-01	Contwoyto Lake	LUP-BL-01	LUP-BL-01	LUP-EL-01	LUP-EL-01	LUP-LSL-01	LUP-LSL-01D	LUP-LSL-01
Lak			Date Sampled	25-Jun-2024	15-Jul-2024	10-Jul-2024	15-Jul-2024	08-Sep-2024	15-Jul-2024	08-Sep-2024	3-Jun-2024	3-Jun-2024	08-Sep-2024
	-		Time Sampled	00:00	07:11	14:30	08:06	14:48	07:39	15:14	13:38	13:38	00:00
Parameters	Units	CCME WQG Fresh	water Aquatic Life										
		Short-term	Long-term		1			1	1	1			
Total Metals			(a b)										
Aluminum, total	mg/L	ng	0.0050 - 0.10 ^(a, b)	0.0187	0.0069	0.0256	0.0271	0.190	0.133	0.394	0.0736	0.0704	0.0208
Antimony, total	mg/L	ng	ng	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Arsenic, total	mg/L	ng	0.0050	0.00062	0.00048	0.00102	0.00104	0.00088	0.00204	0.00230	0.00345	0.00314	0.00673
Barium, total	mg/L	ng	ng	0.00394	0.00236	0.00444	0.00416	0.0117	0.0207	0.0307	0.0140	0.0139	0.0124
Beryllium, total	mg/L	ng	ng	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	<0.000100	0.000201	<0.000100	<0.000100	<0.000100
Bismuth, total	mg/L	ng	ng	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
Boron, total	mg/L	29	1.5	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.019	0.018	0.089
Cadmium, total	mg/L	0.00011-0.00199 ^(c,d)	0.00004-0.00015 ^(c,e)	0.0000072	<0.0000050	0.0000068	0.0000069	0.0000682	0.0000778	0.000126	0.0000822	0.0000682	<0.0000050
Calcium, total	mg/L	ng	ng	1.66	1.03	2.06	2.14	7.77	8.07	9.32	12.3	12.1	27.7
Cesium, total	mg/L	ng	ng	0.000015	<0.000010	0.000020	0.000022	0.000049	0.000077	0.000080	0.000080	0.000084	0.000111
Chromium, total	mg/L	ng	0.0010	<0.00050	< 0.00050	<0.00050	<0.00050	<0.00050	<0.00050	0.00054	< 0.00050	<0.00050	<0.00050
Cobalt, total	mg/L	ng	ng	0.00033	<0.00010	0.00080	0.00040	0.0128	0.00679	0.0410	0.00664	0.00682	0.00040
Copper, total	mg/L	ng	0.0020-0.0023 ^(c,f)	0.00113	0.00065	0.00122	0.00166	0.00311	0.00586	0.00688	0.00203	0.00213	0.00088
Iron, total	mg/L	ng	0.30	0.032	<0.010	0.131	0.093	0.153	0.201	0.489	0.508	0.508	0.163
Lead, total	mg/L	ng	ng	<0.000050	<0.000050	<0.000050	<0.000050	< 0.000050	0.000055	0.000076	0.000486	0.000406	<0.000050
Lithium, total	mg/L	ng	ng	0.0020	<0.0010	0.0030	0.0035	0.0071	0.0070	0.0100	0.0045	0.0042	0.0145
Magnesium, total	mg/L	ng	ng	1.07	0.626	1.37	1.87	4.40	7.17	6.70	3.60	3.62	6.29
Manganese, total	mg/L	ng	ng	0.00419	0.00180	0.0117	0.00690	0.111	0.0735	0.337	0.146	0.141	0.0111
Mercury, total	mg/L	ng	0.000026	<0.000050	<0.000050	<0.0000050	<0.0000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.0000050
Molybdenum, total	mg/L	ng	0.073	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	0.000067	0.000062	0.000183
Nickel, total	mg/L	ng	0.025 - 0.092 ^(c,g)	0.00312	0.00091	0.00363	0.00360	0.0309	0.0519	0.0753	0.00852	0.00849	0.00522
Phosphorus, total	mg/L	ng	ng	<0.050	< 0.050	<0.050	< 0.050	<0.050	<0.050	<0.050	<0.050	<0.050	< 0.050
Potassium, total	mg/L	ng	ng	0.510	0.406	0.533	0.651	1.01	1.05	0.741	1.78	1.73	3.17
Rubidium, total	mg/L	ng	ng	0.00144	0.00122	0.00151	0.00192	0.00257	0.00364	0.00216	0.00420	0.00388	0.00614
Selenium, total	mg/L	ng	0.0010	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
Silicon, total	mg/L	ng	ng	0.18	0.11	0.21	0.19	1.67	<0.10	4.44	0.85	0.87	0.33
Silver, total	mg/L	ng	0.00025	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Sodium, total	mg/L	ng	ng	0.916	0.568	1.12	1.33	2.59	3.29	2.63	3.84	3.64	13.1
Strontium, total	mg/L	ng	ng	0.00938	0.00594	0.0118	0.0128	0.0370	0.0460	0.0505	0.0694	0.0692	0.176
Sulfur, total	mg/L	ng	ng	2.22	0.85	2.76	3.85	12.9	17.5	18.5	15.3	15.3	27.1
Tellurium, total	mg/L	ng	ng	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
Thallium, total	mg/L	ng	0.00080	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	0.000015	0.000015	<0.000010
Thorium, total	mg/L	ng	ng	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Tin, total	mg/L	ng	ng	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	0.00031	<0.00010	<0.00010	<0.00010	<0.00010
Titanium, total	mg/L	ng	ng	<0.00030	<0.00030	<0.00030	<0.00030	0.00045	0.00147	0.00133	0.00107	0.00113	0.00035
Tungsten, total	mg/L	ng	ng	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Uranium, total	mg/L	0.033	0.015	0.000023	0.000019	0.000025	0.000022	0.000033	0.000035	0.000042	0.000031	0.000029	0.000021
Vanadium, total	mg/L	ng	ng	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Zinc. total	mg/L	0.033-0.037 ^(h)	0.0063 - 0.058 ⁽ⁱ⁾	0.0030*	<0.0030*	<0.0030*	<0.0030*	0.0179*	0.0240	0.0387	0.0209*	0.0203*	<0.0030
Zirconium, total	mg/L	ng	ng	<0.0030	<0.0030	<0.0030	<0.0030	<0.00020	<0.0020	0.00025	<0.0000	<0.00203	<0.0030
	IIIg/L	ng	ily	<0.000Z0	<0.00020	₹0.00020	<0.000Z0	<0.00020	<0.000Z0	0.00023	<0.000ZU	NO.00020	<0.000Z0

Notes:

⁽a) = guideline is pH dependent. The guideline range shown is based on the pH range observed in the dataset (4.8 to 7.2). The guideline is calculated based on the individual pH for each sample.

 $^{^{(}b)}$ = guideline is pH dependent: 0.005 mg/L at pH < 6.5 and 0.1 mg/L at pH \geq 6.5.

⁽c) = guideline is hardness dependent. The guideline range shown is based on the hardness range observed in the dataset (5 to 95 mg/L). The guideline is calculated based on the individual hardness value for each sample.

⁽d) = guideline is for dissolved cadmium, but comparison to total cadmium is appropriate when no dissolved cadmium concentrations are available. The short-term dissolved cadmium guideline is hardness dependent. When the water hardness is 0 to < 5.3 mg/L, the short-term benchmark is 0.11 μ g/L. At hardness \geq 5.3 to \leq 360 mg/L, using the following equation: Benchmark (μ g/L) = 10(1.016(log[hardness mg·L-1]) - 1.71}. The guideline is calculated based on the individual hardness for each sample.

⁽e) = guideline is for dissolved cadmium, but comparison to total cadmium is appropriate when no dissolved cadmium concentrations are available. The long-term dissolved cadmium guideline is hardness dependent. When the water hardness is > 0 to < 17 mg/L, the CWQG is 0.04 μ g/L. At hardness \geq 17 to \leq 280 mg/L, use the following equation: Benchmark (μ g/L) = 10{0.83(log[hardness mg·L-1]) – 2.46}. The guideline is calculated based on the individual hardness for each sample.

 $^{^{(}f)=}$ The long-term copper guideline is hardness dependent. When the water hardness is 0 to \leq 60 mg/L, CWQG is 25 μ g/L. At hardness > 60 to \leq 180 mg/L, use the following equation: CWQG (μ g/L) = 0.2 * e{0.8545[In(hardness mg·L-1)]-1.465}. The guideline is calculated based on the individual hardness for each sample.

* = sample is outside the recommended pH or hardness range.

ng = no guideline listed

- = sample not analyzed for parameter indicated

mg/L -= milligram per litre

μg/L = microgram per litre

pH = potential of hydrogen

< = less than reported detection limit

μS/cm = microsiemens per centimeter

deg °C = degrees celsius

meq/L = milliequivalents per liter

% = percent

CFU/100mL = colony forming units per 100 millilitres

CCME WQG Freshwater Aquatic Life (long term)

CCME Water Quality Guidelines for the Protection of Aquatic Life, Freshwater (Long-term)

CCME WQG Freshwater Aquatic Life (short term)

CCME Water Quality Guidelines for the Protection of Aquatic Life, Freshwater (Short-term)

CCME = Canadian Council of Ministers of the Environment

 $^{^{(}g)}$ = guideline is for dissolved nickel, but comparison to total nickel is appropriate when no dissolved nickel concentrations are available. The long-term dissolved nickel guideline is hardness dependent. When the water hardness is 0 to \leq 60 mg/L, CWQG is 25 μ g/L. At hardness > 60 to \leq 180 mg/L, use the following equation: CWQG (μ g/L) = $(0.76[\ln(\text{hardness mg-L-1})]+1.06]$. The guideline is calculated based on the individual hardness for each sample.

⁽h) = guideline is for dissolved zinc, but comparison to total zinc is appropriate when no dissolved zinc concentrations are available. The short-term dissolved zinc guideline is hardness and DOC dependent. If dissolved zinc exceeds the most stringent value of 37 µg/L, use the following calculation: Benchmark (µg/L) = exp(0.833[In(hardness mg·L-1)] + 0.240[In(DOC mg·L-1)] + 0.526). The benchmark equation is valid between hardness 13.8 and 250.5 mg CaCO3·L-1 and DOC 0.3 and 17.3 mg·L-1, which is the range of data used to derive the hardness and DOC slopes. Extrapolations should not be made above the upper hardness limit of 250.5 mg CaCO3·L-1 or above the upper DOC limit of 17.3 mg·L-1. For hardness below 13.8 mg CaCO3·L-1 or DOC below 0.3 mg·L-1, where users want a more stringent benchmark, they should extrapolate with caution and contact their local authority for advice. The guideline is calculated based on the individual hardness and DOC measurements for each sample. A most stringent DOC value of 0.3 mg/L was used where data was unavailable.

⁽ⁱ⁾ = guideline is for dissolved zinc, but comparison to total zinc is appropriate when no dissolved zinc concentrations are available. The long-term dissolved zinc guideline is pH, hardness and DOC dependent. If dissolved zince exceeds the most stringent value of 6 µg/L, use the following calculation: CWQG (µg/L) = exp(0.947[In(hardness mg·L·1)] - 0.815[pH] + 0.398[In(DOC mg·L·1)] + 4.625). The CWQG equation is valid between hardness 23.4 and 399 mg CaCO3-L-1, pH 6.5 and 8.13 and DOC 0.3 to 22.9 mg·L·1, which is the range of data used to derive the hardness, pH and DOC slopes. Extrapolations should not be made above the upper hardness limit of 399 mg CaCO3-L-1, above the upper DOC limit of 22.9 mg·L·1 or below the lower pH limit of 6.5. For hardness below 23.4 mg CaCO3-L-1, DOC below 0.3 mg·L·1 or pH above 8.13, where users want a more stringent WQG, they should extrapolate with caution and contact their local authority for advice. The guideline is calculated based on the individual pH, hardness and DOC measurements for each sample. A most stringent DOC value of 0.3 mg/L was used where data was unavailable.

Table B3: Water Exceedances Con from 2021 and 202	mparison		CCME WQG Freshw	ater Aquatic Life			LUF	P-BL-01			ш	JP-EL-01			LUP	LSL-01	
Boot Lake, East L	ake, and	2024 Calculat	ed Guidelines	2021 Calculat	ed Guidelines	20	24	20:	21	20	24	202	21	202	24	202	1
		Short-term	Long-term	Short-term	Long-term	15-Jul-2024	08-Sep-2024	25-Jun-2021	30-Aug-2021	15-Jul-2024	08-Sep-2024	25-Jun-2021	30-Aug-2021	3-Jun-2024	08-Sep-2024	18-Jun-2021	30-Aug-2021
Parameters	Units																
Total Metals																	
Aluminum, total	mg/L	ng	0.0050 - 0.10 ^(a, b)	ng	0.0050 - 0.10 ^(a, b)	0.0271	0.19	0.057	0.028	0.133	0.394	0.19	0.17	0.0736	0.0208	0.14	0.027
Arsenic, total	mg/L	ng	0.005	ng	0.005		-	-	-	-	-	-	-	0.00345	0.00673	0.008	0.0053
Copper, total	mg/L	ng	0.0020-0.0023 ^(c,d)	ng	0.002	0.00166	0.00311	0.0014	0.0016	0.00586	0.00688	0.0046	0.0063	0.00203	0.00088	0.0026	0.0011
Iron, total	mg/L	ng	0.3	ng	0.3	-	-	-	-	0.201	0.489	0.21	0.34	0.508	0.163	0.43	0.12
Nickel, total	mg/L	ng	0.025 - 0.092 ^(c,e)	ng	0.025 - 0.065 ^(c,e)	0.0036	0.0309	0.0041	0.0036	0.0519	0.0753	0.016	0.031	-	-	-	-
Zinc, total	mg/L	0.033-0.037 ^(f)	0.0063 - 0.058 ^(g)	0.011-0.039 ^(f)	0.0063 - 0.015 ^(g)	<0.003	0.0179	<0.003	<0.003	0.024	0.0387	0.0096	0.013	0.0209	<0.003	0.03	<0.003

Notes:

Exceedance

No exceedance

- (a) = guideline is pH dependent. The guideline range shown is based on the pH range observed in the dataset (from 2021 and 2024 dataset). The guideline is calculated based on the individual pH for each sample.
- ^(b) = guideline is pH dependent: 0.005 mg/L at pH < 6.5 and 0.1 mg/L at pH ≥ 6.5 .
- (c) = guideline is hardness dependent. The guideline range shown is based on the hardness range observed in the dataset (from 2021 and 2024 dataset). The guideline is calculated based on the individual hardness value for each sample.
- $^{(d)}$ The long-term copper guideline is hardness dependent. When the water hardness is 0 to \leq 60 mg/L, CWQG is 25 μ g/L. At hardness for each sample.
- (e) = guideline is for dissolved nickel, but comparison to total nickel is appropriate when no dissolved nickel concentrations are available. The long-term dissolved nickel guideline is hardness dependent. When the water hardness is 0 to \leq 60 mg/L, CWQG is 25 μ g/L. At hardness > 60 to \leq 180 mg/L, use the following equation: CWQG (μ g/L) = \in 60.76[ln(hardness mg·L-1)]+1.06}. The guideline is calculated based on the individual hardness for each sample.
- (f) = guideline is for dissolved zinc, but comparison to total zinc is appropriate when no dissolved zinc concentrations are available. The short-term dissolved zinc guideline is hardness and DOC dependent. If dissolved zinc exceeds the most stringent value of 37 μ g/L, use the following calculation: Benchmark (μ g/L) = exp(0.833[ln(hardness mg·L-1)] + 0.240[ln(DOC mg·L-1)] + 0.526). The benchmark equation is valid between hardness 13.8 and 250.5 mg CaCO3·L-1 and DOC 0.3 and 17.3 mg·L-1, which is the range of data used to derive the hardness and DOC slopes. Extrapolations should not be made above the upper hardness limit of 250.5 mg CaCO3·L-1 or above the upper DOC limit of 17.3 mg·L-1. For hardness below 13.8 mg CaCO3·L-1 or DOC below 0.3 mg·L-1, where users want a more stringent benchmark, they should extrapolate with caution and contact their local authority for advice. The guideline is calculated based on the individual hardness and DOC measurements for each sample. A most stringent DOC value of 0.3 mg/L was used where data was unavailable.
- $^{(g)}$ = guideline is for dissolved zinc, but comparison to total zinc is appropriate when no dissolved zinc concentrations are available. The long-term dissolved zinc guideline is pH, hardness and DOC dependent. If dissolved zince exceeds the most stringent value of 6 μ g/L, use the following calculation: CWQG (μ g/L) = exp(0.947[ln(hardness mg·L-1)] 0.815[pH] + 0.398[ln(DOC mg·L-1)] + 4.625). The CWQG equation is valid between hardness 23.4 and 399 mg CaCO3·L -1, pH 6.5 and 8.13 and DOC 0.3 to 22.9 mg·L-1, which is the range of data used to derive the hardness, pH and DOC slopes. Extrapolations should not be made above the upper hardness limit of 399 mg CaCO3·L-1, above the upper DOC limit of 22.9 mg·L-1 or below the lower pH limit of 6.5. For hardness below 23.4 mg CaCO3·L-1, DOC below 0.3 mg·L-1 or pH above 8.13, where users want a more stringent WQG, they should extrapolate with caution and contact their local authority for advice. The guideline is calculated based on the individual pH, hardness and DOC measurements for each sample. A most stringent DOC value of 0.3 mg/L was used where data was unavailable.

ng = no guideline listed

- = no exceedances in 2021 or 2024, not compared mg/L = milligram per litre

< = less than reported detection limit

CCME WQG Freshwater Aquatic Life (long term)

CCME WQG Freshwater Aquatic Life (short term)

CCME = Canadian Council of Ministers of the Environment

CCME Water Quality Guidelines for the Protection of Aquatic Life, Freshwater (Long-term) CCME Water Quality Guidelines for the Protection of Aquatic Life, Freshwater (Short-term)

ALS Canada Ltd.



CERTIFICATE OF ANALYSIS

Work Order : **YL2400590** Page : 1 of 4

Amendment : 1

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Jon Melnyk Account Manager : Oliver Gregg

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

Vancouver BC Canada V6C 2T7 Yellowknife NT Canada X1A 3T3

 Telephone
 : -- Telephone
 : 1 867 445 7143

 Project
 : -- Date Samples Received
 : 05-Jun-2024 13:30

PO : --- Date Analysis Commenced : 10-Jun-2024

C-O-C number : ---- Issue Date : 18-Jun-2024 13:54
Sampler : ----

Quote number : YL24-ELMI100-001

No. of samples received : 2
No. of samples analysed : 2

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

Site

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

 Signatories
 Position
 Laboratory Department

 Cindy Tang
 Team Leader - Inorganics
 Inorganics, Burnaby, British Columbia

Kevin Duarte Supervisor - Metals ICP Instrumentation Metals, Burnaby, British Columbia
Owen Cheng Metals, Burnaby, British Columbia

Page : 2 of 4

Work Order : YL2400590 Amendment 1

Client : Elgin Mining Inc.

Project : ---



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances

LOR: Limit of Reporting (detection limit).

Unit	Description
μS/cm	microsiemens per centimetre
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Page : 3 of 4

Work Order : YL2400590 Amendment 1

Client : Elgin Mining Inc.

Project : ---



Analytical Results

Sub-Matrix: Water			Cli	ient sample ID	LUP-LSL-01	LUP-LSL-01D		
(Matrix: Water)								
			Client samp	ling date / time	05-Jun-2024 00:00	05-Jun-2024 00:00		
Analyte	CAS Number N	lethod/Lab	LOR	Unit	YL2400590-001	YL2400590-002		
					Result	Result		
Physical Tests	Tools of the second							
Alkalinity, bicarbonate (as CaCO3)	E290/V		2.0	mg/L	7.2	6.1		
Alkalinity, carbonate (as CaCO3)	E290/V		2.0	mg/L	<2.0	<2.0		
Alkalinity, hydroxide (as CaCO3)	E290/V		2.0	mg/L	<2.0	<2.0		
Alkalinity, phenolphthalein (as CaCO3)	E290/V		2.0	mg/L	<2.0	<2.0		
Alkalinity, total (as CaCO3)	E290/V		2.0	mg/L	7.2	6.1		
Conductivity	E100/V		2.0	μS/cm	142	142		
Hardness (as CaCO3), from total Ca/Mg	EC100		0.60	mg/L	45.5	45.1		
pH	E108/\		0.10	pH units	7.09	7.06		
Solids, total suspended [TSS]	E160/V	′A	3.0	mg/L	<3.0	6.1		
Total Metals								
Aluminum, total	7429-90-5 E420/V		0.0030	mg/L	0.0736	0.0704		
Antimony, total	7440-36-0 E420/V		0.00010	mg/L	<0.00010	<0.00010		
Arsenic, total	7440-38-2 E420/V		0.00010	mg/L	0.00345	0.00314		
Barium, total	7440-39-3 E420/V	'A	0.00010	mg/L	0.0140	0.0139		
Beryllium, total	7440-41-7 E420/V	'A	0.000100	mg/L	<0.000100	<0.000100		
Bismuth, total	7440-69-9 E420/V	′A	0.000050	mg/L	<0.000050	<0.000050		
Boron, total	7440-42-8 E420/V	′A	0.010	mg/L	0.019	0.018		
Cadmium, total	7440-43-9 E420/V	′A	0.0000050	mg/L	0.0000822	0.0000682		
Calcium, total	7440-70-2 E420/V	′A	0.050	mg/L	12.3	12.1		
Cesium, total	7440-46-2 E420/V	'A	0.000010	mg/L	0.000080	0.000084		
Chromium, total	7440-47-3 E420/\	'A	0.00050	mg/L	<0.00050	<0.00050		
Cobalt, total	7440-48-4 E420/V	Ά	0.00010	mg/L	0.00664	0.00682		
Copper, total	7440-50-8 E420/V	′A	0.00050	mg/L	0.00203	0.00213		
Iron, total	7439-89-6 E420/V	′A	0.010	mg/L	0.508	0.508		
Lead, total	7439-92-1 E420/V	'A	0.000050	mg/L	0.000486	0.000406		
Lithium, total	7439-93-2 E420/V	Ά	0.0010	mg/L	0.0045	0.0042		
Magnesium, total	7439-95-4 E420/V	'A	0.0050	mg/L	3.60	3.62		
Manganese, total	7439-96-5 E420/V	'A	0.00010	mg/L	0.146	0.141		
Mercury, total	7439-97-6 E508/V	'A	0.0000050	mg/L	<0.000050	<0.0000050		
I control of the second of the	1			· · · · · · · · · · · · · · · · · · ·		1	· ·	'

Page : 4 of 4

Work Order : YL2400590 Amendment 1

Client : Elgin Mining Inc.

Project : ---



Analytical Results

Sub-Matrix: Water		CI	ient sample ID	LUP-LSL-01	LUP-LSL-01D	 	
(Matrix: Water)							
			ling date / time	05-Jun-2024 00:00	05-Jun-2024 00:00	 	
Analyte	CAS Number Method/Lab	LOR	Unit	YL2400590-001	YL2400590-002	 	
				Result	Result	 	
Total Metals							
Molybdenum, total	7439-98-7 E420/VA	0.000050	mg/L	0.000067	0.000062	 	
Nickel, total	7440-02-0 E420/VA	0.00050	mg/L	0.00852	0.00849	 	
Phosphorus, total	7723-14-0 E420/VA	0.050	mg/L	<0.050	<0.050	 	
Potassium, total	7440-09-7 E420/VA	0.050	mg/L	1.78	1.73	 	
Rubidium, total	7440-17-7 E420/VA	0.00020	mg/L	0.00420	0.00388	 	
Selenium, total	7782-49-2 E420/VA	0.000050	mg/L	<0.000050	<0.000050	 	
Silicon, total	7440-21-3 E420/VA	0.10	mg/L	0.85	0.87	 	
Silver, total	7440-22-4 E420/VA	0.000010	mg/L	<0.000010	<0.000010	 	
Sodium, total	7440-23-5 E420/VA	0.050	mg/L	3.84	3.64	 	
Strontium, total	7440-24-6 E420/VA	0.00020	mg/L	0.0694	0.0692	 	
Sulfur, total	7704-34-9 E420/VA	0.50	mg/L	15.3	15.3	 	
Tellurium, total	13494-80-9 E420/VA	0.00020	mg/L	<0.00020	<0.00020	 	
Thallium, total	7440-28-0 E420/VA	0.000010	mg/L	0.000015	0.000015	 	
Thorium, total	7440-29-1 E420/VA	0.00010	mg/L	<0.00010	<0.00010	 	
Tin, total	7440-31-5 E420/VA	0.00010	mg/L	<0.00010	<0.00010	 	
Titanium, total	7440-32-6 E420/VA	0.00030	mg/L	0.00107	0.00113	 	
Tungsten, total	7440-33-7 E420/VA	0.00010	mg/L	<0.00010	<0.00010	 	
Uranium, total	7440-61-1 E420/VA	0.000010	mg/L	0.000031	0.000029	 	
Vanadium, total	7440-62-2 E420/VA	0.00050	mg/L	<0.00050	<0.00050	 	
Zinc, total	7440-66-6 E420/VA	0.0030	mg/L	0.0209	0.0203	 	
Zirconium, total	7440-67-7 E420/VA	0.00020	mg/L	<0.00020	<0.00020	 	

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



QUALITY CONTROL INTERPRETIVE REPORT

Work Order : YL2400590 Page : 1 of 6

Amendment :1

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Jon Melnyk Account Manager : Oliver Gregg

:750 West Pender Street Suite 201 Address :314 Old Airport Road, Unit 116

Yellowknife, Northwest Territories Canada X1A 3T3

 Telephone
 :--- Telephone
 : 1 867 445 7143

 Project
 :--- Date Samples Received
 : 05-Jun-2024 13:30

 PO
 :--- Issue Date
 : 18-Jun-2024 14:04

C-O-C number : ---Sampler : ---Site : ----

Quote number : YL24-ELMI100-001

No. of samples received :2
No. of samples analysed :2

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Address

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

Vancouver BC Canada V6C 2T7

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers Outliers : Quality Control Samples

No Method Blank value outliers occur.

- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

• No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

• Analysis Holding Time Outliers exist - please see following pages for full details.

Outliers : Frequency of Quality Control Samples

<u>No</u> Quality Control Sample Frequency Outliers occur.

Page : 3 of 6

Work Order : YL2400590 Amendment 1

Client : Elgin Mining Inc.

Project : ---

LUP-LSL-01



Evaluation: **x** = Holding time exceedance; ✓ = Within Holding Time

11-Jun-2024

Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and/or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pi	eparation		Analysis			
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Physical Tests : Alkalinity Species by Titration										
HDPE										
LUP-LSL-01	E290	05-Jun-2024	12-Jun-2024	14	8 days	✓	14-Jun-2024	14 days	9 days	✓
				days						
Physical Tests : Alkalinity Species by Titration										
HDPE										
LUP-LSL-01D	E290	05-Jun-2024	12-Jun-2024	14	8 days	✓	14-Jun-2024	14 days	9 days	✓
				days						
Physical Tests : Conductivity in Water										
HDPE										
LUP-LSL-01	E100	05-Jun-2024	12-Jun-2024	28	8 days	✓	14-Jun-2024	28 days	9 days	✓
				days						
Physical Tests : Conductivity in Water										
HDPE										
LUP-LSL-01D	E100	05-Jun-2024	12-Jun-2024	28	8 days	✓	14-Jun-2024	28 days	9 days	✓
				days						
Physical Tests : pH by Meter										
HDPE										
LUP-LSL-01	E108	05-Jun-2024	12-Jun-2024	0.25	182 hrs	*	14-Jun-2024	0.25	227 hrs	*
				hrs		EHTR-FM		hrs		EHTR-FM
Physical Tests : pH by Meter										
HDPE										
LUP-LSL-01D	E108	05-Jun-2024	12-Jun-2024	0.25	182 hrs	*	14-Jun-2024	0.25	227 hrs	3 0
				hrs		EHTR-FM		hrs		EHTR-FM
Physical Tests : TSS by Gravimetry										
HDPE										

05-Jun-2024

E160

7 days 6 days

Page : 4 of 6

Work Order : YL2400590 Amendment 1

Client : Elgin Mining Inc.

Project : --



Matrix: Water Evaluation: ★ = Holding time exceedance; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Exti	raction / Pr	reparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Physical Tests : TSS by Gravimetry										
HDPE LUP-LSL-01D	E160	05-Jun-2024					11-Jun-2024	7 days	6 days	✓
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid) LUP-LSL-01	E508	05-Jun-2024	12-Jun-2024	28 days	7 days	✓	12-Jun-2024	28 days	7 days	✓
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid) LUP-LSL-01D	E508	05-Jun-2024	12-Jun-2024	28 days	7 days	✓	12-Jun-2024	28 days	7 days	✓
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved) LUP-LSL-01	E420	05-Jun-2024	10-Jun-2024	180 days	6 days	✓	11-Jun-2024	180 days	7 days	✓
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved) LUP-LSL-01D	E420	05-Jun-2024	10-Jun-2024	180 days	6 days	4	11-Jun-2024	180 days	7 days	✓

Legend & Qualifier Definitions

EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended

Rec. HT: ALS recommended hold time (see units).

Page : 5 of 6

Work Order : YL2400590 Amendment 1

Client : Elgin Mining Inc.

Project : --



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: Water		Evaluation	n: × = QC freque	ncy outside spe	ecification; ✓ = 0	QC frequency with	hin specification
Quality Control Sample Type			Co	unt		Frequency (%)	
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Laboratory Duplicates (DUP)							
Alkalinity Species by Titration	E290	1489920	1	9	11.1	5.0	✓
Conductivity in Water	E100	1489921	1	5	20.0	5.0	✓
pH by Meter	E108	1489919	1	11	9.0	5.0	✓
Total Mercury in Water by CVAAS	E508	1488759	1	10	10.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1481597	1	20	5.0	5.0	✓
TSS by Gravimetry	E160	1486294	1	14	7.1	5.0	✓
Laboratory Control Samples (LCS)							
Alkalinity Species by Titration	E290	1489920	1	9	11.1	5.0	✓
Conductivity in Water	E100	1489921	1	5	20.0	5.0	✓
pH by Meter	E108	1489919	1	11	9.0	5.0	✓
Total Mercury in Water by CVAAS	E508	1488759	1	10	10.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1481597	1	20	5.0	5.0	✓
TSS by Gravimetry	E160	1486294	1	14	7.1	5.0	✓
Method Blanks (MB)							
Alkalinity Species by Titration	E290	1489920	1	9	11.1	5.0	✓
Conductivity in Water	E100	1489921	1	5	20.0	5.0	✓
Total Mercury in Water by CVAAS	E508	1488759	1	10	10.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1481597	1	20	5.0	5.0	✓
TSS by Gravimetry	E160	1486294	1	14	7.1	5.0	✓
Matrix Spikes (MS)							
Total Mercury in Water by CVAAS	E508	1488759	1	10	10.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1481597	1	20	5.0	5.0	√

Page : 6 of 6

Work Order : YL2400590 Amendment 1

Client : Elgin Mining Inc.

Project : ---



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Conductivity in Water	E100	Water	APHA 2510 (mod)	Conductivity, also known as Electrical Conductivity (EC) or Specific Conductance, is measured by immersion of a conductivity cell with platinum electrodes into a water
	ALS Environmental -			sample. Conductivity measurements are temperature-compensated to 25°C.
	Vancouver			
pH by Meter	E108	Water	APHA 4500-H (mod)	pH is determined by potentiometric measurement with a pH electrode, and is conducted at ambient laboratory temperature (normally 20 ± 5°C). For high accuracy test results,
	ALS Environmental -			pH should be measured in the field within the recommended 15 minute hold time.
	Vancouver			
TSS by Gravimetry	E160	Water	APHA 2540 D (mod)	Total Suspended Solids (TSS) are determined by filtering a sample through a glass fibre filter, following by drying of the filter at 104 ± 1°C, with gravimetric measurement of the
	ALS Environmental -			filtered solids. Samples containing very high dissolved solid content (i.e. seawaters,
	Vancouver			brackish waters) may produce a positive bias by this method. Alternate analysis methods are available for these types of samples.
Alkalinity Species by Titration	E290	Water	APHA 2320 B (mod)	Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total
	ALS Environmental -			alkalinity values.
	Vancouver			,
Total Metals in Water by CRC ICPMS	E420	Water	EPA 200.2/6020B (mod)	Water samples are digested with nitric and hydrochloric acids, and analyzed by Collision/Reaction Cell ICPMS.
	ALS Environmental -		,	
	Vancouver			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Total Mercury in Water by CVAAS	E508	Water	EPA 1631E (mod)	Water samples undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS
	ALS Environmental -			
	Vancouver			
Hardness (Calculated) from Total Ca/Mg	EC100A	Water	APHA 2340B	"Hardness (as CaCO3), from total Ca/Mg" is calculated from the sum of total Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers
	ALS Environmental -			to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially
	Vancouver			calculated from dissolved Calcium and Magnesium concentrations, because it is a
				property of water due to dissolved divalent cations. Hardness from total Ca/Mg is
				normally comparable to Dissolved Hardness in non-turbid waters.

ALS Canada Ltd.



QUALITY CONTROL REPORT

Work Order : **YL2400590** Page : 1 of 10

Amendment : 1

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Jon Melnyk Account Manager : Oliver Gregg

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

Yellowknife, Northwest Territories Canada X1A 3T3

:---- Telephone :1 867 445 7143 :---- Date Samples Received :05-Jun-2024 13:30

PO :---- Date Analysis Commenced :10-Jun-2024

C-O-C number :---- Issue Date :18-Jun-2024 13:53

Sampler :---Site :----

Quote number ; YL24-ELMI100-001

No. of samples received : 2
No. of samples analysed : 2

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives

Vancouver BC Canada V6C 2T7

- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

Telephone

Project

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Cindy Tang	Team Leader - Inorganics	Vancouver Inorganics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Vancouver Metals, Burnaby, British Columbia
Owen Cheng		Vancouver Metals, Burnaby, British Columbia

Page : 2 of 10

Work Order: YL2400590 Amendment 1

Client : Elgin Mining Inc.

Project : --



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key:

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Page : 3 of 10

Work Order: YL2400590 Amendment 1

Client : Elgin Mining Inc.

Project : --



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Water							Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier		
Physical Tests (QC	Lot: 1486294)												
VA24B3361-004	Anonymous	Solids, total suspended [TSS]		E160	3.0	mg/L	4.9	5.3	0.4	Diff <2x LOR			
Physical Tests (QC	Lot: 1489919)												
VA24B2788-001	Anonymous	рН		E108	0.10	pH units	7.73	7.74	0.129%	4%			
Physical Tests (QC	Lot: 1489920)												
KS2402117-003	Anonymous	Alkalinity, bicarbonate (as CaCO3)		E290	1.0	mg/L	334	339	1.40%	200%			
		Alkalinity, carbonate (as CaCO3)		E290	1.0	mg/L	<1.0	<1.0	0.00%	200%			
		Alkalinity, hydroxide (as CaCO3)		E290	1.0	mg/L	<1.0	<1.0	0.00%	200%			
		Alkalinity, phenolphthalein (as CaCO3)		E290	1.0	mg/L	<1.0	<1.0	0	Diff <2x LOR			
		Alkalinity, total (as CaCO3)		E290	1.0	mg/L	334	339	1.40%	20%			
Physical Tests (QC	Lot: 1489921)												
VA24B2788-001	Anonymous	Conductivity		E100	2.0	μS/cm	3640	3580	1.66%	10%			
Total Metals (QC Lo	ot: 1481597)												
VA24B2847-001	Anonymous	Aluminum, total	7429-90-5	E420	0.0030	mg/L	<0.0030	0.0030	0.00005	Diff <2x LOR			
		Antimony, total	7440-36-0	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR			
		Arsenic, total	7440-38-2	E420	0.00010	mg/L	0.00395	0.00400	1.32%	20%			
		Barium, total	7440-39-3	E420	0.00010	mg/L	0.0227	0.0230	1.24%	20%			
		Beryllium, total	7440-41-7	E420	0.000020	mg/L	<0.000020	<0.000020	0	Diff <2x LOR			
		Bismuth, total	7440-69-9	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR			
		Boron, total	7440-42-8	E420	0.010	mg/L	0.017	0.017	0.0002	Diff <2x LOR			
		Cadmium, total	7440-43-9	E420	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR			
		Calcium, total	7440-70-2	E420	0.050	mg/L	22.1	22.0	0.442%	20%			
		Cesium, total	7440-46-2	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR			
		Chromium, total	7440-47-3	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR			
		Cobalt, total	7440-48-4	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR			
		Copper, total	7440-50-8	E420	0.00050	mg/L	0.00246	0.00256	0.00010	Diff <2x LOR			
		Iron, total	7439-89-6	E420	0.010	mg/L	0.010	0.010	0.0003	Diff <2x LOR			
		Lead, total	7439-92-1	E420	0.000050	mg/L	0.000074	0.000074	0.000007	Diff <2x LOR			
		Lithium, total	7439-93-2	E420	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR			
		Magnesium, total	7439-95-4	E420	0.0050	mg/L	17.6	18.2	2.87%	20%			
		Manganese, total	7439-96-5	E420	0.00010	mg/L	0.00059	0.00054	0.00005	Diff <2x LOR			

Page : 4 of 10

Work Order: YL2400590 Amendment 1

Client : Elgin Mining Inc.

Project : ---



Sub-Matrix: Water							Labora	tory Duplicate (D	UP) Report		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Total Metals (QC Lo	ot: 1481597) - continue	d									
VA24B2847-001	Anonymous	Molybdenum, total	7439-98-7	E420	0.000050	mg/L	0.00519	0.00510	1.71%	20%	
		Nickel, total	7440-02-0	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	
		Phosphorus, total	7723-14-0	E420	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	
		Potassium, total	7440-09-7	E420	0.050	mg/L	1.90	1.97	3.59%	20%	
		Rubidium, total	7440-17-7	E420	0.00020	mg/L	0.00028	0.00032	0.00004	Diff <2x LOR	
		Selenium, total	7782-49-2	E420	0.000050	mg/L	0.000145	0.000136	0.000010	Diff <2x LOR	
		Silicon, total	7440-21-3	E420	0.10	mg/L	6.40	6.40	0.0142%	20%	
		Silver, total	7440-22-4	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		Sodium, total	7440-23-5	E420	0.050	mg/L	8.38	8.41	0.405%	20%	
		Strontium, total	7440-24-6	E420	0.00020	mg/L	0.206	0.201	2.18%	20%	
		Sulfur, total	7704-34-9	E420	0.50	mg/L	13.3	13.2	1.06%	20%	
		Tellurium, total	13494-80-9	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	
		Thallium, total	7440-28-0	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		Thorium, total	7440-29-1	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Tin, total	7440-31-5	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Titanium, total	7440-32-6	E420	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR	
		Tungsten, total	7440-33-7	E420	0.00010	mg/L	0.00023	0.00023	0.000002	Diff <2x LOR	
		Uranium, total	7440-61-1	E420	0.000010	mg/L	0.00179	0.00180	0.472%	20%	
		Vanadium, total	7440-62-2	E420	0.00050	mg/L	0.00127	0.00127	0.000004	Diff <2x LOR	
		Zinc, total	7440-66-6	E420	0.0030	mg/L	<0.0030	<0.0030	0	Diff <2x LOR	
		Zirconium, total	7440-67-7	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	
otal Metals (QC Lo	ot: 1488759)										
VA24B3077-005	Anonymous	Mercury, total	7439-97-6	E508	0.0000050	mg/L	0.0000064	0.0000062	0.0000001	Diff <2x LOR	

Page : 5 of 10

Work Order: YL2400590 Amendment 1

Client : Elgin Mining Inc.

Project : --



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Water

Analyte	CAS Number M	ethod	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1486294)						
Solids, total suspended [TSS]	E1	160	3	mg/L	<3.0	
hysical Tests (QCLot: 1489920)						
Alkalinity, bicarbonate (as CaCO3)	E2	290	1	mg/L	1.3	
Alkalinity, carbonate (as CaCO3)	E2	290	1	mg/L	<1.0	
Alkalinity, hydroxide (as CaCO3)	E2	290	1	mg/L	<1.0	
Alkalinity, phenolphthalein (as CaCO3)	E2	290	1	mg/L	<1.0	
Alkalinity, total (as CaCO3)	E2	290	1	mg/L	1.3	
nysical Tests (QCLot: 1489921)						
Conductivity	E1	100	1	μS/cm	<1.0	
otal Metals (QCLot: 1481597)						
Aluminum, total	7429-90-5 E4	420	0.003	mg/L	<0.0030	
Antimony, total	7440-36-0 E4	420	0.0001	mg/L	<0.00010	
Arsenic, total	7440-38-2 E4	420	0.0001	mg/L	<0.00010	
Barium, total	7440-39-3 E4	420	0.0001	mg/L	<0.00010	
Beryllium, total	7440-41-7 E4	420	0.00002	mg/L	<0.000020	
Bismuth, total	7440-69-9 E4	420	0.00005	mg/L	<0.000050	
Boron, total	7440-42-8 E4	420	0.01	mg/L	<0.010	
Cadmium, total	7440-43-9 E4	420	0.000005	mg/L	<0.0000050	
Calcium, total	7440-70-2 E4	420	0.05	mg/L	<0.050	
Cesium, total	7440-46-2 E4	420	0.00001	mg/L	<0.000010	
Chromium, total	7440-47-3 E4	420	0.0005	mg/L	<0.00050	
Cobalt, total	7440-48-4 E4	420	0.0001	mg/L	<0.00010	
Copper, total	7440-50-8 E4	420	0.0005	mg/L	<0.00050	
Iron, total	7439-89-6 E4	420	0.01	mg/L	<0.010	
Lead, total	7439-92-1 E4	420	0.00005	mg/L	<0.000050	
Lithium, total	7439-93-2 E4	420	0.001	mg/L	<0.0010	
Magnesium, total	7439-95-4 E4	420	0.005	mg/L	<0.0050	
Manganese, total	7439-96-5 E4	420	0.0001	mg/L	<0.00010	
Molybdenum, total	7439-98-7 E4	420	0.00005	mg/L	<0.000050	
Nickel, total	7440-02-0 E4	420	0.0005	mg/L	<0.00050	
Phosphorus, total	7723-14-0 E ⁴	420	0.05	mg/L	<0.050	
Potassium, total	7440-09-7 E4	420	0.05	mg/L	<0.050	


Page : 6 of 10

Work Order: YL2400590 Amendment 1

Client : Elgin Mining Inc.

Project : ---

Sub-Matrix: Water





Page : 7 of 10

Work Order: YL2400590 Amendment 1

Client : Elgin Mining Inc.

Project : --



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Water					Laboratory Control Sample (LCS) Report						
					Spike	Recovery (%)	Recovery	Limits (%)			
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier		
Physical Tests (QCLot: 1486294)											
Solids, total suspended [TSS]		E160	3	mg/L	150 mg/L	106	85.0	115			
Physical Tests (QCLot: 1489919)											
рН		E108		pH units	7 pH units	100	98.0	102			
Physical Tests (QCLot: 1489920)											
Alkalinity, phenolphthalein (as CaCO3)		E290	1	mg/L	229 mg/L	101	75.0	125			
Alkalinity, total (as CaCO3)		E290	1	mg/L	500 mg/L	104	85.0	115			
Physical Tests (QCLot: 1489921)											
Conductivity		E100	1	μS/cm	147 μS/cm	101	90.0	110			
Total Metals (QCLot: 1481597)											
Aluminum, total	7429-90-5	E420	0.003	mg/L	2 mg/L	106	80.0	120			
Antimony, total	7440-36-0	E420	0.0001	mg/L	1 mg/L	104	80.0	120			
Arsenic, total	7440-38-2	E420	0.0001	mg/L	1 mg/L	106	80.0	120			
Barium, total	7440-39-3	E420	0.0001	mg/L	0.25 mg/L	103	80.0	120			
Beryllium, total	7440-41-7	E420	0.00002	mg/L	0.1 mg/L	107	80.0	120			
Bismuth, total	7440-69-9	E420	0.00005	mg/L	1 mg/L	104	80.0	120			
Boron, total	7440-42-8	E420	0.01	mg/L	1 mg/L	107	80.0	120			
Cadmium, total	7440-43-9	E420	0.000005	mg/L	0.1 mg/L	103	80.0	120			
Calcium, total	7440-70-2	E420	0.05	mg/L	50 mg/L	102	80.0	120			
Cesium, total	7440-46-2	E420	0.00001	mg/L	0.05 mg/L	104	80.0	120			
Chromium, total	7440-47-3	E420	0.0005	mg/L	0.25 mg/L	103	80.0	120			
Cobalt, total	7440-48-4	E420	0.0001	mg/L	0.25 mg/L	103	80.0	120			
Copper, total	7440-50-8	E420	0.0005	mg/L	0.25 mg/L	99.1	80.0	120			
Iron, total	7439-89-6	E420	0.01	mg/L	1 mg/L	106	80.0	120			
Lead, total	7439-92-1	E420	0.00005	mg/L	0.5 mg/L	105	80.0	120			
Lithium, total	7439-93-2	E420	0.001	mg/L	0.25 mg/L	109	80.0	120			
Magnesium, total	7439-95-4	E420	0.005	mg/L	50 mg/L	105	80.0	120			
Manganese, total	7439-96-5		0.0001	mg/L	0.25 mg/L	102	80.0	120			
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	0.25 mg/L	104	80.0	120			
Nickel, total	7440-02-0	E420	0.0005	mg/L	0.5 mg/L	101	80.0	120			
Phosphorus, total	7723-14-0	E420	0.05	mg/L	10 mg/L	100	80.0	120			
Potassium, total	7440-09-7	E420	0.05	mg/L	50 mg/L	110	80.0	120			
Rubidium, total	7440-17-7	E420	0.0002	mg/L	0.1 mg/L	98.7	80.0	120			

Page : 8 of 10

Work Order: YL2400590 Amendment 1

Client : Elgin Mining Inc.

Project : --



Sub-Matrix: Water					Laboratory Control Sample (LCS) Report						
					Spike	Recovery (%)	Recovery	Limits (%)			
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier		
Total Metals (QCLot: 1481597) - contin	ued										
Selenium, total	7782-49-2	E420	0.00005	mg/L	1 mg/L	101	80.0	120			
Silicon, total	7440-21-3	E420	0.1	mg/L	10 mg/L	108	80.0	120			
Silver, total	7440-22-4	E420	0.00001	mg/L	0.1 mg/L	98.4	80.0	120			
Sodium, total	7440-23-5	E420	0.05	mg/L	50 mg/L	103	80.0	120			
Strontium, total	7440-24-6	E420	0.0002	mg/L	0.25 mg/L	106	80.0	120			
Sulfur, total	7704-34-9	E420	0.5	mg/L	50 mg/L	98.0	80.0	120			
Tellurium, total	13494-80-9	E420	0.0002	mg/L	0.1 mg/L	103	80.0	120			
Thallium, total	7440-28-0	E420	0.00001	mg/L	1 mg/L	104	80.0	120			
Thorium, total	7440-29-1	E420	0.0001	mg/L	0.1 mg/L	102	80.0	120			
Tin, total	7440-31-5	E420	0.0001	mg/L	0.5 mg/L	102	80.0	120			
Titanium, total	7440-32-6	E420	0.0003	mg/L	0.25 mg/L	103	80.0	120			
Tungsten, total	7440-33-7	E420	0.0001	mg/L	0.1 mg/L	101	80.0	120			
Uranium, total	7440-61-1	E420	0.00001	mg/L	0.005 mg/L	107	80.0	120			
Vanadium, total	7440-62-2	E420	0.0005	mg/L	0.5 mg/L	104	80.0	120			
Zinc, total	7440-66-6	E420	0.003	mg/L	0.5 mg/L	99.7	80.0	120			
Zirconium, total	7440-67-7	E420	0.0002	mg/L	0.1 mg/L	104	80.0	120			
Total Metals (QCLot: 1488759)									•		
Mercury, total	7439-97-6	E508	0.000005	mg/L	0 mg/L	93.2	80.0	120			

Page : 9 of 10

Work Order: YL2400590 Amendment 1

Client : Elgin Mining Inc.

Project : --



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

ub-Matrix: Water					Matrix Spike (MS) Report							
					Spi	ike	Recovery (%)	Recovery	Limits (%)			
aboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier		
otal Metals (QCI	ot: 1481597)											
/A24B2847-002	Anonymous	Aluminum, total	7429-90-5	E420	0.186 mg/L	0.2 mg/L	93.2	70.0	130			
	-	Antimony, total	7440-36-0	E420	0.0187 mg/L	0.02 mg/L	93.4	70.0	130			
		Arsenic, total	7440-38-2	E420	0.0193 mg/L	0.02 mg/L	96.7	70.0	130			
		Barium, total	7440-39-3	E420	ND mg/L		ND	70.0	130			
		Beryllium, total	7440-41-7	E420	0.0388 mg/L	0.04 mg/L	97.0	70.0	130			
		Bismuth, total	7440-69-9	E420	0.00993 mg/L	0.01 mg/L	99.3	70.0	130			
		Boron, total	7440-42-8	E420	0.100 mg/L	0.1 mg/L	100	70.0	130			
		Cadmium, total	7440-43-9	E420	0.00379 mg/L	0.004 mg/L	94.7	70.0	130			
		Calcium, total	7440-70-2	E420	ND mg/L		ND	70.0	130			
		Cesium, total	7440-46-2	E420	0.00962 mg/L	0.01 mg/L	96.2	70.0	130			
		Chromium, total	7440-47-3	E420	0.0380 mg/L	0.04 mg/L	95.1	70.0	130			
		Cobalt, total	7440-48-4	E420	0.0186 mg/L	0.02 mg/L	93.2	70.0	130			
		Copper, total	7440-50-8	E420	0.0180 mg/L	0.02 mg/L	89.8	70.0	130			
		Iron, total	7439-89-6	E420	1.90 mg/L	2 mg/L	94.9	70.0	130			
		Lead, total	7439-92-1	E420	0.0194 mg/L	0.02 mg/L	97.1	70.0	130			
		Lithium, total	7439-93-2	E420	0.0974 mg/L	0.1 mg/L	97.4	70.0	130			
		Magnesium, total	7439-95-4	E420	ND mg/L		ND	70.0	130			
		Manganese, total	7439-96-5	E420	0.0187 mg/L	0.02 mg/L	93.4	70.0	130			
		Molybdenum, total	7439-98-7	E420	0.0194 mg/L	0.02 mg/L	96.9	70.0	130			
		Nickel, total	7440-02-0	E420	0.0364 mg/L	0.04 mg/L	91.1	70.0	130			
		Phosphorus, total	7723-14-0	E420	9.56 mg/L	10 mg/L	95.6	70.0	130			
		Potassium, total	7440-09-7	E420	3.61 mg/L	4 mg/L	90.3	70.0	130			
		Rubidium, total	7440-17-7	E420	0.0177 mg/L	0.02 mg/L	88.6	70.0	130			
		Selenium, total	7782-49-2	E420	0.0382 mg/L	0.04 mg/L	95.4	70.0	130			
		Silicon, total	7440-21-3	E420	9.33 mg/L	10 mg/L	93.3	70.0	130			
		Silver, total	7440-22-4	E420	0.00385 mg/L	0.004 mg/L	96.2	70.0	130			
		Sodium, total	7440-23-5	E420	ND mg/L		ND	70.0	130			
		Strontium, total	7440-24-6	E420	ND mg/L		ND	70.0	130			
		Sulfur, total	7704-34-9	E420	19.3 mg/L	20 mg/L	96.4	70.0	130			
		Tellurium, total	13494-80-9	E420	0.0375 mg/L	0.04 mg/L	93.8	70.0	130			
		Thallium, total	7440-28-0	E420	0.00378 mg/L	0.004 mg/L	94.6	70.0	130			
		Thorium, total	7440-29-1	E420	0.0172 mg/L	0.02 mg/L	86.3	70.0	130			
		Tin, total	7440-31-5	E420	0.0189 mg/L	0.02 mg/L	94.4	70.0	130			
		Titanium, total	7440-32-6	E420	0.0373 mg/L	0.04 mg/L	93.2	70.0	130			
		Tungsten, total	7440-33-7	E420	0.0192 mg/L	0.02 mg/L	96.3	70.0	130			
		Uranium, total	7440-61-1	E420	0.00399 mg/L	0.004 mg/L	99.7	70.0	130			
		Vanadium, total	7440-62-2	E420	0.0953 mg/L	0.1 mg/L	95.3	70.0	130			
		Zinc, total	7440-66-6	E420	0.360 mg/L	0.4 mg/L	90.1	70.0	130			
		Zirconium, total	7440-67-7	E420	0.0396 mg/L	0.4 mg/L	99.1	70.0	130			

Page : 10 of 10

Work Order: YL2400590 Amendment 1

Client : Elgin Mining Inc.

Project : ---



Sub-Matrix: Water	o-Matrix: Water						Matrix Spike (MS) Report						
					Spi	ke	Recovery (%)	Recovery	Limits (%)				
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier			
Total Metals (QC	Lot: 1488759)												
VA24B3077-006	Anonymous	Mercury, total	7439-97-6	E508	0.0000964 mg/L	0 mg/L	96.4	70.0	130				

ALS Canada Ltd.



CERTIFICATE OF ANALYSIS

Work Order : **YL2400731** Page : 1 of 4

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Jon Melnyk Account Manager : Oliver Gregg

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

Yellowknife NT Canada X1A 3T3

 Telephone
 : -- Telephone
 : 1 867 445 7143

 Project
 : -- Date Samples Received
 : 25-Jun-2024 09:46

Sampler : ---Site : ----

Vancouver BC Canada V6C 2T7

Quote number : YL23-ELMI100-001

No. of samples received : 1
No. of samples analysed : 1

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Maya Urquhart	Lab Analyst	Metals, Burnaby, British Columbia
Tracy Harley	Supervisor - Water Quality Instrumentation	Inorganics, Burnaby, British Columbia

 Page
 :
 2 of 4

 Work Order
 :
 YL2400731

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances

LOR: Limit of Reporting (detection limit).

Unit	Description
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Sample Comments

Sample	Client Id	Comment
YL2400731-001	Sample 1	Water sample(s) for total mercury analysis was not submitted in glass or PTFE container with HCl preservative. Results may be biased low.

 Page
 :
 3 of 4

 Work Order
 :
 YL2400731

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Analytical Results

Sub-Matrix: Water			CI	ient sample ID	Sample 1		 	
(Matrix: Water)							 	
			Client samp	ling date / time	25-Jun-2024 00:00		 	
Analyte	CAS Number	Method/Lab	LOR	Unit	YL2400731-001		 	
					Result		 	
Physical Tests		E0000 1/4	1.0		2.7			
Alkalinity, total (as CaCO3)		E290/VA	1.0	mg/L	3.7		 	
Hardness (as CaCO3), from total Ca/Mg		EC100A/VA	0.60	mg/L	8.55		 	
pH		E108/VA	0.10	pH units	6.70		 	
Solids, total suspended [TSS]		E160-L/VA	1.0	mg/L	<1.0		 	
Total Metals								
Aluminum, total	7429-90-5		0.0030	mg/L	0.0187		 	
Antimony, total	7440-36-0		0.00010	mg/L	<0.00010		 	
Arsenic, total	7440-38-2		0.00010	mg/L	0.00062		 	
Barium, total	7440-39-3		0.00010	mg/L	0.00394		 	
Beryllium, total	7440-41-7	E420/VA	0.000100	mg/L	<0.000100		 	
Bismuth, total	7440-69-9		0.000050	mg/L	<0.000050		 	
Boron, total	7440-42-8	E420/VA	0.010	mg/L	<0.010		 	
Cadmium, total	7440-43-9	E420/VA	0.0000050	mg/L	0.0000072		 	
Calcium, total	7440-70-2	E420/VA	0.050	mg/L	1.66		 	
Cesium, total	7440-46-2	E420/VA	0.000010	mg/L	0.000015		 	
Chromium, total	7440-47-3	E420/VA	0.00050	mg/L	<0.00050		 	
Cobalt, total	7440-48-4	E420/VA	0.00010	mg/L	0.00033		 	
Copper, total	7440-50-8	E420/VA	0.00050	mg/L	0.00113		 	
Iron, total	7439-89-6	E420/VA	0.010	mg/L	0.032		 	
Lead, total	7439-92-1	E420/VA	0.000050	mg/L	<0.000050		 	
Lithium, total	7439-93-2	E420/VA	0.0010	mg/L	0.0020		 	
Magnesium, total	7439-95-4	E420/VA	0.0050	mg/L	1.07		 	
Manganese, total	7439-96-5	E420/VA	0.00010	mg/L	0.00419		 	
Mercury, total	7439-97-6	E508/VA	0.0000050	mg/L	<0.0000050		 	
Molybdenum, total	7439-98-7	E420/VA	0.000050	mg/L	<0.000050		 	
Nickel, total	7440-02-0	E420/VA	0.00050	mg/L	0.00312		 	
Phosphorus, total	7723-14-0		0.050	mg/L	<0.050		 	
Potassium, total	7440-09-7		0.050	mg/L	0.510		 	
Rubidium, total	7440-17-7		0.00020	mg/L	0.00144		 	
I control of the cont	'	I	1	· · ·		ı		'

 Page
 :
 4 of 4

 Work Order
 :
 YL2400731

 Client
 :
 Elgin Mining Inc.



Project : ----

Analytical Results

Sub-Matrix: Water			Cli	ent sample ID	Sample 1	 	
(Matrix: Water)							
			Client samp	ling date / time	25-Jun-2024 00:00	 	
Analyte	CAS Number	Method/Lab	LOR	Unit	YL2400731-001	 	
					Result	 	
Total Metals							
Selenium, total	7782-49-2 ^E	E420/VA	0.000050	mg/L	<0.000050	 	
Silicon, total	7440-21-3 E	E420/VA	0.10	mg/L	0.18	 	
Silver, total	7440-22-4 E	E420/VA	0.000010	mg/L	<0.000010	 	
Sodium, total	7440-23-5 E	E420/VA	0.050	mg/L	0.916	 	
Strontium, total	7440-24-6 E	E420/VA	0.00020	mg/L	0.00938	 	
Sulfur, total	7704-34-9 E	E420/VA	0.50	mg/L	2.22	 	
Tellurium, total	13494-80-9 E	E420/VA	0.00020	mg/L	<0.00020	 	
Thallium, total	7440-28-0 E	E420/VA	0.000010	mg/L	<0.000010	 	
Thorium, total	7440-29-1 E	E420/VA	0.00010	mg/L	<0.00010	 	
Tin, total	7440-31-5 E	E420/VA	0.00010	mg/L	<0.00010	 	
Titanium, total	7440-32-6 E	E420/VA	0.00030	mg/L	<0.00030	 	
Tungsten, total	7440-33-7 E	E420/VA	0.00010	mg/L	<0.00010	 	
Uranium, total	7440-61-1 E	E420/VA	0.000010	mg/L	0.000023	 	
Vanadium, total	7440-62-2 E	E420/VA	0.00050	mg/L	<0.00050	 	
Zinc, total	7440-66-6 E	E420/VA	0.0030	mg/L	0.0030	 	
Zirconium, total	7440-67-7 E	E420/VA	0.00020	mg/L	<0.00020	 	

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



QUALITY CONTROL INTERPRETIVE REPORT

Work Order : **YL2400731** Page : 1 of 5

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Jon Melnyk Account Manager : Oliver Gregg

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

Vancouver BC Canada V6C 2T7 Yellowknife, Northwest Territories Canada X1A 3T3

 Telephone
 :--- Telephone
 : 1 867 445 7143

 Project
 :--- Date Samples Received
 : 25-Jun-2024 09:46

 PO
 :--- Issue Date
 : 10-Jul-2024 15:53

C-O-C number : ---Sampler : ---Site : ----

Quote number : YL23-ELMI100-001

No. of samples received :1
No. of samples analysed :1

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers Outliers : Quality Control Samples

No Method Blank value outliers occur.

- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

• No Reference Material (RM) Sample outliers occur.

Outliers: Analysis Holding Time Compliance (Breaches) ● Analysis Holding Time Outliers exist - please see following pages for full details.

Outliers : Frequency of Quality Control Samples

• No Quality Control Sample Frequency Outliers occur.

 Page
 :
 3 of 5

 Work Order
 :
 YL2400731

 Client
 :
 Elgin Mining Inc.

Project : ---

Matrix: Water



Evaluation: **x** = Holding time exceedance; ✓ = Within Holding Time

days

Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and /or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Analyte Group: Analytical Method Extraction / Preparation Analysis Method Sampling Date Container / Client Sample ID(s) **Holding Times** Analysis Date **Holding Times** Eval Eval Preparation Rec Date Rec Actual Actual Physical Tests: Alkalinity Species by Titration **HDPE** Sample 1 E290 25-Jun-2024 30-Jun-2024 6 days 02-Jul-2024 14 days 8 days 1 14

days

days

Physical Tests : pH by Meter										
HDPE Sample 1	E108	25-Jun-2024	30-Jun-2024	0.25 hrs	136 hrs	* EHTR-FM	02-Jul-2024	0.25 hrs	185 hrs	* EHTR-FM
Physical Tests : TSS by Gravimetry (Low Level)										
HDPE Sample 1	E160-L	25-Jun-2024					30-Jun-2024	7 days	6 days	✓
Total Metals : Total Mercury in Water by CVAAS										
HDPE Sample 1	E508	25-Jun-2024	04-Jul-2024	0 hrs	234 hrs	x UCP	04-Jul-2024	0 hrs	234 hrs	* UCP
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved) Sample 1	E420	25-Jun-2024	28-Jun-2024	180	4 days	✓	30-Jun-2024	180	6 days	✓

Legend & Qualifier Definitions

EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended

Rec. HT: ALS recommended hold time (see units).

UCP: Unsuitable Container and/or Preservative used (invalidates standard hold time). Maximum hold time of zero applied. Test results may be biased low / unreliable, and may not meet regulatory requirements.

 Page
 :
 4 of 5

 Work Order
 :
 YL2400731

 Client
 :
 Elgin Mining Inc.

Project : ---



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: Water	Evaluation: x = QC frequency outside specification; ✓ = QC frequency within specification.										
Quality Control Sample Type			Co	unt		Frequency (%)					
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation				
Laboratory Duplicates (DUP)											
Alkalinity Species by Titration	E290	1522789	1	10	10.0	5.0	✓				
pH by Meter	E108	1522787	1	14	7.1	5.0	✓				
Total Mercury in Water by CVAAS	E508	1528831	1	16	6.2	5.0	✓				
Total Metals in Water by CRC ICPMS	E420	1518974	1	18	5.5	5.0	✓				
Laboratory Control Samples (LCS)											
Alkalinity Species by Titration	E290	1522789	1	10	10.0	5.0	✓				
pH by Meter	E108	1522787	1	14	7.1	5.0	✓				
Total Mercury in Water by CVAAS	E508	1528831	1	16	6.2	5.0	✓				
Total Metals in Water by CRC ICPMS	E420	1518974	1	18	5.5	5.0	✓				
TSS by Gravimetry (Low Level)	E160-L	1522395	1	20	5.0	5.0	✓				
Method Blanks (MB)											
Alkalinity Species by Titration	E290	1522789	1	10	10.0	5.0	✓				
Total Mercury in Water by CVAAS	E508	1528831	1	16	6.2	5.0	✓				
Total Metals in Water by CRC ICPMS	E420	1518974	1	18	5.5	5.0	✓				
TSS by Gravimetry (Low Level)	E160-L	1522395	1	20	5.0	5.0	✓				
Matrix Spikes (MS)											
Total Mercury in Water by CVAAS	E508	1528831	1	16	6.2	5.0	✓				
Total Metals in Water by CRC ICPMS	E420	1518974	2	18	11.1	5.0	✓				

 Page
 :
 5 of 5

 Work Order
 :
 YL2400731

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
pH by Meter	E108 ALS Environmental - Vancouver	Water	APHA 4500-H (mod)	pH is determined by potentiometric measurement with a pH electrode, and is conducted at ambient laboratory temperature (normally 20 ± 5°C). For high accuracy test results, pH should be measured in the field within the recommended 15 minute hold time.
TSS by Gravimetry (Low Level)	E160-L ALS Environmental - Vancouver	Water	APHA 2540 D (mod)	Total Suspended Solids (TSS) are determined by filtering a sample through a glass fibre filter, following by drying of the filter at $104 \pm 1^{\circ}$ C, with gravimetric measurement of the filtered solids. Samples containing very high dissolved solid content (i.e. seawaters, brackish waters) may produce a positive bias by this method. Alternate analysis methods are available for these types of samples.
Alkalinity Species by Titration	E290 ALS Environmental - Vancouver	Water	APHA 2320 B (mod)	Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.
Total Metals in Water by CRC ICPMS	E420 ALS Environmental - Vancouver	Water	EPA 200.2/6020B (mod)	Water samples are digested with nitric and hydrochloric acids, and analyzed by Collision/Reaction Cell ICPMS. Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Total Mercury in Water by CVAAS	E508 ALS Environmental - Vancouver	Water	EPA 1631E (mod)	Water samples undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS
Hardness (Calculated) from Total Ca/Mg	EC100A ALS Environmental - Vancouver	Water	APHA 2340B	"Hardness (as CaCO3), from total Ca/Mg" is calculated from the sum of total Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations. Hardness from total Ca/Mg is normally comparable to Dissolved Hardness in non-turbid waters.

ALS Canada Ltd.



QUALITY CONTROL REPORT

Account Manager

Work Order Page :YL2400731 : 1 of 10

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Address Address :750 West Pender Street Suite 201 :314 Old Airport Road, Unit 116

: Oliver Gregg

Yellowknife, Northwest Territories Canada X1A 3T3

Telephone :1 867 445 7143 Date Samples Received : 25-Jun-2024 09:46 **Date Analysis Commenced** :28-Jun-2024

C-O-C number Issue Date : 10-Jul-2024 15:57

Site :----

Quote number : YL23-ELMI100-001 No. of samples received : 1

No. of samples analysed : 1

Vancouver BC Canada V6C 2T7

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives

Matrix Spike (MS) Report; Recovery and Data Quality Objectives

: Jon Melnyk

- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

Contact

Telephone

Project

Sampler

PO

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Vancouver Metals, Burnaby, British Columbia
Maya Urquhart	Lab Analyst	Vancouver Metals, Burnaby, British Columbia
Tracy Harley	Supervisor - Water Quality Instrumentation	Vancouver Inorganics, Burnaby, British Columbia

 Page
 :
 2 of 10

 Work Order
 YL2400731

 Client
 :
 Elgin Mining Inc.

Project : ----



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key:

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

 Page
 :
 3 of 10

 Work Order
 :
 YL2400731

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

ub-Matrix: Water					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC	<u> </u>										
VA24B5458-003	Anonymous	рН		E108	0.10	pH units	8.36	8.36	0.00%	4%	
Physical Tests (QC	Lot: 1522789)										
VA24B5458-003	Anonymous	Alkalinity, total (as CaCO3)		E290	1.0	mg/L	293	292	0.311%	20%	
Total Metals (QC Lo	ot: 1518974)										
VA24B5373-001	Anonymous	Aluminum, total	7429-90-5	E420	0.0150	mg/L	0.183	0.185	1.05%	20%	
		Antimony, total	7440-36-0	E420	0.00050	mg/L	0.0194	0.0195	0.485%	20%	
		Arsenic, total	7440-38-2	E420	0.00050	mg/L	0.0294	0.0302	2.38%	20%	
		Barium, total	7440-39-3	E420	0.00050	mg/L	0.0363	0.0368	1.32%	20%	
		Beryllium, total	7440-41-7	E420	0.000100	mg/L	<0.000100	<0.000100	0	Diff <2x LOR	
		Bismuth, total	7440-69-9	E420	0.000250	mg/L	<0.000250	<0.000250	0	Diff <2x LOR	
		Boron, total	7440-42-8	E420	0.050	mg/L	0.362	0.364	0.002	Diff <2x LOR	
		Cadmium, total	7440-43-9	E420	0.000110	mg/L	<0.000110	<0.000110	0	Diff <2x LOR	
		Calcium, total	7440-70-2	E420	0.250	mg/L	493	490	0.549%	20%	
		Cesium, total	7440-46-2	E420	0.000050	mg/L	0.00102	0.00103	1.30%	20%	
		Chromium, total	7440-47-3	E420	0.00250	mg/L	<0.00250	<0.00250	0	Diff <2x LOR	
		Cobalt, total	7440-48-4	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	
		Copper, total	7440-50-8	E420	0.00250	mg/L	0.0150	0.0186	0.00362	Diff <2x LOR	
		Iron, total	7439-89-6	E420	0.050	mg/L	0.073	0.074	0.0007	Diff <2x LOR	
		Lead, total	7439-92-1	E420	0.000250	mg/L	<0.000250	<0.000250	0	Diff <2x LOR	
		Lithium, total	7439-93-2	E420	0.0050	mg/L	<0.0050	<0.0050	0	Diff <2x LOR	
		Magnesium, total	7439-95-4	E420	0.0250	mg/L	1.11	1.15	3.89%	20%	
		Manganese, total	7439-96-5	E420	0.00050	mg/L	0.00184	0.00182	0.00002	Diff <2x LOR	
		Molybdenum, total	7439-98-7	E420	0.000250	mg/L	0.346	0.343	0.678%	20%	
		Nickel, total	7440-02-0	E420	0.00250	mg/L	<0.00250	<0.00250	0	Diff <2x LOR	
		Phosphorus, total	7723-14-0	E420	0.250	mg/L	0.370	0.345	0.025	Diff <2x LOR	
		Potassium, total	7440-09-7	E420	0.250	mg/L	197	207	4.79%	20%	
		Rubidium, total	7440-17-7	E420	0.00100	mg/L	0.122	0.122	0.142%	20%	
		Selenium, total	7782-49-2	E420	0.000250	mg/L	0.0302	0.0302	0.0456%	20%	
		Silicon, total	7440-21-3	E420	0.50	mg/L	11.0	11.3	2.42%	20%	
		Silver, total	7440-22-4	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	

 Page
 :
 4 of 10

 Work Order
 :
 YL2400731

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Sub-Matrix: Water	ıb-Matrix: Water				Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Total Metals (QC Lo	ot: 1518974) - continued										
VA24B5373-001	Anonymous	Sodium, total	7440-23-5	E420	0.250	mg/L	1770	1820	2.76%	20%	
		Strontium, total	7440-24-6	E420	0.00100	mg/L	7.18	7.28	1.49%	20%	
		Sulfur, total	7704-34-9	E420	2.50	mg/L	1930	1980	2.47%	20%	
		Tellurium, total	13494-80-9	E420	0.00100	mg/L	<0.00100	<0.00100	0	Diff <2x LOR	
		Thallium, total	7440-28-0	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	
		Thorium, total	7440-29-1	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	
		Tin, total	7440-31-5	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	
		Titanium, total	7440-32-6	E420	0.00150	mg/L	<0.00150	<0.00150	0	Diff <2x LOR	
		Tungsten, total	7440-33-7	E420	0.00050	mg/L	0.00713	0.00708	0.596%	20%	
		Uranium, total	7440-61-1	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	
		Vanadium, total	7440-62-2	E420	0.00250	mg/L	0.0999	0.103	3.30%	20%	
		Zinc, total	7440-66-6	E420	0.0150	mg/L	<0.0150	<0.0150	0	Diff <2x LOR	
		Zirconium, total	7440-67-7	E420	0.00100	mg/L	<0.00100	<0.00100	0	Diff <2x LOR	
Total Metals (QC Lo	ot: 1528831)										
VA24B5793-001	Anonymous	Mercury, total	7439-97-6	E508	0.0000050	mg/L	0.0000192	0.0000173	0.0000018	Diff <2x LOR	

 Page
 :
 5 of 10

 Work Order
 :
 YL2400731

 Client
 :
 Elgin Mining Inc.

Project : Eig



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Water

nalyte	CAS Number	Method	LOR	Unit	Result	Qualifier
hysical Tests (QCLot: 1522395)						
Solids, total suspended [TSS]	E	E160-L	1	mg/L	<1.0	
hysical Tests (QCLot: 1522789)						
Alkalinity, total (as CaCO3)	E	E290	1	mg/L	1.8	
otal Metals (QCLot: 1518974)						
Aluminum, total	7429-90-5 l	E420	0.003	mg/L	<0.0030	
Antimony, total	7440-36-0 I	E420	0.0001	mg/L	<0.00010	
Arsenic, total	7440-38-2 I	E420	0.0001	mg/L	<0.00010	
Barium, total	7440-39-3 I	E420	0.0001	mg/L	<0.00010	
Beryllium, total	7440-41-7 I	E420	0.00002	mg/L	<0.000020	
Bismuth, total	7440-69-9 I	E420	0.00005	mg/L	<0.000050	
Boron, total	7440-42-8 I	E420	0.01	mg/L	<0.010	
Cadmium, total	7440-43-9 E	E420	0.000005	mg/L	<0.0000050	
Calcium, total	7440-70-2 E	E420	0.05	mg/L	<0.050	
Cesium, total	7440-46-2 E	E420	0.00001	mg/L	<0.000010	
Chromium, total	7440-47-3 E	E420	0.0005	mg/L	<0.00050	
Cobalt, total	7440-48-4 I	E420	0.0001	mg/L	<0.00010	
Copper, total	7440-50-8 E	E420	0.0005	mg/L	<0.00050	
Iron, total	7439-89-6 I	E420	0.01	mg/L	<0.010	
Lead, total	7439-92-1 I	E420	0.00005	mg/L	<0.000050	
Lithium, total	7439-93-2 I	E420	0.001	mg/L	<0.0010	
Magnesium, total	7439-95-4 I	E420	0.005	mg/L	<0.0050	
Manganese, total	7439-96-5 I	E420	0.0001	mg/L	<0.00010	
Molybdenum, total	7439-98-7 I	E420	0.00005	mg/L	<0.000050	
Nickel, total	7440-02-0 E	E420	0.0005	mg/L	<0.00050	
Phosphorus, total	7723-14-0 E	E420	0.05	mg/L	<0.050	
Potassium, total	7440-09-7 E	E420	0.05	mg/L	<0.050	
Rubidium, total	7440-17-7 E	E420	0.0002	mg/L	<0.00020	
Selenium, total	7782-49-2 I	E420	0.00005	mg/L	<0.000050	
Silicon, total	7440-21-3 [E420	0.1	mg/L	<0.10	
Silver, total	7440-22-4 [E420	0.00001	mg/L	<0.000010	
Sodium, total	7440-23-5 I	E420	0.05	mg/L	<0.050	
Strontium, total	7440-24-6 I	E420	0.0002	mg/L	<0.00020	

 Page
 :
 6 of 10

 Work Order
 :
 YL2400731

 Client
 :
 Elgin Mining Inc.

 Project
 :

ALS

Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Total Metals (QCLot: 1518974) -	continued					
Sulfur, total	7704-34-9	E420	0.5	mg/L	<0.50	
Tellurium, total	13494-80-9	E420	0.0002	mg/L	<0.00020	
Thallium, total	7440-28-0	E420	0.00001	mg/L	<0.000010	
Thorium, total	7440-29-1	E420	0.0001	mg/L	<0.00010	
Tin, total	7440-31-5	E420	0.0001	mg/L	<0.00010	
Titanium, total	7440-32-6	E420	0.0003	mg/L	<0.00030	
Tungsten, total	7440-33-7	E420	0.0001	mg/L	<0.00010	
Uranium, total	7440-61-1	E420	0.00001	mg/L	<0.000010	
Vanadium, total	7440-62-2	E420	0.0005	mg/L	<0.00050	
Zinc, total	7440-66-6	E420	0.003	mg/L	<0.0030	
Zirconium, total	7440-67-7	E420	0.0002	mg/L	<0.00020	
Total Metals (QCLot: 1528831)						
Mercury, total	7439-97-6	E508	0.000005	mg/L	<0.0000050	

 Page
 :
 7 of 10

 Work Order
 :
 YL2400731

 Client
 :
 Elgin Mining Inc.

Project : ---



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

			Laboratory Control Samula (LCS) Banart							
Sub-Matrix: Water					Laboratory Control Sample (LCS) Report Spike Recovery (%) Recovery Limits (%)					
					Spike	Recovery (%)	Recovery	Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier	
Physical Tests (QCLot: 1522395)										
Solids, total suspended [TSS]		E160-L	1	mg/L	150 mg/L	87.7	85.0	115		
Physical Tests (QCLot: 1522787)										
pH		E108		pH units	7 pH units	100	98.0	102		
Physical Tests (QCLot: 1522789)										
Alkalinity, total (as CaCO3)		E290	1	mg/L	500 mg/L	115	85.0	115		
Total Metals (QCLot: 1518974)										
Aluminum, total	7429-90-5	E420	0.003	mg/L	2 mg/L	105	80.0	120		
Antimony, total	7440-36-0	E420	0.0001	mg/L	1 mg/L	101	80.0	120		
Arsenic, total	7440-38-2	E420	0.0001	mg/L	1 mg/L	112	80.0	120		
Barium, total	7440-39-3	E420	0.0001	mg/L	0.25 mg/L	108	80.0	120		
Beryllium, total	7440-41-7	E420	0.00002	mg/L	0.1 mg/L	102	80.0	120		
Bismuth, total	7440-69-9	E420	0.00005	mg/L	1 mg/L	109	80.0	120		
Boron, total	7440-42-8	E420	0.01	mg/L	1 mg/L	100	80.0	120		
Cadmium, total	7440-43-9	E420	0.000005	mg/L	0.1 mg/L	106	80.0	120		
Calcium, total	7440-70-2	E420	0.05	mg/L	50 mg/L	102	80.0	120		
Cesium, total	7440-46-2	E420	0.00001	mg/L	0.05 mg/L	103	80.0	120		
Chromium, total	7440-47-3	E420	0.0005	mg/L	0.25 mg/L	104	80.0	120		
Cobalt, total	7440-48-4	E420	0.0001	mg/L	0.25 mg/L	106	80.0	120		
Copper, total	7440-50-8	E420	0.0005	mg/L	0.25 mg/L	107	80.0	120		
Iron, total	7439-89-6	E420	0.01	mg/L	1 mg/L	106	80.0	120		
Lead, total	7439-92-1	E420	0.00005	mg/L	0.5 mg/L	108	80.0	120		
Lithium, total	7439-93-2	E420	0.001	mg/L	0.25 mg/L	103	80.0	120		
Magnesium, total	7439-95-4	E420	0.005	mg/L	50 mg/L	101	80.0	120		
Manganese, total	7439-96-5	E420	0.0001	mg/L	0.25 mg/L	107	80.0	120		
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	0.25 mg/L	103	80.0	120		
Nickel, total	7440-02-0	E420	0.0005	mg/L	0.5 mg/L	108	80.0	120		
Phosphorus, total	7723-14-0	E420	0.05	mg/L	10 mg/L	112	80.0	120		
Potassium, total	7440-09-7	E420	0.05	mg/L	50 mg/L	109	80.0	120		
Rubidium, total	7440-17-7	E420	0.0002	mg/L	0.1 mg/L	107	80.0	120		
Selenium, total	7782-49-2	E420	0.00005	mg/L	1 mg/L	104	80.0	120		
Silicon, total	7440-21-3	E420	0.1	mg/L	10 mg/L	110	80.0	120		
Silver, total	7440-22-4	E420	0.00001	mg/L	0.1 mg/L	97.4	80.0	120		

 Page
 :
 8 of 10

 Work Order
 :
 YL2400731

 Client
 :
 Elgin Mining Inc.



Project : ---

Sub-Matrix: Water					Laboratory Control Sample (LCS) Report						
					Spike	Recovery (%)	Recovery	Limits (%)			
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier		
Total Metals (QCLot: 1518974) - continued											
Sodium, total	7440-23-5	E420	0.05	mg/L	50 mg/L	108	80.0	120			
Strontium, total	7440-24-6	E420	0.0002	mg/L	0.25 mg/L	106	80.0	120			
Sulfur, total	7704-34-9	E420	0.5	mg/L	50 mg/L	108	80.0	120			
Tellurium, total	13494-80-9	E420	0.0002	mg/L	0.1 mg/L	95.3	80.0	120			
Thallium, total	7440-28-0	E420	0.00001	mg/L	1 mg/L	106	80.0	120			
Thorium, total	7440-29-1	E420	0.0001	mg/L	0.1 mg/L	105	80.0	120			
Tin, total	7440-31-5	E420	0.0001	mg/L	0.5 mg/L	103	80.0	120			
Titanium, total	7440-32-6	E420	0.0003	mg/L	0.25 mg/L	103	80.0	120			
Tungsten, total	7440-33-7	E420	0.0001	mg/L	0.1 mg/L	104	80.0	120			
Uranium, total	7440-61-1	E420	0.00001	mg/L	0.005 mg/L	109	80.0	120			
Vanadium, total	7440-62-2	E420	0.0005	mg/L	0.5 mg/L	105	80.0	120			
Zinc, total	7440-66-6	E420	0.003	mg/L	0.5 mg/L	103	80.0	120			
Zirconium, total	7440-67-7	E420	0.0002	mg/L	0.1 mg/L	92.4	80.0	120			
Total Metals (QCLot: 1528831)											
Mercury, total	7439-97-6	E508	0.000005	mg/L	0 mg/L	90.8	80.0	120			

 Page
 :
 9 of 10

 Work Order
 :
 YL2400731

 Client
 :
 Elgin Mining Inc.

Project : ---



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

ub-Matrix: Water							Watrix Spik	e (MS) Report		
					Spi	ke	Recovery (%)	Recovery Limits (%)		
aboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifie
tal Metals (QC	Lot: 1518974)									
A24B5373-002	Anonymous	Nickel, total	7440-02-0	E420	0.0400 mg/L	0.04 mg/L	100	70.0	130	
A24B5373-002	Anonymous	Aluminum, total	7429-90-5	E420	0.191 mg/L	0.2 mg/L	95.6	70.0	130	
		Antimony, total	7440-36-0	E420	0.0186 mg/L	0.02 mg/L	92.9	70.0	130	
		Arsenic, total	7440-38-2	E420	0.0201 mg/L	0.02 mg/L	100	70.0	130	
		Barium, total	7440-39-3	E420	0.0188 mg/L	0.02 mg/L	93.8	70.0	130	
		Beryllium, total	7440-41-7	E420	0.0382 mg/L	0.04 mg/L	95.6	70.0	130	
		Bismuth, total	7440-69-9	E420	0.0102 mg/L	0.01 mg/L	102	70.0	130	
		Boron, total	7440-42-8	E420	0.096 mg/L	0.1 mg/L	96.6	70.0	130	
		Cadmium, total	7440-43-9	E420	0.00394 mg/L	0.004 mg/L	98.6	70.0	130	
		Calcium, total	7440-70-2	E420	3.73 mg/L	4 mg/L	93.2	70.0	130	
		Cesium, total	7440-46-2	E420	0.00956 mg/L	0.01 mg/L	95.6	70.0	130	
		Chromium, total	7440-47-3	E420	0.0386 mg/L	0.04 mg/L	96.6	70.0	130	
	Cobalt, total	7440-48-4	E420	0.0194 mg/L	0.02 mg/L	97.2	70.0	130		
	Copper, total	7440-50-8	E420	0.0198 mg/L	0.02 mg/L	98.9	70.0	130		
	Iron, total	7439-89-6	E420	1.92 mg/L	2 mg/L	95.9	70.0	130		
	Lead, total	7439-92-1	E420	0.0196 mg/L	0.02 mg/L	98.0	70.0	130		
	Lithium, total	7439-93-2	E420	0.0933 mg/L	0.1 mg/L	93.3	70.0	130		
		Magnesium, total	7439-95-4	E420	0.940 mg/L	1 mg/L	94.0	70.0	130	
		Manganese, total	7439-96-5	E420	0.0195 mg/L	0.02 mg/L	97.6	70.0	130	
		Molybdenum, total	7439-98-7	E420	0.0188 mg/L	0.02 mg/L	94.1	70.0	130	
		Phosphorus, total	7723-14-0	E420	9.94 mg/L	10 mg/L	99.4	70.0	130	
		Potassium, total	7440-09-7	E420	3.92 mg/L	4 mg/L	98.1	70.0	130	
		Rubidium, total	7440-17-7	E420	0.0196 mg/L	0.02 mg/L	98.1	70.0	130	
		Selenium, total	7782-49-2	E420	0.0379 mg/L	0.04 mg/L	94.7	70.0	130	
		Silicon, total	7440-21-3	E420	9.50 mg/L	10 mg/L	95.0	70.0	130	
		Silver, total	7440-22-4	E420	0.00393 mg/L	0.004 mg/L	98.2	70.0	130	
		Sodium, total	7440-23-5	E420	1.97 mg/L	2 mg/L	98.7	70.0	130	
		Strontium, total	7440-24-6	E420	0.0193 mg/L	0.02 mg/L	96.4	70.0	130	
		Sulfur, total	7704-34-9	E420	18.9 mg/L	20 mg/L	94.5	70.0	130	
		Tellurium. total	13494-80-9	E420	0.0378 mg/L	0.04 mg/L	94.5	70.0	130	
		Thallium, total	7440-28-0	E420	0.00383 mg/L	0.004 mg/L	95.7	70.0	130	
		Thorium, total	7440-29-1	E420	0.0204 mg/L	0.02 mg/L	102	70.0	130	
		Tin, total	7440-31-5	E420	0.0190 mg/L	0.02 mg/L	94.8	70.0	130	
		Titanium, total	7440-32-6	E420	0.0376 mg/L	0.04 mg/L	94.0	70.0	130	
		Tungsten, total	7440-33-7	E420	0.0186 mg/L	0.02 mg/L	93.1	70.0	130	
		Uranium, total	7440-61-1	E420	0.00395 mg/L	0.004 mg/L	98.7	70.0	130	
		Vanadium, total	7440-62-2	E420	0.0952 mg/L	0.1 mg/L	95.2	70.0	130	
		Zinc, total	7440-66-6	E420	0.388 mg/L	0.4 mg/L	97.0	70.0	130	
		Zirconium, total	7440-67-7	E420	0.0370 mg/L	0.04 mg/L	92.6	70.0	130	

 Page
 :
 10 of 10

 Work Order
 :
 YL2400731

 Client
 :
 Elgin Mining Inc.



Project : ---

Sub-Matrix: Water						Matrix Spike (MS) Report						
				Spike Recov		Recovery (%)	Recovery Limits (%)					
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier		
Total Metals (QCLot: 1528831)												
VA24B5793-002	Anonymous	Mercury, total	7439-97-6	E508	0.0000800 mg/L	0 mg/L	80.0	70.0	130			

ALS Canada Ltd.



CERTIFICATE OF ANALYSIS

Work Order : YL2400819

Amendment : 1

Client : Elgin Mining Inc.

Contact : Jon Melnyk

Address : 750 West Pender Street Suite 201

Vancouver BC Canada V6C 2T7

 Telephone
 : ---

 Project
 : ---

 PO
 : ---

 C-O-C number
 : ---

Sampler : ---Site : ----

Quote number : YL24-ELMI100-001

No. of samples received : 2
No. of samples analysed : 2

Page : 1 of 4

Laboratory : ALS Environmental - Yellowknife

Account Manager : Oliver Gregg

Address : 314 Old Airport Road, Unit 116

Yellowknife NT Canada X1A 3T3

 Telephone
 : 1 867 445 7143

 Date Samples Received
 : 05-Jul-2024 13:45

 Date Analysis Commenced
 : 05-Jul-2024

Issue Date : 18-Jul-2024 11:54

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories Position Laboratory Department

Kate DimitrovaSupervisor - InorganicInorganics, Burnaby, British ColumbiaKim JensenDepartment Manager - MetalsMetals, Burnaby, British Columbia

Oliver Gregg Client Services Supervisor External Subcontracting, Yellowknife, Northwest Territories

Owen Cheng Metals, Burnaby, British Columbia

Page : 2 of 4

Work Order : YL2400819 Amendment 1

Client : Elgin Mining Inc.

Project : ---



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances

LOR: Limit of Reporting (detection limit).

Unit	Description
μS/cm	microsiemens per centimetre
CFU/100mL	colony forming units per hundred millilitres
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Page : 3 of 4

Work Order : YL2400819 Amendment 1

Client : Elgin Mining Inc.

Project : --



Analytical Results

Sub-Matrix: Water			Cl	ient sample ID	LUP-14 Pre	LUP-14 Pre	 	
(Matrix: Water)					Decant	Decant D		
			Client samp	ling date / time	05-Jul-2024 10:05	05-Jul-2024 09:57	 	
Analyte	CAS Number	Method/Lab	LOR	Unit	YL2400819-001	YL2400819-002	 	
					Result	Result	 	
Physical Tests								
Alkalinity, bicarbonate (as CaCO3)	E:	290/VA	2.0	mg/L	18.9	18.9	 	
Alkalinity, carbonate (as CaCO3)	E	290/VA	2.0	mg/L	<2.0	<2.0	 	
Alkalinity, hydroxide (as CaCO3)	E:	290/VA	2.0	mg/L	<2.0	<2.0	 	
Alkalinity, phenolphthalein (as CaCO3)	E	290/VA	2.0	mg/L	<2.0	<2.0	 	
Alkalinity, total (as CaCO3)	E	290/VA	2.0	mg/L	18.9	18.9	 	
Conductivity	E	100/VA	2.0	μS/cm	272	275	 	
Hardness (as CaCO3), from total Ca/Mg	E	C100A/VA	0.60	mg/L	91.0	89.7	 	
рН	E	108/VA	0.10	pH units	7.54	7.53	 	
Solids, total suspended [TSS]	E	160/VA	3.0	mg/L	<3.0	8.3	 	
Microbiological Tests								
Coliforms, thermotolerant [fecal]	F(C-MF/1Y	1.0	CFU/100mL	<1.0	<1.0	 	
Total Metals								
Aluminum, total	7429-90-5 E	420/VA	0.0030	mg/L	0.0310	0.0524	 	
Antimony, total	7440-36-0 E	420/VA	0.00010	mg/L	<0.00010	<0.00010	 	
Arsenic, total	7440-38-2 E	420/VA	0.00010	mg/L	0.00514	0.00567	 	
Barium, total	7440-39-3 E	420/VA	0.00010	mg/L	0.0137	0.0141	 	
Beryllium, total	7440-41-7 E	420/VA	0.000100	mg/L	<0.000100	<0.000100	 	
Bismuth, total	7440-69-9 E	420/VA	0.000050	mg/L	<0.000050	<0.000050	 	
Boron, total	7440-42-8 E	420/VA	0.010	mg/L	0.077	0.079	 	
Cadmium, total	7440-43-9 E	420/VA	0.0000050	mg/L	0.0000087	0.0000174	 	
Calcium, total	7440-70-2 E	420/VA	0.050	mg/L	27.2	26.7	 	
Cesium, total	7440-46-2 E	420/VA	0.000010	mg/L	0.000096	0.000100	 	
Chromium, total	7440-47-3 E	420/VA	0.00050	mg/L	<0.00050	<0.00050	 	
Cobalt, total	7440-48-4 E	420/VA	0.00010	mg/L	0.00051	0.00111	 	
Copper, total	7440-50-8 E	420/VA	0.00050	mg/L	0.00114	0.00132	 	
Iron, total	7439-89-6 E	420/VA	0.010	mg/L	0.122	0.226	 	
Lead, total	7439-92-1 E	420/VA	0.000050	mg/L	0.000100	0.000092	 	
Lithium, total	7439-93-2 E	420/VA	0.0010	mg/L	0.0122	0.0121	 	
Magnesium, total	7439-95-4 E	420/VA	0.0050	mg/L	5.60	5.59	 	
Manganese, total	7439-96-5 E		0.00010	mg/L	0.0304	0.0607	 	
The state of the s			•	'	· · · · · · · · · · · · · · · · · · ·	' '		'

Page : 4 of 4

Work Order : YL2400819 Amendment 1

Client : Elgin Mining Inc.

Project : ---



Analytical Results

Sub-Matrix: Water (Matrix: Water)		CI	lient sample ID	LUP-14 Pre Decant	LUP-14 Pre Decant D	 	
(Madix. Water)		Client samp	oling date / time	05-Jul-2024 10:05	05-Jul-2024 09:57	 	
Analyte CAS N	ımber Method/Lab	LOR	Unit	YL2400819-001	YL2400819-002	 	
				Result	Result	 	
Total Metals							
Mercury, total 743	-97-6 E508/VA	0.0000050	mg/L	<0.0000050	<0.0000050	 	
Molybdenum, total 743	-98-7 E420/VA	0.000050	mg/L	0.000124	0.000140	 	
Nickel, total 744	-02-0 E420/VA	0.00050	mg/L	0.00575	0.00647	 	
Phosphorus, total 772	-14-0 E420/VA	0.050	mg/L	<0.050	<0.050	 	
Potassium, total 744	-09-7 E420/VA	0.050	mg/L	2.94	2.92	 	
Rubidium, total 744	-17-7 E420/VA	0.00020	mg/L	0.00593	0.00595	 	
Selenium, total 778	-49-2 E420/VA	0.000050	mg/L	<0.000050	<0.000050	 	
Silicon, total 744	-21-3 E420/VA	0.10	mg/L	<0.10	0.17	 	
Silver, total 744	-22-4 E420/VA	0.000010	mg/L	<0.000010	<0.000010	 	
Sodium, total 744	-23-5 E420/VA	0.050	mg/L	12.6	12.4	 	
Strontium, total 744	-24-6 E420/VA	0.00020	mg/L	0.160	0.162	 	
	-34-9 E420/VA	0.50	mg/L	24.8	24.8	 	
Tellurium, total 1349	-80-9 E420/VA	0.00020	mg/L	<0.00020	<0.00020	 	
Thallium, total 744	-28-0 E420/VA	0.000010	mg/L	<0.000010	<0.000010	 	
Thorium, total 744	-29-1 E420/VA	0.00010	mg/L	<0.00010	<0.00010	 	
Tin, total 744	-31-5 E420/VA	0.00010	mg/L	<0.00010	<0.00010	 	
	-32-6 E420/VA	0.00030	mg/L	0.00084	0.00124	 	
	-33-7 E420/VA	0.00010	mg/L	<0.00010	<0.00010	 	
	-61-1 E420/VA	0.000010	mg/L	0.000023	0.000025	 	
	-62-2 E420/VA	0.00050	mg/L	<0.00050	<0.00050	 	
Zinc, total 744	-66-6 E420/VA	0.0030	mg/L	0.0035	0.0041	 	
	-67-7 E420/VA	0.00020	mg/L	<0.00020	<0.00020	 	

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



QUALITY CONTROL INTERPRETIVE REPORT

Work Order : **YL2400819** Page : 1 of 7

Amendment :1

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Jon Melnyk Account Manager : Oliver Gregg

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

Yellowknife, Northwest Territories Canada X1A 3T3

 Telephone
 :-- Telephone
 : 1 867 445 7143

 Project
 :-- Date Samples Received
 : 05-Jul-2024 13:45

 PO
 :-- Issue Date
 : 18-Jul-2024 11:55

C-O-C number : ---Sampler : ---Site : ----

Quote number : YL24-ELMI100-001

No. of samples received :2
No. of samples analysed :2

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

Vancouver BC Canada V6C 2T7

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers Outliers : Quality Control Samples

- No Method Blank value outliers occur.
- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

• No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

• Analysis Holding Time Outliers exist - please see following pages for full details.

Outliers : Frequency of Quality Control Samples

<u>No</u> Quality Control Sample Frequency Outliers occur.

Page : 3 of 7

Work Order : YL2400819 Amendment 1

Client : Elgin Mining Inc.

Project : ---



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and/or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Water					E	/aluation: × =	Holding time excee	edance ; 🛚	/ = Within	Holding Time
Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / P	reparation			Analys	sis	
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Microbiological Tests : Fecal Coliforms in Water by MF										
Sterile HDPE (Sodium thiosulphate)										
LUP-14 Pre Decant	FC-MF	05-Jul-2024					05-Jul-2024	30 hrs	5 hrs	✓
Microbiological Tests : Fecal Coliforms in Water by MF										
Sterile HDPE (Sodium thiosulphate)										
LUP-14 Pre Decant D	FC-MF	05-Jul-2024					05-Jul-2024	30 hrs	6 hrs	✓
Physical Tests : Alkalinity Species by Titration										
HDPE										
LUP-14 Pre Decant	E290	05-Jul-2024	11-Jul-2024	14	7 days	✓	12-Jul-2024	14 days	7 days	✓
				days						
Physical Tests : Alkalinity Species by Titration										
HDPE										,
LUP-14 Pre Decant D	E290	05-Jul-2024	11-Jul-2024	14	7 days	✓	12-Jul-2024	14 days	7 days	✓
				days						
Physical Tests : Conductivity in Water										
HDPE	F400	05 1/1 0004	44 1 1 0004				40 1 1 000 4	00.1	- .	
LUP-14 Pre Decant	E100	05-Jul-2024	11-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						
Physical Tests : Conductivity in Water										
HDPE	E100	05-Jul-2024	11-Jul-2024		7 days	√	12-Jul-2024	28 days	7 dov-	√
LUP-14 Pre Decant D	E100	05-Jul-2024	11-Jul-2024	28	7 days	•	12-Jul-2024	28 days	7 days	•
				days						
Physical Tests : pH by Meter										
HDPE	E108	05-Jul-2024	14 Jul 2024	0.05	157 br-	*	12 101 2024	0.05	171 hrs	30
LUP-14 Pre Decant	E100	05-Jui-2024	11-Jul-2024	0.25	157 hrs	EHTR-FM	12-Jul-2024	0.25 hrs	1/1 nrs	EHTR-FM
				hrs		EUIK-LIM		nrs		EUIK-LIVI

Page : 4 of 7

Work Order : YL2400819 Amendment 1

Client : Elgin Mining Inc.

Project : --



Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / P	reparation			Analys	sis	
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Physical Tests : pH by Meter										
HDPE										
LUP-14 Pre Decant D	E108	05-Jul-2024	11-Jul-2024	0.25	157 hrs	×	12-Jul-2024	0.25	171 hrs	×
				hrs		EHTR-FM		hrs		EHTR-FM
Physical Tests : TSS by Gravimetry										
HDPE										
LUP-14 Pre Decant	E160	05-Jul-2024					11-Jul-2024	7 days	6 days	✓
Physical Tests : TSS by Gravimetry										
HDPE	E160	05-Jul-2024					11-Jul-2024	7 -1	6 days	√
LUP-14 Pre Decant D	E160	05-Jul-2024					11-Jul-2024	7 days	6 days	•
Total Metals : Total Mercury in Water by CVAAS				<u> </u>	<u> </u>			1		
Glass vial total (hydrochloric acid) LUP-14 Pre Decant	E508	05-Jul-2024	12-Jul-2024	28	7 days	√	12-Jul-2024	28 days	7 days	√
LOF-14 FIE Decail	2000	00-041-2024	12-341-2024	days	7 days	Ť	12-041-2024	20 days	r days	· ·
Total Metals : Total Mercury in Water by CVAAS				days						
Glass vial total (hydrochloric acid)								T		
LUP-14 Pre Decant D	E508	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days					,	
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
LUP-14 Pre Decant	E420	05-Jul-2024	11-Jul-2024	180	6 days	✓	12-Jul-2024	180	7 days	✓
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
LUP-14 Pre Decant D	E420	05-Jul-2024	11-Jul-2024	180	6 days	✓	12-Jul-2024	180	7 days	✓
				days				days		

Legend & Qualifier Definitions

EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended

Rec. HT: ALS recommended hold time (see units).

Page : 5 of 7

Work Order : YL2400819 Amendment 1

Client : Elgin Mining Inc.

Project : --



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: Water		Evaluation	n: × = QC freque	ency outside spe	ecification; ✓ = 0	QC frequency wit	hin specification
Quality Control Sample Type			Co	unt		Frequency (%)	ĺ .
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Laboratory Duplicates (DUP)							
Alkalinity Species by Titration	E290	1540720	1	18	5.5	5.0	✓
Conductivity in Water	E100	1540721	1	17	5.8	5.0	✓
pH by Meter	E108	1540719	1	19	5.2	5.0	√
Total Mercury in Water by CVAAS	E508	1540891	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1538108	1	16	6.2	5.0	✓
TSS by Gravimetry	E160	1540178	1	20	5.0	5.0	✓
Laboratory Control Samples (LCS)							
Alkalinity Species by Titration	E290	1540720	1	18	5.5	5.0	✓
Conductivity in Water	E100	1540721	1	17	5.8	5.0	✓
pH by Meter	E108	1540719	1	19	5.2	5.0	✓
Total Mercury in Water by CVAAS	E508	1540891	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1538108	1	16	6.2	5.0	✓
TSS by Gravimetry	E160	1540178	1	20	5.0	5.0	✓
Method Blanks (MB)							
Alkalinity Species by Titration	E290	1540720	1	18	5.5	5.0	✓
Conductivity in Water	E100	1540721	1	17	5.8	5.0	✓
Total Mercury in Water by CVAAS	E508	1540891	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1538108	1	16	6.2	5.0	✓
TSS by Gravimetry	E160	1540178	1	20	5.0	5.0	✓
Matrix Spikes (MS)							
Total Mercury in Water by CVAAS	E508	1540891	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1538108	1	16	6.2	5.0	√

Page : 6 of 7

Work Order : YL2400819 Amendment 1

Client : Elgin Mining Inc.

Project : --



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Conductivity in Water	E100	Water	APHA 2510 (mod)	Conductivity, also known as Electrical Conductivity (EC) or Specific Conductance, is measured by immersion of a conductivity cell with platinum electrodes into a water
	ALS Environmental - Vancouver			sample. Conductivity measurements are temperature-compensated to 25°C.
pH by Meter	E108	Water	APHA 4500-H (mod)	pH is determined by potentiometric measurement with a pH electrode, and is conducted at ambient laboratory temperature (normally 20 ± 5°C). For high accuracy test results,
	ALS Environmental - Vancouver			pH should be measured in the field within the recommended 15 minute hold time.
TSS by Gravimetry	E160	Water	APHA 2540 D (mod)	Total Suspended Solids (TSS) are determined by filtering a sample through a glass fibre filter, following by drying of the filter at 104 ± 1°C, with gravimetric measurement of the
	ALS Environmental - Vancouver			filtered solids. Samples containing very high dissolved solid content (i.e. seawaters, brackish waters) may produce a positive bias by this method. Alternate analysis methods are available for these types of samples.
Alkalinity Species by Titration	E290 ALS Environmental -	Water	APHA 2320 B (mod)	Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total alkalinity values.
Total Metals in Water by CRC ICPMS	Vancouver E420	Water	EPA 200.2/6020B (mod)	Water samples are digested with nitric and hydrochloric acids, and analyzed by Collision/Reaction Cell ICPMS.
	ALS Environmental - Vancouver			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Total Mercury in Water by CVAAS	E508	Water	EPA 1631E (mod)	Water samples undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS
	ALS Environmental - Vancouver			
Hardness (Calculated) from Total Ca/Mg	EC100A ALS Environmental - Vancouver	Water	APHA 2340B	"Hardness (as CaCO3), from total Ca/Mg" is calculated from the sum of total Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations. Hardness from total Ca/Mg is normally comparable to Dissolved Hardness in non-turbid waters.
Fecal Coliforms in Water by MF	FC-MF	Water	APHA 9222D	See attached report.
	Taiga Environmental Laboratory - 4601 - 52nd Avenue P.O. BOX 1500 Yellowknife Northwest Territories Canada X1A 2R3			

Page : 7 of 7

Work Order : YL2400819 Amendment 1

Client : Elgin Mining Inc.

Project : --



ALS Canada Ltd.



QUALITY CONTROL REPORT

Work Order :YL2400819

Amendment : 1

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Jon Melnyk Account Manager : Oliver Gregg

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

Yellowknife, Northwest Territories Canada X1A 3T3

: 1 of 10

Telephone : 1 867 445 7143
--- Date Samples Received : 05-Jul-2024 13:45

C-O-C number :---- Issue Date :18-Jul-2024 11:54
Sampler :---

Quote number ; YL24-ELMI100-001

No. of samples received : 2
No. of samples analysed : 2

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives

Vancouver BC Canada V6C 2T7

- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

Telephone

Project

Site

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Kate Dimitrova	Supervisor - Inorganic	Vancouver Inorganics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Vancouver Metals, Burnaby, British Columbia
Oliver Gregg	Client Services Supervisor	Taiga Environmental Laboratory External Subcontracting, Yellowknife, Northwest Territories
Owen Cheng		Vancouver Metals, Burnaby, British Columbia

Page : 2 of 10

Work Order: YL2400819 Amendment 1

Client : Elgin Mining Inc.

Project : --



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key:

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Page : 3 of 10

Work Order: YL2400819 Amendment 1

Client : Elgin Mining Inc.

Project : --



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Water							Labora	tory Duplicate (D	JP) Report		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC	Lot: 1540178)										
FJ2401954-002	Anonymous	Solids, total suspended [TSS]		E160	3.0	mg/L	<3.0	<3.0	0	Diff <2x LOR	
Physical Tests (QC	Lot: 1540719)										
YL2400842-001	Anonymous	pH		E108	0.10	pH units	7.96	8.01	0.626%	4%	
Physical Tests (QC	Lot: 1540720)										
YL2400842-001	Anonymous	Alkalinity, bicarbonate (as CaCO3)		E290	1.0	mg/L	80.3	79.1	1.50%	200%	
		Alkalinity, carbonate (as CaCO3)		E290	1.0	mg/L	<1.0	<1.0	0.00%	200%	
		Alkalinity, hydroxide (as CaCO3)		E290	1.0	mg/L	<1.0	<1.0	0.00%	200%	
		Alkalinity, phenolphthalein (as CaCO3)		E290	1.0	mg/L	<1.0	<1.0	0	Diff <2x LOR	
		Alkalinity, total (as CaCO3)		E290	2.0	mg/L	80.3	79.1	1.50%	20%	
Physical Tests (QC	Lot: 1540721)										
YL2400842-001	Anonymous	Conductivity		E100	2.0	μS/cm	264	262	0.760%	10%	
Total Metals (QC Lo	ot: 1538108)										
VA24B6484-001	Anonymous	Aluminum, total	7429-90-5	E420	0.0030	mg/L	195 µg/L	0.203	4.18%	20%	
		Antimony, total	7440-36-0	E420	0.00010	mg/L	0.56 µg/L	0.00056	0.000007	Diff <2x LOR	
		Arsenic, total	7440-38-2	E420	0.00010	mg/L	1.25 µg/L	0.00122	2.22%	20%	
		Barium, total	7440-39-3	E420	0.00010	mg/L	76.1 μg/L	0.0741	2.68%	20%	
		Beryllium, total	7440-41-7	E420	0.000100	mg/L	<0.100 µg/L	<0.000100	0	Diff <2x LOR	
		Bismuth, total	7440-69-9	E420	0.000050	mg/L	<0.050 µg/L	<0.000050	0	Diff <2x LOR	
		Boron, total	7440-42-8	E420	0.010	mg/L	127 µg/L	0.128	0.952%	20%	
		Cadmium, total	7440-43-9	E420	0.0000250	mg/L	<0.0250 µg/L	<0.0000250	0	Diff <2x LOR	
		Calcium, total	7440-70-2	E420	0.050	mg/L	89500 µg/L	89.6	0.0252%	20%	
		Cesium, total	7440-46-2	E420	0.000010	mg/L	0.040 μg/L	0.000043	0.000003	Diff <2x LOR	
		Chromium, total	7440-47-3	E420	0.00050	mg/L	0.66 µg/L	0.00075	0.00009	Diff <2x LOR	
		Cobalt, total	7440-48-4	E420	0.00010	mg/L	0.28 μg/L	0.00034	0.00005	Diff <2x LOR	
		Copper, total	7440-50-8	E420	0.00050	mg/L	3.36 µg/L	0.00335	0.000004	Diff <2x LOR	
		Iron, total	7439-89-6	E420	0.010	mg/L	558 µg/L	0.641	13.9%	20%	
		Lead, total	7439-92-1	E420	0.000050	mg/L	0.402 μg/L	0.000421	0.000019	Diff <2x LOR	
		Lithium, total	7439-93-2	E420	0.0010	mg/L	1.3 µg/L	0.0014	0.00004	Diff <2x LOR	
		Magnesium, total	7439-95-4	E420	0.0050	mg/L	26800 µg/L	26.5	1.08%	20%	
		Manganese, total	7439-96-5	E420	0.00010	mg/L	342 μg/L	0.342	0.162%	20%	

Page : 4 of 10

Work Order: YL2400819 Amendment 1

Client : Elgin Mining Inc.

Project : ----



Sub-Matrix: Water							Labora	tory Duplicate (D	UP) Report		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Total Metals (QC Lo	ot: 1538108) - continued										
VA24B6484-001	Anonymous	Molybdenum, total	7439-98-7	E420	0.000050	mg/L	8.29 µg/L	0.00821	0.944%	20%	
		Nickel, total	7440-02-0	E420	0.00050	mg/L	0.65 μg/L	0.00072	0.00007	Diff <2x LOR	
		Phosphorus, total	7723-14-0	E420	0.050	mg/L	56 μg/L	0.061	0.006	Diff <2x LOR	
		Potassium, total	7440-09-7	E420	0.050	mg/L	5810 μg/L	5.68	2.31%	20%	
		Rubidium, total	7440-17-7	E420	0.00020	mg/L	4.75 µg/L	0.00472	0.559%	20%	
		Selenium, total	7782-49-2	E420	0.000050	mg/L	0.137 μg/L	0.000139	0.000002	Diff <2x LOR	
		Silicon, total	7440-21-3	E420	0.10	mg/L	10300 μg/L	10.7	3.42%	20%	
		Silver, total	7440-22-4	E420	0.000010	mg/L	<0.010 µg/L	<0.000010	0	Diff <2x LOR	
		Sodium, total	7440-23-5	E420	0.050	mg/L	120000 µg/L	119	0.874%	20%	
		Strontium, total	7440-24-6	E420	0.00020	mg/L	475 μg/L	0.476	0.0969%	20%	
		Sulfur, total	7704-34-9	E420	0.50	mg/L	13400 µg/L	13.8	3.34%	20%	
		Tellurium, total	13494-80-9	E420	0.00020	mg/L	<0.20 µg/L	<0.00020	0	Diff <2x LOR	
		Thallium, total	7440-28-0	E420	0.000010	mg/L	<0.010 µg/L	<0.000010	0	Diff <2x LOR	
		Thorium, total	7440-29-1	E420	0.00010	mg/L	<0.10 µg/L	<0.00010	0	Diff <2x LOR	
		Tin, total	7440-31-5	E420	0.00010	mg/L	0.22 μg/L	0.00025	0.00004	Diff <2x LOR	
		Titanium, total	7440-32-6	E420	0.0102	mg/L	<10.2 μg/L	<0.0102	0	Diff <2x LOR	
		Tungsten, total	7440-33-7	E420	0.00010	mg/L	<0.10 µg/L	0.00010	0.000005	Diff <2x LOR	
		Uranium, total	7440-61-1	E420	0.000010	mg/L	0.865 μg/L	0.000876	1.24%	20%	
		Vanadium, total	7440-62-2	E420	0.00050	mg/L	2.13 µg/L	0.00222	0.00009	Diff <2x LOR	
		Zinc, total	7440-66-6	E420	0.0030	mg/L	9.1 μg/L	0.0097	0.0006	Diff <2x LOR	
		Zirconium, total	7440-67-7	E420	0.00020	mg/L	<0.20 µg/L	0.00023	0.00003	Diff <2x LOR	
Total Metals (QC Lo	ot: 1540891)										
VA24B6651-006	Anonymous	Mercury, total	7439-97-6	E508	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	

Page : 5 of 10

Work Order: YL2400819 Amendment 1

Client : Elgin Mining Inc.

Project : --



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Water

Analyte	CAS Number Me	ethod	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1540178)						
Solids, total suspended [TSS]	E1	160	3	mg/L	<3.0	
hysical Tests (QCLot: 1540720)						
Alkalinity, bicarbonate (as CaCO3)	E2	290	1	mg/L	<1.0	
Alkalinity, carbonate (as CaCO3)	E2	290	1	mg/L	<1.0	
Alkalinity, hydroxide (as CaCO3)	E2	290	1	mg/L	<1.0	
Alkalinity, phenolphthalein (as CaCO3)	E2	290	1	mg/L	<1.0	
Alkalinity, total (as CaCO3)	E2	290	1	mg/L	<1.0	
nysical Tests (QCLot: 1540721)						
Conductivity	E1	100	1	μS/cm	<1.0	
otal Metals (QCLot: 1538108)						
Aluminum, total	7429-90-5 E4	120	0.003	mg/L	<0.0030	
Antimony, total	7440-36-0 E4	120	0.0001	mg/L	<0.00010	
Arsenic, total	7440-38-2 E4	120	0.0001	mg/L	<0.00010	
Barium, total	7440-39-3 E4	120	0.0001	mg/L	<0.00010	
Beryllium, total	7440-41-7 E4	120	0.00002	mg/L	<0.000020	
Bismuth, total	7440-69-9 E4	120	0.00005	mg/L	<0.000050	
Boron, total	7440-42-8 E4	120	0.01	mg/L	<0.010	
Cadmium, total	7440-43-9 E4	120	0.000005	mg/L	<0.0000050	
Calcium, total	7440-70-2 E4	120	0.05	mg/L	<0.050	
Cesium, total	7440-46-2 E4	420	0.00001	mg/L	<0.000010	
Chromium, total	7440-47-3 E4	420	0.0005	mg/L	<0.00050	
Cobalt, total	7440-48-4 E4	420	0.0001	mg/L	<0.00010	
Copper, total	7440-50-8 E4	420	0.0005	mg/L	<0.00050	
Iron, total	7439-89-6 E4	120	0.01	mg/L	<0.010	
Lead, total	7439-92-1 E4	120	0.00005	mg/L	<0.000050	
Lithium, total	7439-93-2 E4	120	0.001	mg/L	<0.0010	
Magnesium, total	7439-95-4 E4	120	0.005	mg/L	<0.0050	
Manganese, total	7439-96-5 E4	120	0.0001	mg/L	<0.00010	
Molybdenum, total	7439-98-7 E4	120	0.00005	mg/L	<0.000050	
Nickel, total	7440-02-0 E4	120	0.0005	mg/L	<0.00050	
Phosphorus, total	7723-14-0 E4	120	0.05	mg/L	<0.050	
Potassium, total	7440-09-7 E4	120	0.05	mg/L	<0.050	


Page : 6 of 10

Work Order: YL2400819 Amendment 1

Client : Elgin Mining Inc.

Project : ---

Sub-Matrix: Water





Page : 7 of 10

Work Order: YL2400819 Amendment 1

Client : Elgin Mining Inc.

Project : -



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Water						Laboratory Co	ontrol Sample (LCS)	Report	
					Spike	Recovery (%)	Recovery	Limits (%)	
Analyte CA	S Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 1540178)									
Solids, total suspended [TSS]		E160	3	mg/L	150 mg/L	94.8	85.0	115	
Physical Tests (QCLot: 1540719)									
рН		E108		pH units	7 pH units	100	98.0	102	
Physical Tests (QCLot: 1540720)									
Alkalinity, phenolphthalein (as CaCO3)		E290	1	mg/L	229 mg/L	110	75.0	125	
Alkalinity, total (as CaCO3)		E290	1	mg/L	500 mg/L	109	85.0	115	
Physical Tests (QCLot: 1540721)									
Conductivity		E100	1	μS/cm	147 μS/cm	101	90.0	110	
Total Metals (QCLot: 1538108)									
Aluminum, total	7429-90-5	E420	0.003	mg/L	2 mg/L	95.0	80.0	120	
Antimony, total	7440-36-0	E420	0.0001	mg/L	1 mg/L	96.6	80.0	120	
Arsenic, total	7440-38-2	E420	0.0001	mg/L	1 mg/L	103	80.0	120	
Barium, total	7440-39-3	E420	0.0001	mg/L	0.25 mg/L	94.2	80.0	120	
Beryllium, total	7440-41-7	E420	0.00002	mg/L	0.1 mg/L	88.6	80.0	120	
Bismuth, total	7440-69-9	E420	0.00005	mg/L	1 mg/L	95.3	80.0	120	
Boron, total	7440-42-8	E420	0.01	mg/L	1 mg/L	94.5	80.0	120	
Cadmium, total	7440-43-9	E420	0.000005	mg/L	0.1 mg/L	95.2	80.0	120	
Calcium, total	7440-70-2	E420	0.05	mg/L	50 mg/L	96.4	80.0	120	
Cesium, total	7440-46-2	E420	0.00001	mg/L	0.05 mg/L	93.0	80.0	120	
Chromium, total	7440-47-3	E420	0.0005	mg/L	0.25 mg/L	93.0	80.0	120	
Cobalt, total	7440-48-4	E420	0.0001	mg/L	0.25 mg/L	95.7	80.0	120	
Copper, total	7440-50-8	E420	0.0005	mg/L	0.25 mg/L	94.3	80.0	120	
Iron, total	7439-89-6	E420	0.01	mg/L	1 mg/L	99.8	80.0	120	
Lead, total	7439-92-1	E420	0.00005	mg/L	0.5 mg/L	93.8	80.0	120	
Lithium, total	7439-93-2	E420	0.001	mg/L	0.25 mg/L	85.8	80.0	120	
Magnesium, total	7439-95-4	E420	0.005	mg/L	50 mg/L	94.8	80.0	120	
Manganese, total	7439-96-5	E420	0.0001	mg/L	0.25 mg/L	97.7	80.0	120	
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	0.25 mg/L	94.3	80.0	120	
Nickel, total	7440-02-0	E420	0.0005	mg/L	0.5 mg/L	95.5	80.0	120	
Phosphorus, total	7723-14-0	E420	0.05	mg/L	10 mg/L	110	80.0	120	
Potassium, total	7440-09-7	E420	0.05	mg/L	50 mg/L	100	80.0	120	
Rubidium, total	7440-17-7	E420	0.0002	mg/L	0.1 mg/L	101	80.0	120	

Page : 8 of 10

Work Order: YL2400819 Amendment 1

Client : Elgin Mining Inc.

Project : --



Sub-Matrix: Water						Laboratory Co	ontrol Sample (LCS)	Report	
					Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Fotal Metals (QCLot: 1538108) - contin	ued								
Selenium, total	7782-49-2	E420	0.00005	mg/L	1 mg/L	98.4	80.0	120	
Silicon, total	7440-21-3	E420	0.1	mg/L	10 mg/L	100	80.0	120	
Silver, total	7440-22-4	E420	0.00001	mg/L	0.1 mg/L	87.9	80.0	120	
Sodium, total	7440-23-5	E420	0.05	mg/L	50 mg/L	101	80.0	120	
Strontium, total	7440-24-6	E420	0.0002	mg/L	0.25 mg/L	94.1	80.0	120	
Sulfur, total	7704-34-9	E420	0.5	mg/L	50 mg/L	87.0	80.0	120	
Fellurium, total	13494-80-9	E420	0.0002	mg/L	0.1 mg/L	96.5	80.0	120	
Fhallium, total	7440-28-0	E420	0.00001	mg/L	1 mg/L	95.1	80.0	120	
Fhorium, total	7440-29-1	E420	0.0001	mg/L	0.1 mg/L	93.5	80.0	120	
Γin, total	7440-31-5	E420	0.0001	mg/L	0.5 mg/L	92.2	80.0	120	
Fitanium, total	7440-32-6	E420	0.0003	mg/L	0.25 mg/L	91.8	80.0	120	
Γungsten, total	7440-33-7	E420	0.0001	mg/L	0.1 mg/L	89.8	80.0	120	
Jranium, total	7440-61-1	E420	0.00001	mg/L	0.005 mg/L	93.4	80.0	120	
/anadium, total	7440-62-2	E420	0.0005	mg/L	0.5 mg/L	97.0	80.0	120	
Zinc, total	7440-66-6	E420	0.003	mg/L	0.5 mg/L	95.8	80.0	120	
Zirconium, total	7440-67-7	E420	0.0002	mg/L	0.1 mg/L	92.1	80.0	120	
Fotal Metals (QCLot: 1540891)									
Mercury, total	7439-97-6	E508	0.000005	mg/L	0 mg/L	97.1	80.0	120	

Page : 9 of 10

Work Order: YL2400819 Amendment 1

Client : Elgin Mining Inc.

Project : --



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

ub-Matrix: Water							Matrix Spike	e (MS) Report		
					Spi	ike	Recovery (%)	Recovery	Limits (%)	
aboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
otal Metals (QCI	_ot: 1538108)									
A24B6484-002	Anonymous	Aluminum, total	7429-90-5	E420	ND mg/L		ND	70.0	130	
		Antimony, total	7440-36-0	E420	0.0183 mg/L	0.02 mg/L	91.4	70.0	130	
		Arsenic, total	7440-38-2	E420	0.0204 mg/L	0.02 mg/L	102	70.0	130	
		Barium, total	7440-39-3	E420	ND mg/L		ND	70.0	130	
		Beryllium, total	7440-41-7	E420	0.0370 mg/L	0.04 mg/L	92.6	70.0	130	
		Bismuth, total	7440-69-9	E420	0.00932 mg/L	0.01 mg/L	93.2	70.0	130	
		Boron, total	7440-42-8	E420	0.103 mg/L	0.1 mg/L	103	70.0	130	
		Cadmium, total	7440-43-9	E420	0.00385 mg/L	0.004 mg/L	96.2	70.0	130	
		Calcium, total	7440-70-2	E420	ND mg/L		ND	70.0	130	
		Cesium, total	7440-46-2	E420	0.00943 mg/L	0.01 mg/L	94.3	70.0	130	
		Chromium, total	7440-47-3	E420	0.0376 mg/L	0.04 mg/L	94.1	70.0	130	
		Cobalt, total	7440-48-4	E420	0.0193 mg/L	0.02 mg/L	96.4	70.0	130	
		Copper, total	7440-50-8	E420	0.0183 mg/L	0.02 mg/L	91.6	70.0	130	
		Iron, total	7439-89-6	E420	1.88 mg/L	2 mg/L	94.1	70.0	130	
		Lead, total	7439-92-1	E420	0.0185 mg/L	0.02 mg/L	92.4	70.0	130	
		Lithium, total	7439-93-2	E420	0.0907 mg/L	0.1 mg/L	90.7	70.0	130	
		Magnesium, total	7439-95-4	E420	0.960 mg/L	1 mg/L	96.0	70.0	130	
		Manganese, total	7439-96-5	E420	0.0195 mg/L	0.02 mg/L	97.5	70.0	130	
		Molybdenum, total	7439-98-7	E420	ND mg/L		ND	70.0	130	
		Nickel, total	7440-02-0	E420	0.0384 mg/L	0.04 mg/L	96.1	70.0	130	
		Phosphorus, total	7723-14-0	E420	10.2 mg/L	10 mg/L	102	70.0	130	
		Potassium, total	7440-09-7	E420	ND mg/L		ND	70.0	130	
		Rubidium, total	7440-17-7	E420	0.0204 mg/L	0.02 mg/L	102	70.0	130	
		Selenium, total	7782-49-2	E420	0.0383 mg/L	0.04 mg/L	95.8	70.0	130	
		Silicon, total	7440-21-3	E420	9.42 mg/L	10 mg/L	94.2	70.0	130	
		Silver, total	7440-22-4	E420	0.00371 mg/L	0.004 mg/L	92.7	70.0	130	
		Sodium, total	7440-23-5	E420	ND mg/L		ND	70.0	130	
		Strontium, total	7440-24-6	E420	ND mg/L		ND	70.0	130	
		Sulfur, total	7704-34-9	E420	19.6 mg/L	20 mg/L	97.8	70.0	130	
		Tellurium, total	13494-80-9	E420	0.0385 mg/L	0.04 mg/L	96.2	70.0	130	
		Thallium, total	7440-28-0	E420	0.00354 mg/L	0.004 mg/L	88.4	70.0	130	
		Thorium, total	7440-29-1	E420	0.0200 mg/L	0.02 mg/L	99.8	70.0	130	
		Tin, total	7440-31-5	E420	0.0185 mg/L	0.02 mg/L	92.4	70.0	130	
		Titanium, total	7440-32-6	E420	0.0382 mg/L	0.04 mg/L	95.5	70.0	130	
		Tungsten, total	7440-33-7	E420	0.0178 mg/L	0.02 mg/L	89.2	70.0	130	
		Uranium, total	7440-61-1	E420	0.00383 mg/L	0.004 mg/L	95.8	70.0	130	
		Vanadium, total	7440-62-2	E420	0.0978 mg/L	0.1 mg/L	97.8	70.0	130	
		Zinc, total	7440-66-6	E420	0.384 mg/L	0.4 mg/L	95.9	70.0	130	
		Zirconium, total	7440-67-7	E420	0.0369 mg/L	0.04 mg/L	92.3	70.0	130	

Page : 10 of 10

Work Order: YL2400819 Amendment 1

Client : Elgin Mining Inc.

Project : ---



Sub-Matrix: Water						Matrix Spike (MS) Report							
					Spike Recovery (%) Recovery Limits (%)								
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier			
Total Metals (QC	Lot: 1540891)												
VA24B6652-001	Anonymous	Mercury, total	7439-97-6	E508	0.0000974 mg/L	0 mg/L	97.4	70.0	130				

ALS Canada Ltd.



CERTIFICATE OF ANALYSIS

Work Order : YL2400821 Page : 1 of 3

Client Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Account Manager Contact : Jon Melnyk : Oliver Gregg

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116 Vancouver BC Canada V6C 2T7

Yellowknife NT Canada X1A 3T3

Telephone Telephone : 1 867 445 7143 **Project** Date Samples Received : 05-Jul-2024 13:45

PO **Date Analysis Commenced** : 05-Jul-2024

C-O-C number Issue Date : 17-Jul-2024 15:46 Sampler

Quote number : YL24-ELMI100-001

No. of samples received : 2 No. of samples analysed : 2

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

Site

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Janice Leung	Supervisor - Organics Instrumentation	Organics, Burnaby, British Columbia
Kate Dimitrova	Supervisor - Inorganic	Inorganics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Metals, Burnaby, British Columbia
Oliver Gregg	Client Services Supervisor	External Subcontracting, Yellowknife, Northwest Territories

 Page
 :
 2 of 3

 Work Order
 :
 YL2400821

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances LOR: Limit of Reporting (detection limit).

Unit	Description
-	no units
CFU/100mL	colony forming units per hundred millilitres
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

 Page
 :
 3 of 3

 Work Order
 :
 YL2400821

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Analytical Results

Sub-Matrix: Water			Ci	ient sample ID	Pond 2-A	Pond 2-B	 	
(Matrix: Water)								
	Client sampling date / time		05-Jul-2024 00:00	05-Jul-2024 00:00	 			
Analyte	CAS Number	Method/Lab	LOR	Unit	YL2400821-001	YL2400821-002	 	
					Result	Result	 	
Physical Tests								
pH		E108/VA	0.10	pH units	5.33	5.72	 	
Solids, total suspended [TSS]		E160/VA	3.0	mg/L	19.1	<3.0	 	
Microbiological Tests								
Coliforms, thermotolerant [fecal]		FC-MF/1Y	1.0	CFU/100mL	<1.0	<1.0	 	
Total Metals								
Arsenic, total	7440-38-2	E420/VA	0.00010	mg/L	0.0120	0.00724	 	
Copper, total	7440-50-8	E420/VA	0.00050	mg/L	0.00624	0.00414	 	
Lead, total	7439-92-1	E420/VA	0.000050	mg/L	0.000248	0.000139	 	
Nickel, total	7440-02-0	E420/VA	0.00050	mg/L	0.0600	0.0555	 	
Zinc, total	7440-66-6	E420/VA	0.0030	mg/L	0.154	0.153	 	
Aggregate Organics								
Biochemical oxygen demand [BOD]		BOD5/1Y	2.0	mg/L	<2.0	<2.0	 	
Oil & grease (visible sheen)		E566/VA	-	-	Absent	Absent	 	

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



QUALITY CONTROL INTERPRETIVE REPORT

:YL2400821 **Work Order** Page : 1 of 6

Client Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Jon Melnyk **Account Manager** : Oliver Gregg

Address Address : 750 West Pender Street Suite 201 : 314 Old Airport Road, Unit 116

Yellowknife, Northwest Territories Canada X1A 3T3

Telephone Telephone : 1 867 445 7143 Project **Date Samples Received** : 05-Jul-2024 13:45 Issue Date : 17-Jul-2024 15:45

Site Quote number : YL24-ELMI100-001

No. of samples received :2 No. of samples analysed :2

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

PO

C-O-C number Sampler

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

Vancouver BC Canada V6C 2T7

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers: Quality Control Samples

- No Method Blank value outliers occur.
- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

• No Reference Material (RM) Sample outliers occur.

Outliers: Analysis Holding Time Compliance (Breaches) ● Analysis Holding Time Outliers exist - please see following pages for full details.

Outliers : Frequency of Quality Control Samples

• No Quality Control Sample Frequency Outliers occur.

 Page
 :
 3 of 6

 Work Order
 :
 YL2400821

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and/or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

atrix: Water Evaluation: × = Holding time exceedance ; √ = Within Holding Time											
Analyte Group : Analytical Method	Method	Sampling Date	Exti	raction / Pr	reparation			Analys	is		
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	Times	Eval	
			Date	Rec	Actual			Rec	Actual		
Aggregate Organics : Biochemical Oxygen Demand (BOD) 5-day											
HDPE [BOD HT-48h]											
Pond 2-A	BOD5	05-Jul-2024					05-Jul-2024	48 hrs	16 hrs	✓	
Aggregate Organics : Biochemical Oxygen Demand (BOD) 5-day											
HDPE [BOD HT-48h]											
Pond 2-B	BOD5	05-Jul-2024					05-Jul-2024	48 hrs	16 hrs	✓	
Aggregate Organics : Oil & Grease by Visible Sheen											
Amber glass (hydrochloric acid)											
Pond 2-A	E566	05-Jul-2024					12-Jul-2024	28 days	8 days	✓	
Aggregate Organics : Oil & Grease by Visible Sheen											
Amber glass (hydrochloric acid)											
Pond 2-B	E566	05-Jul-2024					12-Jul-2024	28 days	8 days	✓	
Microbiological Tests : Fecal Coliforms in Water by MF											
Sterile HDPE (Sodium thiosulphate)											
Pond 2-A	FC-MF	05-Jul-2024					05-Jul-2024	30 hrs	16 hrs	✓	
Microbiological Tests : Fecal Coliforms in Water by MF											
Sterile HDPE (Sodium thiosulphate)											
Pond 2-B	FC-MF	05-Jul-2024					05-Jul-2024	30 hrs	16 hrs	✓	
Physical Tests : pH by Meter											
HDPE											
Pond 2-A	E108	05-Jul-2024	11-Jul-2024	0.25	167 hrs	*	12-Jul-2024	0.25	181 hrs	×	
				hrs		EHTR-FM		hrs		EHTR-FM	

 Page
 :
 4 of 6

 Work Order
 :
 YL2400821

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Matrix: Water Evaluation: ★ = Holding time exceedance; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pi	reparation		Analysis			
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date Holding Times		g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Physical Tests : pH by Meter										
HDPE										
Pond 2-B	E108	05-Jul-2024	11-Jul-2024	0.25	167 hrs	×	12-Jul-2024	0.25	181 hrs	x
				hrs		EHTR-FM		hrs		EHTR-FM
Physical Tests : TSS by Gravimetry										
HDPE										
Pond 2-A	E160	05-Jul-2024					11-Jul-2024	7 days	7 days	✓
Physical Tests : TSS by Gravimetry										
HDPE										
Pond 2-B	E160	05-Jul-2024					11-Jul-2024	7 days	7 days	✓
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
Pond 2-A	E420	05-Jul-2024	11-Jul-2024	180	7 days	✓	12-Jul-2024	180	7 days	✓
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
Pond 2-B	E420	05-Jul-2024	11-Jul-2024	180	7 days	✓	12-Jul-2024	180	7 days	✓
				days				days		

Legend & Qualifier Definitions

EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended

Rec. HT: ALS recommended hold time (see units).

 Page
 :
 5 of 6

 Work Order
 :
 YL2400821

 Client
 :
 Elgin Mining Inc.

Project : ---



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: Water Evaluation: **x** = QC frequency outside specification; ✓ = QC frequency within specification. Quality Control Sample Type Count Frequency (%) Method QC Lot # QC Regular Actual Expected Evaluation Analytical Methods Laboratory Duplicates (DUP) pH by Meter 1540719 19 5.2 5.0 E108 Total Metals in Water by CRC ICPMS 16 6.2 E420 1538108 1 5.0 TSS by Gravimetry 1540178 1 20 5.0 5.0 E160 Laboratory Control Samples (LCS) pH by Meter 1540719 1 19 5.2 5.0 E108 Total Metals in Water by CRC ICPMS 1538108 16 6.2 5.0 E420 1 ✓ TSS by Gravimetry 1540178 1 20 5.0 5.0 E160 Method Blanks (MB) Total Metals in Water by CRC ICPMS 1538108 16 1 6.2 5.0 E420 TSS by Gravimetry 1540178 20 5.0 5.0 E160 Matrix Spikes (MS) Total Metals in Water by CRC ICPMS 1538108 6.2 E420 1 16 5.0

 Page
 :
 6 of 6

 Work Order
 :
 YL2400821

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Biochemical Oxygen Demand (BOD) 5-day	BOD5	Water	SM5210B	Sample was diluted, seeded, and incubated at specified temperature for 5 days. Dissolved oxygen is measured initially and after incubation, and the BOD is computed
	Taiga Environmental			from the difference between initial and final DO.
	Laboratory - 4601 -			
	52nd Avenue P.O. BOX			
	1500 Yellowknife			
	Northwest Territories			
	Canada X1A 2R3			
pH by Meter	E108	Water	APHA 4500-H (mod)	pH is determined by potentiometric measurement with a pH electrode, and is conducted
				at ambient laboratory temperature (normally 20 ± 5°C). For high accuracy test results,
	ALS Environmental -			pH should be measured in the field within the recommended 15 minute hold time.
	Vancouver			
TSS by Gravimetry	E160	Water	APHA 2540 D (mod)	Total Suspended Solids (TSS) are determined by filtering a sample through a glass fibre filter, following by drying of the filter at 104 ± 1°C, with gravimetric measurement of the
	ALS Environmental -			filtered solids. Samples containing very high dissolved solid content (i.e. seawaters,
	Vancouver			brackish waters) may produce a positive bias by this method. Alternate analysis
				methods are available for these types of samples.
Total Metals in Water by CRC ICPMS	E420	Water	EPA 200.2/6020B (mod)	Water samples are digested with nitric and hydrochloric acids, and analyzed by Collision/Reaction Cell ICPMS.
	ALS Environmental -		(mod)	Completiff Caddion Com for Me.
	Vancouver			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered
				by this method.
Oil & Grease by Visible Sheen	E566	Water	Alberta Energy	Use a qualitivative visual observation of rainbow sheen to determine the presence or
			Regulator, Drilling	absence of oil and grease on water.
	ALS Environmental -		waste Management,	
	Vancouver		Directive 050, July	
			2016	
Fecal Coliforms in Water by MF	FC-MF	Water	APHA 9222D	See attached report.
	Taiga Environmental			
	Laboratory - 4601 -			
	52nd Avenue P.O. BOX			
	1500 Yellowknife			
	Northwest Territories			
	Canada X1A 2R3			

ALS Canada Ltd.



QUALITY CONTROL REPORT

Account Manager

Work Order : YL2400821 Page : 1 of 4

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

. 314 Old All port Madu, Offic 110

: Oliver Gregg

Yellowknife, Northwest Territories Canada X1A 3T3

Telephone : 1 867 445 7143

Date Samples Received : 05-Jul-2024 13:45

Date Analysis Commenced : 05-Jul-2024

Issue Date : 17-Jul-2024 15:54

Telephone :----

 Project
 :---

 PO
 :---

 C-O-C number
 :---

Sampler : ---Site : ----

Quote number : YL24-ELMI100-001

No. of samples received : 2
No. of samples analysed : 2

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives

Vancouver BC Canada V6C 2T7

Matrix Spike (MS) Report; Recovery and Data Quality Objectives

: Jon Melnyk

- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

Contact

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Janice Leung	Supervisor - Organics Instrumentation	Vancouver Organics, Burnaby, British Columbia
Kate Dimitrova	Supervisor - Inorganic	Vancouver Inorganics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Vancouver Metals, Burnaby, British Columbia
Oliver Gregg	Client Services Supervisor	Taiga Environmental Laboratory External Subcontracting, Yellowknife, Northwest Territories

 Page
 :
 2 of 4

 Work Order
 :
 YL2400821

 Client
 :
 Elgin Mining Inc.

Project : ---



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key:

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Water	b-Matrix: Water					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier	
Physical Tests (QC Lot: 1540178)												
FJ2401954-002	Anonymous	Solids, total suspended [TSS]		E160	3.0	mg/L	<3.0	<3.0	0	Diff <2x LOR		
Physical Tests (QC	Lot: 1540719)											
YL2400842-001	Anonymous	pH		E108	0.10	pH units	7.96	8.01	0.626%	4%		
Total Metals (QC Lo	t: 1538108)											
VA24B6484-001	Anonymous	Arsenic, total	7440-38-2	E420	0.00010	mg/L	1.25 µg/L	0.00122	2.22%	20%		
		Copper, total	7440-50-8	E420	0.00050	mg/L	3.36 µg/L	0.00335	0.000004	Diff <2x LOR		
		Lead, total	7439-92-1	E420	0.000050	mg/L	0.402 μg/L	0.000421	0.000019	Diff <2x LOR		
		Nickel, total	7440-02-0	E420	0.00050	mg/L	0.65 μg/L	0.00072	0.00007	Diff <2x LOR		
		Zinc, total	7440-66-6	E420	0.0030	mg/L	9.1 µg/L	0.0097	0.0006	Diff <2x LOR		

 Page
 :
 3 of 4

 Work Order
 :
 YL2400821

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1540178)						
Solids, total suspended [TSS]		E160	3	mg/L	<3.0	
Total Metals (QCLot: 1538108)						
Arsenic, total	7440-38-2	E420	0.0001	mg/L	<0.00010	
Copper, total	7440-50-8	E420	0.0005	mg/L	<0.00050	
Lead, total	7439-92-1	E420	0.00005	mg/L	<0.000050	
Nickel, total	7440-02-0	E420	0.0005	mg/L	<0.00050	
Zinc, total	7440-66-6	E420	0.003	mg/L	<0.0030	

Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Water	Laboratory Control Sample (LCS) Report								
					Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 1540178)									
Solids, total suspended [TSS]		E160	3	mg/L	150 mg/L	94.8	85.0	115	
Physical Tests (QCLot: 1540719)									
рН		E108		pH units	7 pH units	100	98.0	102	
Total Metals (QCLot: 1538108)									
Arsenic, total	7440-38-2	E420	0.0001	mg/L	1 mg/L	103	80.0	120	
Copper, total	7440-50-8	E420	0.0005	mg/L	0.25 mg/L	94.3	80.0	120	
Lead, total	7439-92-1	E420	0.00005	mg/L	0.5 mg/L	93.8	80.0	120	
Nickel, total	7440-02-0	E420	0.0005	mg/L	0.5 mg/L	95.5	80.0	120	
Zinc, total	7440-66-6	E420	0.003	mg/L	0.5 mg/L	95.8	80.0	120	

 Page
 :
 4 of 4

 Work Order
 :
 YL2400821

 Client
 :
 Elgin Mining Inc.

YL2400821
Elgin Mining Inc.



Matrix Spike (MS) Report

Project

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Water	ub-Matrix: Water					Matrix Spike (MS) Report						
				Spi	ke	Recovery (%)	Recovery Limits (%)					
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier		
Total Metals (QC	Lot: 1538108)											
VA24B6484-002	Anonymous	Arsenic, total	7440-38-2	E420	0.0204 mg/L	0.02 mg/L	102	70.0	130			
		Copper, total	7440-50-8	E420	0.0183 mg/L	0.02 mg/L	91.6	70.0	130			
		Lead, total	7439-92-1	E420	0.0185 mg/L	0.02 mg/L	92.4	70.0	130			
		Nickel, total	7440-02-0	E420	0.0384 mg/L	0.04 mg/L	96.1	70.0	130			
		Zinc, total	7440-66-6	E420	0.384 mg/L	0.4 mg/L	95.9	70.0	130			

ALS Canada Ltd.



CERTIFICATE OF ANALYSIS

Work Order : **YL2400835** Page : 1 of 10

Vancouver BC Canada V6C 2T7

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Karyn Lewis Account Manager : Oliver Gregg

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

Yellowknife NT Canada X1A 3T3

 Telephone
 : 604 682 3366
 Telephone
 : 1 867 445 7143

 Project
 : -- Date Samples Received
 : 05-Jul-2024 16:00

PO : --- Date Analysis Commenced : 11-Jul-2024

C-O-C number : ---- Issue Date : 17-Jul-2024 13:20 Sampler : ----

Quote number : YL23-ELMI100-001

No. of samples received : 9
No. of samples analysed : 9

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

Site

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Angela Ren	Team Leader - Metals	Metals, Burnaby, British Columbia
Chau Tran	Analyst	Metals, Burnaby, British Columbia
Daniel Shabestani	Lab Assistant	Metals, Burnaby, British Columbia
Kate Dimitrova	Supervisor - Inorganic	Inorganics, Burnaby, British Columbia
Owen Cheng		Metals, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Inorganics, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Metals, Burnaby, British Columbia
Tracy Harley	Supervisor - Water Quality Instrumentation	Inorganics, Burnaby, British Columbia

 Page
 :
 2 of 10

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.



Project : ----

General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances LOR: Limit of Reporting (detection limit).

Unit	Description
-	no units
μS/cm	microsiemens per centimetre
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Qualifiers

Qualifier	Description
DLA	Detection Limit adjusted for required dilution.
DLDS	Detection Limit Raised: Dilution required due to high Dissolved Solids / Electrical Conductivity.
DLM	Detection Limit Adjusted due to sample matrix effects (e.g. chemical interference, colour, turbidity).

 Page
 :
 3 of 10

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Analytical Results

Sub-Matrix: Water			Cli	ent sample ID	Pond 1-A	Pond 1-B	Pond 2-A	Pond 2-B	Pond 2-C
(Matrix: Water)									
			Client samp	ling date / time	05-Jul-2024 11:30	05-Jul-2024 12:30	05-Jul-2024 12:45	05-Jul-2024 12:15	05-Jul-2024 12:30
Analyte	CAS Number	Method/Lab	LOR	Unit	YL2400835-001	YL2400835-002	YL2400835-003	YL2400835-004	YL2400835-005
					Result	Result	Result	Result	Result
Physical Tests									
Acidity (as CaCO3)		E283/VA	2.0	mg/L	14.3	17.4	3.0	2.5	4.2
Alkalinity, total (as CaCO3)		E290/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Conductivity		E100/VA	1.0	μS/cm	345	359	423	426	437
Hardness (as CaCO3), dissolved		EC100/VA	0.60	mg/L	105	102	130	130	134
Hardness (as CaCO3), from total Ca/Mg		EC100A/VA	0.60	mg/L	102	104	128	132	135
рН		E108/VA	0.10	pH units	4.21	4.11	5.36	5.60	5.02
Solids, total dissolved [TDS]		E162/VA	10	mg/L	236	237	296	298	306
Solids, total suspended [TSS]		E160-L/VA	1.0	mg/L	3.2	1.6	4.5	3.8	1.8
Anions and Nutrients									
Bromide	24959-67-9	E235.Br-U/VA	0.0050	mg/L	0.0875	0.0916	0.176	0.175	0.178
Chloride	16887-00-6	E235.CI-L/VA	0.10	mg/L	7.03	7.06	14.4	14.6	14.4
Fluoride	16984-48-8	E235.F-L/VA	0.010	mg/L	0.126	0.130	0.108	0.102	0.116
Nitrate (as N)	14797-55-8	E235.NO3-T/V	0.0030	mg/L	0.311	0.311	0.406	0.400	0.418
Nitrite (as N)	14797-65-0	A E235.NO2-L/V	0.0010	mg/L	<0.0010	0.0014	0.0012	0.0022	0.0012
Sulfate (as SO4)	14808-79-8	A E235.SO4-L/V A	0.050	mg/L	139	144	172	174	178
Cyanides									
Cyanide, strong acid dissociable (Total)		E333/VA	0.0050	mg/L	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Total Metals									
Aluminum, total	7429-90-5	E420/VA	0.0030	mg/L	1.22	1.38	0.142	0.112	0.351
Antimony, total	7440-36-0	E420/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Arsenic, total	7440-38-2	E420/VA	0.00010	mg/L	0.0149	0.0112	0.0123	0.0129	0.0407
Barium, total	7440-39-3	E420/VA	0.00010	mg/L	0.0132	0.0131	0.0159	0.0167	0.0173
Beryllium, total	7440-41-7	E420/VA	0.000100	mg/L	0.000314	0.000335	<0.000100	<0.000100	0.000104
Bismuth, total	7440-69-9	E420/VA	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
Boron, total	7440-42-8	E420/VA	0.010	mg/L	0.026	0.027	0.043	0.043	0.044
Cadmium, total	7440-43-9	E420/VA	0.0000050	mg/L	0.000262	0.000281	0.000127	0.000124	0.000177
Calcium, total	7440-70-2	E420/VA	0.050	mg/L	28.6	29.4	38.2	39.6	40.4
Cesium, total	7440-46-2		0.000010	mg/L	0.000048	0.000056	0.000031	0.000029	0.000064

 Page
 :
 4 of 10

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Analytical Results

Sub-Matrix: Water		CI	ient sample ID	Pond 1-A	Pond 1-B	Pond 2-A	Pond 2-B	Pond 2-C
(Matrix: Water)								
		Client samp	ling date / time	05-Jul-2024 11:30	05-Jul-2024 12:30	05-Jul-2024 12:45	05-Jul-2024 12:15	05-Jul-2024 12:30
Analyte	CAS Number Method/Lab	LOR	Unit	YL2400835-001	YL2400835-002	YL2400835-003	YL2400835-004	YL2400835-005
				Result	Result	Result	Result	Result
Total Metals								
Chromium, total	7440-47-3 E420/VA	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Cobalt, total	7440-48-4 E420/VA	0.00010	mg/L	0.0517	0.0536	0.0130	0.0123	0.0266
Copper, total	7440-50-8 E420/VA	0.00050	mg/L	0.0364	0.0393	0.00544	0.00462	0.0123
Iron, total	7439-89-6 E420/VA	0.010	mg/L	0.735	1.52	0.391	0.357	0.612
Lead, total	7439-92-1 E420/VA	0.000050	mg/L	0.00233	0.00219	0.000256	0.000265	0.000851
Lithium, total	7439-93-2 E420/VA	0.0010	mg/L	0.0222	0.0232	0.0193	0.0189	0.0195
Magnesium, total	7439-95-4 E420/VA	0.0050	mg/L	7.33	7.44	7.86	8.02	8.27
Manganese, total	7439-96-5 E420/VA	0.00010	mg/L	0.689	0.708	0.467	0.463	0.576
Mercury, total	7439-97-6 E508/VA	0.0000050	mg/L	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050
Molybdenum, total	7439-98-7 E420/VA	0.000050	mg/L	<0.000050	<0.000050	0.000074	0.000080	0.000096
Nickel, total	7440-02-0 E420/VA	0.00050	mg/L	0.109	0.113	0.0566	0.0559	0.0695
Phosphorus, total	7723-14-0 E420/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050
Potassium, total	7440-09-7 E420/VA	0.050	mg/L	2.73	2.74	3.30	3.37	3.36
Rubidium, total	7440-17-7 E420/VA	0.00020	mg/L	0.00168	0.00174	0.00160	0.00163	0.00179
Selenium, total	7782-49-2 E420/VA	0.000050	mg/L	<0.000050	0.000054	<0.000050	<0.000050	<0.000050
Silicon, total	7440-21-3 E420/VA	0.10	mg/L	2.78	2.80	0.90	0.71	0.93
Silver, total	7440-22-4 E420/VA	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Sodium, total	7440-23-5 E420/VA	0.050	mg/L	14.0	14.0	26.3	27.6	26.4
Strontium, total	7440-24-6 E420/VA	0.00020	mg/L	0.147	0.151	0.191	0.195	0.199
Sulfur, total	7704-34-9 E420/VA	0.50	mg/L	46.5	48.0	57.3	57.6	59.8
Tellurium, total	13494-80-9 E420/VA	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
Thallium, total	7440-28-0 E420/VA	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Thorium, total	7440-29-1 E420/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Tin, total	7440-31-5 E420/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Titanium, total	7440-32-6 E420/VA	0.00030	mg/L	0.00100	0.00060	0.00059	<0.00090 DLM	<0.00120 DLM
Tungsten, total	7440-33-7 E420/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Uranium, total	7440-61-1 E420/VA	0.000010	mg/L	0.000269	0.000315	0.000029	0.000026	0.000038
Vanadium, total	7440-62-2 E420/VA	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Zinc, total	7440-66-6 E420/VA	0.0030	mg/L	0.537	0.546	0.156	0.162	0.190
Zirconium, total	7440-67-7 E420/VA	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
Dissolved Metals					La Company			

 Page
 :
 5 of 10

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

Project : ----



Analytical Results

Sub-Matrix: Water		Cli	ient sample ID	Pond 1-A	Pond 1-B	Pond 2-A	Pond 2-B	Pond 2-C
(Matrix: Water)								
		Client samp	ling date / time	05-Jul-2024 11:30	05-Jul-2024 12:30	05-Jul-2024 12:45	05-Jul-2024 12:15	05-Jul-2024 12:30
Analyte	CAS Number Method/Lab	LOR	Unit	YL2400835-001	YL2400835-002	YL2400835-003	YL2400835-004	YL2400835-005
7.1.4.1,10				Result	Result	Result	Result	Result
Dissolved Metals								
Aluminum, dissolved	7429-90-5 E421/VA	0.0010	mg/L	1.23	1.36	0.0840	0.0473	0.264
Antimony, dissolved	7440-36-0 E421/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Arsenic, dissolved	7440-38-2 E421/VA	0.00010	mg/L	0.00911	0.00896	0.00230	0.00165	0.00337
Barium, dissolved	7440-39-3 E421/VA	0.00010	mg/L	0.0129	0.0130	0.0163	0.0164	0.0173
Beryllium, dissolved	7440-41-7 E421/VA	0.000100	mg/L	0.000313	0.000318	<0.000100	<0.000100	<0.000100
Bismuth, dissolved	7440-69-9 E421/VA	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
Boron, dissolved	7440-42-8 E421/VA	0.010	mg/L	0.026	0.025	0.040	0.041	0.042
Cadmium, dissolved	7440-43-9 E421/VA	0.0000050	mg/L	0.000278	0.000281	0.000130	0.000130	0.000173
Calcium, dissolved	7440-70-2 E421/VA	0.050	mg/L	28.9	27.5	37.8	37.5	39.0
Cesium, dissolved	7440-46-2 E421/VA	0.000010	mg/L	0.000039	0.000052	0.000027	0.000022	0.000039
Chromium, dissolved	7440-47-3 E421/VA	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Cobalt, dissolved	7440-48-4 E421/VA	0.00010	mg/L	0.0518	0.0517	0.0132	0.0123	0.0262
Copper, dissolved	7440-50-8 E421/VA	0.00020	mg/L	0.0356	0.0376	0.00492	0.00400	0.0110
Iron, dissolved	7439-89-6 E421/VA	0.010	mg/L	0.685	1.50	0.169	0.122	0.176
Lead, dissolved	7439-92-1 E421/VA	0.000050	mg/L	0.00224	0.00217	0.000067	<0.000050	0.000196
Lithium, dissolved	7439-93-2 E421/VA	0.0010	mg/L	0.0235	0.0228	0.0177	0.0177	0.0190
Magnesium, dissolved	7439-95-4 E421/VA	0.0050	mg/L	8.02	8.08	8.57	8.90	8.84
Manganese, dissolved	7439-96-5 E421/VA	0.00010	mg/L	0.743	0.754	0.494	0.492	0.615
Mercury, dissolved	7439-97-6 E509/VA	0.0000050	mg/L	<0.0000050	<0.0000050	<0.000050	<0.000050	<0.0000050
Molybdenum, dissolved	7439-98-7 E421/VA	0.000050	mg/L	<0.000050	<0.000050	<0.000050	0.000054	<0.000050
Nickel, dissolved	7440-02-0 E421/VA	0.00050	mg/L	0.109	0.109	0.0571	0.0554	0.0684
Phosphorus, dissolved	7723-14-0 E421/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050
Potassium, dissolved	7440-09-7 E421/VA	0.050	mg/L	2.70	2.63	3.18	3.27	3.25
Rubidium, dissolved	7440-17-7 E421/VA	0.00020	mg/L	0.00164	0.00163	0.00164	0.00164	0.00172
Selenium, dissolved	7782-49-2 E421/VA	0.000050	mg/L	0.000054	<0.000050	<0.000050	<0.000050	0.000055
Silicon, dissolved	7440-21-3 E421/VA	0.050	mg/L	2.76	2.86	0.752	0.669	0.894
Silver, dissolved	7440-22-4 E421/VA	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Sodium, dissolved	7440-23-5 E421/VA	0.050	mg/L	14.1	13.8	25.7	26.3	25.6
Strontium, dissolved	7440-24-6 E421/VA	0.00020	mg/L	0.141	0.146	0.183	0.181	0.189
Sulfur, dissolved	7704-34-9 E421/VA	0.50	mg/L	47.6	49.9	61.3	59.9	62.9
Tellurium, dissolved	13494-80-9 E421/VA	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020

 Page
 :
 6 of 10

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Analytical Results

Sub-Matrix: Water			Cli	ient sample ID	Pond 1-A	Pond 1-B	Pond 2-A	Pond 2-B	Pond 2-C
(Matrix: Water)									
			Client sampling date / time		05-Jul-2024 11:30	05-Jul-2024 12:30	05-Jul-2024 12:45	05-Jul-2024 12:15	05-Jul-2024 12:30
Analyte	CAS Number	Method/Lab	LOR	Unit	YL2400835-001	YL2400835-002	YL2400835-003	YL2400835-004	YL2400835-005
					Result	Result	Result	Result	Result
Dissolved Metals									
Thallium, dissolved	7440-28-0	E421/VA	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Thorium, dissolved	7440-29-1	E421/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Tin, dissolved	7440-31-5	E421/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Titanium, dissolved	7440-32-6	E421/VA	0.00030	mg/L	<0.00030	<0.00030	<0.00030	<0.00030	<0.00030
Tungsten, dissolved	7440-33-7	E421/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Uranium, dissolved	7440-61-1	E421/VA	0.000010	mg/L	0.000268	0.000317	0.000020	0.000014	0.000027
Vanadium, dissolved	7440-62-2	E421/VA	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Zinc, dissolved	7440-66-6	E421/VA	0.0010	mg/L	0.524	0.518	0.152	0.152	0.181
Zirconium, dissolved	7440-67-7	E421/VA	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
Dissolved mercury filtration location		EP509/VA	-	-	Field	Field	Field	Field	Field
Dissolved metals filtration location		EP421/VA	-	-	Field	Field	Field	Field	Field

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

 Page
 :
 7 of 10

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Analytical Results

Sub-Matrix: Water			Cli	ient sample ID	Pond 2-D	Pond 2-E	Cell 4-C	Cell 4-E	
(Matrix: Water)									
			Client samp	ling date / time	05-Jul-2024 13:00	05-Jul-2024 13:30	05-Jul-2024 13:45	05-Jul-2024 14:00	
Analyte	CAS Number	Method/Lab	LOR	Unit	YL2400835-006	YL2400835-007	YL2400835-008	YL2400835-009	
					Result	Result	Result	Result	
Physical Tests									
Acidity (as CaCO3)		E283/VA	2.0	mg/L	18.9	3.7	54.8	56.1	
Alkalinity, total (as CaCO3)		E290/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	
Conductivity		E100/VA	1.0	μS/cm	477	436	778	784	
Hardness (as CaCO3), dissolved		EC100/VA	0.60	mg/L	142	130	196	193	
Hardness (as CaCO3), from total Ca/Mg		EC100A/VA	0.60	mg/L	147	142	198	194	
рН		E108/VA	0.10	pH units	4.44	4.68	3.45	3.45	
Solids, total dissolved [TDS]		E162/VA	10	mg/L	329	311	495	509	
Solids, total suspended [TSS]		E160-L/VA	1.0	mg/L	1.6	245	1.5	<1.0	
Anions and Nutrients									
Bromide	24959-67-9	E235.Br-U/VA	0.0050	mg/L	0.179	0.183	0.144	0.132	
Chloride		E235.CI-L/VA	0.10	mg/L	14.5	14.6	18.1	18.0	
Fluoride		E235.F-L/VA	0.010	mg/L	0.154	0.099	0.222	0.222	
Nitrate (as N)		E235.NO3-T/V	0.0030	mg/L	0.373	0.409	0.0358	0.0336	
		A		Ü					
Nitrite (as N)	14797-65-0	E235.NO2-L/V	0.0010	mg/L	0.0019	0.0012	<0.0050 DLDS	<0.0050 DLDS	
		A							
Sulfate (as SO4)	14808-79-8	E235.SO4-L/V	0.050	mg/L	199	176	315	315	
Cyanides		A							
Cyanides Cyanide, strong acid dissociable (Total)		E333/VA	0.0050	mg/L	<0.0050	<0.0050	0.0076	0.0078	
Total Metals			0.0000	mg/L	0.000	0.0000	0.00.0	0.00.0	
Aluminum, total	7429-90-5	F420/VA	0.0030	mg/L	1.29	4.35	3.33	3.30	
Antimony, total	7440-36-0		0.00010	mg/L	<0.00010	0.00020	<0.00010	<0.00010	
Arsenic, total	7440-36-0		0.00010	mg/L	0.0415	2.98	0.108	0.128	
Barium, total	7440-36-2		0.00010	mg/L	0.0180	0.0373	0.0200	0.0200	
Beryllium, total	7440-39-3		0.00010	mg/L	0.000250	0.000118	0.000436	0.000433	
Bismuth, total	7440-41-7		0.000050	mg/L	<0.00050	0.000117	<0.00050	<0.00050	
Boron, total	7440-69-9 7440-42-8		0.000030	mg/L	0.043	0.00217	0.062	0.061	
Cadmium, total	7440-42-8 7440-43-9		0.000050		0.000216	0.000151	0.000281	0.000282	
Calcium, total	7440-43-9 7440-70-2		0.0000	mg/L	43.8	40.7	60.4	59.1	
·			0.000	mg/L	0.000054	0.000934	0.000066	0.000063	
Cesium, total	7440-46-2	E420/VA	0.000010	mg/L	0.000054	0.000934	0.00000	0.000063	

 Page
 :
 8 of 10

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Analytical Results

Sub-Matrix: Water		CI	ient sample ID	Pond 2-D	Pond 2-E	Cell 4-C	Cell 4-E	
(Matrix: Water)								
		Client samp	ling date / time	05-Jul-2024 13:00	05-Jul-2024 13:30	05-Jul-2024 13:45	05-Jul-2024 14:00	
Analyte	CAS Number Method/Lab	LOR	Unit	YL2400835-006	YL2400835-007	YL2400835-008	YL2400835-009	
, many c				Result	Result	Result	Result	
Total Metals								
Chromium, total	7440-47-3 E420/VA	0.00050	mg/L	0.00050	0.0118	0.00118	0.00122	
Cobalt, total	7440-48-4 E420/VA	0.00010	mg/L	0.0346	0.0160	0.0822	0.0824	
Copper, total	7440-50-8 E420/VA	0.00050	mg/L	0.0184	0.0218	0.100	0.101	
Iron, total	7439-89-6 E420/VA	0.010	mg/L	4.67	23.7	5.65	6.18	
Lead, total	7439-92-1 E420/VA	0.000050	mg/L	0.000449	0.0399	0.0477	0.0469	
Lithium, total	7439-93-2 E420/VA	0.0010	mg/L	0.0228	0.0227	0.0456	0.0453	
Magnesium, total	7439-95-4 E420/VA	0.0050	mg/L	9.11	9.77	11.5	11.4	
Manganese, total	7439-96-5 E420/VA	0.00010	mg/L	0.550	0.503	1.41	1.43	
Mercury, total	7439-97-6 E508/VA	0.0000050	mg/L	<0.0000050	<0.0000050	<0.0000050	<0.0000050	
Molybdenum, total	7439-98-7 E420/VA	0.000050	mg/L	<0.000050	0.000785	0.000060	0.000057	
Nickel, total	7440-02-0 E420/VA	0.00050	mg/L	0.106	0.0634	0.195	0.195	
Phosphorus, total	7723-14-0 E420/VA	0.050	mg/L	<0.050	0.289	<0.050	<0.050	
Potassium, total	7440-09-7 E420/VA	0.050	mg/L	3.40	3.69	4.64	4.59	
Rubidium, total	7440-17-7 E420/VA	0.00020	mg/L	0.00168	0.00446	0.00282	0.00286	
Selenium, total	7782-49-2 E420/VA	0.000050	mg/L	<0.000050	0.000215	0.000085	0.000088	
Silicon, total	7440-21-3 E420/VA	0.10	mg/L	1.24	6.20	8.32	8.11	
Silver, total	7440-22-4 E420/VA	0.000010	mg/L	<0.000010	0.000036	0.000013	<0.000010	
Sodium, total	7440-23-5 E420/VA	0.050	mg/L	26.8	25.6	34.4	34.3	
Strontium, total	7440-24-6 E420/VA	0.00020	mg/L	0.208	0.209	0.362	0.356	
Sulfur, total	7704-34-9 E420/VA	0.50	mg/L	66.9	56.9	105	103	
Tellurium, total	13494-80-9 E420/VA	0.00020	mg/L	<0.00020	<0.00040 DLA	<0.00020	<0.00020	
Thallium, total	7440-28-0 E420/VA	0.000010	mg/L	<0.000010	0.000022	<0.000010	<0.000010	
Thorium, total	7440-29-1 E420/VA	0.00010	mg/L	<0.00010	<0.00085 DLM	<0.00010	<0.00010	
Tin, total	7440-31-5 E420/VA	0.00010	mg/L	<0.00010	0.00022	<0.00010	<0.00010	
Titanium, total	7440-32-6 E420/VA	0.00030	mg/L	<0.00150 DLM	0.0830	<0.00030	<0.00030	
Tungsten, total	7440-33-7 E420/VA	0.00010	mg/L	<0.00010	0.0125	<0.00010	<0.00010	
Uranium, total	7440-61-1 E420/VA	0.000010	mg/L	0.000319	0.000718	0.000880	0.000868	
Vanadium, total	7440-62-2 E420/VA	0.00050	mg/L	<0.00050	0.00754	<0.00050	<0.00050	
Zinc, total	7440-66-6 E420/VA	0.0030	mg/L	0.325	0.185	1.21	1.22	
Zirconium, total	7440-67-7 E420/VA	0.00020	mg/L	<0.00020	<0.00050 DLM	<0.00020	<0.00020	
Dissolved Metals								

 Page
 :
 9 of 10

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Analytical Results

Sub-Matrix: Water		CI	ient sample ID	Pond 2-D	Pond 2-E	Cell 4-C	Cell 4-E	
(Matrix: Water)								
		Client samp	ling date / time	05-Jul-2024 13:00	05-Jul-2024 13:30	05-Jul-2024 13:45	05-Jul-2024 14:00	
Analyte	CAS Number Method/Lab	LOR	Unit	YL2400835-006	YL2400835-007	YL2400835-008	YL2400835-009	
				Result	Result	Result	Result	
Dissolved Metals								
Aluminum, dissolved	7429-90-5 E421/VA	0.0010	mg/L	1.25	0.0343	3.29	3.28	
Antimony, dissolved	7440-36-0 E421/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	
Arsenic, dissolved	7440-38-2 E421/VA	0.00010	mg/L	0.0116	0.0443	0.101	0.118	
Barium, dissolved	7440-39-3 E421/VA	0.00010	mg/L	0.0188	0.0170	0.0186	0.0196	
Beryllium, dissolved	7440-41-7 E421/VA	0.000100	mg/L	0.000214	<0.000100	0.000436	0.000403	
Bismuth, dissolved	7440-69-9 E421/VA	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	
Boron, dissolved	7440-42-8 E421/VA	0.010	mg/L	0.043	0.040	0.059	0.057	
Cadmium, dissolved	7440-43-9 E421/VA	0.0000050	mg/L	0.000224	0.000115	0.000294	0.000292	
Calcium, dissolved	7440-70-2 E421/VA	0.050	mg/L	40.6	37.5	58.2	57.3	
Cesium, dissolved	7440-46-2 E421/VA	0.000010	mg/L	0.000038	0.000033	0.000060	0.000060	
Chromium, dissolved	7440-47-3 E421/VA	0.00050	mg/L	<0.00050	<0.00050	0.00112	0.00120	
Cobalt, dissolved	7440-48-4 E421/VA	0.00010	mg/L	0.0359	0.0138	0.0850	0.0854	
Copper, dissolved	7440-50-8 E421/VA	0.00020	mg/L	0.0183	0.00082	0.0964	0.0967	
Iron, dissolved	7439-89-6 E421/VA	0.010	mg/L	4.57	0.500	5.58	6.08	
Lead, dissolved	7439-92-1 E421/VA	0.000050	mg/L	0.000227	0.00125	0.0481	0.0478	
Lithium, dissolved	7439-93-2 E421/VA	0.0010	mg/L	0.0215	0.0171	0.0491	0.0452	
Magnesium, dissolved	7439-95-4 E421/VA	0.0050	mg/L	9.82	8.80	12.3	12.2	
Manganese, dissolved	7439-96-5 E421/VA	0.00010	mg/L	0.636	0.525	1.54	1.52	
Mercury, dissolved	7439-97-6 E509/VA	0.0000050	mg/L	<0.0000050	<0.0000050	<0.0000050	<0.0000050	
Molybdenum, dissolved	7439-98-7 E421/VA	0.000050	mg/L	<0.000050	0.000070	0.000062	0.000051	
Nickel, dissolved	7440-02-0 E421/VA	0.00050	mg/L	0.108	0.0566	0.188	0.190	
Phosphorus, dissolved	7723-14-0 E421/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	
Potassium, dissolved	7440-09-7 E421/VA	0.050	mg/L	3.39	3.27	4.93	4.72	
Rubidium, dissolved	7440-17-7 E421/VA	0.00020	mg/L	0.00181	0.00169	0.00263	0.00267	
Selenium, dissolved	7782-49-2 E421/VA	0.000050	mg/L	<0.000050	0.000051	0.000084	0.000104	
Silicon, dissolved	7440-21-3 E421/VA	0.050	mg/L	1.23	0.738	8.72	8.62	
Silver, dissolved	7440-22-4 E421/VA	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	
Sodium, dissolved	7440-23-5 E421/VA	0.050	mg/L	26.4	26.6	32.8	32.8	
Strontium, dissolved	7440-24-6 E421/VA	0.00020	mg/L	0.198	0.182	0.344	0.348	
Sulfur, dissolved	7704-34-9 E421/VA	0.50	mg/L	68.8	60.6	110	110	
Tellurium, dissolved	13494-80-9 E421/VA	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	

 Page
 :
 10 of 10

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

Project : ----



Analytical Results

Sub-Matrix: Water			Cli	ent sample ID	Pond 2-D	Pond 2-E	Cell 4-C	Cell 4-E	
(Matrix: Water)									
			Client sampl	ling date / time	05-Jul-2024 13:00	05-Jul-2024 13:30	05-Jul-2024 13:45	05-Jul-2024 14:00	
Analyte	CAS Number	Method/Lab	LOR	Unit	YL2400835-006	YL2400835-007	YL2400835-008	YL2400835-009	
					Result	Result	Result	Result	
Dissolved Metals									
Thallium, dissolved	7440-28-0 E4	121/VA	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	
Thorium, dissolved	7440-29-1 E4	121/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	
Tin, dissolved	7440-31-5 E4	121/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	
Titanium, dissolved	7440-32-6 E4	121/VA	0.00030	mg/L	<0.00030	<0.00030	<0.00030	<0.00030	
Tungsten, dissolved	7440-33-7 E4	121/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	
Uranium, dissolved	7440-61-1 E4	121/VA	0.000010	mg/L	0.000300	0.000011	0.000850	0.000850	
Vanadium, dissolved	7440-62-2 E4	121/VA	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	
Zinc, dissolved	7440-66-6 E4	121/VA	0.0010	mg/L	0.320	0.148	1.20	1.20	
Zirconium, dissolved	7440-67-7 E4	121/VA	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	
Dissolved mercury filtration location	EP	P509/VA	-	-	Field	Field	Field	Field	
Dissolved metals filtration location	EF	P421/VA	-	-	Field	Field	Field	Field	

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



QUALITY CONTROL INTERPRETIVE REPORT

Work Order : **YL2400835** Page : 1 of 26

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Karyn Lewis Account Manager : Oliver Gregg

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

Yellowknife, Northwest Territories Canada X1A 3T3

 Telephone
 : 604 682 3366
 Telephone
 : 1 867 445 7143

 Project
 :-- Date Samples Received
 : 05-Jul-2024 16:00

PO : ---- Issue Date : 17-Jul-2024 13:13
C-O-C number :----

Quote number : YL23-ELMI100-001

No. of samples received :9
No. of samples analysed :9

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Sampler Site

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

Vancouver BC Canada V6C 2T7

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers: Quality Control Samples

- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- Method Blank value outliers occur please see following pages for full details.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

No Reference Material (RM) Sample outliers occur.

Outliers: Analysis Holding Time Compliance (Breaches) ● Analysis Holding Time Outliers exist - please see following pages for full details.

Outliers : Frequency of Quality Control Samples

• No Quality Control Sample Frequency Outliers occur.

Page 3 of 26 YL2400835 Work Order: Client Elgin Mining Inc.



Project

Outliers: Quality Control Samples
Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: Water

Analyte Group	Laboratory sample ID	Client/Ref Sample ID	Analyte	CAS Number	Method	Result	Limits	Comment
Method Blank (MB) Values								
Total Metals	QC-MRG3-1540695		Aluminum, total	7429-90-5	E420	0.0050 ^B	0.003 mg/L	Blank result exceeds
	001					mg/L		permitted value

Result Qualifiers

Qualifier	Description
В	Method Blank exceeds ALS DQO. Associated sample results which are < Limit of Reporting or > 5 times blank level are considered reliable.

 Page
 :
 4 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

Project : ----

Matrix: Water



Evaluation: x = Holding time exceedance; ✓ = Within Holding Time

Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and/or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

							notating time exceed	,		9
Analyte Group : Analytical Method	Method	Sampling Date	Ext	traction / Pr	eparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Bromide by IC (Ultra Trace Level)										
HDPE										
Cell 4-C	E235.Br-U	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						
Anions and Nutrients : Bromide by IC (Ultra Trace Level)										
HDPE										
Cell 4-E	E235.Br-U	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						
Anions and Nutrients : Bromide by IC (Ultra Trace Level)										
HDPE	E005 B. II	05 1-1 0004	40 1 1 0004			,	40 1 1 0004	00.1	- .	
Pond 1-A	E235.Br-U	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	/ days	✓
				days						
Anions and Nutrients : Bromide by IC (Ultra Trace Level)										
HDPE Pond 1-B	E235.Br-U	05-Jul-2024	12-Jul-2024	00	7 days	✓	12-Jul-2024	28 days	7 dovo	1
Polid 1-B	E233.BI-U	05-Jul-2024	12-Jul-2024	28 days	1 uays	•	12-Jul-2024	20 uays	1 uays	•
				uays						
Anions and Nutrients : Bromide by IC (Ultra Trace Level) HDPE							1			
Pond 2-A	E235.Br-U	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	1
Total 2-A	2200.51 0	00 041 202 1	12-041-2024	days	1 days		12-041-202-	20 days	r days	
Anions and Nutrients : Bromide by IC (Ultra Trace Level)				dayo						
HDPE							1			
Pond 2-B	E235.Br-U	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 davs	✓
				days	,				,	
Anions and Nutrients : Bromide by IC (Ultra Trace Level)										
HDPE										
Pond 2-C	E235.Br-U	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	1
				days	1				,	

 Page
 :
 5 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Matrix: Water	_					/aiuation. * -	Holding time exce			Holding Time
Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pi	eparation			Analys		
Container / Client Sample ID(s)			Preparation		g Times	Eval	Analysis Date		Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Bromide by IC (Ultra Trace Level)										
HDPE										
Pond 2-D	E235.Br-U	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						
Anions and Nutrients : Bromide by IC (Ultra Trace Level)										
HDPE										
Pond 2-E	E235.Br-U	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						
Anions and Nutrients : Chloride in Water by IC (Low Level)										
HDPE										
Cell 4-C	E235.CI-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						
Anions and Nutrients : Chloride in Water by IC (Low Level)										
HDPE										
Cell 4-E	E235.CI-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						
Anions and Nutrients : Chloride in Water by IC (Low Level)										
HDPE	T									
Pond 1-A	E235.CI-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						
Anions and Nutrients : Chloride in Water by IC (Low Level)										
HDPE										
Pond 1-B	E235.CI-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						
Anions and Nutrients : Chloride in Water by IC (Low Level)										
HDPE										
Pond 2-A	E235.CI-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						
Anions and Nutrients : Chloride in Water by IC (Low Level)										
HDPE										
Pond 2-B	E235.CI-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days	-					
Anions and Nutrients : Chloride in Water by IC (Low Level)										
HDPE										
Pond 2-C	E235.CI-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days	,-			- /-	,-	

 Page
 :
 6 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.



Project : ----

Matrix: Water	1					/aiuation. × –	Holding time exce			Holding Time
Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pi				Analys		
Container / Client Sample ID(s)			Preparation		g Times	Eval	Analysis Date		Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Chloride in Water by IC (Low Level)										
HDPE	E235.CI-L	05-Jul-2024	12-Jul-2024	00	7 days	√	12-Jul-2024	28 days	7 daya	✓
Pond 2-D	L233.0I-L	03-3ui-2024	12-Jul-2024	28 days	7 days	•	12-Jul-2024	20 uays	1 uays	•
				uays						
Anions and Nutrients : Chloride in Water by IC (Low Level)					<u> </u>					
HDPE Pond 2-E	E235.CI-L	05-Jul-2024	12-Jul-2024	28	7 days	√	12-Jul-2024	28 days	7 days	✓
1 01d 2-L	L200.01-L	00-041-2024	12-041-202-	days	/ days	·	12-041-202-	20 days	r days	·
Anima and National a Electric in Water by 10 (Level 1991)				days						
Anions and Nutrients : Fluoride in Water by IC (Low Level) HDPE										
Cell 4-C	E235.F-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days	,				,	
Anions and Nutrients : Fluoride in Water by IC (Low Level)										
HDPE										
Cell 4-E	E235.F-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						
Anions and Nutrients : Fluoride in Water by IC (Low Level)										
HDPE										
Pond 1-A	E235.F-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						
Anions and Nutrients : Fluoride in Water by IC (Low Level)										
HDPE										
Pond 1-B	E235.F-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						
Anions and Nutrients : Fluoride in Water by IC (Low Level)										
HDPE	F005.5.1	05 1.10007	40 101 000 4		7.1		40 1/1 0007	00.1	7.1	,
Pond 2-A	E235.F-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	/ days	✓
				days	_					
Anions and Nutrients : Fluoride in Water by IC (Low Level)										
HDPE Pond 2-B	E235.F-L	05-Jul-2024	12-Jul-2024	20	7 days	√	12-Jul-2024	28 days	7 days	✓
FUIIU Z-D	EZSS.F-L	00-Jul-2024	12-Jul-2024	28	r uays	•	12-Jul-2024	zo days	r uays	•
				days						
Anions and Nutrients : Fluoride in Water by IC (Low Level)										
HDPE Pond 2-C	E235.F-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 dave	✓
1 0Hd 2-0		30-041-2024	12-041-2024	days	, days	,	12-0ui-2024	20 days	, uays	•
				uays						

 Page
 :
 7 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

Project : ---



Matrix: Water Evaluation: **x** = Holding time exceedance ; ✓ = Within Holding Time Sampling Date Extraction / Preparation Analyte Group: Analytical Method Method Analysis Container / Client Sample ID(s) Preparation **Holding Times** Eval Analysis Date **Holding Times** Eval Rec Actual Rec Actual Date Anions and Nutrients : Fluoride in Water by IC (Low Level) HDPE E235.F-L 05-Jul-2024 12-Jul-2024 12-Jul-2024 1 Pond 2-D 7 days 28 days 28 7 days days Anions and Nutrients : Fluoride in Water by IC (Low Level) **HDPE** Pond 2-F E235.F-L 05-Jul-2024 12-Jul-2024 28 7 days 1 12-Jul-2024 28 days 7 days 1 days Anions and Nutrients: Nitrate in Water by IC (Trace Level) HDPE Cell 4-C E235.NO3-T 05-Jul-2024 12-Jul-2024 6 days 12-Jul-2024 3 days 30 3 days 6 days 30 EHT EHT Anions and Nutrients: Nitrate in Water by IC (Trace Level) HDPE E235.NO3-T Cell 4-E 05-Jul-2024 12-Jul-2024 3 days 6 days 12-Jul-2024 3 days 6 days EHT EHT Anions and Nutrients: Nitrate in Water by IC (Trace Level) **HDPE** E235.NO3-T 05-Jul-2024 12-Jul-2024 6 days × 12-Jul-2024 Pond 1-A 30 3 days 3 days 6 days EHT EHT Anions and Nutrients: Nitrate in Water by IC (Trace Level) HDPE E235.NO3-T 05-Jul-2024 6 days Pond 1-B 12-Jul-2024 3 days 6 days 12-Jul-2024 3 days EHT EHT Anions and Nutrients : Nitrate in Water by IC (Trace Level) HDPE Pond 2-A E235.NO3-T 05-Jul-2024 12-Jul-2024 12-Jul-2024 3 days 6 days 3 days 6 days EHT EHT Anions and Nutrients: Nitrate in Water by IC (Trace Level) HDPE Pond 2-B E235.NO3-T 05-Jul-2024 12-Jul-2024 3 days 6 days 30 12-Jul-2024 3 days 6 days EHT EHT Anions and Nutrients : Nitrate in Water by IC (Trace Level) HDPE E235.NO3-T 05-Jul-2024 12-Jul-2024 3 days 6 days 12-Jul-2024 Pond 2-C 30 3 days 6 days æ EHT EHT

 Page
 :
 8 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Matrix: Water						/alualion. ^ =	Holding time exce	euance , v	– vviuiiii	Holding Time
Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pr	reparation	·		Analys	sis	
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Nitrate in Water by IC (Trace Level)										
HDPE										
Pond 2-D	E235.NO3-T	05-Jul-2024	12-Jul-2024	3 days	6 days	*	12-Jul-2024	3 days	6 days	×
						EHT				EHT
Anions and Nutrients : Nitrate in Water by IC (Trace Level)										
HDPE										
Pond 2-E	E235.NO3-T	05-Jul-2024	12-Jul-2024	3 days	6 days	×	12-Jul-2024	3 days	6 days	*
						EHT				EHT
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE							1			
Cell 4-C	E235.NO2-L	05-Jul-2024	12-Jul-2024	3 days	6 days	×	12-Jul-2024	3 days	6 days	sc.
					-	EHT				EHT
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE							1			
Cell 4-E	E235.NO2-L	05-Jul-2024	12-Jul-2024	3 days	6 days	×	12-Jul-2024	3 days	6 days	×
OUI T'E		00 00. 202 .	12 0di 202 i	o dayo	o dayo	EHT	12 0di 202 i	o dayo	o dayo	EHT
Anions and Nutrients : Nitrite in Water by IC (Low Level)				<u> </u>	I					
HDPE Pond 1-A	E235.NO2-L	05-Jul-2024	12-Jul-2024	3 days	6 days	*	12-Jul-2024	3 days	6 days	×
Polid 1-A	E233.NO2-L	05-Jul-2024	12-Jul-2024	3 days	0 uays	EHT	12-Jul-2024	3 uays	0 days	EHT
						ЕПІ				EUI
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE	E005 NO0 I	05 1.1 0004	40 1 1 0004				40 1 1 0004			
Pond 1-B	E235.NO2-L	05-Jul-2024	12-Jul-2024	3 days	6 days	*	12-Jul-2024	3 days	6 days	*
						EHT				EHT
Anions and Nutrients : Nitrite in Water by IC (Low Level)									,	
HDPE										
Pond 2-A	E235.NO2-L	05-Jul-2024	12-Jul-2024	3 days	6 days	*	12-Jul-2024	3 days	6 days	*
						EHT				EHT
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE										
Pond 2-B	E235.NO2-L	05-Jul-2024	12-Jul-2024	3 days	6 days	*	12-Jul-2024	3 days	6 days	3¢
						EHT				EHT
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE										
Pond 2-C	E235.NO2-L	05-Jul-2024	12-Jul-2024	3 days	6 days	*	12-Jul-2024	3 days	6 days	3c
						EHT				EHT
		1		1	1			1		

 Page
 :
 9 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.



Project : ---

Analyte Group : Analytical Method Container / Client Sample ID(s) Anions and Nutrients : Nitrite in Water by IC (Low Level)	Method	Sampling Date	EXI	raction / Pr	eparation			Analys	IS	
								Evol		
Anione and Nutrionte : Nitrito in Water by IC / ow Level			Preparation Date	Holding Rec	7 Times Actual	Eval	Analysis Date	Holding Rec	Times Actual	Eval
			Date	Nec	Actual			Nec	Actual	
HDPE										
Pond 2-D	E235.NO2-L	05-Jul-2024	12-Jul-2024	3 days	6 days	×	12-Jul-2024	3 days	6 days	×
1 ond 2-5		00 04. 202 .	12 oui 202 i	o dayo	o dayo	EHT	12 001 202 1	o dayo	o dayo	EHT
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE										
Pond 2-E	E235.NO2-L	05-Jul-2024	12-Jul-2024	3 days	6 days	æ	12-Jul-2024	3 days	6 days	×
TOTALE		00 04. 202 .	040	o aayo	o aayo	EHT	.2 04. 202 .	o aayo	o aayo	EHT
Anions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE										
Cell 4-C	E235.SO4-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days	,			,	,	
Anions and Nutrients : Sulfate in Water by IC (Low Level)				,						
HDPE										
Cell 4-E	E235.SO4-L	05-Jul-2024	12-Jul-2024	28	7 days	1	12-Jul-2024	28 days	7 davs	✓
				days	,			,	,	
Anions and Nutrients : Sulfate in Water by IC (Low Level)				,						
HDPE										
Pond 1-A	E235.SO4-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days	,				,	
Anions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE										
Pond 1-B	E235.SO4-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days					-	
Anions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE										
Pond 2-A	E235.SO4-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						
Anions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE										
Pond 2-B	E235.SO4-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						
Anions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE										
Pond 2-C	E235.SO4-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						

 Page
 :
 10 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Matrix: Water						aluation. * -	Holding time exce	suarice , •	= vviti iii i	Holding Time
Analyte Group : Analytical Method	Method	Sampling Date	Ext	traction / Pr	eparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE										
Pond 2-D	E235.SO4-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						
Anions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE										
Pond 2-E	E235.SO4-L	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						
Cyanides : Total Cyanide										
UV-inhibited HDPE - total (sodium hydroxide)										
Cell 4-C	E333	05-Jul-2024	12-Jul-2024	14	7 days	✓	12-Jul-2024	14 days	7 days	✓
				days						
Cyanides : Total Cyanide										
UV-inhibited HDPE - total (sodium hydroxide)										
Cell 4-E	E333	05-Jul-2024	12-Jul-2024	14	7 days	✓	12-Jul-2024	14 days	7 days	✓
				days	,				,	
Cyanides : Total Cyanide				,						
UV-inhibited HDPE - total (sodium hydroxide)							<u> </u>			
Pond 1-A	E333	05-Jul-2024	12-Jul-2024	14	7 days	✓	12-Jul-2024	14 days	7 days	✓
				days	,					
Cyanides : Total Cyanide				,						
UV-inhibited HDPE - total (sodium hydroxide)							I			
Pond 1-B	E333	05-Jul-2024	12-Jul-2024	14	7 days	✓	12-Jul-2024	14 days	7 days	✓
				days	,				,	
Cyanides : Total Cyanide				-,,-						
UV-inhibited HDPE - total (sodium hydroxide)										
Pond 2-A	E333	05-Jul-2024	12-Jul-2024	14	7 days	✓	12-Jul-2024	14 days	7 davs	✓
Tond 2 7	2000	00 04. 202 .	040	days	, aayo		12 04: 202 :	,	,	
Cuspides - Tatal Cuspide										
Cyanides : Total Cyanide UV-inhibited HDPE - total (sodium hydroxide)							I			
Pond 2-B	E333	05-Jul-2024	12-Jul-2024	14	7 days	✓	12-Jul-2024	14 days	7 days	✓
Tond 2 B		30 0di 2024	. 2 001 2027	days	. days	·	.2 04, 2024	. r days	. days	•
				uays			<u> </u>			
Cyanides: Total Cyanide										
UV-inhibited HDPE - total (sodium hydroxide) Pond 2-C	E333	05-Jul-2024	12-Jul-2024	4.4	7 days	1	12-Jul-2024	14 days	7 days	✓
FUILU 2-C	L333	00-Jui-2024	12-Jul-2024	14	r uays	•	12-Jui-2024	14 uays	r uays	•
				days						

 Page
 :
 11 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Matrix: Water							on: × = Holding time exceedance ; ✓ = Within Holding				
Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pr	reparation			Analys	is		
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	Times	Eval	
			Date	Rec	Actual			Rec	Actual		
Cyanides : Total Cyanide											
UV-inhibited HDPE - total (sodium hydroxide)											
Pond 2-D	E333	05-Jul-2024	12-Jul-2024	14	7 days	✓	12-Jul-2024	14 days	7 days	✓	
				days							
Cyanides : Total Cyanide											
UV-inhibited HDPE - total (sodium hydroxide)											
Pond 2-E	E333	05-Jul-2024	12-Jul-2024	14	7 days	✓	12-Jul-2024	14 days	7 days	✓	
				days							
Dissolved Metals : Dissolved Mercury in Water by CVAAS											
Glass vial dissolved (hydrochloric acid)											
Cell 4-C	E509	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓	
				days					-		
Dissolved Metals : Dissolved Mercury in Water by CVAAS				,							
Glass vial dissolved (hydrochloric acid)											
Cell 4-E	E509	05-Jul-2024	12-Jul-2024	28	7 days	√	12-Jul-2024	28 days	7 davs	1	
03 2				days	, -			,-	, -		
Dissolved Metals : Dissolved Mercury in Water by CVAAS				aayo							
Glass vial dissolved (hydrochloric acid)											
Pond 1-A	E509	05-Jul-2024	12-Jul-2024	28	7 days	√	12-Jul-2024	28 days	7 days	1	
1 ond 15%		00 041 202 1	12 001 202 1	days	, dayo	,	12 041 202 1	20 dayo	, dayo		
				days							
Dissolved Metals : Dissolved Mercury in Water by CVAAS					<u> </u>						
Glass vial dissolved (hydrochloric acid) Pond 1-B	E509	05-Jul-2024	12-Jul-2024	28	7 days	√	12-Jul-2024	28 days	7 dovo	√	
Polid 1-B	2509	03-341-2024	12-341-2024	days	7 days	•	12-341-2024	20 days	1 days	•	
				uays							
Dissolved Metals : Dissolved Mercury in Water by CVAAS											
Glass vial dissolved (hydrochloric acid)	E509	05-Jul-2024	12-Jul-2024		7 days	✓	12-Jul-2024	28 days	7 days	√	
Pond 2-A	E509	05-Jul-2024	12-Jul-2024	28	7 days	•	12-Jul-2024	28 days	7 days	•	
				days							
Dissolved Metals : Dissolved Mercury in Water by CVAAS											
Glass vial dissolved (hydrochloric acid)					<u> </u> .				<u>_ </u>	,	
Pond 2-B	E509	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓	
				days							
Dissolved Metals : Dissolved Mercury in Water by CVAAS											
Glass vial dissolved (hydrochloric acid)											
Pond 2-C	E509	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓	
				days							

Page 12 of 26 Work Order · YL2400835 Client Elgin Mining Inc.

Project

Matrix: Water



Evaluation: **x** = Holding time exceedance; ✓ = Within Holding Time

Extraction / Preparation Analyte Group : Analytical Method Analysis Method Sampling Date Container / Client Sample ID(s) **Holding Times** Preparation **Holding Times** Eval Analysis Date Eval Rec Actual Rec Actual Date **Dissolved Metals: Dissolved Mercury in Water by CVAAS** Glass vial dissolved (hydrochloric acid) E509 05-Jul-2024 12-Jul-2024 12-Jul-2024 7 days ✓ Pond 2-D 7 days 28 days 28 days **Dissolved Metals: Dissolved Mercury in Water by CVAAS** Glass vial dissolved (hydrochloric acid) Pond 2-F E509 05-Jul-2024 12-Jul-2024 28 7 days 1 12-Jul-2024 28 days 7 days 1 days Dissolved Metals: Dissolved Metals in Water by CRC ICPMS HDPE - dissolved (lab preserved) Cell 4-C E421 05-Jul-2024 12-Jul-2024 7 days 1 12-Jul-2024 1 7 days 180 180 davs davs Dissolved Metals: Dissolved Metals in Water by CRC ICPMS HDPE - dissolved (lab preserved) E421 05-Jul-2024 ✓ Cell 4-E 12-Jul-2024 180 7 days 12-Jul-2024 180 7 days 1 days days Dissolved Metals: Dissolved Metals in Water by CRC ICPMS HDPE - dissolved (lab preserved) E421 05-Jul-2024 12-Jul-2024 7 days 1 12-Jul-2024 1 Pond 1-A 7 days 180 180

 Page
 :
 13 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Matrix: Water							× = Holding time exceedance; ✓ = Within Holdin			
Analyte Group : Analytical Method	Method	Sampling Date	Ext	traction / Pi	reparation			Analys	sis	
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE - dissolved (lab preserved)										
Pond 2-D	E421	05-Jul-2024	12-Jul-2024	180	7 days	✓	12-Jul-2024	180	7 days	✓
				days				days		
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE - dissolved (lab preserved)										
Pond 2-E	E421	05-Jul-2024	12-Jul-2024	180	7 days	✓	12-Jul-2024	180	7 days	✓
				days				days		
Physical Tests : Acidity by Titration										
HDPE				<u> </u>						
Cell 4-C	E283	05-Jul-2024	12-Jul-2024	14	7 days	✓	12-Jul-2024	14 days	7 days	✓
				days						
Physical Tests : Acidity by Titration										
HDPE										
Cell 4-E	E283	05-Jul-2024	12-Jul-2024	14	7 days	✓	12-Jul-2024	14 days	7 days	✓
				days					,	
Physical Tests : Acidity by Titration										
HDPE										
Pond 1-A	E283	05-Jul-2024	12-Jul-2024	14	7 days	✓	12-Jul-2024	14 days	7 days	✓
				days				,		
Physical Tests : Acidity by Titration				,						
HDPE										
Pond 1-B	E283	05-Jul-2024	12-Jul-2024	14	7 days	✓	12-Jul-2024	14 days	7 days	✓
			000	days	. aays				,	
Dhysical Tests - Acidity by Titustion				aayo						
Physical Tests : Acidity by Titration HDPE										
Pond 2-A	E283	05-Jul-2024	12-Jul-2024	14	7 days	✓	12-Jul-2024	14 days	7 days	✓
1 5114 2 71		30 041 2024	. 2 Odi 2027	days	. 44,5	·	.2 041 2024	. r days	. 44,5	•
Discount Total Addition to Titudion				uays						
Physical Tests : Acidity by Titration HDPE	I	I I					I			
Pond 2-B	E283	05-Jul-2024	12-Jul-2024	14	7 days	√	12-Jul-2024	14 dave	7 days	✓
I Oliu Z-D	L200	00-001-2024	12-341-2024	days	1 days	•	12-Jul-2024	1- uays	i uays	*
				uays						
Physical Tests : Acidity by Titration										
HDPE	E283	05-Jul-2024	10 Jul 2004	,.	7 d	✓	40 101 0004	11 4	7 d	✓
Pond 2-C	⊏283	05-Jul-2024	12-Jul-2024	14	7 days	*	12-Jul-2024	14 days	7 days	•
				days						

 Page
 :
 14 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Analyte Group : Analytical Method Method Sampling Date Extraction / Preparation Eval Analysis Date Physical Tests : Acidity by Titration Preparation Date Feec Actual Image: Acidity by Titration HDPE Pond 2-D E283 05-Jul-2024 12-Jul-2024 14 7 days ✓ 12-Jul-2024 Physical Tests : Acidity by Titration HDPE Pond 2-E E283 05-Jul-2024 12-Jul-2024 14 7 days ✓ 12-Jul-2024	Rec	g Times Actual 7 days	Eval ✓
Physical Tests : Acidity by Titration HDPE E283 05-Jul-2024 12-Jul-2024 14 days 7 days ✓ 12-Jul-2024 Physical Tests : Acidity by Titration HDPE E283 05-Jul-2024 12-Jul-2024 14 7 days ✓ 12-Jul-2024	Rec	Actual	
Physical Tests : Acidity by Titration HDPE E283 05-Jul-2024 12-Jul-2024 14 days 7 days ✓ 12-Jul-2024 Physical Tests : Acidity by Titration HDPE E283 05-Jul-2024 12-Jul-2024 14 7 days ✓ 12-Jul-2024			✓
HDPE Pond 2-D E283 05-Jul-2024 12-Jul-2024 14 days 7 days ✓ 12-Jul-2024 Physical Tests: Acidity by Titration HDPE Pond 2-E E283 05-Jul-2024 12-Jul-2024 14 7 days ✓ 12-Jul-2024	14 days	7 days	✓
HDPE Pond 2-D E283 05-Jul-2024 12-Jul-2024 14 days 7 days ✓ 12-Jul-2024 Physical Tests : Acidity by Titration HDPE Pond 2-E E283 05-Jul-2024 12-Jul-2024 14 7 days ✓ 12-Jul-2024	14 days	7 days	✓
Physical Tests : Acidity by Titration HDPE Pond 2-E E283 D5-Jul-2024 12-Jul-2024 14 7 days ✓ 12-Jul-2024	14 days	7 days	✓
Physical Tests : Acidity by Titration HDPE E283 05-Jul-2024 12-Jul-2024 14 7 days ✓ 12-Jul-2024			
HDPE E283 05-Jul-2024 12-Jul-2024 7 days ✓ 12-Jul-2024			
HDPE E283 05-Jul-2024 12-Jul-2024 7 days ✓ 12-Jul-2024			
Pond 2-E E283 05-Jul-2024 12-Jul-2024 14 7 days ✓ 12-Jul-2024			
	14 days	7 days	1
days		, -	
Physical Tests : Alkalinity Species by Titration	1		
HDPE Cell 4-C E290 05-Jul-2024 12-Jul-2024 14 7 days ✓ 13-Jul-2024	14 days	8 days	✓
	14 uays	o uays	,
days			
Physical Tests : Alkalinity Species by Titration			
HDPE			
Cell 4-E E290 05-Jul-2024 12-Jul-2024 14 7 days ✓ 13-Jul-2024	14 days	8 days	✓
days			
Physical Tests : Alkalinity Species by Titration			
HDPE			
Pond 1-A E290 05-Jul-2024 12-Jul-2024 14 7 days ✓ 13-Jul-2024	14 days	8 days	✓
days			
Physical Tests : Alkalinity Species by Titration			
HDPE			
Pond 1-B E290 05-Jul-2024 12-Jul-2024 14 7 days ✓ 13-Jul-2024	14 days	8 days	1
days			
Physical Tests : Alkalinity Species by Titration	1		
HDPE Condition Condition	14 days	8 days	√
	14 uays	o uays	,
days			
Physical Tests : Alkalinity Species by Titration			
HDPE	1		l .
Pond 2-B E290 05-Jul-2024 12-Jul-2024 14 7 days ✓ 13-Jul-2024	14 days	8 days	✓
days			
Physical Tests : Alkalinity Species by Titration			
HDPE			
Pond 2-C E290 05-Jul-2024 12-Jul-2024 14 7 days ✓ 13-Jul-2024	14 days	8 days	✓
days			

 Page
 :
 15 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

Project : ---



Matrix: Water					Ev	aluation: × =	Holding time excee	edance ; 🔻	= Within	Holding Tim
Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pr	eparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Physical Tests : Alkalinity Species by Titration										
HDPE										
Pond 2-D	E290	05-Jul-2024	12-Jul-2024	14	7 days	✓	13-Jul-2024	14 days	8 days	✓
				days						
Physical Tests : Alkalinity Species by Titration										
HDPE										
Pond 2-E	E290	05-Jul-2024	12-Jul-2024	14	7 days	✓	13-Jul-2024	14 days	8 days	✓
				days						
Physical Tests : Conductivity in Water										
HDPE							I			
Cell 4-C	E100	05-Jul-2024	12-Jul-2024	28	7 days	1	13-Jul-2024	28 days	8 days	✓
33 1 3				days	, -			,-	,-	
				dayo						
Physical Tests : Conductivity in Water				I			I			
HDPE Cell 4-E	E100	05-Jul-2024	12-Jul-2024	00	7 days	√	13-Jul-2024	28 days	9 days	√
Cell 4-E	L100	03-341-2024	12-Jul-2024	28	1 uays	•	13-Jul-2024	20 uays	o uays	,
				days						
Physical Tests : Conductivity in Water										
HDPE	E400	05 1 1 0004	40 1 1 0004		- .	,	40 1 1 000 4			,
Pond 1-A	E100	05-Jul-2024	12-Jul-2024	28	7 days	✓	13-Jul-2024	28 days	8 days	✓
				days						
Physical Tests : Conductivity in Water										
HDPE										
Pond 1-B	E100	05-Jul-2024	12-Jul-2024	28	7 days	✓	13-Jul-2024	28 days	8 days	✓
				days						
Physical Tests : Conductivity in Water										
HDPE										
Pond 2-A	E100	05-Jul-2024	12-Jul-2024	28	7 days	✓	13-Jul-2024	28 days	8 days	✓
				days						
Physical Tests : Conductivity in Water										
HDPE										
Pond 2-B	E100	05-Jul-2024	12-Jul-2024	28	7 days	✓	13-Jul-2024	28 days	8 days	✓
				days	-				•	
Physical Tests : Conductivity in Water										
HDPE							I			
Pond 2-C	E100	05-Jul-2024	12-Jul-2024	28	7 days	✓	13-Jul-2024	28 days	8 davs	√
1 0114 2 0		30 00. 2021	. Z GGI ZOZT	days	. days	•	.0 041 2024		Jaayo	· ·
				uays						

 Page
 :
 16 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Matrix: Water					raidation. • =	× = Holding time exceedance ; ∨ = Within Holdin				
Analyte Group : Analytical Method	Method	Sampling Date	Ext	traction / Pi	reparation	1		Analys	sis	
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Physical Tests : Conductivity in Water										
HDPE										
Pond 2-D	E100	05-Jul-2024	12-Jul-2024	28	7 days	✓	13-Jul-2024	28 days	8 days	✓
				days						
Physical Tests : Conductivity in Water										
HDPE								1		
Pond 2-E	E100	05-Jul-2024	12-Jul-2024	28	7 days	✓	13-Jul-2024	28 days	8 days	1
1 010 2-L	L100	00-041-2024	12-041-202-	days	7 days		10-041-202-4	20 days	0 days	·
				uays						
Physical Tests : pH by Meter				1		•				
HDPE	E400	05.1.10004	10 1 1 000 1		4501		40 1 1 0004		4001	
Cell 4-E	E108	05-Jul-2024	12-Jul-2024	0.25	156 hrs	*	13-Jul-2024	0.25	190 hrs	3¢
				hrs		EHTR-FM		hrs		EHTR-FM
Physical Tests : pH by Meter										
HDPE										
Cell 4-C	E108	05-Jul-2024	12-Jul-2024	0.25	156 hrs	3E	13-Jul-2024	0.25	191 hrs	×
				hrs		EHTR-FM		hrs		EHTR-FM
Physical Tests : pH by Meter										
HDPE										
Pond 2-E	E108	05-Jul-2024	12-Jul-2024	0.25	156 hrs	*	13-Jul-2024	0.25	191 hrs	Je
				hrs		EHTR-FM		hrs		EHTR-FM
				1113		Littie		1113		Litticii
Physical Tests : pH by Meter				I	1					
HDPE	E400	05 1.1.0004	40 1 1 0004		4571		40 1 1 0004		4041	4.
Pond 2-D	E108	05-Jul-2024	12-Jul-2024	0.25	157 hrs	*	13-Jul-2024	0.25	191 hrs	
				hrs		EHTR-FM		hrs		EHTR-FM
Physical Tests : pH by Meter										
HDPE										
Pond 1-B	E108	05-Jul-2024	12-Jul-2024	0.25	157 hrs	*	13-Jul-2024	0.25	192 hrs	3¢
				hrs		EHTR-FM		hrs		EHTR-FM
Physical Tests : pH by Meter										
HDPE										
Pond 2-A	E108	05-Jul-2024	12-Jul-2024	0.25	157 hrs	*	13-Jul-2024	0.25	192 hrs	3c
				hrs		EHTR-FM		hrs		EHTR-FM
				1113				1113		
Physical Tests : pH by Meter										
HDPE	E400	05 14 0004	10 1 1 000 1		4571		40 1 1 000 1		4001	
Pond 2-C	E108	05-Jul-2024	12-Jul-2024	0.25	157 hrs	*	13-Jul-2024	0.25	192 hrs	*
				hrs		EHTR-FM		hrs		EHTR-FM

 Page
 :
 17 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS)

Project : ----

Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / F	Preparation			Analys	SIS	
Container / Client Sample ID(s)			Preparation	Holdin	ng Times	Eval	Analysis Date	Holding	g Times	Eval
, and a second per (4)			Date	Rec	Actual		7 maryolo Bato	Rec	Actual	
Physical Tests : pH by Meter										
HDPE										
Pond 2-B	E108	05-Jul-2024	12-Jul-2024	0.25 hrs	158 hrs	# EHTR-FM	13-Jul-2024	0.25 hrs	192 hrs	# EHTR-FN
Physical Tests : pH by Meter										
HDPE										
Pond 1-A	E108	05-Jul-2024	12-Jul-2024	0.25 hrs	158 hrs	EHTR-FM	13-Jul-2024	0.25 hrs	193 hrs	EHTR-FM
Physical Tests : TDS by Gravimetry										
HDPE										
Cell 4-C	E162	05-Jul-2024					11-Jul-2024	7 days	6 days	*
Physical Tests : TDS by Gravimetry										
HDPE										
Cell 4-E	E162	05-Jul-2024					11-Jul-2024	7 days	6 days	✓
Physical Tests : TDS by Gravimetry										
HDPE										
Pond 1-A	E162	05-Jul-2024					11-Jul-2024	7 days	6 days	✓
Physical Tests : TDS by Gravimetry										
HDPE										
Pond 1-B	E162	05-Jul-2024					11-Jul-2024	7 days	6 days	√
Physical Tests : TDS by Gravimetry										
HDPE										
Pond 2-A	E162	05-Jul-2024					11-Jul-2024	7 days	6 days	✓
Physical Tests : TDS by Gravimetry										
HDPE										
Pond 2-B	E162	05-Jul-2024					11-Jul-2024	7 days	6 days	✓
Physical Tests : TDS by Gravimetry										
HDPE										
Pond 2-C	E162	05-Jul-2024				I	11-Jul-2024	7 days	6 days	✓

 Page
 :
 18 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Matrix: Water							★ = Holding time exceedance; ▼ = Within Holding ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■				
Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pr	reparation			Analys	sis		
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval	
			Date	Rec	Actual			Rec	Actual		
Physical Tests : TDS by Gravimetry											
HDPE											
Pond 2-D	E162	05-Jul-2024					11-Jul-2024	7 days	6 days	✓	
									,		
Physical Tests : TDS by Gravimetry											
HDPE					I	<u> </u>	I				
Pond 2-E	E162	05-Jul-2024					11-Jul-2024	7 days	6 days	✓	
Polid 2-E	E 102	05-Jui-2024					11-Jui-2024	7 uays	0 uays	•	
Physical Tests : TSS by Gravimetry (Low Level)											
HDPE [TSS-WB]											
Cell 4-C	E160-L	05-Jul-2024					11-Jul-2024	7 days	6 days	✓	
Physical Tests : TSS by Gravimetry (Low Level)											
HDPE [TSS-WB]											
Cell 4-E	E160-L	05-Jul-2024					11-Jul-2024	7 days	6 days	✓	
Physical Tests : TSS by Gravimetry (Low Level)											
HDPE [TSS-WB]											
Pond 1-A	E160-L	05-Jul-2024					11-Jul-2024	7 days	6 days	✓	
1 ond 171		00 04. 202 .						. aayo	o days		
Physical Tests : TSS by Gravimetry (Low Level)					<u> </u>						
HDPE [TSS-WB]	E160-L	05-Jul-2024					11-Jul-2024	7 -1	0 4	√	
Pond 1-B	E100-L	05-Jul-2024					11-Jul-2024	7 days	6 days	•	
Physical Tests : TSS by Gravimetry (Low Level)											
HDPE [TSS-WB]											
Pond 2-A	E160-L	05-Jul-2024					11-Jul-2024	7 days	6 days	✓	
Physical Tests : TSS by Gravimetry (Low Level)											
HDPE [TSS-WB]											
Pond 2-B	E160-L	05-Jul-2024					11-Jul-2024	7 days	6 days	✓	
Physical Tests : TSS by Gravimetry (Low Level)											
HDPE [TSS-WB]							I				
Pond 2-C	E160-L	05-Jul-2024					11-Jul-2024	7 days	6 days	✓	
FUIIQ 2-C	L 100-L	00-001-2024					1 1-Jul-2024	r uays	0 uays	*	

 Page
 :
 19 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Matrix: Water					L\	aluation. * =	Holding time exce	suarice , •	- vviti iii i	Holding Time
Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pr	eparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Physical Tests : TSS by Gravimetry (Low Level)										
HDPE [TSS-WB]										
Pond 2-D	E160-L	05-Jul-2024					11-Jul-2024	7 days	6 days	✓
Physical Tests : TSS by Gravimetry (Low Level)										
HDPE [TSS-WB]										
Pond 2-E	E160-L	05-Jul-2024					11-Jul-2024	7 days	6 days	✓
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)							I			
Cell 4-C	E508	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days					-	
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
Cell 4-E	E508	05-Jul-2024	12-Jul-2024	28	7 days	1	12-Jul-2024	28 days	7 davs	✓
				days				,	,	
Total Metals : Total Mercury in Water by CVAAS				,						
Glass vial total (hydrochloric acid)							<u> </u>			
Pond 1-A	E508	05-Jul-2024	12-Jul-2024	28	7 days	1	12-Jul-2024	28 days	7 days	✓
				days	,				,	
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)							I			
Pond 1-B	E508	05-Jul-2024	12-Jul-2024	28	7 days	1	12-Jul-2024	28 days	7 days	✓
				days	, -				, -	
Total Matala : Total Maraum; in Water by CVAAS										
Total Metals : Total Mercury in Water by CVAAS Glass vial total (hydrochloric acid)										
Pond 2-A	E508	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 davs	✓
. 3.14 2 7.				days	, -			,-	, -	
Total Matala - Total Maraum, in Water by CVA AC				==,0						
Total Metals : Total Mercury in Water by CVAAS Glass vial total (hydrochloric acid)							I			
Pond 2-B	E508	05-Jul-2024	12-Jul-2024	28	7 days	√	12-Jul-2024	28 days	7 days	✓
1 Old 2-D		30-041-2024	12-041-2024	days	, days	•	12-041-2024	20 days	, days	•
				uays						
Total Metals: Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid) Pond 2-C	E508	05-Jul-2024	12-Jul-2024	00	7 days	1	12-Jul-2024	28 days	7 daya	✓
FUIIU 2-C	L306	00-Jul-2024	12-Jul-2024	28	7 days	•	12-Jul-2024	Zo days	i uays	*
				days						

 Page
 :
 20 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Matrix: Water					Εν	/aluation: 🗴 =	Holding time exceed	edance ; 🔻	= Within	Holding Tim
Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pi	reparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
Pond 2-D	E508	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
Pond 2-E	E508	05-Jul-2024	12-Jul-2024	28	7 days	✓	12-Jul-2024	28 days	7 days	✓
				days						
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
Pond 2-A	E420	05-Jul-2024	12-Jul-2024	180	7 days	✓	12-Jul-2024	180	7 days	✓
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
Pond 2-B	E420	05-Jul-2024	12-Jul-2024	180	7 days	✓	12-Jul-2024	180	7 days	✓
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
Pond 2-D	E420	05-Jul-2024	12-Jul-2024	180	7 days	✓	12-Jul-2024	180	7 days	✓
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
Cell 4-C	E420	05-Jul-2024	12-Jul-2024	180	7 days	✓	13-Jul-2024	180	8 days	✓
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
Cell 4-E	E420	05-Jul-2024	12-Jul-2024	180	7 days	✓	13-Jul-2024	180	8 days	✓
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										_
Pond 1-A	E420	05-Jul-2024	12-Jul-2024	180	7 days	✓	13-Jul-2024	180	8 days	✓
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
Pond 1-B	E420	05-Jul-2024	12-Jul-2024	180	7 days	✓	13-Jul-2024	180	8 days	✓
				days				days		

 Page
 :
 21 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Matrix: Water Evaluation: ▼ = Holding time exceedance; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pr	eparation			Analys	sis	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved) Pond 2-C	E420	05-Jul-2024	12-Jul-2024	180 days	7 days	✓	13-Jul-2024	180 days	8 days	✓
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved) Pond 2-E	E420	05-Jul-2024	12-Jul-2024	180 days	7 days	✓	13-Jul-2024	180 days	8 days	✓

Legend & Qualifier Definitions

EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended

EHT: Exceeded ALS recommended hold time prior to analysis.

Rec. HT: ALS recommended hold time (see units).

 Page
 :
 22 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

Project : ---



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Quality Control Sample Type			Co	ount		Frequency (%))
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Laboratory Duplicates (DUP)							
Acidity by Titration	E283	1540803	1	9	11.1	5.0	1
Alkalinity Species by Titration	E290	1540800	1	10	10.0	5.0	√
Bromide by IC (Ultra Trace Level)	E235.Br-U	1540809	1	9	11.1	5.0	✓
Chloride in Water by IC (Low Level)	E235.CI-L	1540807	1	9	11.1	5.0	✓
Conductivity in Water	E100	1540802	1	14	7.1	5.0	1
Dissolved Mercury in Water by CVAAS	E509	1540899	1	17	5.8	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1540889	1	9	11.1	5.0	✓
Fluoride in Water by IC (Low Level)	E235.F-L	1540808	1	9	11.1	5.0	✓
Nitrate in Water by IC (Trace Level)	E235.NO3-T	1540805	1	14	7.1	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1540806	1	14	7.1	5.0	✓
pH by Meter	E108	1540801	1	15	6.6	5.0	✓
Sulfate in Water by IC (Low Level)	E235.SO4-L	1540810	1	9	11.1	5.0	✓
TDS by Gravimetry	E162	1540661	1	19	5.2	5.0	✓
Total Cyanide	E333	1541871	1	19	5.2	5.0	✓
Total Mercury in Water by CVAAS	E508	1540891	2	28	7.1	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1540695	2	15	13.3	5.0	✓
Laboratory Control Samples (LCS)							
Acidity by Titration	E283	1540803	1	9	11.1	5.0	✓
Alkalinity Species by Titration	E290	1540800	1	10	10.0	5.0	✓
Bromide by IC (Ultra Trace Level)	E235.Br-U	1540809	1	9	11.1	5.0	✓
Chloride in Water by IC (Low Level)	E235.CI-L	1540807	1	9	11.1	5.0	✓
Conductivity in Water	E100	1540802	1	14	7.1	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1540899	1	17	5.8	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1540889	1	9	11.1	5.0	✓
Fluoride in Water by IC (Low Level)	E235.F-L	1540808	1	9	11.1	5.0	✓
Nitrate in Water by IC (Trace Level)	E235.NO3-T	1540805	1	14	7.1	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1540806	1	14	7.1	5.0	✓
pH by Meter	E108	1540801	1	15	6.6	5.0	✓
Sulfate in Water by IC (Low Level)	E235.SO4-L	1540810	1	9	11.1	5.0	✓
TDS by Gravimetry	E162	1540661	1	19	5.2	5.0	✓
Total Cyanide	E333	1541871	1	19	5.2	5.0	✓
Total Mercury in Water by CVAAS	E508	1540891	2	28	7.1	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1540695	1	15	6.6	5.0	✓
TSS by Gravimetry (Low Level)	E160-L	1540662	1	9	11.1	5.0	✓

 Page
 :
 23 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

Project : ---



Quality Control Sample Type			Co	unt		Frequency (%))
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Method Blanks (MB) - Continued							
Acidity by Titration	E283	1540803	1	9	11.1	5.0	1
Alkalinity Species by Titration	E290	1540800	1	10	10.0	5.0	✓
Bromide by IC (Ultra Trace Level)	E235.Br-U	1540809	1	9	11.1	5.0	✓
Chloride in Water by IC (Low Level)	E235.CI-L	1540807	1	9	11.1	5.0	√
Conductivity in Water	E100	1540802	1	14	7.1	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1540899	1	17	5.8	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1540889	1	9	11.1	5.0	✓
Fluoride in Water by IC (Low Level)	E235.F-L	1540808	1	9	11.1	5.0	✓
Nitrate in Water by IC (Trace Level)	E235.NO3-T	1540805	1	14	7.1	5.0	√
Nitrite in Water by IC (Low Level)	E235.NO2-L	1540806	1	14	7.1	5.0	✓
Sulfate in Water by IC (Low Level)	E235.SO4-L	1540810	1	9	11.1	5.0	✓
TDS by Gravimetry	E162	1540661	1	19	5.2	5.0	√
Total Cyanide	E333	1541871	1	19	5.2	5.0	✓
Total Mercury in Water by CVAAS	E508	1540891	2	28	7.1	5.0	√
Total Metals in Water by CRC ICPMS	E420	1540695	1	15	6.6	5.0	✓
rss by Gravimetry (Low Level)	E160-L	1540662	1	9	11.1	5.0	✓
Matrix Spikes (MS)							
Bromide by IC (Ultra Trace Level)	E235.Br-U	1540809	1	9	11.1	5.0	✓
Chloride in Water by IC (Low Level)	E235.CI-L	1540807	1	9	11.1	5.0	√
Dissolved Mercury in Water by CVAAS	E509	1540899	1	17	5.8	5.0	√
Dissolved Metals in Water by CRC ICPMS	E421	1540889	1	9	11.1	5.0	✓
Fluoride in Water by IC (Low Level)	E235.F-L	1540808	1	9	11.1	5.0	√
Nitrate in Water by IC (Trace Level)	E235.NO3-T	1540805	1	14	7.1	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1540806	1	14	7.1	5.0	✓
Sulfate in Water by IC (Low Level)	E235.SO4-L	1540810	1	9	11.1	5.0	<u>√</u>
Total Cyanide	E333	1541871	1	19	5.2	5.0	√
Total Mercury in Water by CVAAS	E508	1540891	2	28	7.1	5.0	<u>√</u>
Total Metals in Water by CRC ICPMS	E420	1540695	1	15	6.6	5.0	

 Page
 :
 24 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

Project : ---



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Conductivity in Water	E100	Water	APHA 2510 (mod)	Conductivity, also known as Electrical Conductivity (EC) or Specific Conductance, is measured by immersion of a conductivity cell with platinum electrodes into a water
	ALS Environmental -			sample. Conductivity measurements are temperature-compensated to 25°C.
	Vancouver			
pH by Meter	E108	Water	APHA 4500-H (mod)	pH is determined by potentiometric measurement with a pH electrode, and is conducted at ambient laboratory temperature (normally 20 ± 5°C). For high accuracy test results,
	ALS Environmental -			pH should be measured in the field within the recommended 15 minute hold time.
	Vancouver			pri dinala so madalisa in dia nala malan dia rashimbilada no mililada nala amis.
TSS by Gravimetry (Low Level)	E160-L	Water	APHA 2540 D (mod)	Total Suspended Solids (TSS) are determined by filtering a sample through a glass fibre filter, following by drying of the filter at 104 ± 1°C, with gravimetric measurement of the
TDS by Gravimetry	ALS Environmental -			filtered solids. Samples containing very high dissolved solid content (i.e. seawaters,
	Vancouver			brackish waters) may produce a positive bias by this method. Alternate analysis
				methods are available for these types of samples.
TDS by Gravimetry	E162	Water	APHA 2540 C (mod)	Total Dissolved Solids (TDS) are determined by filtering a sample through a glass fibre filter, with evaporation of the filtrate at 180 ± 2°C for 16 hours or to constant weight,
Bromide by IC (Ultra Trace Level)	ALS Environmental -			with gravimetric measurement of the residue.
	Vancouver			
Bromide by IC (Ultra Trace Level)	E235.Br-U	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Vancouver			
Chloride in Water by IC (Low Level)	E235.CI-L	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Vancouver			
Fluoride in Water by IC (Low Level)	E235.F-L	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
	ALS Environmental -			
	Vancouver			
Nitrite in Water by IC (Low Level)	E235.NO2-L	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Vancouver			
Nitrate in Water by IC (Trace Level)	E235.NO3-T	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
	ALS Environmental -			
	Vancouver			

 Page
 :
 25 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Sulfate in Water by IC (Low Level)	E235.SO4-L	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
	ALS Environmental -			
	Vancouver			
Acidity by Titration	E283	Water	APHA 2310 B (mod)	Acidity is determined by potentiometric titration to pH endpoint of 8.3
	ALS Environmental -			
	Vancouver			
Alkalinity Species by Titration	E290	Water	APHA 2320 B (mod)	Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total
	ALS Environmental - Vancouver			alkalinity values.
Total Cyanide	E333	Water	ISO 14403 (mod)	Total or Strong Acid Dissociable (SAD) Cyanide is determined by Continuous Flow Analyzer (CFA) with in-line UV digestion followed by colourmetric analysis.
	ALS Environmental -			
	Vancouver			Method Limitation: High levels of thiocyanate (SCN) may cause positive interference (up to 0.5% of SCN concentration).
Total Metals in Water by CRC ICPMS	E420	Water	EPA 200.2/6020B (mod)	Water samples are digested with nitric and hydrochloric acids, and analyzed by Collision/Reaction Cell ICPMS.
	ALS Environmental -			
	Vancouver			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Dissolved Metals in Water by CRC ICPMS	E421	Water	APHA 3030B/EPA 6020B (mod)	Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by Collision/Reaction Cell ICPMS.
	ALS Environmental -		cozob (mod)	Compositive additional for the control of the contr
	Vancouver			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Total Mercury in Water by CVAAS	E508	Water	EPA 1631E (mod)	Water samples undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS
	ALS Environmental -			11111 Old 111010 of 1110 did and 1200 by 0110 to
	Vancouver			
Dissolved Mercury in Water by CVAAS	E509	Water	APHA 3030B/EPA 1631E (mod)	Water samples are filtered (0.45 um), preserved with HCl, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by
	ALS Environmental -		1001E (mod)	CVAAS.
	Vancouver			
Dissolved Hardness (Calculated)	EC100	Water	APHA 2340B	"Hardness (as CaCO3), dissolved" is calculated from the sum of dissolved Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers
	ALS Environmental -			to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially
	Vancouver			calculated from dissolved Calcium and Magnesium concentrations, because it is a
				property of water due to dissolved divalent cations.

 Page
 :
 26 of 26

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.



Project : ---

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Hardness (Calculated) from Total Ca/Mg	EC100A	Water	APHA 2340B	"Hardness (as CaCO3), from total Ca/Mg" is calculated from the sum of total Calcium and
				Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers
	ALS Environmental -			to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially
	Vancouver			calculated from dissolved Calcium and Magnesium concentrations, because it is a
				property of water due to dissolved divalent cations. Hardness from total Ca/Mg is
				normally comparable to Dissolved Hardness in non-turbid waters.
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Dissolved Metals Water Filtration	EP421	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HNO3.
	ALS Environmental -			
	Vancouver			
Dissolved Mercury Water Filtration	EP509	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HCl.
	ALS Environmental -			
	Vancouver			

ALS Canada Ltd.



QUALITY CONTROL REPORT

Work Order : YL2400835

Client : Elgin Mining Inc.
Contact : Karyn Lewis

Address : 750 West Pender Street Suite 201

Vancouver BC Canada V6C 2T7

Telephone : 604 682 3366

 Project
 : ---

 PO
 : ---

 C-O-C number
 : ---

 Sampler
 : ---

Sampler : ----

Quote number : YL23-ELMI100-001

No. of samples received : 9
No. of samples analysed : 9

Page : 1 of 17

Laboratory : ALS Environmental - Yellowknife

Account Manager : Oliver Gregg

Address : 314 Old Airport Road, Unit 116

Yellowknife, Northwest Territories Canada X1A 3T3

Telephone : 1 867 445 7143

Date Samples Received : 05-Jul-2024 16:00

Date Analysis Commenced : 11-Jul-2024

Issue Date : 17-Jul-2024 13:12

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives

- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department	
Angela Ren	Team Leader - Metals	Vancouver Metals, Burnaby, British Columbia	
Chau Tran	Analyst	Vancouver Metals, Burnaby, British Columbia	
Daniel Shabestani	Lab Assistant	Vancouver Metals, Burnaby, British Columbia	
Kate Dimitrova	Supervisor - Inorganic	Vancouver Inorganics, Burnaby, British Columbia	
Owen Cheng		Vancouver Metals, Burnaby, British Columbia	
Robin Weeks	Team Leader - Metals	Vancouver Inorganics, Burnaby, British Columbia	
Robin Weeks	Team Leader - Metals	Vancouver Metals, Burnaby, British Columbia	
Tracy Harley	Supervisor - Water Quality Instrumentation	Vancouver Inorganics, Burnaby, British Columbia	

 Page
 :
 2 of 17

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

Project : ----



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key:

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

 Page
 :
 3 of 17

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

Project : ---



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Water					Laboratory Duplicate (DUP) Report							
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier	
Physical Tests (QC	Lot: 1540661)											
VA24B6657-001	Anonymous	Solids, total dissolved [TDS]		E162	20	mg/L	415	421	1.56%	20%		
Physical Tests (QC	Lot: 1540800)											
YL2400835-002	Pond 1-B	Alkalinity, total (as CaCO3)		E290	1.0	mg/L	<1.0	<1.0	0	Diff <2x LOR		
Physical Tests (QC	Lot: 1540801)											
YL2400835-002	Pond 1-B	pH		E108	0.10	pH units	4.11	4.11	0	Diff <2x LOR		
Physical Tests (QC	Lot: 1540802)											
YL2400835-002	Pond 1-B	Conductivity		E100	1.0	μS/cm	359	359	0.00%	10%		
Physical Tests (QC	Lot: 1540803)											
YL2400835-002	Pond 1-B	Acidity (as CaCO3)		E283	2.0	mg/L	17.4	17.5	0.1	Diff <2x LOR		
Anions and Nutrien	ts (QC Lot: 1540805)											
VA24B6547-001	Anonymous	Nitrate (as N)	14797-55-8	E235.NO3-T	0.0030	mg/L	0.0207	0.0195	0.0012	Diff <2x LOR		
Anions and Nutrien	ts (QC Lot: 1540806)											
VA24B6547-001	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2-L	0.0010	mg/L	<0.0010	0.0017	0.0007	Diff <2x LOR		
Anions and Nutrien	ts (QC Lot: 1540807)											
YL2400835-001	Pond 1-A	Chloride	16887-00-6	E235.CI-L	0.10	mg/L	7.03	7.00	0.439%	20%		
Anions and Nutrien	ts (QC Lot: 1540808)											
YL2400835-001	Pond 1-A	Fluoride	16984-48-8	E235.F-L	0.010	mg/L	0.126	0.124	1.52%	20%		
Anions and Nutrien	ts (QC Lot: 1540809)											
YL2400835-001	Pond 1-A	Bromide	24959-67-9	E235.Br-U	0.0050	mg/L	0.0875	0.0892	1.99%	20%		
Anions and Nutrion	ts (QC Lot: 1540810)											
YL2400835-001	Pond 1-A	Sulfate (as SO4)	14808-79-8	E235.SO4-L	0.050	mg/L	139	138	1.20%	20%		
Cyanides (QC Lot:	1541974)					Ü						
VA24B6679-001	Anonymous	Cyanide, strong acid dissociable		E333	0.0050	mg/L	<0.0050	<0.0050	0	Diff <2x LOR		
	,	(Total)						0.000	-			
Total Metals (QC Lo	ot: 1540695)											
YL2400864-001	Anonymous	Titanium, total	7440-32-6	E420	0.0300	mg/L	<0.0300	<0.0300	0	Diff <2x LOR		
YL2400864-001	Anonymous	Aluminum, total	7429-90-5	E420	0.0300	mg/L	2.86	2.92	1.95%	20%		
		Antimony, total	7440-36-0	E420	0.00100	mg/L	0.0272	0.0267	1.90%	20%		
		Arsenic, total	7440-38-2	E420	0.00100	mg/L	0.00579	0.00527	0.00052	Diff <2x LOR		
		Barium, total	7440-39-3	E420	0.00100	mg/L	5.04	5.13	1.74%	20%		

 Page
 :
 4 of 17

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Sub-Matrix: Water							Labora	tory Duplicate (D	UP) Report		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Total Metals (QC Lot: 1540695) - continued											
YL2400864-001	Anonymous	Beryllium, total	7440-41-7	E420	0.000200	mg/L	0.000330	0.000358	0.000027	Diff <2x LOR	
		Bismuth, total	7440-69-9	E420	0.000500	mg/L	0.000683	0.000690	0.000007	Diff <2x LOR	
		Boron, total	7440-42-8	E420	0.100	mg/L	15.0	14.6	2.89%	20%	
		Cadmium, total	7440-43-9	E420	0.0000500	mg/L	0.0254	0.0256	0.455%	20%	
		Calcium, total	7440-70-2	E420	0.500	mg/L	2460	2430	1.40%	20%	
		Cesium, total	7440-46-2	E420	0.000100	mg/L	0.00690	0.00668	3.33%	20%	
		Chromium, total	7440-47-3	E420	0.00500	mg/L	0.0328	0.0274	0.00540	Diff <2x LOR	
		Cobalt, total	7440-48-4	E420	0.00100	mg/L	0.0624	0.0634	1.54%	20%	
		Copper, total	7440-50-8	E420	0.00500	mg/L	0.190	0.193	1.29%	20%	
		Iron, total	7439-89-6	E420	0.100	mg/L	4.45	4.42	0.611%	20%	
		Lead, total	7439-92-1	E420	0.000500	mg/L	0.0858	0.0838	2.26%	20%	
		Lithium, total	7439-93-2	E420	0.0100	mg/L	1.49	1.48	0.754%	20%	
		Magnesium, total	7439-95-4	E420	0.0500	mg/L	622	630	1.24%	20%	
		Manganese, total	7439-96-5	E420	0.00100	mg/L	4.49	4.61	2.56%	20%	
		Molybdenum, total	7439-98-7	E420	0.000500	mg/L	0.346	0.343	1.08%	20%	
		Nickel, total	7440-02-0	E420	0.00500	mg/L	1.18	1.18	0.612%	20%	
		Phosphorus, total	7723-14-0	E420	0.500	mg/L	0.732	0.777	0.046	Diff <2x LOR	
		Potassium, total	7440-09-7	E420	0.500	mg/L	509	524	2.99%	20%	
		Rubidium, total	7440-17-7	E420	0.00200	mg/L	0.559	0.575	2.90%	20%	
		Selenium, total	7782-49-2	E420	0.000500	mg/L	0.00124	0.00122	0.000019	Diff <2x LOR	
		Silicon, total	7440-21-3	E420	1.00	mg/L	21.0	21.0	0.0288%	20%	
		Silver, total	7440-22-4	E420	0.000100	mg/L	0.0126	0.0124	1.74%	20%	
		Sodium, total	7440-23-5	E420	0.500	mg/L	4840	4920	1.78%	20%	
		Strontium, total	7440-24-6	E420	0.00200	mg/L	27.2	26.5	2.48%	20%	
		Sulfur, total	7704-34-9	E420	5.00	mg/L	683	661	3.25%	20%	
		Tellurium, total	13494-80-9	E420	0.00200	mg/L	<0.00200	<0.00200	0	Diff <2x LOR	
		Thallium, total	7440-28-0	E420	0.000100	mg/L	0.00158	0.00154	2.28%	20%	
		Thorium, total	7440-29-1	E420	0.00100	mg/L	<0.00100	<0.00100	0	Diff <2x LOR	
		Tin, total	7440-31-5	E420	0.00100	mg/L	<0.00100	<0.00100	0	Diff <2x LOR	
		Tungsten, total	7440-33-7	E420	0.00100	mg/L	0.00415	0.00403	0.00012	Diff <2x LOR	
		Uranium, total	7440-61-1	E420	0.000100	mg/L	0.00717	0.00709	1.15%	20%	
		Vanadium, total	7440-62-2	E420	0.00500	mg/L	0.00680	0.00672	0.00008	Diff <2x LOR	
		Zinc, total	7440-66-6	E420	0.0300	mg/L	34.4	34.6	0.717%	20%	
						_					
		Zirconium, total	7440-67-7	E420	0.00260	mg/L	<0.00260	<0.00260	0	Diff <2x LOR	

 Page
 :
 5 of 17

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Sub-Matrix: Water						Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifie	
Total Metals (QC Lo	ot: 1540891)											
VA24B6651-006	Anonymous	Mercury, total	7439-97-6	E508	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR		
Total Metals (QC Lo	ot: 1540892)											
YL2400835-002	Pond 1-B	Mercury, total	7439-97-6	E508	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR		
Dissolved Metals ((QC Lot: 1540889)											
YL2400835-001	Pond 1-A	Aluminum, dissolved	7429-90-5	E421	0.0010	mg/L	1.23	1.23	0.113%	20%		
		Antimony, dissolved	7440-36-0	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR		
		Arsenic, dissolved	7440-38-2	E421	0.00010	mg/L	0.00911	0.00898	1.50%	20%		
		Barium, dissolved	7440-39-3	E421	0.00010	mg/L	0.0129	0.0131	1.42%	20%		
		Beryllium, dissolved	7440-41-7	E421	0.000100	mg/L	0.000313	0.000310	0.000004	Diff <2x LOR		
		Bismuth, dissolved	7440-69-9	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR		
		Boron, dissolved	7440-42-8	E421	0.010	mg/L	0.026	0.026	0.00005	Diff <2x LOR		
		Cadmium, dissolved	7440-43-9	E421	0.0000050	mg/L	0.000278	0.000276	0.956%	20%		
		Calcium, dissolved	7440-70-2	E421	0.050	mg/L	28.9	28.8	0.622%	20%		
		Cesium, dissolved	7440-46-2	E421	0.000010	mg/L	0.000039	0.000039	0.00000008	Diff <2x LOR		
		Chromium, dissolved	7440-47-3	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR		
		Cobalt, dissolved	7440-48-4	E421	0.00010	mg/L	0.0518	0.0522	0.818%	20%		
		Copper, dissolved	7440-50-8	E421	0.00020	mg/L	0.0356	0.0356	0.0744%	20%		
		Iron, dissolved	7439-89-6	E421	0.010	mg/L	0.685	0.702	2.46%	20%		
		Lead, dissolved	7439-92-1	E421	0.000050	mg/L	0.00224	0.00224	0.151%	20%		
		Lithium, dissolved	7439-93-2	E421	0.0010	mg/L	0.0235	0.0227	3.59%	20%		
		Magnesium, dissolved	7439-95-4	E421	0.0050	mg/L	8.02	8.31	3.54%	20%		
		Manganese, dissolved	7439-96-5	E421	0.00010	mg/L	0.743	0.746	0.369%	20%		
		Molybdenum, dissolved	7439-98-7	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR		
		Nickel, dissolved	7440-02-0	E421	0.00050	mg/L	0.109	0.110	0.586%	20%		
		Phosphorus, dissolved	7723-14-0	E421	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR		
		Potassium, dissolved	7440-09-7	E421	0.050	mg/L	2.70	2.72	0.997%	20%		
		Rubidium, dissolved	7440-17-7	E421	0.00020	mg/L	0.00164	0.00166	0.00002	Diff <2x LOR		
		Selenium, dissolved	7782-49-2	E421	0.000050	mg/L	0.000054	0.000053	0.0000007	Diff <2x LOR		
		Silicon, dissolved	7440-21-3	E421	0.050	mg/L	2.76	2.89	4.68%	20%		
		Silver, dissolved	7440-22-4	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR		
		Sodium, dissolved	7440-23-5	E421	0.050	mg/L	14.1	14.1	0.287%	20%		
		Strontium, dissolved	7440-24-6	E421	0.00020	mg/L	0.141	0.143	1.98%	20%		
		Sulfur, dissolved	7704-34-9	E421	0.50	mg/L	47.6	49.6	4.01%	20%		
		Tellurium, dissolved	13494-80-9	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR		

 Page
 :
 6 of 17

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Sub-Matrix: Water				Laboratory Duplicate (DUP) Report							
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Dissolved Metals (C	Dissolved Metals (QC Lot: 1540889) - continued										
YL2400835-001	Pond 1-A	Thallium, dissolved	7440-28-0	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		Thorium, dissolved	7440-29-1	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Tin, dissolved	7440-31-5	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Titanium, dissolved	7440-32-6	E421	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR	
		Tungsten, dissolved	7440-33-7	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Uranium, dissolved	7440-61-1	E421	0.000010	mg/L	0.000268	0.000259	3.40%	20%	
		Vanadium, dissolved	7440-62-2	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	
		Zinc, dissolved	7440-66-6	E421	0.0010	mg/L	0.524	0.522	0.367%	20%	
		Zirconium, dissolved	7440-67-7	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	
Dissolved Metals (C	QC Lot: 1540899)										
VA24B6749-001	Anonymous	Mercury, dissolved	7439-97-6	E509	0.0000050	mg/L	<0.000050	<0.0000050	0	Diff <2x LOR	

 Page
 :
 7 of 17

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Water

Analyte	CAS Number Method	LOR	Unit	Result	Qualifier
hysical Tests (QCLot: 1540661)					
Solids, total dissolved [TDS]	E162	10	mg/L	<10	
hysical Tests (QCLot: 1540662)					
Solids, total suspended [TSS]	E160-L	1	mg/L	<1.0	
hysical Tests (QCLot: 1540800)					
Alkalinity, total (as CaCO3)	E290	1	mg/L	<1.0	
hysical Tests (QCLot: 1540802)					
Conductivity	E100	1	μS/cm	1.4	
hysical Tests (QCLot: 1540803)					
Acidity (as CaCO3)	E283	2	mg/L	<2.0	
nions and Nutrients (QCLot: 1540805)					
Nitrate (as N)	14797-55-8 E235.NO3-T	0.003	mg/L	<0.0030	
nions and Nutrients (QCLot: 1540806)					
Nitrite (as N)	14797-65-0 E235.NO2-L	0.001	mg/L	<0.0010	
nions and Nutrients (QCLot: 1540807)					
Chloride	16887-00-6 E235.CI-L	0.1	mg/L	<0.10	
nions and Nutrients (QCLot: 1540808)					
Fluoride	16984-48-8 E235.F-L	0.01	mg/L	<0.010	
nions and Nutrients (QCLot: 1540809)					
Bromide	24959-67-9 E235.Br-U	0.005	mg/L	<0.0050	
nions and Nutrients (QCLot: 1540810)					
Sulfate (as SO4)	14808-79-8 E235.SO4-L	0.05	mg/L	<0.050	
yanides (QCLot: 1541871)					
Cyanide, strong acid dissociable (Total)	E333	0.002	mg/L	<0.0020	
otal Metals (QCLot: 1540695)					
Aluminum, total	7429-90-5 E420	0.003	mg/L	# 0.0050	В
Antimony, total	7440-36-0 E420	0.0001	mg/L	<0.00010	
Arsenic, total	7440-38-2 E420	0.0001	mg/L	<0.00010	
Barium, total	7440-39-3 E420	0.0001	mg/L	<0.00010	
Beryllium, total	7440-41-7 E420	0.00002	mg/L	<0.000020	
Bismuth, total	7440-69-9 E420	0.00005	mg/L	<0.000050	
Boron, total	7440-42-8 E420	0.01	mg/L	<0.010	
Cadmium, total	7440-43-9 E420	0.000005	mg/L	<0.0000050	

 Page
 :
 8 of 17

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

 Project
 :

ALS

Sub-Matrix: Water

Analyte	CAS Number Method	LOR	Unit	Result	Qualifier
Fotal Metals (QCLot: 1540695) - continu	ued				
Calcium, total	7440-70-2 E420	0.05	mg/L	<0.050	
Cesium, total	7440-46-2 E420	0.00001	mg/L	<0.000010	
Chromium, total	7440-47-3 E420	0.0005	mg/L	<0.00050	
Cobalt, total	7440-48-4 E420	0.0001	mg/L	<0.00010	
Copper, total	7440-50-8 E420	0.0005	mg/L	<0.00050	
Iron, total	7439-89-6 E420	0.01	mg/L	<0.010	
Lead, total	7439-92-1 E420	0.00005	mg/L	<0.000050	
Lithium, total	7439-93-2 E420	0.001	mg/L	<0.0010	
Magnesium, total	7439-95-4 E420	0.005	mg/L	<0.0050	
Manganese, total	7439-96-5 E420	0.0001	mg/L	<0.00010	
Molybdenum, total	7439-98-7 E420	0.00005	mg/L	<0.000050	
Nickel, total	7440-02-0 E420	0.0005	mg/L	<0.00050	
Phosphorus, total	7723-14-0 E420	0.05	mg/L	<0.050	
Potassium, total	7440-09-7 E420	0.05	mg/L	<0.050	
Rubidium, total	7440-17-7 E420	0.0002	mg/L	<0.00020	
Selenium, total	7782-49-2 E420	0.00005	mg/L	<0.000050	
Silicon, total	7440-21-3 E420	0.1	mg/L	<0.10	
Silver, total	7440-22-4 E420	0.00001	mg/L	<0.000010	
Sodium, total	7440-23-5 E420	0.05	mg/L	<0.050	
Strontium, total	7440-24-6 E420	0.0002	mg/L	<0.00020	
Sulfur, total	7704-34-9 E420	0.5	mg/L	<0.50	
Tellurium, total	13494-80-9 E420	0.0002	mg/L	<0.00020	
Thallium, total	7440-28-0 E420	0.00001	mg/L	<0.000010	
Thorium, total	7440-29-1 E420	0.0001	mg/L	<0.00010	
Tin, total	7440-31-5 E420	0.0001	mg/L	<0.00010	
Titanium, total	7440-32-6 E420	0.0003	mg/L	<0.00030	
Tungsten, total	7440-33-7 E420	0.0001	mg/L	<0.00010	
Uranium, total	7440-61-1 E420	0.00001	mg/L	<0.000010	
Vanadium, total	7440-62-2 E420	0.0005	mg/L	<0.00050	
Zinc, total	7440-66-6 E420	0.003	mg/L	<0.0030	
Zirconium, total	7440-67-7 E420	0.0002	mg/L	<0.00020	
otal Metals (QCLot: 1540891)					
Mercury, total	7439-97-6 E508	0.000005	mg/L	<0.0000050	
otal Metals (QCLot: 1540892)					
Mercury, total	7439-97-6 E508	0.000005	mg/L	<0.000050	

 Page
 :
 9 of 17

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

 Project
 :

ALS

Sub-Matrix: Water

Analyte	CAS Number Method	LOR	Unit	Result	Qualifier
Dissolved Metals (QCLot: 1540889)					
Aluminum, dissolved	7429-90-5 E421	0.001	mg/L	<0.0010	
Antimony, dissolved	7440-36-0 E421	0.0001	mg/L	<0.00010	
Arsenic, dissolved	7440-38-2 E421	0.0001	mg/L	<0.00010	
Barium, dissolved	7440-39-3 E421	0.0001	mg/L	<0.00010	
Beryllium, dissolved	7440-41-7 E421	0.00002	mg/L	<0.000020	
Bismuth, dissolved	7440-69-9 E421	0.00005	mg/L	<0.000050	
Boron, dissolved	7440-42-8 E421	0.01	mg/L	<0.010	
Cadmium, dissolved	7440-43-9 E421	0.000005	mg/L	<0.0000050	
Calcium, dissolved	7440-70-2 E421	0.05	mg/L	<0.050	
Cesium, dissolved	7440-46-2 E421	0.00001	mg/L	<0.000010	
Chromium, dissolved	7440-47-3 E421	0.0005	mg/L	<0.00050	
Cobalt, dissolved	7440-48-4 E421	0.0001	mg/L	<0.00010	
Copper, dissolved	7440-50-8 E421	0.0002	mg/L	<0.00020	
Iron, dissolved	7439-89-6 E421	0.01	mg/L	<0.010	
Lead, dissolved	7439-92-1 E421	0.00005	mg/L	<0.000050	
Lithium, dissolved	7439-93-2 E421	0.001	mg/L	<0.0010	
Magnesium, dissolved	7439-95-4 E421	0.005	mg/L	<0.0050	
Manganese, dissolved	7439-96-5 E421	0.0001	mg/L	<0.00010	
Molybdenum, dissolved	7439-98-7 E421	0.00005	mg/L	<0.000050	
Nickel, dissolved	7440-02-0 E421	0.0005	mg/L	<0.00050	
Phosphorus, dissolved	7723-14-0 E421	0.05	mg/L	<0.050	
Potassium, dissolved	7440-09-7 E421	0.05	mg/L	<0.050	
Rubidium, dissolved	7440-17-7 E421	0.0002	mg/L	<0.00020	
Selenium, dissolved	7782-49-2 E421	0.00005	mg/L	<0.000050	
Silicon, dissolved	7440-21-3 E421	0.05	mg/L	<0.050	
Silver, dissolved	7440-22-4 E421	0.00001	mg/L	<0.000010	
Sodium, dissolved	7440-23-5 E421	0.05	mg/L	<0.050	
Strontium, dissolved	7440-24-6 E421	0.0002	mg/L	<0.00020	
Sulfur, dissolved	7704-34-9 E421	0.5	mg/L	<0.50	
Tellurium, dissolved	13494-80-9 E421	0.0002	mg/L	<0.00020	
Thallium, dissolved	7440-28-0 E421	0.00001	mg/L	<0.000010	
Thorium, dissolved	7440-29-1 E421	0.0001	mg/L	<0.00010	
Tin, dissolved	7440-31-5 E421	0.0001	mg/L	<0.00010	
Titanium, dissolved	7440-32-6 E421	0.0003	mg/L	<0.00030	
Tungsten, dissolved	7440-33-7 E421	0.0001	mg/L	<0.00010	

 Page
 :
 10 of 17

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.



Project : ---

Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Dissolved Metals (QCLot: 1540889)	- continued					
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	<0.000010	
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	<0.00050	
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	<0.0010	
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	<0.00020	
Dissolved Metals (QCLot: 1540899)						
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	<0.0000050	

Qualifiers

Qualifier Description

B Method Blank exceeds ALS DQO. Associated sample results which are < Limit of Reporting or > 5 times blank level are considered reliable.

 Page
 :
 11 of 17

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

Project : ----



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Water						Laboratory Co.	ntrol Sample (LCS)	Report	
					Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 1540661)									
Solids, total dissolved [TDS]		E162	10	mg/L	1000 mg/L	100	85.0	115	
Physical Tests (QCLot: 1540662)									
Solids, total suspended [TSS]		E160-L	1	mg/L	150 mg/L	96.2	85.0	115	
Physical Tests (QCLot: 1540800)									
Alkalinity, total (as CaCO3)		E290	1	mg/L	500 mg/L	108	85.0	115	
Physical Tests (QCLot: 1540801)		I=400		11 2	7 11 2	100	00.0	400	
рН		E108		pH units	7 pH units	100	98.0	102	
Physical Tests (QCLot: 1540802)		E400	4	u.C./am	147 uS/om	05.0	00.0	110	
Conductivity		E100	1	μS/cm	147 μS/cm	95.9	90.0	110	
Physical Tests (QCLot: 1540803) Acidity (as CaCO3)		E283	2	ma/l	50 mg/L	96.8	85.0	115	
Actually (as CaCO3)		E203	2	mg/L	50 Hig/L	90.6	65.0	115	
Anione and Netricute (OCL et. 4540905)									
Anions and Nutrients (QCLot: 1540805) Nitrate (as N)	14797-55-8	E235.NO3-T	0.003	mg/L	2.5 mg/L	99.1	90.0	110	
Anions and Nutrients (QCLot: 1540806)									
Nitrite (as N)	14797-65-0	E235.NO2-L	0.001	mg/L	0.5 mg/L	99.7	90.0	110	
Anions and Nutrients (QCLot: 1540807)									
Chloride	16887-00-6	E235.CI-L	0.1	mg/L	100 mg/L	99.4	90.0	110	
Anions and Nutrients (QCLot: 1540808)									
Fluoride	16984-48-8	E235.F-L	0.01	mg/L	1 mg/L	100	90.0	110	
Anions and Nutrients (QCLot: 1540809)									
Bromide	24959-67-9	E235.Br-U	0.005	mg/L	0.5 mg/L	97.7	85.0	115	
Anions and Nutrients (QCLot: 1540810)									
Sulfate (as SO4)	14808-79-8	E235.SO4-L	0.05	mg/L	100 mg/L	99.9	90.0	110	
									l
Cyanides (QCLot: 1541871)		I = a a a	0.000					400	
Cyanide, strong acid dissociable (Total)		E333	0.002	mg/L	0.25 mg/L	96.2	80.0	120	
Total Metals (QCLot: 1540695) Aluminum, total	7429-90-5	F420	0.003	mg/L	2 mg/L	96.1	80.0	120	
Antimony, total	7440-36-0		0.003	mg/L	1 mg/L	100	80.0	120	
Arsenic, total	7440-38-2		0.0001	mg/L	1 mg/L	101	80.0	120	
	7-1-0 00-2	- :	0.0001	9, ⊏	g/ L		55.0	0	I .

 Page
 :
 12 of 17

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

ALS

Sub-Matrix: Water		Laboratory Control Sample (LCS) Report						
				Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifie
Total Metals (QCLot: 1540695) - continu	ued							
Barium, total	7440-39-3 E420	0.0001	mg/L	0.25 mg/L	104	80.0	120	
Beryllium, total	7440-41-7 E420	0.00002	mg/L	0.1 mg/L	99.0	80.0	120	
Bismuth, total	7440-69-9 E420	0.00005	mg/L	1 mg/L	103	80.0	120	
Boron, total	7440-42-8 E420	0.01	mg/L	1 mg/L	98.8	80.0	120	
Cadmium, total	7440-43-9 E420	0.000005	mg/L	0.1 mg/L	99.6	80.0	120	
Calcium, total	7440-70-2 E420	0.05	mg/L	50 mg/L	102	80.0	120	
Cesium, total	7440-46-2 E420	0.00001	mg/L	0.05 mg/L	99.3	80.0	120	
Chromium, total	7440-47-3 E420	0.0005	mg/L	0.25 mg/L	98.8	80.0	120	
Cobalt, total	7440-48-4 E420	0.0001	mg/L	0.25 mg/L	95.5	80.0	120	
Copper, total	7440-50-8 E420	0.0005	mg/L	0.25 mg/L	96.2	80.0	120	
Iron, total	7439-89-6 E420	0.01	mg/L	1 mg/L	95.0	80.0	120	
_ead, total	7439-92-1 E420	0.00005	mg/L	0.5 mg/L	101	80.0	120	
_ithium, total	7439-93-2 E420	0.001	mg/L	0.25 mg/L	100	80.0	120	
Magnesium, total	7439-95-4 E420	0.005	mg/L	50 mg/L	96.6	80.0	120	
Manganese, total	7439-96-5 E420	0.0001	mg/L	0.25 mg/L	97.9	80.0	120	
Molybdenum, total	7439-98-7 E420	0.00005	mg/L	0.25 mg/L	104	80.0	120	
Nickel, total	7440-02-0 E420	0.0005	mg/L	0.5 mg/L	95.6	80.0	120	
Phosphorus, total	7723-14-0 E420	0.05	mg/L	10 mg/L	101	80.0	120	
Potassium, total	7440-09-7 E420	0.05	mg/L	50 mg/L	98.0	80.0	120	
Rubidium, total	7440-17-7 E420	0.0002	mg/L	0.1 mg/L	99.4	80.0	120	
Selenium, total	7782-49-2 E420	0.00005	mg/L	1 mg/L	92.8	80.0	120	
Silicon, total	7440-21-3 E420	0.1	mg/L	10 mg/L	99.5	80.0	120	
Silver, total	7440-22-4 E420	0.00001	mg/L	0.1 mg/L	93.0	80.0	120	
Sodium, total	7440-23-5 E420	0.05	mg/L	50 mg/L	93.2	80.0	120	
Strontium, total	7440-24-6 E420	0.0002	mg/L	0.25 mg/L	104	80.0	120	
Sulfur, total	7704-34-9 E420	0.5	mg/L	50 mg/L	83.4	80.0	120	
Fellurium, total	13494-80-9 E420	0.0002	mg/L	0.1 mg/L	103	80.0	120	
Γhallium, total	7440-28-0 E420	0.00001	mg/L	1 mg/L	101	80.0	120	
Thorium, total	7440-29-1 E420	0.0001	mg/L	0.1 mg/L	100	80.0	120	
in, total	7440-31-5 E420	0.0001	mg/L	0.5 mg/L	100	80.0	120	
itanium, total	7440-32-6 E420	0.0003	mg/L	0.25 mg/L	93.4	80.0	120	
ungsten, total	7440-33-7 E420	0.0001	mg/L	0.1 mg/L	102	80.0	120	
Jranium, total	7440-61-1 E420	0.00001	mg/L	0.005 mg/L	103	80.0	120	
√anadium, total	7440-62-2 E420	0.0005	mg/L	0.5 mg/L	98.7	80.0	120	
Zinc, total	7440-66-6 E420	0.003	mg/L	0.5 mg/L	97.2	80.0	120	
Zirconium, total	7440-67-7 E420	0.0002	mg/L	0.1 mg/L	98.2	80.0	120	

 Page
 :
 13 of 17

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.



Sub-Matrix: Water	Laboratory Control Sample (LCS) Report								
					Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number M	lethod	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Total Metals (QCLot: 1540891)									
Mercury, total	7439-97-6 E	508	0.000005	mg/L	0 mg/L	97.1	80.0	120	
Total Metals (QCLot: 1540892)									
Mercury, total	7439-97-6 E	508	0.000005	mg/L	0 mg/L	100	80.0	120	
Dissolved Metals (QCLot: 1540889)									
Aluminum, dissolved	7429-90-5 E		0.001	mg/L	2 mg/L	98.8	80.0	120	
Antimony, dissolved	7440-36-0 E		0.0001	mg/L	1 mg/L	97.2	80.0	120	
Arsenic, dissolved	7440-38-2 E		0.0001	mg/L	1 mg/L	104	80.0	120	
Barium, dissolved	7440-39-3 E		0.0001	mg/L	0.25 mg/L	101	80.0	120	
Beryllium, dissolved	7440-41-7 E		0.00002	mg/L	0.1 mg/L	95.7	80.0	120	
Bismuth, dissolved	7440-69-9 E	421	0.00005	mg/L	1 mg/L	99.9	80.0	120	
Boron, dissolved	7440-42-8 E	421	0.01	mg/L	1 mg/L	98.0	80.0	120	
Cadmium, dissolved	7440-43-9 E	421	0.000005	mg/L	0.1 mg/L	104	80.0	120	
Calcium, dissolved	7440-70-2 E	421	0.05	mg/L	50 mg/L	96.4	80.0	120	
Cesium, dissolved	7440-46-2 E	421	0.00001	mg/L	0.05 mg/L	93.9	80.0	120	
Chromium, dissolved	7440-47-3 E	421	0.0005	mg/L	0.25 mg/L	101	80.0	120	
Cobalt, dissolved	7440-48-4 E	421	0.0001	mg/L	0.25 mg/L	99.8	80.0	120	
Copper, dissolved	7440-50-8 E	421	0.0002	mg/L	0.25 mg/L	98.8	80.0	120	
ron, dissolved	7439-89-6 E	421	0.01	mg/L	1 mg/L	96.8	80.0	120	
_ead, dissolved	7439-92-1 E	421	0.00005	mg/L	0.5 mg/L	99.4	80.0	120	
Lithium, dissolved	7439-93-2 E	421	0.001	mg/L	0.25 mg/L	93.9	80.0	120	
Magnesium, dissolved	7439-95-4 E	421	0.005	mg/L	50 mg/L	108	80.0	120	
Manganese, dissolved	7439-96-5 E	421	0.0001	mg/L	0.25 mg/L	99.2	80.0	120	
Molybdenum, dissolved	7439-98-7 E	421	0.00005	mg/L	0.25 mg/L	96.9	80.0	120	
Nickel, dissolved	7440-02-0 E	421	0.0005	mg/L	0.5 mg/L	101	80.0	120	
Phosphorus, dissolved	7723-14-0 E	421	0.05	mg/L	10 mg/L	96.5	80.0	120	
Potassium, dissolved	7440-09-7 E	421	0.05	mg/L	50 mg/L	97.0	80.0	120	
Rubidium, dissolved	7440-17-7 E	421	0.0002	mg/L	0.1 mg/L	98.9	80.0	120	
Selenium, dissolved	7782-49-2 E	421	0.00005	mg/L	1 mg/L	106	80.0	120	
Silicon, dissolved	7440-21-3 E	421	0.05	mg/L	10 mg/L	106	80.0	120	
Silver, dissolved	7440-22-4 E		0.00001	mg/L	0.1 mg/L	90.6	80.0	120	
Sodium, dissolved	7440-23-5 E		0.05	mg/L	50 mg/L	96.9	80.0	120	
Strontium, dissolved	7440-24-6 E		0.0002	mg/L	0.25 mg/L	96.9	80.0	120	
Sulfur, dissolved	7704-34-9 E		0.5	mg/L	50 mg/L	95.0	80.0	120	
Tellurium, dissolved	13494-80-9 E		0.0002	mg/L	0.1 mg/L	92.9	80.0	120	
The literature, dissolved	7440-28-0 E		0.0002	mg/L	1 mg/L	99.6	80.0	120	

 Page
 :
 14 of 17

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.



Sub-Matrix: Water						Laboratory Co	ntrol Sample (LCS)	Report	
					Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Dissolved Metals (QCLot: 1540889) - con									
Thorium, dissolved	7440-29-1	E421	0.0001	mg/L	0.1 mg/L	95.8	80.0	120	
Tin, dissolved	7440-31-5	E421	0.0001	mg/L	0.5 mg/L	96.4	80.0	120	
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	0.25 mg/L	99.6	80.0	120	
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	0.1 mg/L	100	80.0	120	
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	0.005 mg/L	102	80.0	120	
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	0.5 mg/L	103	80.0	120	
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	0.5 mg/L	94.6	80.0	120	
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	0.1 mg/L	85.2	80.0	120	
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	0 mg/L	100	80.0	120	

 Page
 :
 15 of 17

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.

Project : ----



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Water								(MS) Report		
					Spi	ke	Recovery (%)	Recovery	Limits (%)	
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifie
Anions and Nutri	ents (QCLot: 154080	5)								
VA24B6551-001	Anonymous	Nitrate (as N)	14797-55-8	E235.NO3-T	2.53 mg/L	2.5 mg/L	101	75.0	125	
Anions and Nutri	ents (QCLot: 154080	6)								
VA24B6551-001	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2-L	0.507 mg/L	0.5 mg/L	101	75.0	125	
nions and Nutri	ents (QCLot: 154080	7)								
/L2400835-002	Pond 1-B	Chloride	16887-00-6	E235.CI-L	101 mg/L	100 mg/L	101	75.0	125	
nions and Nutri	ents (QCLot: 154080	8)								
YL2400835-002	Pond 1-B	Fluoride	16984-48-8	E235.F-L	1.05 mg/L	1 mg/L	105	75.0	125	
	ents (QCLot: 154080	9)								
YL2400835-002	Pond 1-B	Bromide	24959-67-9	E235.Br-U	0.501 mg/L	0.5 mg/L	100	75.0	125	
	ents (QCLot: 154081						.30		.20	1
/L2400835-002	Pond 1-B	Sulfate (as SO4)	14808-79-8	E235.SO4-L	ND mg/L		ND	75.0	125	
yanides (QCLo		Juliate (as 304)	14000-79-0	L233.304-L	ND IIIg/L		ND	7 3.0	123	
				5000					405	
VA24B6679-002	Anonymous	Cyanide, strong acid dissociable (Total)		E333				75.0	125	
otal Metals (QC	Lot: 1540695)									
YL2400864-002	Anonymous	Aluminum, total	7429-90-5	E420	ND mg/L		ND	70.0	130	
		Antimony, total	7440-36-0	E420	0.396 mg/L	0.4 mg/L	98.9	70.0	130	
		Arsenic, total	7440-38-2	E420	0.415 mg/L	0.4 mg/L	104	70.0	130	
		Barium, total	7440-39-3	E420	ND mg/L		ND	70.0	130	
		Beryllium, total	7440-41-7	E420	0.756 mg/L	0.8 mg/L	94.5	70.0	130	
		Bismuth, total	7440-69-9	E420	0.186 mg/L	0.2 mg/L	92.8	70.0	130	
		Boron, total	7440-42-8	E420	ND mg/L		ND	70.0	130	
		Cadmium, total	7440-43-9	E420	0.0803 mg/L	0.08 mg/L	100	70.0	130	
		Calcium, total	7440-70-2	E420	ND mg/L		ND	70.0	130	
		Cesium, total	7440-46-2	E420	0.202 mg/L	0.2 mg/L	101	70.0	130	
		Chromium, total	7440-47-3	E420	ND mg/L		ND	70.0	130	
		Cobalt, total	7440-48-4	E420	0.382 mg/L	0.4 mg/L	95.5	70.0	130	
		Copper, total	7440-46-4	E420	ND mg/L	0.4 mg/L	95.5 ND	70.0	130	
		Iron, total	7440-50-8 7439-89-6	E420			ND ND	70.0	130	
		· · · · · · · · · · · · · · · · · · ·			ND mg/L	0.4				
		Lead, total	7439-92-1	E420	0.376 mg/L	0.4 mg/L	94.0	70.0	130	
		Lithium, total	7439-93-2	E420	1.83 mg/L	2 mg/L	91.5	70.0	130	
		Magnesium, total	7439-95-4	E420	ND mg/L		ND	70.0	130	
		Manganese, total	7439-96-5	E420	ND mg/L		ND	70.0	130	
		Molybdenum, total	7439-98-7	E420	0.430 mg/L	0.4 mg/L	107	70.0	130	
		Nickel, total	7440-02-0	E420	ND mg/L		ND	70.0	130	
			7723-14-0	E420						

 Page
 :
 16 of 17

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.



Sub-Matrix: Water							Matrix Spik	e (MS) Report		
					Spi	ke	Recovery (%)	Recovery	Limits (%)	
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Total Metals (QCI	Lot: 1540695) - con	tinued								
YL2400864-002	Anonymous	Potassium, total	7440-09-7	E420	ND mg/L		ND	70.0	130	
		Rubidium, total	7440-17-7	E420	ND mg/L		ND	70.0	130	
		Selenium, total	7782-49-2	E420	0.791 mg/L	0.8 mg/L	98.9	70.0	130	
		Silicon, total	7440-21-3	E420	ND mg/L		ND	70.0	130	
		Silver, total	7440-22-4	E420	0.0794 mg/L	0.08 mg/L	99.3	70.0	130	
		Sodium, total	7440-23-5	E420	ND mg/L		ND	70.0	130	
		Strontium, total	7440-24-6	E420	ND mg/L		ND	70.0	130	
		Sulfur, total	7704-34-9	E420	391 mg/L	400 mg/L	97.8	70.0	130	
		Tellurium, total	13494-80-9	E420	0.857 mg/L	0.8 mg/L	107	70.0	130	
		Thallium, total	7440-28-0	E420	0.0736 mg/L	0.08 mg/L	91.9	70.0	130	
		Thorium, total	7440-29-1	E420	0.442 mg/L	0.4 mg/L	110	70.0	130	
		Tin, total	7440-31-5	E420	0.400 mg/L	0.4 mg/L	100	70.0	130	
		Titanium, total	7440-32-6	E420	ND mg/L		ND	70.0	130	
		Tungsten, total	7440-33-7	E420	0.402 mg/L	0.4 mg/L	100	70.0	130	
		Uranium, total	7440-61-1	E420	0.0780 mg/L	0.08 mg/L	97.5	70.0	130	
		Vanadium, total	7440-62-2	E420	2.03 mg/L	2 mg/L	102	70.0	130	
		Zinc, total	7440-66-6	E420	ND mg/L		ND	70.0	130	
		Zirconium, total	7440-67-7	E420	0.838 mg/L	0.8 mg/L	105	70.0	130	
Total Metals (QCI	Lot: 1540891)									
VA24B6652-001	Anonymous	Mercury, total	7439-97-6	E508	0.0000974 mg/L	0 mg/L	97.4	70.0	130	
Total Metals (QCI	Lot: 1540892)									
YL2400835-003	Pond 2-A	Mercury, total	7439-97-6	E508	0.0000004 //	0 //				
Non-shood Matela					0.0000994 mg/L	0 mg/L	99.4	70.0	130	
Dissolved Metals	(QCLot: 1540889)			2000	0.0000994 mg/L	0 mg/L	99.4	70.0	130	
	(QCLot: 1540889) Pond 1-B	Aluminum, dissolved	7429-90-5	E421		0 mg/L	99.4 ND	70.0		
		· · · · · · · · · · · · · · · · · · ·			ND mg/L		ND		130	
		Antimony, dissolved	7429-90-5 7440-36-0	E421 E421	ND mg/L 0.0180 mg/L	 0.02 mg/L	ND 90.0	70.0 70.0	130 130	
		· · · · · · · · · · · · · · · · · · ·	7429-90-5	E421 E421 E421	ND mg/L 0.0180 mg/L 0.0197 mg/L	0.02 mg/L 0.02 mg/L	ND 90.0 98.3	70.0	130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3	E421 E421 E421 E421	ND mg/L 0.0180 mg/L 0.0197 mg/L 0.0189 mg/L	 0.02 mg/L 0.02 mg/L 0.02 mg/L	ND 90.0 98.3 94.7	70.0 70.0 70.0	130 130 130 130	
		Antimony, dissolved Arsenic, dissolved	7429-90-5 7440-36-0 7440-38-2	E421 E421 E421	ND mg/L 0.0180 mg/L 0.0197 mg/L 0.0189 mg/L 0.0385 mg/L	0.02 mg/L 0.02 mg/L	ND 90.0 98.3	70.0 70.0 70.0 70.0	130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9	E421 E421 E421 E421 E421	ND mg/L 0.0180 mg/L 0.0197 mg/L 0.0189 mg/L 0.0385 mg/L 0.00909 mg/L	0.02 mg/L 0.02 mg/L 0.02 mg/L 0.04 mg/L 0.01 mg/L	ND 90.0 98.3 94.7 96.3 90.9	70.0 70.0 70.0 70.0 70.0	130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8	E421 E421 E421 E421 E421 E421 E421	ND mg/L 0.0180 mg/L 0.0197 mg/L 0.0189 mg/L 0.0385 mg/L 0.00909 mg/L 0.098 mg/L	0.02 mg/L 0.02 mg/L 0.02 mg/L 0.04 mg/L 0.01 mg/L 0.1 mg/L	ND 90.0 98.3 94.7 96.3 90.9 98.6	70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9	E421 E421 E421 E421 E421 E421 E421 E421	ND mg/L 0.0180 mg/L 0.0197 mg/L 0.0189 mg/L 0.0385 mg/L 0.0999 mg/L 0.098 mg/L 0.00376 mg/L	0.02 mg/L 0.02 mg/L 0.02 mg/L 0.04 mg/L 0.01 mg/L 0.1 mg/L 0.004 mg/L	ND 90.0 98.3 94.7 96.3 90.9 98.6 94.0	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2	E421 E421 E421 E421 E421 E421 E421 E421	ND mg/L 0.0180 mg/L 0.0197 mg/L 0.0189 mg/L 0.0385 mg/L 0.00909 mg/L 0.098 mg/L 0.00376 mg/L ND mg/L	0.02 mg/L 0.02 mg/L 0.02 mg/L 0.04 mg/L 0.01 mg/L 0.1 mg/L 0.004 mg/L	ND 90.0 98.3 94.7 96.3 90.9 98.6 94.0 ND	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2	E421 E421 E421 E421 E421 E421 E421 E421	ND mg/L 0.0180 mg/L 0.0197 mg/L 0.0189 mg/L 0.0385 mg/L 0.00909 mg/L 0.098 mg/L 0.00376 mg/L ND mg/L 0.00925 mg/L	0.02 mg/L 0.02 mg/L 0.02 mg/L 0.04 mg/L 0.01 mg/L 0.004 mg/L 0.004 mg/L	ND 90.0 98.3 94.7 96.3 90.9 98.6 94.0 ND 92.5	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3	E421 E421 E421 E421 E421 E421 E421 E421	ND mg/L 0.0180 mg/L 0.0197 mg/L 0.0189 mg/L 0.0385 mg/L 0.00909 mg/L 0.098 mg/L 0.00376 mg/L ND mg/L 0.00925 mg/L 0.0387 mg/L	0.02 mg/L 0.02 mg/L 0.02 mg/L 0.04 mg/L 0.01 mg/L 0.1 mg/L 0.004 mg/L	ND 90.0 98.3 94.7 96.3 90.9 98.6 94.0 ND 92.5 96.6	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Cobalt, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3 7440-48-4	E421 E421 E421 E421 E421 E421 E421 E421	ND mg/L 0.0180 mg/L 0.0197 mg/L 0.0199 mg/L 0.0385 mg/L 0.0909 mg/L 0.0936 mg/L 0.00376 mg/L ND mg/L 0.00925 mg/L 0.0387 mg/L ND mg/L	0.02 mg/L 0.02 mg/L 0.02 mg/L 0.04 mg/L 0.01 mg/L 0.004 mg/L 0.01 mg/L 0.04 mg/L	ND 90.0 98.3 94.7 96.3 90.9 98.6 94.0 ND 92.5 96.6 ND	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Cobalt, dissolved Copper, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-43-9 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8	E421 E421 E421 E421 E421 E421 E421 E421	ND mg/L 0.0180 mg/L 0.0197 mg/L 0.0199 mg/L 0.0385 mg/L 0.0909 mg/L 0.0936 mg/L 0.00376 mg/L ND mg/L 0.00925 mg/L ND mg/L ND mg/L ND mg/L ND mg/L ND mg/L	0.02 mg/L 0.02 mg/L 0.02 mg/L 0.04 mg/L 0.01 mg/L 0.004 mg/L 0.01 mg/L 0.04 mg/L	ND 90.0 98.3 94.7 96.3 90.9 98.6 94.0 ND 92.5 96.6 ND	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Cobalt, dissolved Copper, dissolved Iron, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8 7439-89-6	E421 E421 E421 E421 E421 E421 E421 E421	ND mg/L 0.0180 mg/L 0.0197 mg/L 0.0189 mg/L 0.0385 mg/L 0.00909 mg/L 0.00376 mg/L ND mg/L 0.00925 mg/L 0.0387 mg/L ND mg/L ND mg/L ND mg/L ND mg/L 1.86 mg/L	0.02 mg/L 0.02 mg/L 0.02 mg/L 0.04 mg/L 0.01 mg/L 0.104 mg/L 0.01 mg/L 0.04 mg/L 2 mg/L	ND 90.0 98.3 94.7 96.3 90.9 98.6 94.0 ND 92.5 96.6 ND ND	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
YL2400835-002		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Cobalt, dissolved Copper, dissolved Iron, dissolved Lead, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-42-8 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8 7439-89-6 7439-92-1	E421 E421 E421 E421 E421 E421 E421 E421	ND mg/L 0.0180 mg/L 0.0197 mg/L 0.0189 mg/L 0.0385 mg/L 0.0999 mg/L 0.09376 mg/L ND mg/L 0.00925 mg/L ND mg/L O.0387 mg/L ND mg/L ND mg/L 0.0190 mg/L	0.02 mg/L 0.02 mg/L 0.02 mg/L 0.04 mg/L 0.01 mg/L 0.10 mg/L 0.00 mg/L 0.01 mg/L 0.02 mg/L 0.02 mg/L 0.02 mg/L	ND 90.0 98.3 94.7 96.3 90.9 98.6 94.0 ND 92.5 96.6 ND ND 93.1	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Cobalt, dissolved Copper, dissolved Iron, dissolved Lead, dissolved Lithium, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8 7439-89-6 7439-92-1 7439-93-2	E421 E421 E421 E421 E421 E421 E421 E421	ND mg/L 0.0180 mg/L 0.0197 mg/L 0.0189 mg/L 0.0385 mg/L 0.0998 mg/L 0.09376 mg/L ND mg/L 0.0387 mg/L ND mg/L ND mg/L ND mg/L ND mg/L ND mg/L 0.0387 mg/L ND mg/L 0.0190 mg/L 0.0957 mg/L	0.02 mg/L 0.02 mg/L 0.02 mg/L 0.04 mg/L 0.01 mg/L 0.04 mg/L 0.004 mg/L 0.01 mg/L 0.04 mg/L 0.04 mg/L 0.04 mg/L 1 mg/L 0.02 mg/L 0.02 mg/L 0.1 mg/L	ND 90.0 98.3 94.7 96.3 90.9 98.6 94.0 ND 92.5 96.6 ND ND 93.1 95.0 95.7	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Cobalt, dissolved Copper, dissolved Iron, dissolved Lead, dissolved Lithium, dissolved Magnesium, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8 7439-89-6 7439-92-1 7439-93-2 7439-95-4	E421 E421 E421 E421 E421 E421 E421 E421	ND mg/L 0.0180 mg/L 0.0197 mg/L 0.0189 mg/L 0.0385 mg/L 0.0999 mg/L 0.09876 mg/L ND mg/L 0.00925 mg/L ND mg/L 1.86 mg/L 0.0190 mg/L ND mg/L ND mg/L	0.02 mg/L 0.02 mg/L 0.02 mg/L 0.04 mg/L 0.01 mg/L 0.10 mg/L 0.00 mg/L 0.01 mg/L 0.02 mg/L 0.02 mg/L 0.02 mg/L	ND 90.0 98.3 94.7 96.3 90.9 98.6 94.0 ND 92.5 96.6 ND ND 93.1 95.0 95.7	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Cobalt, dissolved Copper, dissolved Iron, dissolved Lead, dissolved Lithium, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8 7439-89-6 7439-92-1 7439-93-2	E421 E421 E421 E421 E421 E421 E421 E421	ND mg/L 0.0180 mg/L 0.0197 mg/L 0.0189 mg/L 0.0385 mg/L 0.0998 mg/L 0.09376 mg/L ND mg/L 0.0387 mg/L ND mg/L ND mg/L ND mg/L ND mg/L ND mg/L 0.0387 mg/L ND mg/L 0.0190 mg/L 0.0957 mg/L	0.02 mg/L 0.02 mg/L 0.02 mg/L 0.04 mg/L 0.01 mg/L 0.01 mg/L 0.004 mg/L 0.01 mg/L 0.04 mg/L 2 mg/L 0.02 mg/L 0.102 mg/L 0.102 mg/L	ND 90.0 98.3 94.7 96.3 90.9 98.6 94.0 ND 92.5 96.6 ND ND 93.1 95.0 95.7	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	

 Page
 :
 17 of 17

 Work Order
 :
 YL2400835

 Client
 :
 Elgin Mining Inc.



Sub-Matrix: Water							Matrix Spik	re (MS) Report		
					Spi	ke	Recovery (%)	Recovery	Limits (%)	
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Dissolved Metals (QCLot: 1540889) - continued										
YL2400835-002	Pond 1-B	Phosphorus, dissolved	7723-14-0	E421	9.53 mg/L	10 mg/L	95.3	70.0	130	
		Potassium, dissolved	7440-09-7	E421	4.04 mg/L	4 mg/L	101	70.0	130	
		Rubidium, dissolved	7440-17-7	E421	0.0192 mg/L	0.02 mg/L	96.1	70.0	130	
		Selenium, dissolved	7782-49-2	E421	0.0392 mg/L	0.04 mg/L	98.0	70.0	130	
		Silicon, dissolved	7440-21-3	E421	9.20 mg/L	10 mg/L	92.0	70.0	130	
		Silver, dissolved	7440-22-4	E421	0.00377 mg/L	0.004 mg/L	94.3	70.0	130	
		Sodium, dissolved	7440-23-5	E421	ND mg/L		ND	70.0	130	
		Strontium, dissolved	7440-24-6	E421	ND mg/L		ND	70.0	130	
		Sulfur, dissolved	7704-34-9	E421	ND mg/L		ND	70.0	130	
		Tellurium, dissolved	13494-80-9	E421	0.0377 mg/L	0.04 mg/L	94.2	70.0	130	
		Thallium, dissolved	7440-28-0	E421	0.00365 mg/L	0.004 mg/L	91.2	70.0	130	
		Thorium, dissolved	7440-29-1	E421	0.0195 mg/L	0.02 mg/L	97.5	70.0	130	
		Tin, dissolved	7440-31-5	E421	0.0185 mg/L	0.02 mg/L	92.6	70.0	130	
		Titanium, dissolved	7440-32-6	E421	0.0390 mg/L	0.04 mg/L	97.6	70.0	130	
		Tungsten, dissolved	7440-33-7	E421	0.0190 mg/L	0.02 mg/L	94.9	70.0	130	
		Uranium, dissolved	7440-61-1	E421	0.00372 mg/L	0.004 mg/L	92.9	70.0	130	
		Vanadium, dissolved	7440-62-2	E421	0.0974 mg/L	0.1 mg/L	97.4	70.0	130	
		Zinc, dissolved	7440-66-6	E421	ND mg/L		ND	70.0	130	
		Zirconium, dissolved	7440-67-7	E421	0.0367 mg/L	0.04 mg/L	91.8	70.0	130	
Dissolved Metals	(QCLot: 1540899)									
VA24B6749-002	Anonymous	Mercury, dissolved	7439-97-6	E509	0.000101 mg/L	0 mg/L	101	70.0	130	

ALS Canada Ltd.



CERTIFICATE OF ANALYSIS

Work Order : YL2400881 Page : 1 of 6

Client Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Account Manager Contact : Shane Leggett : Oliver Gregg Address

: 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

Yellowknife NT Canada X1A 3T3

Telephone Telephone : 1 867 445 7143 **Project** Date Samples Received : 11-Jul-2024 14:25

PO **Date Analysis Commenced** : 15-Jul-2024

C-O-C number Issue Date : 24-Jul-2024 10:53 Sampler

Quote number : YL23-ELMI100-001

Vancouver BC Canada V6C 2T7

No. of samples received : 5 No. of samples analysed : 5

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

Site

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Dan Gebert	Laboratory Analyst	Metals, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Lindsay Gung	Supervisor - Water Chemistry	Inorganics, Burnaby, British Columbia
Maya Urquhart	Lab Analyst	Metals, Burnaby, British Columbia

 Page
 :
 2 of 6

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances LOR: Limit of Reporting (detection limit).

Unit	Description
-	no units
μS/cm	microsiemens per centimetre
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Qualifiers

Qualifier	Description
DLDS	Detection Limit Raised: Dilution required due to high Dissolved Solids / Electrical
	Conductivity.
DLM	Detection Limit Adjusted due to sample matrix effects (e.g. chemical interference,
	colour, turbidity).

 Page
 :
 3 of 6

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Analytical Results

Sub-Matrix: Water			Cli	ient sample ID	Cell 4-A	Cell 4-B	Pond 1-B	Pond 1-D	Contwoyto
(Matrix: Water)									Lake
			Client samp	ling date / time	10-Jul-2024 15:00	10-Jul-2024 15:15	10-Jul-2024 14:45	10-Jul-2024 14:30	10-Jul-2024 14:30
Analyte	CAS Number	Method/Lab	LOR	Unit	YL2400881-001	YL2400881-002	YL2400881-003	YL2400881-004	YL2400881-005
					Result	Result	Result	Result	Result
Physical Tests									
Acidity (as CaCO3)		E283/VA	2.0	mg/L	56.7	57.0	20.0	14.9	<2.0
Alkalinity, total (as CaCO3)		E290/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	3.9
Conductivity		E100/VA	1.0	μS/cm	812	821	384	368	34.0
Hardness (as CaCO3), dissolved		EC100/VA	0.60	mg/L	186	188	100	96.7	10.3
Hardness (as CaCO3), from total Ca/Mg		EC100A/VA	0.60	mg/L	193	191	102	99.8	10.8
рН		E108/VA	0.10	pH units	3.46	3.45	4.08	4.13	6.78
Solids, total dissolved [TDS]		E162/VA	10	mg/L	500	489	236	245	30
Solids, total suspended [TSS]		E160-L/VA	1.0	mg/L	40.4	6.5	<1.0	26.9	2.1
Anions and Nutrients									
Bromide	24959-67-9	E235.Br-U/VA	0.0050	mg/L	0.267	0.256	0.0719	0.0806	0.0081
Chloride	16887-00-6	E235.CI-L/VA	0.10	mg/L	17.3	17.5	6.93	7.02	0.46
Fluoride		E235.F-L/VA	0.010	mg/L	0.171	0.173	0.115	0.106	0.030
Nitrate (as N)	14797-55-8	E235.NO3-T/V Δ	0.0030	mg/L	0.0333	0.0357	0.311	0.318	0.0087
Nitrite (as N)	14797-65-0	E235.NO2-L/V	0.0010	mg/L	<0.0050 DLDS	<0.0050 DLDS	<0.0010	<0.0010	<0.0010
Sulfate (as SO4)	14808-79-8	E235.SO4-L/V	0.050	mg/L	297	302	144	141	8.89
Cyanides									
Cyanide, strong acid dissociable (Total)		E333/VA	0.0050	mg/L	0.0069	0.0068	<0.0050	0.0061	<0.0050
Total Metals									
Aluminum, total	7429-90-5	E420/VA	0.0030	mg/L	3.39	3.28	1.47	1.49	0.0256
Antimony, total	7440-36-0	E420/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Arsenic, total	7440-38-2		0.00010	mg/L	0.0715	0.0876	0.00984	0.0472	0.00102
Barium, total	7440-39-3		0.00010	mg/L	0.0199	0.0194	0.0128	0.0147	0.00444
Beryllium, total	7440-41-7	E420/VA	0.000100	mg/L	0.000456	0.000457	0.000347	0.000329	<0.000100
Bismuth, total	7440-69-9	E420/VA	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
Boron, total	7440-42-8	E420/VA	0.010	mg/L	0.062	0.062	0.028	0.027	<0.010
Cadmium, total	7440-43-9		0.0000050	mg/L	0.000266	0.000270	0.000279	0.000256	0.0000068
Calcium, total	7440-70-2		0.050	mg/L	59.1	58.8	28.7	28.1	2.06
Cesium, total	7440-46-2		0.000010	mg/L	0.000076	0.000088	0.000066	0.000149	0.000020

 Page
 :
 4 of 6

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Analytical Results

Sub-Matrix: Water		Cl	ient sample ID	Cell 4-A	Cell 4-B	Pond 1-B	Pond 1-D	Contwoyto
(Matrix: Water)								Lake
		Client samp	ling date / time	10-Jul-2024 15:00	10-Jul-2024 15:15	10-Jul-2024 14:45	10-Jul-2024 14:30	10-Jul-2024 14:30
Analyte	CAS Number Method/Lab	LOR	Unit	YL2400881-001	YL2400881-002	YL2400881-003	YL2400881-004	YL2400881-005
				Result	Result	Result	Result	Result
Total Metals								
Chromium, total	7440-47-3 E420/VA	0.00050	mg/L	0.00122	0.00119	<0.00050	0.00093	<0.00050
Cobalt, total	7440-48-4 E420/VA	0.00010	mg/L	0.0798	0.0782	0.0529	0.0515	0.00080
Copper, total	7440-50-8 E420/VA	0.00050	mg/L	0.0992	0.0970	0.0402	0.0386	0.00122
Iron, total	7439-89-6 E420/VA	0.010	mg/L	4.69	4.52	1.97	1.27	0.131
Lead, total	7439-92-1 E420/VA	0.000050	mg/L	0.0483	0.0483	0.00224	0.00335	<0.000050
Lithium, total	7439-93-2 E420/VA	0.0010	mg/L	0.0501	0.0495	0.0239	0.0231	0.0030
Magnesium, total	7439-95-4 E420/VA	0.0050	mg/L	11.0	10.8	7.39	7.20	1.37
Manganese, total	7439-96-5 E420/VA	0.00010	mg/L	1.44	1.38	0.688	0.670	0.0117
Mercury, total	7439-97-6 E508/VA	0.0000050	mg/L	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050
Molybdenum, total	7439-98-7 E420/VA	0.000050	mg/L	0.000056	0.000054	<0.000050	0.000091	<0.000050
Nickel, total	7440-02-0 E420/VA	0.00050	mg/L	0.187	0.183	0.112	0.108	0.00363
Phosphorus, total	7723-14-0 E420/VA	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050
Potassium, total	7440-09-7 E420/VA	0.050	mg/L	4.80	4.64	2.70	2.75	0.533
Rubidium, total	7440-17-7 E420/VA	0.00020	mg/L	0.00280	0.00276	0.00170	0.00200	0.00151
Selenium, total	7782-49-2 E420/VA	0.000050	mg/L	0.000082	0.000073	0.000058	<0.000050	<0.000050
Silicon, total	7440-21-3 E420/VA	0.10	mg/L	8.60	8.53	2.90	3.11	0.21
Silver, total	7440-22-4 E420/VA	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Sodium, total	7440-23-5 E420/VA	0.050	mg/L	36.8	34.7	14.8	14.3	1.12
Strontium, total	7440-24-6 E420/VA	0.00020	mg/L	0.367	0.370	0.153	0.150	0.0118
Sulfur, total	7704-34-9 E420/VA	0.50	mg/L	106	104	48.7	45.8	2.76
Tellurium, total	13494-80-9 E420/VA	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
Thallium, total	7440-28-0 E420/VA	0.000010	mg/L	<0.000010	<0.000010	<0.000010	0.000010	<0.000010
Thorium, total	7440-29-1 E420/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Tin, total	7440-31-5 E420/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Titanium, total	7440-32-6 E420/VA	0.00030	mg/L	<0.00180 DLM	<0.00120 DLM	<0.00090 DLM	0.0151	<0.00030
Tungsten, total	7440-33-7 E420/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Uranium, total	7440-61-1 E420/VA	0.000010	mg/L	0.000898	0.000918	0.000366	0.000334	0.000025
Vanadium, total	7440-62-2 E420/VA	0.00050	mg/L	<0.00050	<0.00050	<0.00050	0.00067	<0.00050
Zinc, total	7440-66-6 E420/VA	0.0030	mg/L	1.15	1.11	0.525	0.510	<0.0030
Zirconium, total	7440-67-7 E420/VA	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
Dissolved Metals								

 Page
 :
 5 of 6

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Analytical Results

Client sampling date / time	Lake 0 10-Jul-2024 14:30
CAS Number Method/Lab LOR Unit YL2400881-001 YL2400881-002 YL2400881-003 YL240081-003 YL240	0 10-Jul-2024 14:30
Result Result Result Result Result Result Result	
Dissolved Metals Aluminum, dissolved 7429-90-5 E421/VA 0.0010 mg/L 3.40 3.43 1.51 1.24 Antimony, dissolved 7440-36-0 E421/VA 0.00010 mg/L <0.00010	YL2400881-005
Aluminum, dissolved 7429-90-5 (E421/VA) 6421/VA 0.0010 mg/L 3.40 3.43 1.51 1.24 Antimony, dissolved 7440-36-0 E421/VA 0.00010 mg/L <0.00010	Result
Antimony, dissolved 7440-36-0 E421/VA 0.00010 mg/L <0.00010	
Arsenic, dissolved 7440-38-2 E421/VA 0.00010 mg/L 0.0643 0.0585 0.00862 0.00814 Barium, dissolved 7440-39-3 E421/VA 0.00010 mg/L 0.0199 0.0195 0.0129 0.0129 Beryllium, dissolved 7440-41-7 E421/VA 0.000100 mg/L 0.000434 0.000448 0.000356 0.000320 Bismuth, dissolved 7440-69-9 E421/VA 0.000050 mg/L 0.00050 <0.00050	0.0189
Barium, dissolved 7440-39-3 E421/VA 0.00010 mg/L 0.0199 0.0195 0.0129 0.0129 Beryllium, dissolved 7440-41-7 E421/VA 0.000100 mg/L 0.00193 0.0195 0.0129 0.0129 Bismuth, dissolved 7440-69-9 E421/VA 0.000050 mg/L <0.000050	<0.00010
Beryllium, dissolved 7440-41-7 E421/VA 0.000100 mg/L 0.000434 0.000448 0.000356 0.000320 Bismuth, dissolved 7440-69-9 E421/VA 0.000050 mg/L <0.000050	0.00086
Bismuth, dissolved 7440-69-9 E421/VA 0.00050 mg/L 0.00050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.0000267 <0.	0.00405
Boron, dissolved 7440-42-8 E421/VA 0.010 mg/L 0.058 0.058 0.026 0.025 Cadmium, dissolved 7440-43-9 E421/VA 0.000050 mg/L 0.000269 0.000280 0.000281 0.000267 Calcium, dissolved 7440-70-2 E421/VA 0.050 mg/L 56.2 57.0 27.8 26.8 Cesium, dissolved 7440-46-2 E421/VA 0.000010 mg/L 0.000072 0.000077 0.000060 0.000051 Chromium, dissolved 7440-48-4 E421/VA 0.00050 mg/L 0.00106 0.00113 <0.00050	<0.000100
Cadmium, dissolved 7440-43-9 E421/VA 0.0000050 mg/L 0.000269 0.000280 0.000281 0.000267 Calcium, dissolved 7440-46-2 E421/VA 0.050 mg/L 56.2 57.0 27.8 26.8 Cesium, dissolved 7440-46-2 E421/VA 0.000010 mg/L 0.000072 0.000077 0.000060 0.000051 Chromium, dissolved 7440-48-4 E421/VA 0.00050 mg/L 0.00106 0.00113 <0.00050	<0.000050
Calcium, dissolved 7440-70-2 E421/VA 0.050 mg/L 56.2 57.0 27.8 26.8 Cesium, dissolved 7440-46-2 E421/VA 0.000010 mg/L 0.000072 0.000077 0.000060 0.000051 Chromium, dissolved 7440-48-4 E421/VA 0.00050 mg/L 0.00106 0.00113 <0.00050	<0.010
Cesium, dissolved 7440-46-2 Chromium, dissolved E421/VA 0.000010 mg/L 0.000072 mg/L 0.000077 0.000060 0.000050 0.000051 Chromium, dissolved 7440-47-3 Chromium, dissolved E421/VA 0.00050 mg/L 0.00106 0.00113 0.00050 0.00050 <0.00050 0.00050	0.0000059
Chromium, dissolved 7440-47-3 E421/VA 0.00050 mg/L 0.00106 0.00113 <0.00050	1.93
Cobalt, dissolved 7440-48-4 E421/VA 0.00010 mg/L 0.0792 0.0800 0.0534 0.0518 Copper, dissolved 7440-50-8 E421/VA 0.00020 mg/L 0.0971 0.0982 0.0396 0.0358 Iron, dissolved 7439-89-6 E421/VA 0.010 mg/L 4.61 4.30 2.07 0.609 Lead, dissolved 7439-92-1 E421/VA 0.00050 mg/L 0.0487 0.0472 0.0023 0.00237 Lithium, dissolved 7439-93-2 E421/VA 0.0010 mg/L 0.0490 0.0489 0.0250 0.0230	0.000019
Copper, dissolved 7440-50-8 E421/VA 0.00020 mg/L 0.0971 0.0982 0.0396 0.0358 Iron, dissolved 7439-89-6 E421/VA 0.010 mg/L 4.61 4.30 2.07 0.609 Lead, dissolved 7439-92-1 E421/VA 0.000050 mg/L 0.0487 0.0472 0.00233 0.00237 Lithium, dissolved 7439-93-2 E421/VA 0.0010 mg/L 0.0490 0.0489 0.0250 0.0230	<0.00050
Iron, dissolved 7439-89-6 E421/VA 0.010 mg/L 4.61 4.30 2.07 0.609 Lead, dissolved 7439-92-1 E421/VA 0.000050 mg/L 0.0487 0.0472 0.00223 0.00237 Lithium, dissolved 7439-93-2 E421/VA 0.0010 mg/L 0.0490 0.0489 0.0250 0.0230	0.00071
Lead, dissolved 7439-92-1 E421/VA 0.000050 mg/L 0.0487 0.0472 0.00223 0.00237 Lithium, dissolved 7439-93-2 E421/VA 0.0010 mg/L 0.0490 0.0489 0.0250 0.0230	0.00111
Lithium, dissolved 7439-93-2 E421/VA 0.0010 mg/L 0.0490 0.0489 0.0250 0.0230	0.083
	<0.000050
Magnesium, dissolved 7439-95-4 E421/VA 0.0050 mg/L 11.2 11.2 7.55 7.24	0.0029
	1.33
Manganese, dissolved 7439-96-5 E421/VA 0.00010 mg/L 1.40 1.40 0.689 0.677	0.00985
Mercury, dissolved 7439-97-6 E509/VA 0.0000050 mg/L <0.0000050	<0.0000050
Molybdenum, dissolved 7439-98-7 E421/VA 0.000050 mg/L < 0.000050	<0.000050
Nickel, dissolved 7440-02-0 E421/VA 0.00050 mg/L 0.186 0.187 0.111 0.108	0.00338
Phosphorus, dissolved 7723-14-0 E421/VA 0.050 mg/L <0.050	<0.050
Potassium, dissolved 7440-09-7 E421/VA 0.050 mg/L 4.87 4.88 2.76 2.77	0.544
Rubidium, dissolved 7440-17-7 E421/VA 0.00020 mg/L 0.00251 0.00266 0.00172 0.00157	0.00148
Selenium, dissolved 7782-49-2 E421/VA 0.000050 mg/L 0.000056 0.000082 0.000059 <0.000050	<0.000050
Silicon, dissolved 7440-21-3 E421/VA 0.050 mg/L 8.83 8.94 2.94 2.82	0.163
Silver, dissolved 7440-22-4 E421/VA 0.000010 mg/L < 0.000010	<0.000010
Sodium, dissolved 7440-23-5 E421/VA 0.050 mg/L 36.6 36.4 14.8 14.9	1.10
Strontium, dissolved 7440-24-6 E421/VA 0.00020 mg/L 0.367 0.369 0.153 0.150	0.0118
Sulfur, dissolved 7704-34-9 E421/VA 0.50 mg/L 109 108 49.0 46.7	2.72
Tellurium, dissolved 13494-80-9 E421/VA 0.00020 mg/L < 0.00020	<0.00020

 Page
 :
 6 of 6

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Analytical Results

Sub-Matrix: Water			Cli	ient sample ID	Cell 4-A	Cell 4-B	Pond 1-B	Pond 1-D	Contwoyto
(Matrix: Water)									Lake
			Client samp	ling date / time	10-Jul-2024 15:00	10-Jul-2024 15:15	10-Jul-2024 14:45	10-Jul-2024 14:30	10-Jul-2024 14:30
Analyte	CAS Number	Method/Lab	LOR	Unit	YL2400881-001	YL2400881-002	YL2400881-003	YL2400881-004	YL2400881-005
					Result	Result	Result	Result	Result
Dissolved Metals									
Thallium, dissolved	7440-28-0	E421/VA	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Thorium, dissolved	7440-29-1	E421/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Tin, dissolved	7440-31-5	E421/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Titanium, dissolved	7440-32-6	E421/VA	0.00030	mg/L	<0.00030	<0.00030	<0.00030	<0.00030	<0.00030
Tungsten, dissolved	7440-33-7	E421/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Uranium, dissolved	7440-61-1	E421/VA	0.000010	mg/L	0.000898	0.000916	0.000360	0.000284	0.000023
Vanadium, dissolved	7440-62-2	E421/VA	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Zinc, dissolved	7440-66-6	E421/VA	0.0010	mg/L	1.15	1.18	0.544	0.528	0.0023
Zirconium, dissolved	7440-67-7	E421/VA	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
Dissolved mercury filtration location		EP509/VA	-	-	Field	Field	Field	Field	Field
Dissolved metals filtration location		EP421/VA	-	-	Field	Field	Field	Field	Field

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



QUALITY CONTROL INTERPRETIVE REPORT

Work Order : **YL2400881** Page : 1 of 17

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Shane Leggett Account Manager : Oliver Gregg

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

Vancouver BC Canada V6C 2T7

Yellowknife, Northwest Territories Canada X1A 3T3

 Telephone
 : -- Telephone
 : 1 867 445 7143

 Project
 : -- Date Samples Received
 : 11-Jul-2024 14:25

 PO
 : -- Issue Date
 : 24-Jul-2024 10:54

C-O-C number : ---Sampler : ---Site : ----

Quote number : YL23-ELMI100-001

No. of samples received :5
No. of samples analysed :5

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers Outliers : Quality Control Samples

• No Method Blank value outliers occur.

- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

• No Reference Material (RM) Sample outliers occur.

Outliers: Analysis Holding Time Compliance (Breaches) ● Analysis Holding Time Outliers exist - please see following pages for full details.

Outliers : Frequency of Quality Control Samples

No Quality Control Sample Frequency Outliers occur.

 Page
 :
 3 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

Project : ----



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and/or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

	Matrix: Water	Evaluation: x = Holding time exceedance ; √ = Within Holding Time
--	---------------	---

Analyte Group : Analytical Method	Method	Sampling Date	Ext	traction / Pi	eparation	raidation. ** =	Analysis				
Container / Client Sample ID(s)			Preparation Date	Holdin Rec	g Times Actual	Eval	Analysis Date	Holding Rec	g Times Actual	Eval	
Anions and Nutrients : Bromide by IC (Ultra Trace Level)			Date	7100	riotaar			7100	7101007		
HDPE Cell 4-A	E235.Br-U	10-Jul-2024	15-Jul-2024	28 days	5 days	✓	15-Jul-2024	28 days	5 days	✓	
Anions and Nutrients : Bromide by IC (Ultra Trace Level)											
HDPE Cell 4-B	E235.Br-U	10-Jul-2024	15-Jul-2024	28 days	5 days	✓	15-Jul-2024	28 days	5 days	✓	
Anions and Nutrients : Bromide by IC (Ultra Trace Level)											
HDPE Contwoyto Lake	E235.Br-U	10-Jul-2024	15-Jul-2024	28 days	5 days	✓	15-Jul-2024	28 days	5 days	✓	
Anions and Nutrients : Bromide by IC (Ultra Trace Level)											
HDPE Pond 1-B	E235.Br-U	10-Jul-2024	15-Jul-2024	28 days	5 days	✓	15-Jul-2024	28 days	5 days	✓	
Anions and Nutrients : Bromide by IC (Ultra Trace Level)											
HDPE Pond 1-D	E235.Br-U	10-Jul-2024	15-Jul-2024	28 days	5 days	✓	15-Jul-2024	28 days	5 days	✓	
Anions and Nutrients : Chloride in Water by IC (Low Level)											
HDPE Cell 4-A	E235.CI-L	10-Jul-2024	15-Jul-2024	28 days	5 days	✓	15-Jul-2024	28 days	5 days	✓	
Anions and Nutrients : Chloride in Water by IC (Low Level)											
HDPE Cell 4-B	E235.CI-L	10-Jul-2024	15-Jul-2024	28 days	5 days	✓	15-Jul-2024	28 days	5 days	✓	

 Page
 :
 4 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

Project : ----



Matrix: Water Evaluation: **x** = Holding time exceedance ; ✓ = Within Holding Time Extraction / Preparation Analysis Analyte Group: Analytical Method Method Sampling Date Container / Client Sample ID(s) **Holding Times** Preparation **Holding Times** Eval Analysis Date Eval Rec Actual Rec Actual Date Anions and Nutrients : Chloride in Water by IC (Low Level) HDPE E235.CI-L 10-Jul-2024 15-Jul-2024 15-Jul-2024 1 5 days 28 days Contwoyto Lake 28 5 days days Anions and Nutrients : Chloride in Water by IC (Low Level) **HDPE** Pond 1-B E235.CI-L 10-Jul-2024 15-Jul-2024 28 5 days 1 15-Jul-2024 28 days 5 days 1 days Anions and Nutrients : Chloride in Water by IC (Low Level) HDPE E235.CI-L 10-Jul-2024 15-Jul-2024 5 days 1 15-Jul-2024 28 days 5 days Pond 1-D 28 davs Anions and Nutrients : Fluoride in Water by IC (Low Level) HDPE E235.F-L Cell 4-A 10-Jul-2024 15-Jul-2024 28 5 days 15-Jul-2024 28 days 5 days 1 days Anions and Nutrients : Fluoride in Water by IC (Low Level) **HDPE** E235.F-L 10-Jul-2024 15-Jul-2024 1 15-Jul-2024 1 Cell 4-B 5 days 28 days | 5 days 28 days Anions and Nutrients : Fluoride in Water by IC (Low Level) HDPE E235.F-L 10-Jul-2024 1 5 days 1 Contwoyto Lake 15-Jul-2024 28 5 days 15-Jul-2024 28 days days Anions and Nutrients : Fluoride in Water by IC (Low Level) HDPE Pond 1-B E235.F-L 10-Jul-2024 15-Jul-2024 15-Jul-2024 5 days 28 days 5 days 28 days Anions and Nutrients : Fluoride in Water by IC (Low Level) HDPE Pond 1-D E235.F-L 10-Jul-2024 15-Jul-2024 28 5 days 1 15-Jul-2024 28 days 5 days 1 days Anions and Nutrients : Nitrate in Water by IC (Trace Level) HDPE E235.NO3-T 10-Jul-2024 15-Jul-2024 15-Jul-2024 Cell 4-A 3 days 4 days 30 3 days 5 days 30 EHT EHT

 Page
 :
 5 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.



nalyte Group : Analytical Method	Method	hod Sampling Date	Ex	traction / Pi	eparation		Analysis			
Container / Client Sample ID(s)		' "	Preparation	Holdin	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual		,	Rec	Actual	
ions and Nutrients : Nitrate in Water by IC (Trace Level)										
HDPE	5005 NO. 7	40 1 1 0004								
Cell 4-B	E235.NO3-T	10-Jul-2024	15-Jul-2024	3 days	4 days	# EHT	15-Jul-2024	3 days	5 days	EH'
nions and Nutrients : Nitrate in Water by IC (Trace Level)										
IDPE										
Contwoyto Lake	E235.NO3-T	10-Jul-2024	15-Jul-2024	3 days	4 days	*	15-Jul-2024	3 days	5 days	*
						EHT				EH
nions and Nutrients : Nitrate in Water by IC (Trace Level)							<u> </u>			
Pond 1-B	E235.NO3-T	10-Jul-2024	15-Jul-2024	3 days	4 days	*	15-Jul-2024	3 days	5 days	*
						EHT				EH
nions and Nutrients : Nitrate in Water by IC (Trace Level)										
HDPE Pond 1-D	E235.NO3-T	10-Jul-2024	15-Jul-2024	3 days	4 days	*	15-Jul-2024	3 days	5 days	×
Folia 1-D	L233.NO3-1	10-341-2024	13-341-2024	3 days	4 uays	EHT	13-3ul-2024	3 days	Juays	EH.
nions and Nutrients : Nitrite in Water by IC (Low Level)										
IDPE										
Cell 4-A	E235.NO2-L	10-Jul-2024	15-Jul-2024	3 days	4 days	# EHT	15-Jul-2024	3 days	5 days	EH ⁻
nions and Nutrients : Nitrite in Water by IC (Low Level)						LIII				LII
IDPE										
Cell 4-B	E235.NO2-L	10-Jul-2024	15-Jul-2024	3 days	4 days	*	15-Jul-2024	3 days	5 days	×
						EHT				EH.
nions and Nutrients : Nitrite in Water by IC (Low Level)					I					
HDPE Contwoyto Lake	E235.NO2-L	10-Jul-2024	15-Jul-2024	3 days	4 days	*	15-Jul-2024	3 days	5 days	×
Sommoy to Land		10 041 2021	10 041 202 1		,	EHT	10 04. 202 .		o aayo	EH.
nions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE		40 1 :	45 1				45 1 1 222 /			
Pond 1-B	E235.NO2-L	10-Jul-2024	15-Jul-2024	3 days	4 days	# EHT	15-Jul-2024	3 days	5 days	EH'
sions and Nativious a Nitwite in Mater by IC // and level						EUI				EH
ions and Nutrients : Nitrite in Water by IC (Low Level) DPE										
Pond 1-D	E235.NO2-L	10-Jul-2024	15-Jul-2024	3 days	4 days	*	15-Jul-2024	3 days	5 days	æ
						EHT				EH

 Page
 :
 6 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

ALS)

Matrix: Water	Evaluation: x = Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pi	reparation					
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE Cell 4-A	E235.SO4-L	10-Jul-2024	15-Jul-2024	28 days	5 days	✓	15-Jul-2024	28 days	5 days	✓
Anions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE Cell 4-B	E235.SO4-L	10-Jul-2024	15-Jul-2024	28 days	5 days	✓	15-Jul-2024	28 days	5 days	√
Anions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE Contwoyto Lake	E235.SO4-L	10-Jul-2024	15-Jul-2024	28 days	5 days	1	15-Jul-2024	28 days	5 days	✓
Anions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE Pond 1-B	E235.SO4-L	10-Jul-2024	15-Jul-2024	28 days	5 days	√	15-Jul-2024	28 days	5 days	✓
Anions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE Pond 1-D	E235.SO4-L	10-Jul-2024	15-Jul-2024	28 days	5 days	1	15-Jul-2024	28 days	5 days	√
Cyanides : Total Cyanide										
UV-inhibited HDPE - total (sodium hydroxide) Cell 4-A	E333	10-Jul-2024	18-Jul-2024	14 days	8 days	✓	18-Jul-2024	14 days	8 days	✓
Cyanides : Total Cyanide										
UV-inhibited HDPE - total (sodium hydroxide) Cell 4-B	E333	10-Jul-2024	18-Jul-2024	14 days	8 days	✓	18-Jul-2024	14 days	8 days	✓
Cyanides : Total Cyanide										
UV-inhibited HDPE - total (sodium hydroxide) Contwoyto Lake	E333	10-Jul-2024	18-Jul-2024	14 days	8 days	1	18-Jul-2024	14 days	8 days	✓
Cyanides : Total Cyanide										
UV-inhibited HDPE - total (sodium hydroxide) Pond 1-B	E333	10-Jul-2024	18-Jul-2024	14 days	8 days	✓	18-Jul-2024	14 days	8 days	✓

 Page
 :
 7 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Matrix: Water Evaluation: × = Holding time exceedance: ✓ = Within Holding Time

Matrix: Water					L\	raidation. • -	Holding time exce	euance,	• — vviti iii i	Holding Hill
Analyte Group : Analytical Method	Method	Sampling Date	Ext	traction / Pr	reparation			Analys	sis	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding Times		Eval
			Date	Rec	Actual			Rec	Actual	
Cyanides : Total Cyanide										
UV-inhibited HDPE - total (sodium hydroxide)										
Pond 1-D	E333	10-Jul-2024	18-Jul-2024	14	8 days	✓	18-Jul-2024	14 days	8 days	✓
				days						
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial dissolved (hydrochloric acid)										
Cell 4-A	E509	10-Jul-2024	16-Jul-2024	28	6 days	✓	16-Jul-2024	28 days	6 days	✓
				days						
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial dissolved (hydrochloric acid)										
Cell 4-B	E509	10-Jul-2024	16-Jul-2024	28	6 days	✓	16-Jul-2024	28 days	6 days	✓
				days						
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial dissolved (hydrochloric acid)										
Contwoyto Lake	E509	10-Jul-2024	16-Jul-2024	28	6 days	✓	16-Jul-2024	28 days	6 days	✓
				days						
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial dissolved (hydrochloric acid)										
Pond 1-B	E509	10-Jul-2024	16-Jul-2024	28	6 days	✓	16-Jul-2024	28 days	6 days	✓
				days						
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial dissolved (hydrochloric acid)										
Pond 1-D	E509	10-Jul-2024	16-Jul-2024	28	6 days	✓	16-Jul-2024	28 days	6 days	✓
				days						
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS								<u> </u>		
HDPE - dissolved (lab preserved)										
Cell 4-A	E421	10-Jul-2024	17-Jul-2024	180	7 days	✓	17-Jul-2024	180	7 days	✓
				days				days		
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS								<u> </u>		
HDPE - dissolved (lab preserved)										
Cell 4-B	E421	10-Jul-2024	17-Jul-2024	180	7 days	✓	17-Jul-2024	180	7 days	✓
				days				days		
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE - dissolved (lab preserved)	I									
	E404	40 1-1-0004	47 1 1 000 4		7 1	✓	17-Jul-2024		7 days	✓
Contwoyto Lake	E421	10-Jul-2024	17-Jul-2024	180	7 days	•	17-Jui-2024	180	7 days	•

 Page
 :
 8 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Matrix: Water Evaluation: ▼ = Holding time exceedance; ✓ = Within Holding Time

Matrix: Water						raidation. • =	Holding time exce	cuarioc ,	- vvicinii	riolaling rill
Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pr	reparation			Analys	sis	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE - dissolved (lab preserved)										
Pond 1-B	E421	10-Jul-2024	17-Jul-2024	180	7 days	✓	17-Jul-2024	180	7 days	✓
				days				days		
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE - dissolved (lab preserved)										
Pond 1-D	E421	10-Jul-2024	17-Jul-2024	180	7 days	✓	17-Jul-2024	180	7 days	✓
				days				days	,	
Discolari Tanta e Anidita ha Titantian								aayo		
Physical Tests : Acidity by Titration HDPE				<u> </u>			<u> </u>	T T		
Cell 4-A	E283	10-Jul-2024	15-Jul-2024	14	5 days	√	15-Jul-2024	14 days	5 days	✓
OCII 4-A	L200	10-041-2024	10-041-202-	days	o days		10-041-2024	14 days	o days	•
				uays						
Physical Tests : Acidity by Titration						1				
HDPE	F000	40 1-1-0004	45 1 1 0004			,	45 1 1 0004			
Cell 4-B	E283	10-Jul-2024	15-Jul-2024	14	5 days	✓	15-Jul-2024	14 days	5 days	✓
				days						
Physical Tests : Acidity by Titration										
HDPE										
Contwoyto Lake	E283	10-Jul-2024	15-Jul-2024	14	5 days	✓	15-Jul-2024	14 days	5 days	✓
				days						
Physical Tests : Acidity by Titration										
HDPE										
Pond 1-B	E283	10-Jul-2024	15-Jul-2024	14	5 days	✓	15-Jul-2024	14 days	5 days	✓
				days						
Physical Tests : Acidity by Titration										
HDPE										
Pond 1-D	E283	10-Jul-2024	15-Jul-2024	14	5 days	1	15-Jul-2024	14 days	5 days	✓
				days	,				,	
Dhysical Tasta : Alkalinity Cussian by Titustian				,						
Physical Tests : Alkalinity Species by Titration HDPE							I			
Cell 4-A	E290	10-Jul-2024	15-Jul-2024	14	5 days	√	17-Jul-2024	14 days	7 days	✓
Ooii 371		10-041-2024	10-041-2024	days	Juays	,	17-041-2024	1 - days	, days	•
				uays						
Physical Tests : Alkalinity Species by Titration										
HDPE	F000	40 101 0004	45 1.1.0004			,	47 1.1 000 /		7.1	,
Cell 4-B	E290	10-Jul-2024	15-Jul-2024	14	5 days	✓	17-Jul-2024	14 days	7 days	✓
				days						

 Page
 :
 9 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Matrix: Water Evaluation: **×** = Holding time exceedance; ✓ = Within Holding Time

Matrix: Water						- aradicario	Holding time exce	oudinoo ,	******	
Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pi	reparation			Analys	sis	
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Physical Tests : Alkalinity Species by Titration										
HDPE										
Contwoyto Lake	E290	10-Jul-2024	15-Jul-2024	14	5 days	✓	17-Jul-2024	14 days	7 days	✓
				days						
Physical Tests : Alkalinity Species by Titration										
HDPE										
Pond 1-B	E290	10-Jul-2024	15-Jul-2024	14	5 days	✓	17-Jul-2024	14 days	7 days	✓
				days						
Physical Tests : Alkalinity Species by Titration										
HDPE										
Pond 1-D	E290	10-Jul-2024	15-Jul-2024	14	5 days	✓	17-Jul-2024	14 days	7 days	✓
				days						
Physical Tests : Conductivity in Water										
HDPE										
Cell 4-A	E100	10-Jul-2024	15-Jul-2024	28	5 days	✓	17-Jul-2024	28 days	7 days	✓
				days						
Physical Tests : Conductivity in Water										
HDPE										
Cell 4-B	E100	10-Jul-2024	15-Jul-2024	28	5 days	✓	17-Jul-2024	28 days	7 days	✓
				days						
Physical Tests : Conductivity in Water										
HDPE										
Contwoyto Lake	E100	10-Jul-2024	15-Jul-2024	28	5 days	✓	17-Jul-2024	28 days	7 days	✓
				days						
Physical Tests : Conductivity in Water										
HDPE										
Pond 1-B	E100	10-Jul-2024	15-Jul-2024	28	5 days	✓	17-Jul-2024	28 days	7 days	✓
				days						
Physical Tests : Conductivity in Water										
HDPE										
Pond 1-D	E100	10-Jul-2024	15-Jul-2024	28	5 days	1	17-Jul-2024	28 days	7 days	✓
				days						
Physical Tests : pH by Meter										
HDPE										
Cell 4-A	E108	10-Jul-2024	15-Jul-2024	0.25	118 hrs	×	17-Jul-2024	0.25	162 hrs	*

 Page
 :
 10 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

Project : Elg



Matrix: Water Evaluation: **x** = Holding time exceedance ; ✓ = Within Holding Time Analyte Group : Analytical Method Extraction / Preparation Analysis Method Sampling Date Container / Client Sample ID(s) Preparation **Holding Times** Eval Analysis Date **Holding Times** Eval Rec Actual Rec Actual Date Physical Tests : pH by Meter HDPE E108 10-Jul-2024 15-Jul-2024 118 hrs 17-Jul-2024 Cell 4-B 162 hrs 0.25 0.25 EHTR-FM EHTR-FM hrs hrs Physical Tests : pH by Meter HDPE Pond 1-B E108 10-Jul-2024 15-Jul-2024 0.25 118 hrs 17-Jul-2024 0.25 162 hrs EHTR-FM EHTR-FM hrs hrs Physical Tests : pH by Meter HDPE E108 10-Jul-2024 15-Jul-2024 118 hrs 17-Jul-2024 163 hrs Contwoyto Lake 0.25 0.25 hrs EHTR-FM hrs EHTR-FM Physical Tests : pH by Meter HDPE E108 10-Jul-2024 Pond 1-D 15-Jul-2024 0.25 118 hrs 17-Jul-2024 0.25 163 hrs EHTR-FM EHTR-FM hrs hrs **Physical Tests: TDS by Gravimetry** HDPE Cell 4-A E162 10-Jul-2024 17-Jul-2024 1 7 days 7 days Physical Tests: TDS by Gravimetry HDPE E162 10-Jul-2024 1 Cell 4-B 17-Jul-2024 7 days 7 days ----**Physical Tests: TDS by Gravimetry** HDPE Contwoyto Lake E162 10-Jul-2024 17-Jul-2024 1 7 days 7 days Physical Tests : TDS by Gravimetry HDPE 17-Jul-2024 ✓ Pond 1-B E162 10-Jul-2024 7 days 7 days **Physical Tests: TDS by Gravimetry** HDPE E162 10-Jul-2024 17-Jul-2024 7 days 1 Pond 1-D 7 days

 Page
 :
 11 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Matrix: Water Evaluation: ▼ = Holding time exceedance; ✓ = Within Holding Time

Matrix: Water					E\	aluation. ^ –	Holding time excee	edance, v	- vvitriiii	Holding Time
Analyte Group : Analytical Method	Method	Sampling Date	Ext	traction / Pr	reparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Physical Tests : TSS by Gravimetry (Low Level)										
HDPE [TSS-WB]										
Cell 4-A	E160-L	10-Jul-2024					17-Jul-2024	7 days	7 days	✓
Physical Tests : TSS by Gravimetry (Low Level)										
HDPE [TSS-WB]										
Cell 4-B	E160-L	10-Jul-2024					17-Jul-2024	7 days	7 days	✓
									-	
Physical Tests : TSS by Gravimetry (Low Level)										
HDPE [TSS-WB]										
Contwoyto Lake	E160-L	10-Jul-2024					17-Jul-2024	7 days	7 days	✓
									,	
Physical Tests : TSS by Gravimetry (Low Level)							l			
HDPE [TSS-WB]							I			
Pond 1-B	E160-L	10-Jul-2024					17-Jul-2024	7 days	7 days	✓
Tond TB								. aayo	,	
Physical Tests : TSS by Gravimetry (Low Level)										
HDPE [TSS-WB]				<u> </u>	<u> </u>		I			
Pond 1-D	E160-L	10-Jul-2024					17-Jul-2024	7 days	7 days	✓
Tolid 1-D	21002	10 041 202 1					17 0di 2021	radyo	, dayo	·
TALMAL TALMA AND AND AND AND AND AND AND AND AND AN										
Total Metals : Total Mercury in Water by CVAAS Glass vial total (hydrochloric acid)							I			
Cell 4-A	E508	10-Jul-2024	16-Jul-2024	28	6 days	✓	16-Jul-2024	28 days	6 days	✓
Cell 4-A	2000	10-0ui-2024	10-341-2024	days	0 days	•	10-341-2024	20 days	0 days	•
				uays						
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid) Cell 4-B	E508	10-Jul-2024	16-Jul-2024	00	6 days	✓	16-Jul-2024	28 days	6 days	✓
Cell 4-B	⊏500	10-Jul-2024	10-Jul-2024	28	6 days	•	10-Jul-2024	20 days	o days	•
				days						
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)	F500	40 1-1 0004	40 1-1-0064		0.1		40 1/1 0004	00.1	0.1	,
Contwoyto Lake	E508	10-Jul-2024	16-Jul-2024	28	6 days	✓	16-Jul-2024	28 days	6 days	✓
				days						
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
Pond 1-B	E508	10-Jul-2024	16-Jul-2024	28	6 days	✓	16-Jul-2024	28 days	6 days	✓
				days						
			1		-					

 Page
 :
 12 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

Project : Elgi



Matrix: Water

Evaluation: **x** = Holding time exceedance ; ✓ = Within Holding Time

Mattrix. Water						valuation. • =	Holding time excel	suarice, .	- vvicinii	riolaling i
Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pr	eparation			Analys	sis	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
Pond 1-D	E508	10-Jul-2024	16-Jul-2024	28	6 days	✓	16-Jul-2024	28 days	6 days	✓
				days						
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
Cell 4-A	E420	10-Jul-2024	17-Jul-2024	180	7 days	✓	18-Jul-2024	180	8 days	✓
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
Cell 4-B	E420	10-Jul-2024	17-Jul-2024	180	7 days	✓	18-Jul-2024	180	8 days	✓
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
Contwoyto Lake	E420	10-Jul-2024	17-Jul-2024	180	7 days	✓	18-Jul-2024	180	8 days	✓
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
Pond 1-B	E420	10-Jul-2024	17-Jul-2024	180	7 days	✓	18-Jul-2024	180	8 days	✓
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
Pond 1-D	E420	10-Jul-2024	17-Jul-2024	180	7 days	✓	18-Jul-2024	180	8 days	✓
				days				days		

Legend & Qualifier Definitions

EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended

EHT: Exceeded ALS recommended hold time prior to analysis.

Rec. HT: ALS recommended hold time (see units).

 Page
 :
 13 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Quality Control Sample Type							
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Laboratory Duplicates (DUP)							
Acidity by Titration	E283	1545328	1	18	5.5	5.0	1
Alkalinity Species by Titration	E290	1545323	1	18	5.5	5.0	✓
Bromide by IC (Ultra Trace Level)	E235.Br-U	1545339	1	5	20.0	5.0	✓
Chloride in Water by IC (Low Level)	E235.CI-L	1545338	1	5	20.0	5.0	✓
Conductivity in Water	E100	1545324	1	18	5.5	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1548255	1	19	5.2	5.0	1
Dissolved Metals in Water by CRC ICPMS	E421	1546305	1	20	5.0	5.0	✓
Fluoride in Water by IC (Low Level)	E235.F-L	1545337	1	5	20.0	5.0	✓
Nitrate in Water by IC (Trace Level)	E235.NO3-T	1545336	1	5	20.0	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1545333	1	18	5.5	5.0	✓
pH by Meter	E108	1545322	1	18	5.5	5.0	✓
Sulfate in Water by IC (Low Level)	E235.SO4-L	1545335	1	5	20.0	5.0	✓
TDS by Gravimetry	E162	1550030	1	12	8.3	5.0	✓
Total Cyanide	E333	1551764	1	8	12.5	5.0	✓
Total Mercury in Water by CVAAS	E508	1548055	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1546280	1	20	5.0	5.0	✓
Laboratory Control Samples (LCS)					•		
Acidity by Titration	E283	1545328	1	18	5.5	5.0	1
Alkalinity Species by Titration	E290	1545323	1	18	5.5	5.0	1
Bromide by IC (Ultra Trace Level)	E235.Br-U	1545339	1	5	20.0	5.0	✓
Chloride in Water by IC (Low Level)	E235.CI-L	1545338	1	5	20.0	5.0	1
Conductivity in Water	E100	1545324	1	18	5.5	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1548255	1	19	5.2	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1546305	1	20	5.0	5.0	✓
Fluoride in Water by IC (Low Level)	E235.F-L	1545337	1	5	20.0	5.0	1
Nitrate in Water by IC (Trace Level)	E235.NO3-T	1545336	1	5	20.0	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1545333	1	18	5.5	5.0	✓
pH by Meter	E108	1545322	1	18	5.5	5.0	✓
Sulfate in Water by IC (Low Level)	E235.SO4-L	1545335	1	5	20.0	5.0	✓
TDS by Gravimetry	E162	1550030	1	12	8.3	5.0	✓
Total Cyanide	E333	1551764	1	8	12.5	5.0	✓
Total Mercury in Water by CVAAS	E508	1548055	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1546280	1	20	5.0	5.0	✓
TSS by Gravimetry (Low Level)	E160-L	1550024	1	15	6.6	5.0	<u>√</u>

 Page
 :
 14 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.



Matrix: Water		Evaluati	on: × = QC freque	ency outside spe	ecification; ✓ = 0	QC frequency wi	thin specificatio
Quality Control Sample Type				ount		Frequency (%	
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Method Blanks (MB) - Continued							
Acidity by Titration	E283	1545328	1	18	5.5	5.0	✓
Alkalinity Species by Titration	E290	1545323	1	18	5.5	5.0	✓
Bromide by IC (Ultra Trace Level)	E235.Br-U	1545339	1	5	20.0	5.0	✓
Chloride in Water by IC (Low Level)	E235.CI-L	1545338	1	5	20.0	5.0	✓
Conductivity in Water	E100	1545324	1	18	5.5	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1548255	1	19	5.2	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1546305	1	20	5.0	5.0	✓
Fluoride in Water by IC (Low Level)	E235.F-L	1545337	1	5	20.0	5.0	✓
Nitrate in Water by IC (Trace Level)	E235.NO3-T	1545336	1	5	20.0	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1545333	1	18	5.5	5.0	✓
Sulfate in Water by IC (Low Level)	E235.SO4-L	1545335	1	5	20.0	5.0	✓
TDS by Gravimetry	E162	1550030	1	12	8.3	5.0	✓
Total Cyanide	E333	1551764	1	8	12.5	5.0	✓
Total Mercury in Water by CVAAS	E508	1548055	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1546280	1	20	5.0	5.0	✓
TSS by Gravimetry (Low Level)	E160-L	1550024	1	15	6.6	5.0	✓
Matrix Spikes (MS)							
Bromide by IC (Ultra Trace Level)	E235.Br-U	1545339	1	5	20.0	5.0	✓
Chloride in Water by IC (Low Level)	E235.CI-L	1545338	1	5	20.0	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1548255	1	19	5.2	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1546305	1	20	5.0	5.0	✓
Fluoride in Water by IC (Low Level)	E235.F-L	1545337	1	5	20.0	5.0	✓
Nitrate in Water by IC (Trace Level)	E235.NO3-T	1545336	1	5	20.0	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1545333	1	18	5.5	5.0	✓
Sulfate in Water by IC (Low Level)	E235.SO4-L	1545335	1	5	20.0	5.0	✓
Total Cyanide	E333	1551764	1	8	12.5	5.0	✓
Total Mercury in Water by CVAAS	E508	1548055	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1546280	1	20	5.0	5.0	✓

 Page
 :
 15 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Conductivity in Water	E100	Water	APHA 2510 (mod)	Conductivity, also known as Electrical Conductivity (EC) or Specific Conductance, is measured by immersion of a conductivity cell with platinum electrodes into a water
	ALS Environmental -			sample. Conductivity measurements are temperature-compensated to 25°C.
	Vancouver			
pH by Meter	E108	Water	APHA 4500-H (mod)	pH is determined by potentiometric measurement with a pH electrode, and is conducted at ambient laboratory temperature (normally 20 ± 5°C). For high accuracy test results,
	ALS Environmental -			pH should be measured in the field within the recommended 15 minute hold time.
	Vancouver			pri dinala sa madala mina na mami da rasaminana na minata na a mina.
TSS by Gravimetry (Low Level)	E160-L	Water	APHA 2540 D (mod)	Total Suspended Solids (TSS) are determined by filtering a sample through a glass fibre filter, following by drying of the filter at 104 ± 1°C, with gravimetric measurement of the
	ALS Environmental -			filtered solids. Samples containing very high dissolved solid content (i.e. seawaters,
	Vancouver			brackish waters) may produce a positive bias by this method. Alternate analysis
				methods are available for these types of samples.
TDS by Gravimetry	E162	Water	APHA 2540 C (mod)	Total Dissolved Solids (TDS) are determined by filtering a sample through a glass fibre filter, with evaporation of the filtrate at 180 ± 2°C for 16 hours or to constant weight,
	ALS Environmental -			with gravimetric measurement of the residue.
	Vancouver			
Bromide by IC (Ultra Trace Level)	E235.Br-U	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Vancouver			
Chloride in Water by IC (Low Level)	E235.CI-L	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Vancouver			
Fluoride in Water by IC (Low Level)	E235.F-L	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
	ALS Environmental -			
	Vancouver			
Nitrite in Water by IC (Low Level)	E235.NO2-L	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Vancouver			
Nitrate in Water by IC (Trace Level)	E235.NO3-T	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
	ALS Environmental -			
	Vancouver			

 Page
 :
 16 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

ALS

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Sulfate in Water by IC (Low Level)	E235.SO4-L	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
	ALS Environmental -			
	Vancouver			
Acidity by Titration	E283	Water	APHA 2310 B (mod)	Acidity is determined by potentiometric titration to pH endpoint of 8.3
	ALS Environmental -			
	Vancouver			
Alkalinity Species by Titration	E290	Water	APHA 2320 B (mod)	Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total
	ALS Environmental - Vancouver			alkalinity values.
Total Cyanide	E333	Water	ISO 14403 (mod)	Total or Strong Acid Dissociable (SAD) Cyanide is determined by Continuous Flow Analyzer (CFA) with in-line UV digestion followed by colourmetric analysis.
	ALS Environmental -			
	Vancouver			Method Limitation: High levels of thiocyanate (SCN) may cause positive interference (up to 0.5% of SCN concentration).
Total Metals in Water by CRC ICPMS	E420	Water	EPA 200.2/6020B (mod)	Water samples are digested with nitric and hydrochloric acids, and analyzed by Collision/Reaction Cell ICPMS.
	ALS Environmental -			
	Vancouver			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Dissolved Metals in Water by CRC ICPMS	E421	Water	APHA 3030B/EPA 6020B (mod)	Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by Collision/Reaction Cell ICPMS.
	ALS Environmental -		, ,	
	Vancouver			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Total Mercury in Water by CVAAS	E508	Water	EPA 1631E (mod)	Water samples undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS
	ALS Environmental -			
	Vancouver			
Dissolved Mercury in Water by CVAAS	E509	Water	APHA 3030B/EPA 1631E (mod)	Water samples are filtered (0.45 um), preserved with HCl, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by
	ALS Environmental - Vancouver			CVAAS.
Dissolved Hardness (Calculated)	EC100	Water	APHA 2340B	"Hardness (as CaCO3), dissolved" is calculated from the sum of dissolved Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers
	ALS Environmental - Vancouver			to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially calculated from dissolved Calcium and Magnesium concentrations, because it is a
				property of water due to dissolved divalent cations.

 Page
 :
 17 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

ALS

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Hardness (Calculated) from Total Ca/Mg	EC100A	Water	APHA 2340B	"Hardness (as CaCO3), from total Ca/Mg" is calculated from the sum of total Calcium and
				Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers
	ALS Environmental -			to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially
	Vancouver			calculated from dissolved Calcium and Magnesium concentrations, because it is a
				property of water due to dissolved divalent cations. Hardness from total Ca/Mg is
				normally comparable to Dissolved Hardness in non-turbid waters.
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Dissolved Metals Water Filtration	EP421	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HNO3.
	ALS Environmental -			
	Vancouver			
Dissolved Mercury Water Filtration	EP509	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HCl.
	ALS Environmental -			
	Vancouver			

ALS Canada Ltd.



QUALITY CONTROL REPORT

Account Manager

Work Order : **YL2400881** Page : 1 of 17

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

Yellowknife, Northwest Territories Canada X1A 3T3

: Oliver Gregg

:---- Telephone :1 867 445 7143 :---- Date Samples Received :11-Jul-2024 14:25

PO :--- Date Analysis Commenced :15-Jul-2024

C-O-C number :---- Issue Date : 24-Jul-2024 10:55
Sampler :---

Site :---

No. of samples received : 5

No. of samples analysed : 5

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives

Matrix Spike (MS) Report; Recovery and Data Quality Objectives

: Shane Leggett

Vancouver BC Canada V6C 2T7

- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

: YL23-ELMI100-001

Signatories

Contact

Telephone

Quote number

Project

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Dan Gebert	Laboratory Analyst	Vancouver Metals, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Vancouver Metals, Burnaby, British Columbia
Lindsay Gung	Supervisor - Water Chemistry	Vancouver Inorganics, Burnaby, British Columbia
Maya Urquhart	Lab Analyst	Vancouver Metals, Burnaby, British Columbia

 Page
 :
 2 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

Project : ----



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key:

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

 Page
 :
 3 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

Project : ---



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Water	Laboratory Duplicate (DUP) Report										
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC	Lot: 1545322)										
VA24B6896-003	Anonymous	pH		E108	0.10	pH units	7.54	7.54	0.00%	4%	
Physical Tests (QC	Lot: 1545323)										
VA24B6896-003	Anonymous	Alkalinity, total (as CaCO3)		E290	1.0	mg/L	19.0	19.0	0.00%	20%	
Physical Tests (QC	Lot: 1545324)										
VA24B6896-003	Anonymous	Conductivity		E100	2.0	μS/cm	94.7	95.0	0.316%	10%	
Physical Tests (QC	Lot: 1545328)										
VA24B6896-002	Anonymous	Acidity (as CaCO3)		E283	2.0	mg/L	<2.0	<2.0	0	Diff <2x LOR	
Physical Tests (QC	Lot: 1550030)										
VA24B7017-001	Anonymous	Solids, total dissolved [TDS]		E162	13	mg/L	70	69	0.7	Diff <2x LOR	
Anions and Nutrien	ts (QC Lot: 1545333)										
VA24B6896-001	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2-L	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	
Anions and Nutrien	ts (QC Lot: 1545335)										
YL2400881-001	Cell 4-A	Sulfate (as SO4)	14808-79-8	E235.SO4-L	0.250	mg/L	297	301	1.32%	20%	
Anions and Nutrion	ts (QC Lot: 1545336)										
YL2400881-001	Cell 4-A	Nitrate (as N)	14797-55-8	E235.NO3-T	0.0150	mg/L	0.0333	0.0371	0.0038	Diff <2x LOR	
Anions and Nutrion	ts (QC Lot: 1545337)										
YL2400881-001	Cell 4-A	Fluoride	16984-48-8	E235.F-L	0.050	mg/L	0.171	0.170	0.001	Diff <2x LOR	
Anione and Nutries	ts (QC Lot: 1545338)										
YL2400881-001	Cell 4-A	Chloride	16887-00-6	E235.CI-L	0.50	mg/L	17.3	17.5	1.17%	20%	
		oe.				9					
YL2400881-001	ts (QC Lot: 1545339)	Bromide	24959-67-9	E235.Br-U	0.0250	mg/L	0.267	0.284	6.18%	20%	
		D. S. Marie				9/_	***	*.=**	011011		
Cyanides (QC Lot: VA24B6573-003	1551/64) Anonymous	Cyanide, strong acid dissociable		E333	0.0050	mg/L	<0.0050	<0.0050	0	Diff <2x LOR	
VAZ4B0070-000	Anonymous	(Total)		2000	0.0000	mg/L	40.0000	10.0000		DIII 12X LOIX	
Total Metals (QC Lo	ot: 1546280)										
FJ2401989-001	Anonymous	Aluminum, total	7429-90-5	E420	0.0030	mg/L	0.663	0.613	7.86%	20%	
		Antimony, total	7440-36-0	E420	0.00010	mg/L	0.00052	0.00050	0.00002	Diff <2x LOR	
		Arsenic, total	7440-38-2	E420	0.00010	mg/L	0.00078	0.00079	0.000009	Diff <2x LOR	
		Barium, total	7440-39-3	E420	0.00010	mg/L	0.0597	0.0580	2.76%	20%	
		Beryllium, total	7440-41-7	E420	0.000100	mg/L	<0.000100	<0.000100	0	Diff <2x LOR	

 Page
 :
 4 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Sub-Matrix: Water							Labora	tory Duplicate (D	UP) Report		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
<u> </u>	ot: 1546280) - continu										
FJ2401989-001	Anonymous	Bismuth, total	7440-69-9	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	
		Boron, total	7440-42-8	E420	0.010	mg/L	0.021	0.021	0.00008	Diff <2x LOR	
		Cadmium, total	7440-43-9	E420	0.0000050	mg/L	0.0000446	0.0000429	0.0000016	Diff <2x LOR	
		Calcium, total	7440-70-2	E420	0.050	mg/L	32.5	33.2	2.12%	20%	
		Cesium, total	7440-46-2	E420	0.000010	mg/L	0.000069	0.000065	0.000004	Diff <2x LOR	
		Chromium, total	7440-47-3	E420	0.00050	mg/L	0.00118	0.00113	0.00006	Diff <2x LOR	
		Cobalt, total	7440-48-4	E420	0.00010	mg/L	0.00030	0.00030	0.000003	Diff <2x LOR	
		Copper, total	7440-50-8	E420	0.00050	mg/L	0.0150	0.0150	0.0243%	20%	
		Iron, total	7439-89-6	E420	0.010	mg/L	0.347	0.330	5.09%	20%	
		Lead, total	7439-92-1	E420	0.000050	mg/L	0.000778	0.000779	0.0965%	20%	
		Lithium, total	7439-93-2	E420	0.0010	mg/L	0.0061	0.0060	0.00004	Diff <2x LOR	
		Magnesium, total	7439-95-4	E420	0.0050	mg/L	8.24	8.41	2.05%	20%	
		Manganese, total	7439-96-5	E420	0.00010	mg/L	0.0110	0.0109	1.58%	20%	
		Molybdenum, total	7439-98-7	E420	0.000050	mg/L	0.00865	0.00836	3.39%	20%	
		Nickel, total	7440-02-0	E420	0.00050	mg/L	0.00217	0.00214	0.00003	Diff <2x LOR	
		Phosphorus, total	7723-14-0	E420	0.050	mg/L	<0.050	0.052	0.002	Diff <2x LOR	
		Potassium, total	7440-09-7	E420	0.050	mg/L	6.64	6.62	0.314%	20%	
		Rubidium, total	7440-17-7	E420	0.00020	mg/L	0.00973	0.0101	3.63%	20%	
		Selenium, total	7782-49-2	E420	0.000050	mg/L	0.000710	0.000630	11.9%	20%	
		Silicon, total	7440-21-3	E420	0.10	mg/L	3.12	2.96	5.28%	20%	
		Silver, total	7440-22-4	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		Sodium, total	7440-23-5	E420	0.050	mg/L	13.4	13.6	0.823%	20%	
		Strontium, total	7440-24-6	E420	0.00020	mg/L	0.165	0.157	4.89%	20%	
		Sulfur, total	7704-34-9	E420	0.50	mg/L	10.7	10.5	1.82%	20%	
		Tellurium, total	13494-80-9	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	
		Thallium, total	7440-28-0	E420	0.000010	mg/L	0.000013	0.000011	0.000002	Diff <2x LOR	
		Thorium, total	7440-29-1	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Tin, total	7440-31-5	E420	0.00010	mg/L	0.00086	0.00084	0.00002	Diff <2x LOR	
		Titanium, total	7440-32-6	E420	0.00030	mg/L	0.00854	0.00955	11.2%	20%	
		Tungsten, total	7440-33-7	E420	0.00010	mg/L	0.00055	0.00055	0.000002	Diff <2x LOR	
		Uranium, total	7440-61-1	E420	0.000010	mg/L	0.000720	0.000724	0.548%	20%	
		Vanadium, total	7440-62-2	E420	0.00050	mg/L	0.00295	0.00276	0.00019	Diff <2x LOR	
		Zinc, total	7440-62-2	E420	0.0030	mg/L	0.00293	0.00270	0.00019	Diff <2x LOR	
			7440-66-7	E420	0.0030	mg/L	<0.0040	<0.00040	0.0004	Diff <2x LOR	
		Zirconium, total	1440-01-1	L420	0.00040	IIIg/L	<u> </u>	<u>\0.00040</u>	U	Dill \ZX LUR	

 Page
 :
 5 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

sub-Matrix: Water						Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifie	
Total Metals (QC Lo	ot: 1548055)											
VA24B6602-007	Anonymous	Mercury, total	7439-97-6	E508	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR		
Dissolved Metals (C	QC Lot: 1546305)											
FJ2401989-001	Anonymous	Aluminum, dissolved	7429-90-5	E421	0.0010	mg/L	0.172	0.171	0.268%	20%		
		Antimony, dissolved	7440-36-0	E421	0.00010	mg/L	0.00049	0.00048	0.00001	Diff <2x LOR		
		Arsenic, dissolved	7440-38-2	E421	0.00010	mg/L	0.00052	0.00051	0.00001	Diff <2x LOR		
		Barium, dissolved	7440-39-3	E421	0.00010	mg/L	0.0480	0.0475	0.883%	20%		
		Beryllium, dissolved	7440-41-7	E421	0.000100	mg/L	<0.000100	<0.000100	0	Diff <2x LOR		
		Bismuth, dissolved	7440-69-9	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR		
		Boron, dissolved	7440-42-8	E421	0.010	mg/L	0.021	0.021	0.00006	Diff <2x LOR		
		Cadmium, dissolved	7440-43-9	E421	0.0000050	mg/L	0.0000143	0.0000137	0.0000006	Diff <2x LOR		
		Calcium, dissolved	7440-70-2	E421	0.050	mg/L	32.2	32.2	0.117%	20%		
		Cesium, dissolved	7440-46-2	E421	0.000010	mg/L	0.000027	0.000027	0.0000004	Diff <2x LOR		
		Chromium, dissolved	7440-47-3	E421	0.00050	mg/L	0.00064	0.00061	0.00003	Diff <2x LOR		
		Cobalt, dissolved	7440-48-4	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR		
		Copper, dissolved	7440-50-8	E421	0.00020	mg/L	0.00121	0.00119	0.00002	Diff <2x LOR		
		Iron, dissolved	7439-89-6	E421	0.010	mg/L	0.018	0.018	0.0003	Diff <2x LOR		
		Lead, dissolved	7439-92-1	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR		
		Lithium, dissolved	7439-93-2	E421	0.0010	mg/L	0.0060	0.0059	0.0001	Diff <2x LOR		
		Magnesium, dissolved	7439-95-4	E421	0.0050	mg/L	8.12	8.12	0.0699%	20%		
		Manganese, dissolved	7439-96-5	E421	0.00010	mg/L	0.00181	0.00181	0.152%	20%		
		Molybdenum, dissolved	7439-98-7	E421	0.000050	mg/L	0.00953	0.00941	1.20%	20%		
		Nickel, dissolved	7440-02-0	E421	0.00050	mg/L	0.00118	0.00120	0.00002	Diff <2x LOR		
		Phosphorus, dissolved	7723-14-0	E421	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR		
		Potassium, dissolved	7440-09-7	E421	0.050	mg/L	6.35	6.65	4.67%	20%		
		Rubidium, dissolved	7440-17-7	E421	0.00020	mg/L	0.00987	0.00990	0.376%	20%		
		Selenium, dissolved	7782-49-2	E421	0.000050	mg/L	0.000866	0.000811	6.57%	20%		
		Silicon, dissolved	7440-21-3	E421	0.050	mg/L	2.70	2.63	2.53%	20%		
		Silver, dissolved	7440-22-4	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR		
		Sodium, dissolved	7440-23-5	E421	0.050	mg/L	13.4	13.4	0.475%	20%		
		Strontium, dissolved	7440-24-6	E421	0.00020	mg/L	0.162	0.161	0.645%	20%		
		Sulfur, dissolved	7704-34-9	E421	0.50	mg/L	10.3	10.4	0.817%	20%		
		Tellurium, dissolved	13494-80-9	E421	0.00020	mg/L	<0.00020	<0.00020	0.017 %	Diff <2x LOR		
		Thallium, dissolved	7440-28-0	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR		
		Thorium, dissolved	7440-28-0	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR		

 Page
 :
 6 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.



Project : ----

Sub-Matrix: Water	ub-Matrix: Water						Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier		
Dissolved Metals (C	C Lot: 1546305) - contin												
FJ2401989-001	Anonymous	Tin, dissolved	7440-31-5	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR			
		Titanium, dissolved	7440-32-6	E421	0.00030	mg/L	0.00060	0.00072	0.00012	Diff <2x LOR			
		Tungsten, dissolved	7440-33-7	E421	0.00010	mg/L	0.00073	0.00074	0.000008	Diff <2x LOR			
		Uranium, dissolved	7440-61-1	E421	0.000010	mg/L	0.000605	0.000619	2.29%	20%			
		Vanadium, dissolved	7440-62-2	E421	0.00050	mg/L	0.00192	0.00189	0.00003	Diff <2x LOR			
		Zinc, dissolved	7440-66-6	E421	0.0010	mg/L	0.0035	0.0035	0.000006	Diff <2x LOR			
		Zirconium, dissolved	7440-67-7	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR			
Dissolved Metals (C	QC Lot: 1548255)												
VA24B6580-002	Anonymous	Mercury, dissolved	7439-97-6	E509	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR			

 Page
 :
 7 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

Project : ---



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Analyte	CAS Number Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1545323)				resure	
Alkalinity, total (as CaCO3)	E290	1	mg/L	<1.0	
Physical Tests (QCLot: 1545324)					
Conductivity	E100	1	μS/cm	<1.0	
Physical Tests (QCLot: 1545328)					
Acidity (as CaCO3)	E283	2	mg/L	<2.0	
hysical Tests (QCLot: 1550024)					
Solids, total suspended [TSS]	E160-L	1	mg/L	<1.0	
hysical Tests (QCLot: 1550030)					
Solids, total dissolved [TDS]	E162	10	mg/L	<10	
Anions and Nutrients (QCLot: 1545333)					
Nitrite (as N)	14797-65-0 E235.NO2-L	0.001	mg/L	<0.0010	
nions and Nutrients (QCLot: 1545335)					
Sulfate (as SO4)	14808-79-8 E235.SO4-L	0.05	mg/L	<0.050	
nions and Nutrients (QCLot: 1545336)					
Nitrate (as N)	14797-55-8 E235.NO3-T	0.003	mg/L	<0.0030	
nions and Nutrients (QCLot: 1545337)					
Fluoride	16984-48-8 E235.F-L	0.01	mg/L	<0.010	
nions and Nutrients (QCLot: 1545338)					
Chloride	16887-00-6 E235.CI-L	0.1	mg/L	<0.10	
nions and Nutrients (QCLot: 1545339)					
Bromide	24959-67-9 E235.Br-U	0.005	mg/L	<0.0050	
yanides (QCLot: 1551764)					
Cyanide, strong acid dissociable (Total)	E333	0.002	mg/L	<0.0020	
otal Metals (QCLot: 1546280)					
Aluminum, total	7429-90-5 E420	0.003	mg/L	<0.0030	
Antimony, total	7440-36-0 E420	0.0001	mg/L	<0.00010	
Arsenic, total	7440-38-2 E420	0.0001	mg/L	<0.00010	
Barium, total	7440-39-3 E420	0.0001	mg/L	<0.00010	
Beryllium, total	7440-41-7 E420	0.00002	mg/L	<0.000020	
Bismuth, total	7440-69-9 E420	0.00005	mg/L	<0.000050	
Boron, total	7440-42-8 E420	0.01	mg/L	<0.010	
Cadmium, total	7440-43-9 E420	0.000005	mg/L	<0.0000050	

 Page
 :
 8 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

 Project
 :

ALS

Analyte	CAS Number Method	LOR	Unit	Result	Qualifier
Total Metals (QCLot: 1546280) - conti	nued				
Calcium, total	7440-70-2 E420	0.05	mg/L	<0.050	
Cesium, total	7440-46-2 E420	0.00001	mg/L	<0.000010	
Chromium, total	7440-47-3 E420	0.0005	mg/L	<0.00050	
Cobalt, total	7440-48-4 E420	0.0001	mg/L	<0.00010	
Copper, total	7440-50-8 E420	0.0005	mg/L	<0.00050	
Iron, total	7439-89-6 E420	0.01	mg/L	<0.010	
Lead, total	7439-92-1 E420	0.00005	mg/L	<0.000050	
Lithium, total	7439-93-2 E420	0.001	mg/L	<0.0010	
Magnesium, total	7439-95-4 E420	0.005	mg/L	<0.0050	
Manganese, total	7439-96-5 E420	0.0001	mg/L	<0.00010	
Molybdenum, total	7439-98-7 E420	0.00005	mg/L	<0.000050	
Nickel, total	7440-02-0 E420	0.0005	mg/L	<0.00050	
Phosphorus, total	7723-14-0 E420	0.05	mg/L	<0.050	
Potassium, total	7440-09-7 E420	0.05	mg/L	<0.050	
Rubidium, total	7440-17-7 E420	0.0002	mg/L	<0.00020	
Selenium, total	7782-49-2 E420	0.00005	mg/L	<0.000050	
Silicon, total	7440-21-3 E420	0.1	mg/L	<0.10	
Silver, total	7440-22-4 E420	0.00001	mg/L	<0.000010	
Sodium, total	7440-23-5 E420	0.05	mg/L	<0.050	
Strontium, total	7440-24-6 E420	0.0002	mg/L	<0.00020	
Sulfur, total	7704-34-9 E420	0.5	mg/L	<0.50	
Tellurium, total	13494-80-9 E420	0.0002	mg/L	<0.00020	
Thallium, total	7440-28-0 E420	0.00001	mg/L	<0.000010	
Thorium, total	7440-29-1 E420	0.0001	mg/L	<0.00010	
Tin, total	7440-31-5 E420	0.0001	mg/L	<0.00010	
Titanium, total	7440-32-6 E420	0.0003	mg/L	<0.00030	
Tungsten, total	7440-33-7 E420	0.0001	mg/L	<0.00010	
Uranium, total	7440-61-1 E420	0.00001	mg/L	<0.000010	
Vanadium, total	7440-62-2 E420	0.0005	mg/L	<0.00050	
Zinc, total	7440-66-6 E420	0.003	mg/L	<0.0030	
Zirconium, total	7440-67-7 E420	0.0002	mg/L	<0.00020	
otal Metals (QCLot: 1548055)					
Mercury, total	7439-97-6 E508	0.000005	mg/L	<0.0000050	
Dissolved Metals (QCLot: 1546305)					
Aluminum, dissolved	7429-90-5 E421	0.001	mg/L	<0.0010	

 Page
 :
 9 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

 Project
 :

ALS

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Dissolved Metals (QCLot: 15463)	05) - continued					
Antimony, dissolved	7440-36-0	E421	0.0001	mg/L	<0.00010	
Arsenic, dissolved	7440-38-2	E421	0.0001	mg/L	<0.00010	
Barium, dissolved	7440-39-3	E421	0.0001	mg/L	<0.00010	
Beryllium, dissolved	7440-41-7	E421	0.00002	mg/L	<0.000020	
Bismuth, dissolved	7440-69-9	E421	0.00005	mg/L	<0.000050	
Boron, dissolved	7440-42-8	E421	0.01	mg/L	<0.010	
Cadmium, dissolved	7440-43-9	E421	0.000005	mg/L	<0.0000050	
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	<0.050	
Cesium, dissolved	7440-46-2	E421	0.00001	mg/L	<0.000010	
Chromium, dissolved	7440-47-3	E421	0.0005	mg/L	<0.00050	
Cobalt, dissolved	7440-48-4	E421	0.0001	mg/L	<0.00010	
Copper, dissolved	7440-50-8	E421	0.0002	mg/L	<0.00020	
Iron, dissolved	7439-89-6	E421	0.01	mg/L	<0.010	
Lead, dissolved	7439-92-1	E421	0.00005	mg/L	<0.000050	
Lithium, dissolved	7439-93-2	E421	0.001	mg/L	<0.0010	
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	<0.0050	
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	<0.00010	
Molybdenum, dissolved	7439-98-7	E421	0.00005	mg/L	<0.000050	
Nickel, dissolved	7440-02-0	E421	0.0005	mg/L	<0.00050	
Phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	<0.050	
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	<0.050	
Rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	<0.00020	
Selenium, dissolved	7782-49-2	E421	0.00005	mg/L	<0.000050	
Silicon, dissolved	7440-21-3	E421	0.05	mg/L	<0.050	
Silver, dissolved	7440-22-4	E421	0.00001	mg/L	<0.000010	
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	<0.050	
Strontium, dissolved	7440-24-6	E421	0.0002	mg/L	<0.00020	
Sulfur, dissolved	7704-34-9	E421	0.5	mg/L	<0.50	
Tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	<0.00020	
Thallium, dissolved	7440-28-0	E421	0.00001	mg/L	<0.000010	
Thorium, dissolved	7440-29-1	E421	0.0001	mg/L	<0.00010	
Tin, dissolved	7440-31-5	E421	0.0001	mg/L	<0.00010	
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	<0.00030	
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	<0.00010	
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	<0.000010	

 Page
 :
 10 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

 Project
 :



- Cub Matrixi Trator					
Analyte	CAS Number Method	LOR	Unit	Result	Qualifier
Dissolved Metals (QCLot: 1546305) - 0	ontinued				
Vanadium, dissolved	7440-62-2 E421	0.0005	mg/L	<0.00050	
Zinc, dissolved	7440-66-6 E421	0.001	mg/L	<0.0010	
Zirconium, dissolved	7440-67-7 E421	0.0002	mg/L	<0.00020	
Dissolved Metals (QCLot: 1548255)					
Mercury, dissolved	7439-97-6 E509	0.000005	mg/L	<0.0000050	

 Page
 :
 11 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Physical Tests (CCLot: 1545322)	Sub-Matrix: Water	ub-Matrix: Water					Laboratory Control Sample (LCS) Report						
Physical Tests (QCLot: 1545322)						Spike	Recovery (%)	Recovery	Limits (%)				
Physical Tests (QCLot: 1545323)	Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier			
Physical Tests (QCLot: 1545323)	Physical Tests (QCLot: 1545322)												
Ascalinary, Josef (as CacCos) E200 mg/L 500 mg/L 93.2 85.0 115	рН		E108		pH units	7 pH units	100	98.0	102				
Physical Tests (QCLot: 1845324)	Physical Tests (QCLot: 1545323)												
Physical Tests (QCLot: 1545328) Physical Tests (QCLot: 1550024) Physical Tests (QCLot: 1550024) Physical Tests (QCLot: 1550024) Physical Tests (QCLot: 15500304) Physical Tests (QCLot: 15453336) Physical Tests (QCLot: 1545335) Physical Tests (QCLot: 1545335) Physical Tests (QCLot: 1545335) Physical Tests (QCLot: 1545336) Physical Tests (QCLot: 1545339) Physical Tests (QCLot:	Alkalinity, total (as CaCO3)		E290	1	mg/L	500 mg/L	93.2	85.0	115				
Physical Tests (QCLot: 1545328)	Physical Tests (QCLot: 1545324)												
Reading (as CaCO3) E283 2 mg/L 50 mg/L 100 85.0 115	Conductivity		E100	1	μS/cm	147 μS/cm	100	90.0	110				
Physical Tests (QCLot: 1550024)	Physical Tests (QCLot: 1545328)		E000			50 "	100	05.0	445				
Solids, Italia suspended [TSS]	,		E283	2	mg/L	50 mg/L	100	85.0	115				
Physical Tosts (QCLot: 1550030) Solids, total dissolved [TDS]			E160 I	1	ma/l	150 mg/l	00.7	95.0	115				
Solids, total dissolved [TDS]			E 160-L	! 	mg/L	150 mg/L	90.7	65.0	115				
Anions and Nutrients (QCLot: 1545333) Nitrie (as N) 14797-650 E235 NO2-L			F162	10	ma/l	1000 mg/l	107	85.0	115				
Nirtle (as N)	Solius, total dissolved [100]		L 102	10	mg/L	1000 Hig/L	107	00.0	110				
Nirtle (as N) 14797-65-0 E235 NO2-L 0.001 mg/L 0.5 mg/L 98.1 90.0 110	Anione and Nutrients (OCL et: 1545222)												
Sulfate (as SO4) 14808-79-8 E235.SO4-L 0.05 mg/L 100 mg/L 98.4 90.0 110	Nitrite (as N)	14797-65-0	E235.NO2-L	0.001	mg/L	0.5 mg/L	98.1	90.0	110				
Sulfate (as SO4) 14808-79-8 E235.SO4-L 0.05 mg/L 100 mg/L 98.4 90.0 110	Anions and Nutrients (QCL of: 1545335)												
Nitrate (as N) 14797-55-8	Sulfate (as SO4)	14808-79-8	E235.SO4-L	0.05	mg/L	100 mg/L	98.4	90.0	110				
Nitrate (as N) 14797-55-8	Anions and Nutrients (QCLot: 1545336)												
Fluoride 16984-48-8 E235.F-L 0.01 mg/L 1 mg/L 96.9 90.0 110 Anions and Nutrients (QCLot: 1545338) Chloride 16887-00-6 E235.Cl-L 0.1 mg/L 100 mg/L 97.4 90.0 110 Anions and Nutrients (QCLot: 1545339) Bromide 24959-67-9 E235.Br-U 0.005 mg/L 0.5 mg/L 96.5 85.0 115 Cyanides (QCLot: 1551764) Cyanide, strong acid dissociable (Total) E333 0.002 mg/L 0.25 mg/L 99.6 80.0 120 Total Metals (QCLot: 1546280) Antimony, total 7429-90-5 E420 0.003 mg/L 2 mg/L 97.5 80.0 120 Antimony, total 7440-36-0 E420 0.0001 mg/L 1 mg/L 100 80.0 120	Nitrate (as N)	14797-55-8	E235.NO3-T	0.003	mg/L	2.5 mg/L	97.1	90.0	110				
Anions and Nutrients (QCLot: 1545338) Chloride 16887-00-6 E235.Cl-L 0.1 mg/L 100 mg/L 97.4 90.0 110 Anions and Nutrients (QCLot: 1545339) Bromide 24959-67-9 E235.Br-U 0.005 mg/L 0.5 mg/L 96.5 85.0 115 Cyanides (QCLot: 1551764) Cyanide, strong acid dissociable (Total) E333 0.002 mg/L 0.25 mg/L 99.6 80.0 120 Total Metals (QCLot: 1546280) Antimony, total 7429-90-5 E420 0.003 mg/L 2 mg/L 97.5 80.0 120 Antimony, total 7440-36-0 E420 0.0001 mg/L 1 mg/L 100 80.0 120	Anions and Nutrients (QCLot: 1545337)						·						
Chloride 16887-00-6 E235.Cl-L 0.1 mg/L 100 mg/L 97.4 90.0 110 Anions and Nutrients (QCLot: 1545339) Bromide 24959-67-9 E235.Br-U 0.005 mg/L 0.5 mg/L 96.5 85.0 115 Cyanides (QCLot: 1551764) Cyanide, strong acid dissociable (Total) E333 0.002 mg/L 0.25 mg/L 99.6 80.0 120 Aluminum, total 7429-90-5 E420 0.003 mg/L 2 mg/L 97.5 80.0 120 Antimony, total 7440-36-0 E420 0.0001 mg/L 1 mg/L 1 mg/L 100 80.0 120	Fluoride	16984-48-8	E235.F-L	0.01	mg/L	1 mg/L	96.9	90.0	110				
Anions and Nutrients (QCLot: 1545339) Bromide 24959-67-9 E235.Br-U 0.005 mg/L 0.5 mg/L 96.5 85.0 115 Cyanides (QCLot: 1551764) Cyanide, strong acid dissociable (Total) E333 0.002 mg/L 0.25 mg/L 99.6 80.0 120 Total Metals (QCLot: 1546280) Aluminum, total 7429-90-5 E420 0.003 mg/L 2 mg/L 97.5 80.0 120 Antimony, total 7440-36-0 E420 0.0001 mg/L 1 mg/L 100 80.0 120	Anions and Nutrients (QCLot: 1545338)												
Bromide 24959-67-9 E235.Br-U 0.005 mg/L 0.5 mg/L 96.5 85.0 115	Chloride	16887-00-6	E235.CI-L	0.1	mg/L	100 mg/L	97.4	90.0	110				
Cyanides (QCLot: 1551764) E333 0.002 mg/L 0.25 mg/L 99.6 80.0 120 Total Metals (QCLot: 1546280) Aluminum, total 7429-90-5 E420 0.003 mg/L 2 mg/L 97.5 80.0 120 Antimony, total 7440-36-0 E420 0.0001 mg/L 1 mg/L 100 80.0 120	Anions and Nutrients (QCLot: 1545339)												
Cyanide, strong acid dissociable (Total) E333 0.002 mg/L 0.25 mg/L 99.6 80.0 120 Total Metals (QCLot: 1546280) Aluminum, total 7429-90-5 E420 0.003 mg/L 2 mg/L 97.5 80.0 120 Antimony, total 7440-36-0 E420 0.0001 mg/L 1 mg/L 100 80.0 120	Bromide	24959-67-9	E235.Br-U	0.005	mg/L	0.5 mg/L	96.5	85.0	115				
Cyanide, strong acid dissociable (Total) E333 0.002 mg/L 0.25 mg/L 99.6 80.0 120 Total Metals (QCLot: 1546280) Aluminum, total 7429-90-5 E420 0.003 mg/L 2 mg/L 97.5 80.0 120 Antimony, total 7440-36-0 E420 0.0001 mg/L 1 mg/L 100 80.0 120													
Total Metals (QCLot: 1546280) Aluminum, total 7429-90-5 E420 0.003 mg/L 2 mg/L 97.5 80.0 120 Antimony, total 7440-36-0 E420 0.0001 mg/L 1 mg/L 100 80.0 120			E333	0.002	ma/l	0.25 mg/l	99.6	80.0	120				
Aluminum, total 7429-90-5 E420 0.003 mg/L 2 mg/L 97.5 80.0 120 Antimony, total 7440-36-0 E420 0.0001 mg/L 1 mg/L 100 80.0 120	Cyanide, Strong and dissociable (10tal)		2000	0.002	mg/L	0.20 IIIg/L	33.0	00.0	120				
Aluminum, total 7429-90-5 E420 0.003 mg/L 2 mg/L 97.5 80.0 120 Antimony, total 7440-36-0 E420 0.0001 mg/L 1 mg/L 100 80.0 120	Total Motole (OCI et: 4546290)												
Antimony, total 7440-36-0 E420 0.0001 mg/L 1 mg/L 100 80.0 120	Aluminum, total	7429-90-5	E420	0.003	mg/L	2 mg/L	97.5	80.0	120				
Arsenic, total 7440-38-2 E420 0.0001 mg/L 1 mg/L 104 80.0 120	Antimony, total	7440-36-0	E420	0.0001	-	Ĭ	100	80.0	120				
	Arsenic, total	7440-38-2	E420	0.0001	mg/L	1 mg/L	104	80.0	120				

 Page
 :
 12 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

ub-Matrix: Water					Laboratory Control Sample (LCS) Report					
					Spike	Recovery (%)	Recovery	Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier	
Total Metals (QCLot: 1546280) - continued										
Barium, total	7440-39-3	E420	0.0001	mg/L	0.25 mg/L	99.4	80.0	120		
Beryllium, total	7440-41-7	E420	0.00002	mg/L	0.1 mg/L	104	80.0	120		
Bismuth, total	7440-69-9	E420	0.00005	mg/L	1 mg/L	104	80.0	120		
Boron, total	7440-42-8	E420	0.01	mg/L	1 mg/L	101	80.0	120		
Cadmium, total	7440-43-9	E420	0.000005	mg/L	0.1 mg/L	94.6	80.0	120		
Calcium, total	7440-70-2	E420	0.05	mg/L	50 mg/L	101	80.0	120		
Cesium, total	7440-46-2	E420	0.00001	mg/L	0.05 mg/L	103	80.0	120		
Chromium, total	7440-47-3	E420	0.0005	mg/L	0.25 mg/L	97.1	80.0	120		
Cobalt, total	7440-48-4	E420	0.0001	mg/L	0.25 mg/L	97.0	80.0	120		
Copper, total	7440-50-8	E420	0.0005	mg/L	0.25 mg/L	98.0	80.0	120		
Iron, total	7439-89-6	E420	0.01	mg/L	1 mg/L	99.7	80.0	120		
Lead, total	7439-92-1	E420	0.00005	mg/L	0.5 mg/L	103	80.0	120		
Lithium, total	7439-93-2	E420	0.001	mg/L	0.25 mg/L	105	80.0	120		
Magnesium, total	7439-95-4	E420	0.005	mg/L	50 mg/L	96.6	80.0	120		
Manganese, total	7439-96-5	E420	0.0001	mg/L	0.25 mg/L	98.1	80.0	120		
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	0.25 mg/L	104	80.0	120		
Nickel, total	7440-02-0	E420	0.0005	mg/L	0.5 mg/L	96.6	80.0	120		
Phosphorus, total	7723-14-0	E420	0.05	mg/L	10 mg/L	91.8	80.0	120		
Potassium, total	7440-09-7	E420	0.05	mg/L	50 mg/L	99.6	80.0	120		
Rubidium, total	7440-17-7	E420	0.0002	mg/L	0.1 mg/L	97.6	80.0	120		
Selenium, total	7782-49-2	E420	0.00005	mg/L	1 mg/L	95.2	80.0	120		
Silicon, total	7440-21-3	E420	0.1	mg/L	10 mg/L	98.7	80.0	120		
Silver, total	7440-22-4	E420	0.00001	mg/L	0.1 mg/L	96.1	80.0	120		
Sodium, total	7440-23-5	E420	0.05	mg/L	50 mg/L	104	80.0	120		
Strontium, total	7440-24-6	E420	0.0002	mg/L	0.25 mg/L	105	80.0	120		
Sulfur, total	7704-34-9	E420	0.5	mg/L	50 mg/L	99.6	80.0	120		
Tellurium, total	13494-80-9	E420	0.0002	mg/L	0.1 mg/L	102	80.0	120		
Thallium, total	7440-28-0	E420	0.00001	mg/L	1 mg/L	102	80.0	120		
Thorium, total	7440-29-1	E420	0.0001	mg/L	0.1 mg/L	99.0	80.0	120		
Tin, total	7440-31-5	E420	0.0001	mg/L	0.5 mg/L	97.6	80.0	120		
Titanium, total	7440-32-6	E420	0.0003	mg/L	0.25 mg/L	95.0	80.0	120		
Tungsten, total	7440-33-7	E420	0.0001	mg/L	0.1 mg/L	103	80.0	120		
Uranium, total	7440-61-1	E420	0.00001	mg/L	0.005 mg/L	106	80.0	120		
Vanadium, total	7440-62-2	E420	0.0005	mg/L	0.5 mg/L	99.6	80.0	120		
Zinc, total	7440-66-6	E420	0.003	mg/L	0.5 mg/L	93.8	80.0	120		
Zirconium, total	7440-67-7	E420	0.0002	mg/L	0.1 mg/L	98.0	80.0	120		

 Page
 :
 13 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.



Project : ---

sub-Matrix: Water					Laboratory Control Sample (LCS) Report						
					Spike	Recovery (%)	Recovery	Limits (%)			
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier		
Total Metals (QCLot: 1548055)											
Mercury, total	7439-97-6	E508	0.000005	mg/L	0 mg/L	96.3	80.0	120			
Dissolved Metals (QCLot: 1546305)											
Aluminum, dissolved	7429-90-5	E421	0.001	mg/L	2 mg/L	98.3	80.0	120			
Antimony, dissolved	7440-36-0	E421	0.0001	mg/L	1 mg/L	101	80.0	120			
Arsenic, dissolved	7440-38-2	E421	0.0001	mg/L	1 mg/L	105	80.0	120			
Barium, dissolved	7440-39-3	E421	0.0001	mg/L	0.25 mg/L	99.7	80.0	120			
Beryllium, dissolved	7440-41-7	E421	0.00002	mg/L	0.1 mg/L	98.4	80.0	120			
Bismuth, dissolved	7440-69-9	E421	0.00005	mg/L	1 mg/L	105	80.0	120			
Boron, dissolved	7440-42-8	E421	0.01	mg/L	1 mg/L	95.6	80.0	120			
Cadmium, dissolved	7440-43-9	E421	0.000005	mg/L	0.1 mg/L	100	80.0	120			
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	50 mg/L	97.7	80.0	120			
Cesium, dissolved	7440-46-2	E421	0.00001	mg/L	0.05 mg/L	105	80.0	120			
Chromium, dissolved	7440-47-3	E421	0.0005	mg/L	0.25 mg/L	99.0	80.0	120			
Cobalt, dissolved	7440-48-4	E421	0.0001	mg/L	0.25 mg/L	99.6	80.0	120			
Copper, dissolved	7440-50-8	E421	0.0002	mg/L	0.25 mg/L	99.6	80.0	120			
Iron, dissolved	7439-89-6	E421	0.01	mg/L	1 mg/L	105	80.0	120			
Lead, dissolved	7439-92-1	E421	0.00005	mg/L	0.5 mg/L	107	80.0	120			
Lithium, dissolved	7439-93-2	E421	0.001	mg/L	0.25 mg/L	95.4	80.0	120			
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	50 mg/L	98.0	80.0	120			
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	0.25 mg/L	98.8	80.0	120			
Molybdenum, dissolved	7439-98-7	E421	0.00005	mg/L	0.25 mg/L	104	80.0	120			
Nickel, dissolved	7440-02-0	E421	0.0005	mg/L	0.5 mg/L	99.5	80.0	120			
Phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	10 mg/L	89.1	80.0	120			
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	50 mg/L	100	80.0	120			
Rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	0.1 mg/L	98.6	80.0	120			
Selenium, dissolved	7782-49-2	E421	0.00005	mg/L	1 mg/L	99.0	80.0	120			
Silicon, dissolved	7440-21-3	E421	0.05	mg/L	10 mg/L	106	80.0	120			
Silver, dissolved	7440-22-4	E421	0.00001	mg/L	0.1 mg/L	97.1	80.0	120			
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	50 mg/L	102	80.0	120			
Strontium, dissolved	7440-24-6	E421	0.0002	mg/L	0.25 mg/L	107	80.0	120			
Sulfur, dissolved	7704-34-9	E421	0.5	mg/L	50 mg/L	93.2	80.0	120			
Tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	0.1 mg/L	103	80.0	120			
Thallium, dissolved	7440-28-0	E421	0.00001	mg/L	1 mg/L	108	80.0	120			
Thorium, dissolved	7440-29-1	E421	0.0001	mg/L	0.1 mg/L	103	80.0	120			
Tin, dissolved	7440-31-5		0.0001	mg/L	0.5 mg/L	101	80.0	120			

 Page
 :
 14 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.



Project : ----

Sub-Matrix: Water						Laboratory Co	ontrol Sample (LCS)	Report	
					Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Dissolved Metals (QCLot: 1546305) - co	ntinued								
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	0.25 mg/L	93.7	80.0	120	
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	0.1 mg/L	105	80.0	120	
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	0.005 mg/L	107	80.0	120	
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	0.5 mg/L	101	80.0	120	
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	0.5 mg/L	103	80.0	120	
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	0.1 mg/L	97.4	80.0	120	
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	0 mg/L	95.3	80.0	120	

 Page
 :
 15 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.

Project : ---



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Water	trix: Water ory sample ID Client sample ID Analyte s and Nutrients (QCLot: 1545333)						Matrix Spike	(MS) Report		
					Spi	ke	Recovery (%)	Recovery	Limits (%)	
aboratory sample l	D Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
nions and Nutr	rients (QCLot: 154533	3)								
/A24B6896-002	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2-L	0.503 mg/L	0.5 mg/L	100	75.0	125	
nions and Nutr	rients (QCLot: 154533	5)								
YL2400881-002	Cell 4-B	Sulfate (as SO4)	14808-79-8	E235.SO4-L	478 mg/L	500 mg/L	95.6	75.0	125	
nions and Nutr	rients (QCLot: 154533	6)								
/L2400881-002	Cell 4-B	Nitrate (as N)	14797-55-8	E235.NO3-T	12.2 mg/L	12.5 mg/L	97.2	75.0	125	
nions and Nutr	rients (QCLot: 154533	7)								
YL2400881-002	Cell 4-B	Fluoride	16984-48-8	E235.F-L	4.84 mg/L	5 mg/L	96.8	75.0	125	
nions and Nutr	ients (QCLot: 154533	8)								
YL2400881-002	Cell 4-B	Chloride	16887-00-6	E235.CI-L	486 mg/L	500 mg/L	97.3	75.0	125	
nions and Nutr	ients (QCLot: 154533	9)								
YL2400881-002	Cell 4-B	Bromide	24959-67-9	E235.Br-U	2.28 mg/L	2.5 mg/L	91.1	75.0	125	
yanides (QCLo	ot: 1551764)					-				
/A24B6573-004	Anonymous	Cyanide, strong acid dissociable (Total)		E333	0.240 mg/L	0.25 mg/L	95.9	75.0	125	
otal Metals (Q0	CLot: 1546280)					-				
FJ2402014-001	Anonymous	Aluminum, total	7429-90-5	E420	0.185 mg/L	0.2 mg/L	92.4	70.0	130	
		Antimony, total	7440-36-0	E420	0.0201 mg/L	0.02 mg/L	100	70.0	130	
		Arsenic, total	7440-38-2	E420	0.0205 mg/L	0.02 mg/L	103	70.0	130	
		Barium, total	7440-39-3	E420	0.0194 mg/L	0.02 mg/L	97.1	70.0	130	
		Beryllium, total	7440-41-7	E420	0.0393 mg/L	0.04 mg/L	98.4	70.0	130	
		Bismuth, total	7440-69-9	E420	0.00932 mg/L	0.01 mg/L	93.2	70.0	130	
		Boron, total	7440-42-8	E420	0.098 mg/L	0.1 mg/L	98.1	70.0	130	
		Cadmium, total	7440-43-9	E420	0.00368 mg/L	0.004 mg/L	92.0	70.0	130	
		Calcium, total	7440-70-2	E420	ND mg/L		ND	70.0	130	
		Cesium, total	7440-46-2	E420	0.0104 mg/L	0.01 mg/L	104	70.0	130	
		Chromium, total	7440-47-3	E420	0.0378 mg/L	0.04 mg/L	94.4	70.0	130	
		Cobalt, total	7440-48-4	E420	0.0184 mg/L	0.02 mg/L	92.0	70.0	130	
		Copper, total	7440-50-8	E420	0.0176 mg/L	0.02 mg/L	88.1	70.0	130	
		Iron, total	7439-89-6	E420	1.85 mg/L	2 mg/L	92.7	70.0	130	
		Lead, total	7439-03-0	E420	0.0183 mg/L	0.02 mg/L	91.7	70.0	130	
		Lithium, total	7439-92-1	E420	ND mg/L	0.02 mg/L	ND	70.0	130	
			7439-93-2 7439-95-4	E420	, and a		ND ND	70.0	130	
		Magnesium, total			ND mg/L	0.00				
		Manganese, total	7439-96-5	E420	0.0188 mg/L	0.02 mg/L	94.2	70.0	130	
		Molybdenum, total	7439-98-7	E420	0.0219 mg/L	0.02 mg/L	109	70.0	130	
		Nickel, total	7440-02-0	E420	0.0354 mg/L	0.04 mg/L	88.4	70.0	130	
		Phosphorus, total	7723-14-0	E420	9.32 mg/L	10 mg/L	93.2	70.0	130	

 Page
 :
 16 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.



Project : ---

Sub-Matrix: Water							Matrix Spik	re (MS) Report		
					Spi	ike	Recovery (%)	Recovery	Limits (%)	
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifie
otal Metals (QC	Lot: 1546280) - con	tinued								
FJ2402014-001	Anonymous	Potassium, total	7440-09-7	E420	3.79 mg/L	4 mg/L	94.9	70.0	130	
		Rubidium, total	7440-17-7	E420	0.0185 mg/L	0.02 mg/L	92.3	70.0	130	
		Selenium, total	7782-49-2	E420	0.0435 mg/L	0.04 mg/L	109	70.0	130	
		Silicon, total	7440-21-3	E420	9.69 mg/L	10 mg/L	96.9	70.0	130	
		Silver, total	7440-22-4	E420	0.00393 mg/L	0.004 mg/L	98.3	70.0	130	
		Sodium, total	7440-23-5	E420	ND mg/L		ND	70.0	130	
		Strontium, total	7440-24-6	E420	ND mg/L		ND	70.0	130	
		Sulfur, total	7704-34-9	E420	ND mg/L		ND	70.0	130	
		Tellurium, total	13494-80-9	E420	0.0434 mg/L	0.04 mg/L	108	70.0	130	
		Thallium, total	7440-28-0	E420	0.00368 mg/L	0.004 mg/L	91.9	70.0	130	
		Thorium, total	7440-29-1	E420	0.0200 mg/L	0.02 mg/L	100	70.0	130	
		Tin, total	7440-31-5	E420	0.0195 mg/L	0.02 mg/L	97.4	70.0	130	
		Titanium, total	7440-32-6	E420	0.0409 mg/L	0.04 mg/L	102	70.0	130	
		Tungsten, total	7440-33-7	E420	0.0198 mg/L	0.02 mg/L	98.8	70.0	130	
		Uranium, total	7440-61-1	E420	ND mg/L		ND	70.0	130	
		Vanadium, total	7440-62-2	E420	0.0992 mg/L	0.1 mg/L	99.2	70.0	130	
		Zinc, total	7440-66-6	E420	0.357 mg/L	0.4 mg/L	89.4	70.0	130	
		Zirconium, total	7440-67-7	E420	0.0445 mg/L	0.04 mg/L	111	70.0	130	
/A24B6745-001	Anonymous (QCLot: 1546305)	Mercury, total	7439-97-6	E508	0.0000950 mg/L	0 mg/L	95.0	70.0	130	
							1			
FJ2402001-001	Anonymous	Aluminum, dissolved	7429-90-5	E421	0.188 mg/L	0.2 mg/L	94.0	70.0	130	
		Antimony, dissolved	7440-36-0	E421	0.0199 mg/L	0.02 mg/L	99.7	70.0	130	
		Arsenic, dissolved	7440-38-2	E421	0.0213 mg/L	0.02 mg/L	106	70.0	130	
		Barium, dissolved	7440-39-3	E421	ND mg/L		ND	70.0	130	
		Beryllium, dissolved	7440-41-7	E421	0.0392 mg/L	0.04 mg/L	98.1	70.0	130	
		Bismuth, dissolved	7440-69-9	E421	0.00924 mg/L	0.01 mg/L	92.4	70.0	130	
		Boron, dissolved	7440-42-8	E421	0.091 mg/L	0.1 mg/L	91.1	70.0	130	
		Cadmium, dissolved	7440-43-9	E421	0.00401 mg/L	0.004 mg/L	100	70.0	130	
		Calcium, dissolved	7440-70-2	E421	ND mg/L		ND	70.0	130	
		Cesium, dissolved	7440-46-2	E421	0.0104 mg/L	0.01 mg/L	104	70.0	130	
		Chromium, dissolved	7440-47-3	E421	0.0384 mg/L	0.04 mg/L	96.0	70.0	130	
		Cobalt, dissolved	7440-48-4	E421	0.0196 mg/L	0.02 mg/L	98.1	70.0	130	
		Copper, dissolved	7440-50-8	E421	0.0191 mg/L	0.02 mg/L	95.3	70.0	130	
		Iron, dissolved	7439-89-6	E421	1.92 mg/L	2 mg/L	96.0	70.0	130	
		Lead, dissolved	7439-92-1	E421	0.0198 mg/L	0.02 mg/L	99.1	70.0	130	
		Lithium, dissolved	7439-93-2	E421	0.0971 mg/L	0.1 mg/L	97.1	70.0	130	
		Magnesium, dissolved	7439-95-4	E421	ND mg/L		ND	70.0	130	
		Manganese, dissolved	7439-96-5	E421	0.0191 mg/L	0.02 mg/L	95.7	70.0	130	
		Molybdenum, dissolved	7439-98-7	E421	0.0209 mg/L	0.02 mg/L	104	70.0	130	
		Nickel, dissolved	7440-02-0	E421	0.0382 mg/L	0.04 mg/L	95.4	70.0	130	
		Phosphorus, dissolved	7723-14-0	E421	9.69 mg/L	10 mg/L	96.9	70.0	130	
		Potassium, dissolved	7440-09-7	E421	3.89 mg/L	4 mg/L	97.2	70.0	130	

 Page
 :
 17 of 17

 Work Order
 :
 YL2400881

 Client
 :
 Elgin Mining Inc.



Project : ----

Sub-Matrix: Water							Matrix Spil	re (MS) Report		
					Spi	ke	Recovery (%)	Recovery	Limits (%)	
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Dissolved Metals	(QCLot: 1546305) - cor	ntinued								
FJ2402001-001	Anonymous	Rubidium, dissolved	7440-17-7	E421	0.0189 mg/L	0.02 mg/L	94.4	70.0	130	
		Selenium, dissolved	7782-49-2	E421	0.0432 mg/L	0.04 mg/L	108	70.0	130	
		Silicon, dissolved	7440-21-3	E421	9.74 mg/L	10 mg/L	97.4	70.0	130	
		Silver, dissolved	7440-22-4	E421	0.00402 mg/L	0.004 mg/L	100	70.0	130	
		Sodium, dissolved	7440-23-5	E421	2.01 mg/L	2 mg/L	100	70.0	130	
		Strontium, dissolved	7440-24-6	E421	ND mg/L		ND	70.0	130	
		Sulfur, dissolved	7704-34-9	E421	ND mg/L		ND	70.0	130	
		Tellurium, dissolved	13494-80-9	E421	0.0437 mg/L	0.04 mg/L	109	70.0	130	
		Thallium, dissolved	7440-28-0	E421	0.00398 mg/L	0.004 mg/L	99.6	70.0	130	
		Thorium, dissolved	7440-29-1	E421	0.0214 mg/L	0.02 mg/L	107	70.0	130	
		Tin, dissolved	7440-31-5	E421	0.0198 mg/L	0.02 mg/L	98.8	70.0	130	
		Titanium, dissolved	7440-32-6	E421	0.0382 mg/L	0.04 mg/L	95.5	70.0	130	
		Tungsten, dissolved	7440-33-7	E421	0.0203 mg/L	0.02 mg/L	102	70.0	130	
		Uranium, dissolved	7440-61-1	E421	0.00411 mg/L	0.004 mg/L	103	70.0	130	
		Vanadium, dissolved	7440-62-2	E421	0.100 mg/L	0.1 mg/L	100	70.0	130	
		Zinc, dissolved	7440-66-6	E421	0.400 mg/L	0.4 mg/L	100.0	70.0	130	
		Zirconium, dissolved	7440-67-7	E421	0.0423 mg/L	0.04 mg/L	106	70.0	130	
Dissolved Metals	(QCLot: 1548255)									
VA24B6580-003	Anonymous	Mercury, dissolved	7439-97-6	E509	0.0000978 mg/L	0 mg/L	97.8	70.0	130	



CERTIFICATE OF ANALYSIS

Work Order : YL2400916

Amendment : *

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Vancouver

Contact : Jon Melnyk : Account Manager : Oliver Gregg
Address : 750 West Pender Street Suite 201 : 8081 Loughe

750 West Pender Street Suite 201 Address : 8081 Lougheed Highway
Vancouver British Columbia Canada V6C 2T7 Burnaby BC Canada V5A 1W9

 Telephone
 : -- Telephone
 : 1 867 445 7143

 Project
 : -- Date Samples Received
 : 16-Jul-2024 11:12

 PO
 : -- Date Analysis Commenced
 : 16-Jul-2024

C-O-C number : ---- Issue Date : 25-Jul-2024 11:54 Sampler : ----

Quote number : YL24-ELMI100-001

No. of samples received : 3
No. of samples analysed : 3

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

General Comments

Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN)

Signatories

Site

This document has been electronically signed by the authorized signatories below.	Electronic signing is conducted in accordance with US FI	DA 21 CFR Part 11.
Signatories	Position	Laboratory Department
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Inorganics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Metals, Burnaby, British Columbia
Oliver Gregg	Client Services Supervisor	External Subcontracting, Yellowknife, Northwest Territories

Page: 1 of 6 alsglobal.com

Work Order : YL2400916 Amendment 1

Client : Elgin Mining Inc.

Project : ---



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances.

LOR: Limit of Reporting (detection limit).

Unit	Description
μS/cm	microsiemens per centimetre
pH units	pH units
mg/L	milligrams per litre
CFU/100mL	colony forming units per hundred millilitres

<: less than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

>: greater than.

Work Order : YL2400916
Client : Elgin Mining Inc.
Project : ----Amendment 1



alsglobal.com Page: 3 of 6

Work Order : YL2400916
Client : Elgin Mining Inc.
Project : ----Amendment 1



Analytical Results

Sub-Matrix: Water (Matrix: Water)		Client sa	ample ID	LUP-01	LUP-EL-01	LUP-EL-01	
(Matrix. Trater)	(Client sampling dat	e / time	15-Jul-2024 07:11	15-Jul-2024 07:39	15-Jul-2024 08:06	
Analyte CAS Nur	ber Method/Lab	LOR	Unit	YL2400916-001	YL2400916-002	YL2400916-003	
				Result	Result	Result	
Physical Tests							
Alkalinity, bicarbonate (as CaCO3)	E290/VA	2.0	mg/L	3.2	<2.0	3.9	
Alkalinity, carbonate (as CaCO3)	E290/VA	2.0	mg/L	<2.0	<2.0	<2.0	
Alkalinity, hydroxide (as CaCO3)	E290/VA	2.0	mg/L	<2.0	<2.0	<2.0	
Alkalinity, phenolphthalein (as CaCO3)	E290/VA	2.0	mg/L	<2.0	<2.0	<2.0	
Alkalinity, total (as CaCO3)	E290/VA	2.0	mg/L	3.2	<2.0	3.9	
Conductivity	E100/VA	2.0	μS/cm	14.6	122	36.9	
Hardness (as CaCO3), from total Ca/Mg	EC100A/VA	0.60	mg/L	5.15	49.7	13.0	
рН	E108/VA	0.10	pH units	6.70	5.80	6.77	
Solids, total suspended [TSS]	E160/VA	3.0	mg/L	<3.0	5.4	<3.0	
Microbiological Tests							
Coliforms, thermotolerant [fecal]	FC-MF/1Y	1.0	CFU/100 mL	<1.0			
Total Metals							
Aluminum, total 7429-	0-5 E420/VA	0.0030	mg/L	0.0069	0.133	0.0271	
Antimony, total 7440-	6-0 E420/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	
Arsenic, total 7440-	8-2 E420/VA	0.00010	mg/L	0.00048	0.00204	0.00104	
Barium, total 7440-	9-3 E420/VA	0.00010	mg/L	0.00236	0.0207	0.00416	
Beryllium, total 7440-	1-7 E420/VA	0.000100	mg/L	<0.000100	<0.000100	<0.000100	
Bismuth, total 7440-	9-9 E420/VA	0.000050	mg/L	<0.000050	<0.000050	<0.000050	
Boron, total 7440-	2-8 E420/VA	0.010	mg/L	<0.010	<0.010	<0.010	
Cadmium, total 7440-	3-9 E420/VA	0.0000050	mg/L	<0.0000050	0.0000778	0.0000069	
Calcium, total 7440-	0-2 E420/VA	0.050	mg/L	1.03	8.07	2.14	
Cesium, total 7440-	6-2 E420/VA	0.000010	mg/L	<0.000010	0.000077	0.000022	

alsglobal.com Page: 4 of 6

Work Order : YL2400916 Client : Elgin Mining Inc. Project : ----Amendment 1

Project



Analytical Results

Sub-Matrix: Water (Matrix: Water)		Client sa	mple ID	LUP-01	LUP-EL-01	LUP-EL-01	
	C	lient sampling date	/time	15-Jul-2024 07:11	15-Jul-2024 07:39	15-Jul-2024 08:06	
Analyte CAS Number	Method/Lab	LOR	Unit	YL2400916-001	YL2400916-002	YL2400916-003	
				Result	Result	Result	
Total Metals							
Chromium, total 7440-47-3	E420/VA	0.00050	mg/L	<0.00050	<0.00050	<0.00050	
Cobalt, total 7440-48-4	E420/VA	0.00010	mg/L	<0.00010	0.00679	0.00040	
Copper, total 7440-50-8	E420/VA	0.00050	mg/L	0.00065	0.00586	0.00166	
Iron, total 7439-89-6	E420/VA	0.010	mg/L	<0.010	0.201	0.093	
Lead, total 7439-92-1	E420/VA	0.000050	mg/L	<0.000050	0.000055	<0.000050	
Lithium, total 7439-93-2	E420/VA	0.0010	mg/L	<0.0010	0.0070	0.0035	
Magnesium, total 7439-95-4	E420/VA	0.0050	mg/L	0.626	7.17	1.87	
	E420/VA	0.00010	mg/L	0.00180	0.0735	0.00690	
Mercury, total 7439-97-6	E508/VA	0.0000050	mg/L	<0.0000050	<0.0000050	<0.0000050	
Molybdenum, total 7439-98-7	E420/VA	0.000050	mg/L	<0.000050	<0.000050	<0.000050	
Nickel, total 7440-02-0	E420/VA	0.00050	mg/L	0.00091	0.0519	0.00360	
	E420/VA	0.050	mg/L	<0.050	<0.050	<0.050	
Potassium, total 7440-09-7	E420/VA	0.050	mg/L	0.406	1.05	0.651	
	E420/VA	0.00020	mg/L	0.00122	0.00364	0.00192	
	E420/VA	0.000050	mg/L	<0.000050	<0.000050	<0.000050	
	E420/VA	0.10	mg/L	0.11	<0.10	0.19	
	E420/VA	0.000010	mg/L	<0.000010	<0.000010	<0.000010	
	E420/VA	0.050	mg/L	0.568	3.29	1.33	
Strontium, total 7440-24-6	E420/VA	0.00020	mg/L	0.00594	0.0460	0.0128	
	E420/VA	0.50	mg/L	0.85	17.5	3.85	
Tellurium, total 13494-80-9	E420/VA	0.00020	mg/L	<0.00020	<0.00020	<0.00020	
Thallium, total 7440-28-0	E420/VA	0.000010	mg/L	<0.000010	<0.000010	<0.000010	

alsglobal.com Page: 5 of 6

Work Order : YL2400916 Client : Elgin Mining Inc. Amendment 1

Project



Analytical Results

Sub-Matrix: Water (Matrix: Water)		Client sa	mple ID	LUP-01	LUP-EL-01	LUP-EL-01	
	С	lient sampling date	e / time	15-Jul-2024 07:11	15-Jul-2024 07:39	15-Jul-2024 08:06	
Analyte CAS Number	r Method/Lab	LOR	Unit	YL2400916-001	YL2400916-002	YL2400916-003	
				Result	Result	Result	
Total Metals							
Thorium, total 7440-29-	1 E420/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	
Tin, total 7440-31-	5 E420/VA	0.00010	mg/L	<0.00010	0.00031	<0.00010	
Titanium, total 7440-32-	6 E420/VA	0.00030	mg/L	<0.00030	0.00147	<0.00030	
Tungsten, total 7440-33-	7 E420/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	
Uranium, total 7440-61-	1 E420/VA	0.000010	mg/L	0.000019	0.000035	0.000022	
Vanadium, total 7440-62-	E420/VA	0.00050	mg/L	<0.00050	<0.00050	<0.00050	
Zinc, total 7440-66-	6 E420/VA	0.0030	mg/L	<0.0030	0.0240	<0.0030	
Zirconium, total 7440-67-	7 E420/VA	0.00020	mg/L	<0.00020	<0.00020	<0.00020	

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



QUALITY CONTROL INTERPRETIVE REPORT

Work Order : **YL2400916** Page : 1 of 7

Amendment :1

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Jon Melnyk Account Manager : Oliver Gregg

: 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

Yellowknife, Northwest Territories Canada X1A 3T3

 Telephone
 :-- Telephone
 : 1 867 445 7143

 Project
 :-- Date Samples Received
 : 16-Jul-2024 11:12

 PO
 :-- Issue Date
 : 25-Jul-2024 11:48

C-O-C number : ---Sampler : ---Site : ----

Quote number : YL24-ELMI100-001

No. of samples received :3
No. of samples analysed :3

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Address

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

Vancouver BC Canada V6C 2T7

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers Outliers : Quality Control Samples

No Method Blank value outliers occur.

- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

• No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

• Analysis Holding Time Outliers exist - please see following pages for full details.

Outliers : Frequency of Quality Control Samples

<u>No</u> Quality Control Sample Frequency Outliers occur.

Page : 3 of 7

Work Order : YL2400916 Amendment 1

Client : Elgin Mining Inc.

Project : ---



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and/or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Water					Ev	/aluation: ≭ =	Holding time excee	edance ; 🔻	= Within	Holding Time
Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / P	reparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Microbiological Tests : Fecal Coliforms in Water by MF										
Sterile HDPE (Sodium thiosulphate) LUP-01	FC-MF	15-Jul-2024					16-Jul-2024	30 hrs	28 hrs	✓
Physical Tests : Alkalinity Species by Titration										
HDPE LUP-01	E290	15-Jul-2024	20-Jul-2024	14 days	5 days	1	22-Jul-2024	14 days	7 days	✓
Physical Tests : Alkalinity Species by Titration										
HDPE LUP-EL-01, LUP-EL-01	E290	15-Jul-2024	20-Jul-2024	14 days	5 days	✓	22-Jul-2024	14 days	7 days	✓
Physical Tests : Conductivity in Water										
HDPE LUP-01	E100	15-Jul-2024	20-Jul-2024	28 days	5 days	1	22-Jul-2024	28 days	7 days	✓
Physical Tests : Conductivity in Water										
HDPE LUP-EL-01, LUP-EL-01	E100	15-Jul-2024	20-Jul-2024	28 days	5 days	✓	22-Jul-2024	28 days	7 days	✓
Physical Tests : pH by Meter										
HDPE LUP-EL-01	E108	15-Jul-2024	20-Jul-2024	0.25 hrs	126 hrs	# EHTR-FM	22-Jul-2024	0.25 hrs	169 hrs	# EHTR-FM
Physical Tests : pH by Meter										
HDPE LUP-EL-01	E108	15-Jul-2024	20-Jul-2024	0.25 hrs	127 hrs	* EHTR-FM	22-Jul-2024	0.25 hrs	169 hrs	# EHTR-FM

Page : 4 of 7

Work Order : YL2400916 Amendment 1

Client : Elgin Mining Inc.

Project : ---



Matrix: Water			Evaluation: × =	Holding time exceedance ; ✓ = Within Holding Time
Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation	Analysis

Physical Tests : pH by Meter HDPE LUP-01 E108 15-Jul-2024 20-Jul-2024 0.25 hrs EHTR-FM 22-Jul-2024 0.25 hrs EHTR-FM 22-Jul-2024 0.25 hrs EHTR-FM EHTR-	eparation Analysis		reparation	raction / Pr	Exti	Sampling Date	Method	Analyte Group : Analytical Method
Physical Tests : pH by Meter	g Times Eval Analysis Date Holding Times Eval	Eval	g Times	Holding	Preparation			Container / Client Sample ID(s)
HDPE LUP-01	Actual Rec Actual		Actual	Rec	Date			
LUP-01 E108 15-Jul-2024 20-Jul-2024 0.25 hrs 127 hrs ★ EHTR-FM 22-Jul-2024 0.25 hrs 170 hrs ★ EHTR-Physical Tests: TSS by Gravimetry HDPE LUP-01 E160 15-Jul-2024 22-Jul-2024 7 days 7 days ✓ Physical Tests: TSS by Gravimetry HDPE LUP-EL-01, LUP-EL-01 E160 15-Jul-2024 22-Jul-2024 7 days 7 days ✓ Total Metals: Total Mercury in Water by CVAAS Glass vial total (hydrochloric acid)								Physical Tests : pH by Meter
Physical Tests : TSS by Gravimetry								HDPE
Physical Tests : TSS by Gravimetry HDPE LUP-01 E160 15-Jul-2024 22-Jul-2024 7 days 7 days ✓ Physical Tests : TSS by Gravimetry HDPE LUP-EL-01, LUP-EL-01 E160 15-Jul-2024 22-Jul-2024 7 days 7 days ✓ Total Mercury in Water by CVAAS Glass vial total (hydrochloric acid) Image: Color of the color o		· ·	127 hrs	0.25	20-Jul-2024	15-Jul-2024	E108	LUP-01
HDPE LUP-01 E160 15-Jul-2024 22-Jul-2024 7 days 7 days ✓ Physical Tests: TSS by Gravimetry HDPE LUP-EL-01, LUP-EL-01 E160 15-Jul-2024 22-Jul-2024 7 days 7 days ✓ Total Mercury in Water by CVAAS Glass vial total (hydrochloric acid) Image: Color of the color	EHTR-FM hrs EHTR-FM	EHTR-FM		hrs				
LUP-01 E160 15-Jul-2024 22-Jul-2024 7 days ✓ Physical Tests: TSS by Gravimetry HDPE LUP-EL-01, LUP-EL-01 E160 15-Jul-2024 22-Jul-2024 7 days ✓ Total Mercury in Water by CVAAS Glass vial total (hydrochloric acid) Image: Color of the c								Physical Tests : TSS by Gravimetry
Physical Tests : TSS by Gravimetry								
HDPE LUP-EL-01, LUP-EL-01 E160 15-Jul-2024 22-Jul-2024 7 days 7 days ✓ Total Mercury in Water by CVAAS Glass vial total (hydrochloric acid)	22-Jul-2024 7 days 7 days ✓					15-Jul-2024	E160	LUP-01
HDPE LUP-EL-01, LUP-EL-01 E160 15-Jul-2024 22-Jul-2024 7 days 7 days ✓ Total Mercury in Water by CVAAS Glass vial total (hydrochloric acid)								
LUP-EL-01, LUP-EL-01 E160 15-Jul-2024 22-Jul-2024 7 days 7 days ✓ Total Mercury in Water by CVAAS Glass vial total (hydrochloric acid) <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Physical Tests : TSS by Gravimetry</td></t<>								Physical Tests : TSS by Gravimetry
Total Metals : Total Mercury in Water by CVAAS Glass vial total (hydrochloric acid)								
Glass vial total (hydrochloric acid)	22-Jul-2024 7 days 7 days ✓					15-Jul-2024	E160	LUP-EL-01, LUP-EL-01
Glass vial total (hydrochloric acid)								
								Total Metals : Total Mercury in Water by CVAAS
								Glass vial total (hydrochloric acid)
LUP-01 E508 15-Jul-2024 23-Jul-2024 28 8 days ✓ 23-Jul-2024 28 days 8 days ✓	8 days ✓ 23-Jul-2024 28 days 8 days ✓	✓	8 days	28	23-Jul-2024	15-Jul-2024	E508	LUP-01
days				days				
Total Metals: Total Mercury in Water by CVAAS								Total Metals : Total Mercury in Water by CVAAS
Glass vial total (hydrochloric acid)								Glass vial total (hydrochloric acid)
LUP-EL-01, LUP-EL-01 E508 15-Jul-2024 23-Jul-2024 28 8 days ✓ 23-Jul-2024 28 days 8 days ✓	8 days ✓ 23-Jul-2024 28 days 8 days ✓	✓	8 days	28	23-Jul-2024	15-Jul-2024	E508	LUP-EL-01, LUP-EL-01
days				days				
Total Metals: Total Metals in Water by CRC ICPMS								Total Metals : Total Metals in Water by CRC ICPMS
HDPE - total (lab preserved)								HDPE - total (lab preserved)
LUP-01 E420 15-Jul-2024 20-Jul-2024 180 5 days ✓ 23-Jul-2024 180 8 days ✓	5 days ✓ 23-Jul-2024 180 8 days ✓	✓	5 days	180	20-Jul-2024	15-Jul-2024	E420	LUP-01
days days days	days			days				
Total Metals: Total Metals in Water by CRC ICPMS								Total Metals : Total Metals in Water by CRC ICPMS
HDPE - total (lab preserved)								· · /
20 22 01, 251 22 01	25 54. 252 1 100 5 44.75	✓	5 days	180	20-Jul-2024	15-Jul-2024	E420	LUP-EL-01, LUP-EL-01
days days days	days			days				

Legend & Qualifier Definitions

EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended

Rec. HT: ALS recommended hold time (see units).

Page : 5 of 7

Work Order : YL2400916 Amendment 1

Client : Elgin Mining Inc.

Project : --



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: Water		Evaluation	n: × = QC freque	ency outside spe	ecification; ✓ = 0	QC frequency wit	hin specification
Quality Control Sample Type			Co	unt		Frequency (%)	ĺ
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Laboratory Duplicates (DUP)							
Alkalinity Species by Titration	E290	1556072	1	16	6.2	5.0	✓
Conductivity in Water	E100	1556073	1	10	10.0	5.0	✓
pH by Meter	E108	1556071	1	11	9.0	5.0	√
Total Mercury in Water by CVAAS	E508	1558861	1	7	14.2	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1554810	1	20	5.0	5.0	✓
TSS by Gravimetry	E160	1557758	1	9	11.1	5.0	✓
Laboratory Control Samples (LCS)							
Alkalinity Species by Titration	E290	1556072	1	16	6.2	5.0	✓
Conductivity in Water	E100	1556073	1	10	10.0	5.0	✓
pH by Meter	E108	1556071	1	11	9.0	5.0	✓
Total Mercury in Water by CVAAS	E508	1558861	1	7	14.2	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1554810	1	20	5.0	5.0	✓
TSS by Gravimetry	E160	1557758	1	9	11.1	5.0	✓
Method Blanks (MB)							
Alkalinity Species by Titration	E290	1556072	1	16	6.2	5.0	✓
Conductivity in Water	E100	1556073	1	10	10.0	5.0	✓
Total Mercury in Water by CVAAS	E508	1558861	1	7	14.2	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1554810	1	20	5.0	5.0	✓
TSS by Gravimetry	E160	1557758	1	9	11.1	5.0	✓
Matrix Spikes (MS)							
Total Mercury in Water by CVAAS	E508	1558861	1	7	14.2	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1554810	1	20	5.0	5.0	√

Page : 6 of 7

Work Order : YL2400916 Amendment 1

Client : Elgin Mining Inc.

Project : --



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Conductivity in Water	E100 ALS Environmental -	Water	APHA 2510 (mod)	Conductivity, also known as Electrical Conductivity (EC) or Specific Conductance, is measured by immersion of a conductivity cell with platinum electrodes into a water sample. Conductivity measurements are temperature-compensated to 25°C.
	Vancouver			
pH by Meter	E108 ALS Environmental -	Water	APHA 4500-H (mod)	pH is determined by potentiometric measurement with a pH electrode, and is conducted at ambient laboratory temperature (normally 20 ± 5°C). For high accuracy test results, pH should be measured in the field within the recommended 15 minute hold time.
	Vancouver			
TSS by Gravimetry	E160	Water	APHA 2540 D (mod)	Total Suspended Solids (TSS) are determined by filtering a sample through a glass fibre filter, following by drying of the filter at 104 ± 1°C, with gravimetric measurement of the
	ALS Environmental -			filtered solids. Samples containing very high dissolved solid content (i.e. seawaters,
	Vancouver			brackish waters) may produce a positive bias by this method. Alternate analysis methods are available for these types of samples.
Alkalinity Species by Titration	E290	Water	APHA 2320 B (mod)	Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total
	ALS Environmental - Vancouver			alkalinity values.
Total Metals in Water by CRC ICPMS	E420	Water	EPA 200.2/6020B (mod)	Water samples are digested with nitric and hydrochloric acids, and analyzed by Collision/Reaction Cell ICPMS.
	ALS Environmental -			
	Vancouver			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Total Mercury in Water by CVAAS	E508	Water	EPA 1631E (mod)	Water samples undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS
	ALS Environmental -			
	Vancouver			
Hardness (Calculated) from Total Ca/Mg	EC100A ALS Environmental - Vancouver	Water	APHA 2340B	"Hardness (as CaCO3), from total Ca/Mg" is calculated from the sum of total Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations. Hardness from total Ca/Mg is
				normally comparable to Dissolved Hardness in non-turbid waters.
Fecal Coliforms in Water by MF	FC-MF	Water	APHA 9222D	See attached report.
	Taiga Environmental Laboratory - 4601 - 52nd Avenue P.O. BOX 1500 Yellowknife Northwest Territories			
	Canada X1A 2R3			

Page : 7 of 7

Work Order : YL2400916 Amendment 1

Client : Elgin Mining Inc.

Project : ---



ALS Canada Ltd.



QUALITY CONTROL REPORT

Work Order : **YL2400916** Page : 1 of 10

Amendment : 1

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Jon Melnyk Account Manager : Oliver Gregg

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

Yellowknife, Northwest Territories Canada X1A 3T3

:---- Telephone :1 867 445 7143
:---- Date Samples Received :16-Jul-2024 11:12
:---- Date Analysis Commenced :16-Jul-2024

C-O-C number :--- Issue Date :25-Jul-2024 11:48

Sampler :---Site :----

Quote number ; YL24-ELMI100-001

Vancouver BC Canada V6C 2T7

No. of samples received : 3
No. of samples analysed : 3

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives

- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

Telephone

Project

PO

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Vancouver Inorganics, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Vancouver Metals, Burnaby, British Columbia
Oliver Gregg	Client Services Supervisor	Taiga Environmental Laboratory External Subcontracting, Yellowknife, Northwest Territories
Owen Cheng		Vancouver Metals, Burnaby, British Columbia

Page : 2 of 10

Work Order: YL2400916 Amendment 1

Client : Elgin Mining Inc.

Project : --



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key:

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Page : 3 of 10

Work Order: YL2400916 Amendment 1

Client : Elgin Mining Inc.

Project : --



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Water						Laboratory Duplicate (DUP) Report							
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier		
Physical Tests (QC	Lot: 1556071)												
FJ2402073-002	Anonymous	pH		E108	0.10	pH units	8.33	8.34	0.120%	4%			
Physical Tests (QC	Lot: 1556072)												
FJ2402073-002	Anonymous	Alkalinity, bicarbonate (as CaCO3)		E290	1.0	mg/L	266	265	0.226%	200%			
		Alkalinity, carbonate (as CaCO3)		E290	1.0	mg/L	3.8	4.0	5.13%	200%			
		Alkalinity, hydroxide (as CaCO3)		E290	1.0	mg/L	<1.0	<1.0	0.00%	200%			
		Alkalinity, phenolphthalein (as CaCO3)		E290	1.0	mg/L	1.9	2.0	0.1	Diff <2x LOR			
		Alkalinity, total (as CaCO3)		E290	1.0	mg/L	270	269	0.148%	20%			
Physical Tests (QC	Lot: 1556073)												
FJ2402073-002	Anonymous	Conductivity		E100	2.0	μS/cm	611	618	1.14%	10%			
Physical Tests (QC	Lot: 1557758)												
VA24B7138-001	Anonymous	Solids, total suspended [TSS]		E160	3.0	mg/L	<3.0	<3.0	0	Diff <2x LOR			
otal Metals (QC Lo	ot: 1554810)												
-J2402064-001	Anonymous	Aluminum, total	7429-90-5	E420	0.0030	mg/L	0.0129	0.0129	0.00003	Diff <2x LOR			
		Antimony, total	7440-36-0	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR			
		Arsenic, total	7440-38-2	E420	0.00010	mg/L	0.00354	0.00355	0.285%	20%			
		Barium, total	7440-39-3	E420	0.00010	mg/L	0.337	0.344	1.99%	20%			
		Beryllium, total	7440-41-7	E420	0.000100	mg/L	<0.000100	<0.000100	0	Diff <2x LOR			
		Bismuth, total	7440-69-9	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR			
		Boron, total	7440-42-8	E420	0.010	mg/L	0.240	0.241	0.709%	20%			
		Cadmium, total	7440-43-9	E420	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR			
		Calcium, total	7440-70-2	E420	0.050	mg/L	86.6	89.5	3.21%	20%			
		Cesium, total	7440-46-2	E420	0.000010	mg/L	0.000012	0.000011	0.000001	Diff <2x LOR			
		Chromium, total	7440-47-3	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR			
		Cobalt, total	7440-48-4	E420	0.00010	mg/L	0.00075	0.00076	0.00001	Diff <2x LOR			
		Copper, total	7440-50-8	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR			
		Iron, total	7439-89-6	E420	0.010	mg/L	15.2	15.4	0.720%	20%			
		Lead, total	7439-92-1	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR			
		Lithium, total	7439-93-2	E420	0.0010	mg/L	0.0707	0.0714	0.989%	20%			
		Magnesium, total	7439-95-4	E420	0.0050	mg/L	20.1	20.6	2.31%	20%			
		Manganese, total	7439-96-5	E420	0.00010	mg/L	0.957	0.994	3.77%	20%			

Page : 4 of 10

Work Order: YL2400916 Amendment 1

Client : Elgin Mining Inc.

Project : ---



Sub-Matrix: Water					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Total Metals (QC Lo	ot: 1554810) - continued	1									
FJ2402064-001	Anonymous	Molybdenum, total	7439-98-7	E420	0.000050	mg/L	0.00559	0.00560	0.323%	20%	
		Nickel, total	7440-02-0	E420	0.00050	mg/L	0.00054	0.00056	0.00002	Diff <2x LOR	
		Phosphorus, total	7723-14-0	E420	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	
		Potassium, total	7440-09-7	E420	0.050	mg/L	1.54	1.59	3.60%	20%	
		Rubidium, total	7440-17-7	E420	0.00020	mg/L	0.00242	0.00244	0.528%	20%	
		Selenium, total	7782-49-2	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	
		Silicon, total	7440-21-3	E420	0.10	mg/L	6.11	6.15	0.747%	20%	
		Silver, total	7440-22-4	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		Sodium, total	7440-23-5	E420	0.050	mg/L	40.7	42.0	3.03%	20%	
		Strontium, total	7440-24-6	E420	0.00020	mg/L	0.385	0.391	1.44%	20%	
		Sulfur, total	7704-34-9	E420	0.50	mg/L	1.36	1.28	0.08	Diff <2x LOR	
		Tellurium, total	13494-80-9	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	
		Thallium, total	7440-28-0	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		Thorium, total	7440-29-1	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Tin, total	7440-31-5	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Titanium, total	7440-32-6	E420	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR	
		Tungsten, total	7440-33-7	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Uranium, total	7440-61-1	E420	0.000010	mg/L	0.000478	0.000472	1.31%	20%	
		Vanadium, total	7440-62-2	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	
		Zinc, total	7440-66-6	E420	0.0030	mg/L	<0.0030	<0.0030	0	Diff <2x LOR	
		Zirconium, total	7440-67-7	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	
Total Metals (QC Lo	ot: 1558861)										
YL2400913-002	Anonymous	Mercury, total	7439-97-6	E508	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	

Page : 5 of 10

Work Order: YL2400916 Amendment 1

Client : Elgin Mining Inc.

Project : --



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.


Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1556072)						
Alkalinity, bicarbonate (as CaCO3)		E290	1	mg/L	<1.0	
Alkalinity, carbonate (as CaCO3)		E290	1	mg/L	<1.0	
Alkalinity, hydroxide (as CaCO3)		E290	1	mg/L	<1.0	
Alkalinity, phenolphthalein (as CaCO3)		E290	1	mg/L	<1.0	
Alkalinity, total (as CaCO3)		E290	1	mg/L	<1.0	
hysical Tests (QCLot: 1556073)						
Conductivity		E100	1	μS/cm	<1.0	
hysical Tests (QCLot: 1557758)						
Solids, total suspended [TSS]		E160	3	mg/L	<3.0	
otal Metals (QCLot: 1554810)						
Aluminum, total	7429-90-5	E420	0.003	mg/L	<0.0030	
Antimony, total	7440-36-0	E420	0.0001	mg/L	<0.00010	
Arsenic, total	7440-38-2	E420	0.0001	mg/L	<0.00010	
Barium, total	7440-39-3	E420	0.0001	mg/L	<0.00010	
Beryllium, total	7440-41-7	E420	0.00002	mg/L	<0.000020	
Bismuth, total	7440-69-9	E420	0.00005	mg/L	<0.000050	
Boron, total	7440-42-8	E420	0.01	mg/L	<0.010	
Cadmium, total	7440-43-9	E420	0.000005	mg/L	<0.0000050	
Calcium, total	7440-70-2	E420	0.05	mg/L	<0.050	
Cesium, total	7440-46-2	E420	0.00001	mg/L	<0.000010	
Chromium, total	7440-47-3	E420	0.0005	mg/L	<0.00050	
Cobalt, total	7440-48-4	E420	0.0001	mg/L	<0.00010	
Copper, total	7440-50-8	E420	0.0005	mg/L	<0.00050	
Iron, total	7439-89-6	E420	0.01	mg/L	<0.010	
Lead, total	7439-92-1	E420	0.00005	mg/L	<0.000050	
Lithium, total	7439-93-2	E420	0.001	mg/L	<0.0010	
Magnesium, total	7439-95-4	E420	0.005	mg/L	<0.0050	
Manganese, total	7439-96-5	E420	0.0001	mg/L	<0.00010	
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	<0.000050	
Nickel, total	7440-02-0	E420	0.0005	mg/L	<0.00050	
Phosphorus, total	7723-14-0	E420	0.05	mg/L	<0.050	
Potassium, total	7440-09-7	E420	0.05	mg/L	<0.050	

Page : 6 of 10

Work Order: YL2400916 Amendment 1

Client : Elgin Mining Inc.

Project : ---





Page : 7 of 10

Work Order: YL2400916 Amendment 1

Client : Elgin Mining Inc.

Project : --



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Water	Laboratory Control Sample (LCS) Report							
				Spike	Recovery (%)	Recovery	Limits (%)	
Analyte CAS Num	per Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 1556071)								
	E108		pH units	7 pH units	100	98.0	102	
Physical Tests (QCLot: 1556072)								
	E290	1	mg/L	229 mg/L	106	75.0	125	
Alkalinity, total (as CaCO3)	E290	1	mg/L	500 mg/L	101	85.0	115	
Physical Tests (QCLot: 1556073)								
Conductivity	E100	1	μS/cm	147 μS/cm	93.0	90.0	110	
Physical Tests (QCLot: 1557758)								
	E160	3	mg/L	150 mg/L	85.3	85.0	115	
Total Metals (QCLot: 1554810)								
Aluminum, total 7429-9	-5 E420	0.003	mg/L	2 mg/L	112	80.0	120	
Antimony, total 7440-3	i-0 E420	0.0001	mg/L	1 mg/L	104	80.0	120	
Arsenic, total 7440-3	3-2 E420	0.0001	mg/L	1 mg/L	109	80.0	120	
Barium, total 7440-3	-3 E420	0.0001	mg/L	0.25 mg/L	100	80.0	120	
Beryllium, total 7440-4	-7 E420	0.00002	mg/L	0.1 mg/L	100	80.0	120	
Bismuth, total 7440-6	9-9 E420	0.00005	mg/L	1 mg/L	101	80.0	120	
Boron, total 7440-4	2-8 E420	0.01	mg/L	1 mg/L	89.2	80.0	120	
Cadmium, total 7440-4	i-9 E420	0.000005	mg/L	0.1 mg/L	102	80.0	120	
Calcium, total 7440-7)-2 E420	0.05	mg/L	50 mg/L	99.5	80.0	120	
Cesium, total 7440-4	i-2 E420	0.00001	mg/L	0.05 mg/L	102	80.0	120	
Chromium, total 7440-4	'-3 E420	0.0005	mg/L	0.25 mg/L	108	80.0	120	
Cobalt, total 7440-4	I-4 E420	0.0001	mg/L	0.25 mg/L	105	80.0	120	
Copper, total 7440-5	9-8 E420	0.0005	mg/L	0.25 mg/L	105	80.0	120	
Iron, total 7439-8	9-6 E420	0.01	mg/L	1 mg/L	97.0	80.0	120	
Lead, total 7439-9	-1 E420	0.00005	mg/L	0.5 mg/L	100	80.0	120	
Lithium, total 7439-9	-2 E420	0.001	mg/L	0.25 mg/L	95.2	80.0	120	
Magnesium, total 7439-9	i-4 E420	0.005	mg/L	50 mg/L	106	80.0	120	
Manganese, total 7439-9	i-5 E420	0.0001	mg/L	0.25 mg/L	108	80.0	120	
Molybdenum, total 7439-9	3-7 E420	0.00005	mg/L	0.25 mg/L	104	80.0	120	
Nickel, total 7440-0	2-0 E420	0.0005	mg/L	0.5 mg/L	107	80.0	120	
Phosphorus, total 7723-1	-0 E420	0.05	mg/L	10 mg/L	114	80.0	120	
Potassium, total 7440-0)-7 E420	0.05	mg/L	50 mg/L	104	80.0	120	
Rubidium, total 7440-1	′-7 E420	0.0002	mg/L	0.1 mg/L	110	80.0	120	

Page : 8 of 10

Work Order: YL2400916 Amendment 1

Client : Elgin Mining Inc.

Project : --



Sub-Matrix: Water					Laboratory Control Sample (LCS) Report						
					Spike	Recovery (%)	Recovery Limits (%)				
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier		
Total Metals (QCLot: 1554810) - continเ	ied										
Selenium, total	7782-49-2	E420	0.00005	mg/L	1 mg/L	105	80.0	120			
Silicon, total	7440-21-3	E420	0.1	mg/L	10 mg/L	111	80.0	120			
Silver, total	7440-22-4	E420	0.00001	mg/L	0.1 mg/L	100	80.0	120			
Sodium, total	7440-23-5	E420	0.05	mg/L	50 mg/L	110	80.0	120			
Strontium, total	7440-24-6	E420	0.0002	mg/L	0.25 mg/L	102	80.0	120			
Sulfur, total	7704-34-9	E420	0.5	mg/L	50 mg/L	104	80.0	120			
Геllurium, total	13494-80-9	E420	0.0002	mg/L	0.1 mg/L	106	80.0	120			
Гhallium, total	7440-28-0	E420	0.00001	mg/L	1 mg/L	100	80.0	120			
Thorium, total	7440-29-1	E420	0.0001	mg/L	0.1 mg/L	98.5	80.0	120			
Γin, total	7440-31-5	E420	0.0001	mg/L	0.5 mg/L	103	80.0	120			
Fitanium, total	7440-32-6	E420	0.0003	mg/L	0.25 mg/L	105	80.0	120			
Гungsten, total	7440-33-7	E420	0.0001	mg/L	0.1 mg/L	102	80.0	120			
Jranium, total	7440-61-1	E420	0.00001	mg/L	0.005 mg/L	102	80.0	120			
/anadium, total	7440-62-2	E420	0.0005	mg/L	0.5 mg/L	106	80.0	120			
Zinc, total	7440-66-6	E420	0.003	mg/L	0.5 mg/L	103	80.0	120			
Zirconium, total	7440-67-7	E420	0.0002	mg/L	0.1 mg/L	98.2	80.0	120			
Total Metals (QCLot: 1558861)											
Mercury, total	7439-97-6	E508	0.000005	mg/L	0 mg/L	100	80.0	120			

Page : 9 of 10

Work Order: YL2400916 Amendment 1

Client : Elgin Mining Inc.

Project : --



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

ub-Matrix: Water							Matrix Spik	e (MS) Report		
					Spi	ke	Recovery (%)	Recovery	Limits (%)	
aboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifie
otal Metals (QC	Lot: 1554810)									
J2402064-002	Anonymous	Aluminum, total	7429-90-5	E420	0.202 mg/L	0.2 mg/L	101	70.0	130	
		Antimony, total	7440-36-0	E420	0.0202 mg/L	0.02 mg/L	101	70.0	130	
		Arsenic, total	7440-38-2	E420	0.0211 mg/L	0.02 mg/L	106	70.0	130	
		Barium, total	7440-39-3	E420	ND mg/L		ND	70.0	130	
		Beryllium, total	7440-41-7	E420	0.0391 mg/L	0.04 mg/L	97.8	70.0	130	
		Bismuth, total	7440-69-9	E420	0.00926 mg/L	0.01 mg/L	92.6	70.0	130	
		Boron, total	7440-42-8	E420	0.090 mg/L	0.1 mg/L	90.2	70.0	130	
		Cadmium, total	7440-43-9	E420	0.00401 mg/L	0.004 mg/L	100	70.0	130	
		Calcium, total	7440-70-2	E420	ND mg/L		ND	70.0	130	
		Cesium, total	7440-46-2	E420	0.0102 mg/L	0.01 mg/L	102	70.0	130	
		Chromium, total	7440-47-3	E420	0.0410 mg/L	0.04 mg/L	102	70.0	130	
		Cobalt, total	7440-48-4	E420	0.0195 mg/L	0.02 mg/L	97.3	70.0	130	
		Copper, total	7440-50-8	E420	0.0192 mg/L	0.02 mg/L	96.2	70.0	130	
		Iron, total	7439-89-6	E420	1.92 mg/L	2 mg/L	95.8	70.0	130	
		Lead, total	7439-92-1	E420	0.0192 mg/L	0.02 mg/L	95.9	70.0	130	
		Lithium, total	7439-93-2	E420	0.0916 mg/L	0.1 mg/L	91.6	70.0	130	
		Magnesium, total	7439-95-4	E420	ND mg/L		ND	70.0	130	
		Manganese, total	7439-96-5	E420	0.0183 mg/L	0.02 mg/L	91.6	70.0	130	
		Molybdenum, total	7439-98-7	E420	0.0210 mg/L	0.02 mg/L	105	70.0	130	
		Nickel, total	7440-02-0	E420	0.0385 mg/L	0.04 mg/L	96.2	70.0	130	
		Phosphorus, total	7723-14-0	E420	10.9 mg/L	10 mg/L	109	70.0	130	
		Potassium, total	7440-09-7	E420	3.81 mg/L	4 mg/L	95.3	70.0	130	
		Rubidium, total	7440-17-7	E420	0.0201 mg/L	0.02 mg/L	100	70.0	130	
		Selenium, total	7782-49-2	E420	0.0425 mg/L	0.04 mg/L	106	70.0	130	
		Silicon, total	7440-21-3	E420	9.46 mg/L	10 mg/L	94.6	70.0	130	
		Silver, total	7440-22-4	E420	0.00432 mg/L	0.004 mg/L	108	70.0	130	
		Sodium, total	7440-23-5	E420	ND mg/L		ND	70.0	130	
		Strontium, total	7440-24-6	E420	ND mg/L		ND	70.0	130	
		Sulfur, total	7704-34-9	E420	22.5 mg/L	20 mg/L	112	70.0	130	
		Tellurium, total	13494-80-9	E420	0.0422 mg/L	0.04 mg/L	105	70.0	130	
		Thallium, total	7440-28-0	E420	0.00374 mg/L	0.004 mg/L	93.5	70.0	130	
		Thorium, total	7440-29-1	E420	0.0193 mg/L	0.02 mg/L	96.4	70.0	130	
		Tin, total	7440-31-5	E420	0.0201 mg/L	0.02 mg/L	100	70.0	130	
		Titanium, total	7440-32-6	E420	0.0389 mg/L	0.04 mg/L	97.3	70.0	130	
		Tungsten, total	7440-33-7	E420	0.0199 mg/L	0.02 mg/L	99.3	70.0	130	
		Uranium, total	7440-61-1	E420	0.00392 mg/L	0.004 mg/L	98.0	70.0	130	
		Vanadium, total	7440-62-2	E420	0.101 mg/L	0.1 mg/L	101	70.0	130	
		Zinc, total	7440-66-6	E420	0.387 mg/L	0.4 mg/L	96.9	70.0	130	
		Zirconium, total	7440-67-7	E420	0.0394 mg/L	0.04 mg/L	98.5	70.0	130	

Page : 10 of 10

Work Order: YL2400916 Amendment 1

Client : Elgin Mining Inc.

Project : ---



Sub-Matrix: Water		Matrix Spike (MS) Report								
					Spi	ike	Recovery (%)	Recovery	Limits (%)	
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Total Metals (QC	Lot: 1558861)									
YL2400913-003	Anonymous	Mercury, total	7439-97-6	E508	0.0000990 mg/L	0 mg/L	99.0	70.0	130	

				.30	SAMPLE	ALS USE ONLY	SPECIAL HANDLING/STORAGE OR DISPOSAL:	EMAIL REPORTS TO:	SAMPLER:	PURCHASE ORDER NO.:	SITE: LWOY	CLIENT:	
		BoxHlake Cara	[UP-EL-01	Tale On A	Sample identification (This description will appear on the report)	SAMPLE DETAILS Solid(S) Water(W)	ORAGE OR DISPOSAL:	MY JONNE JOSMINING, CA	8 / CELL ()			Eigin Mining inc.	CHAIN OF CUSTODY ALS Laboratory
		90.5/hart-6-51	18:17 htt +0-51	1 (CAN 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	port) DATE / TIME (dd-mm-yyyy)	Vater(W) MATRIX:		4	SAMPLER MOBILE:		(Standard TAT may be longer for some tests e.g., Ultre Trace Organics)	TURNAROUND REQUIREMENTS:	
TOTAL					MATRIX	CONTAINER		EMAIL IN				□ Standard T	RELINQUISHED BY:
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	(C	1 PE	TOTAL CONTAINERS	9 %		EMAIL INVOICE TO: PAYABLE SO MAMBALA		ALS QUOTE NC YL23-ELMI100-001	Non Standard or urgent TAT (List due date):	Standard TAT (List due date):	BY:
					Dissolved metals + Hg			ABLE SO		MI100-001	list due date):		DATE
			(-	<	Migs Biology	ANALYSI		MAMBALAY RESOLUCES, COM				- 11	RECEIVED BY:
			A.L. Surgery	The state of the s		ANALYSIS REQUIRED		Sicon	Continuenta	Random Sample Temperature on Receipt	Custody Seal Intact? Free ice / frozen ice bricks present upon receipt?	FOR LABORATORY USE ONLY (Circle)	RELINQUISHED BY:
	Telephone: +1 867 873 5593	Y L Z 4	YellowKnite Work Order	Environmental Division						on Receipt:	sent upon receipt?	ONLY (Circle)	
	167 873 5583		Work Order Reference	ITAL DIVISION	Comments on Heely contaminant levels, diudons, samples requiring specific QC analysis etc.	Additional information				7230	3 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		RECEIVED BY:
					: is, dilutions, a	fon					NE D	57	7

ALS Canada Ltd.



CERTIFICATE OF ANALYSIS

Work Order : YL2400958 Page : 1 of 9

Client Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Account Manager Contact : Jon Melnyk : Oliver Gregg

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116 Vancouver BC Canada V6C 2T7

Yellowknife NT Canada X1A 3T3

Telephone Telephone : 1 867 445 7143 **Project** Date Samples Received : 22-Jul-2024 09:02

PO **Date Analysis Commenced** : 23-Jul-2024 C-O-C number Issue Date

: 01-Aug-2024 17:30 Sampler

: YL23-ELMI100-001 Quote number

No. of samples received : 7 No. of samples analysed : 7

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

Site

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Ilnaz Badbezanchi	Supervisor - Metals Prep & Mercury	Metals, Burnaby, British Columbia
Kaitlyn Gardner	Account Manager Assistant	External Subcontracting, Yellowknife, Northwest Territories
Maya Urquhart	Lab Analyst	Metals, Burnaby, British Columbia
Miles Gropen	Department Manager - Inorganics	Inorganics, Burnaby, British Columbia
Monica Ko	Lab Assistant	Inorganics, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Metals, Burnaby, British Columbia

Page : 2 of 9

Work Order : YL2400958
Client : Elgin Mining Inc.

Project : ----



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances LOR: Limit of Reporting (detection limit).

- no units μS/cm microsiemens per centimetre CFU/100mL colony forming units per hundred millilitres	
CELI/100ml colony forming units per hundred millilitres	
CFO/TOOTIL COIOTY TOTTIIIII drifts per fluitides	
mg/L milligrams per litre	
pH units pH units	

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Qualifiers

Qualifier	Description
DLM	Detection Limit Adjusted due to sample matrix effects (e.g. chemical interference,
	colour, turbidity).

 Page
 :
 3 of 9

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Sub-Matrix: Water			Cli	ient sample ID	P2-A	P2-B	P2-C	P2-D	P2-E
(Matrix: Water)									
			Client samp	ling date / time	18-Jul-2024 10:25	18-Jul-2024 10:08	18-Jul-2024 09:50	18-Jul-2024 09:34	18-Jul-2024 10:39
Analyte	CAS Number	Method/Lab	LOR	Unit	YL2400958-001	YL2400958-002	YL2400958-003	YL2400958-004	YL2400958-005
					Result	Result	Result	Result	Result
Physical Tests									
Acidity (as CaCO3)		E283/VA	2.0	mg/L	3.5	3.0	3.9	11.4	7.0
Alkalinity, total (as CaCO3)		E290/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Conductivity		E100/VA	1.0	μS/cm	440	440	436	462	463
Hardness (as CaCO3), dissolved		EC100/VA	0.60	mg/L	124	133	115	122	123
Hardness (as CaCO3), from total Ca/Mg		EC100A/VA	0.60	mg/L	144	136	137	143	144
рН		E108/VA	0.10	pH units	5.08	5.34	5.04	4.64	4.52
Solids, total dissolved [TDS]		E162/VA	10	mg/L	324	336	344	383	346
Solids, total suspended [TSS]		E160-L/VA	1.0	mg/L	71.6	1.1	<1.0	<1.0	37.6
Anions and Nutrients									
Bromide	24959-67-9	E235.Br-U/VA	0.0050	mg/L	0.181	0.176	0.178	0.181	0.180
Chloride	16887-00-6	E235.CI-L/VA	0.10	mg/L	15.0	14.9	14.6	15.2	15.0
Fluoride	16984-48-8	E235.F-L/VA	0.010	mg/L	0.117	0.106	0.112	0.127	0.118
Nitrate (as N)	14797-55-8	E235.NO3-T/V	0.0030	mg/L	0.408	0.406	0.394	0.408	0.381
Nitrite (as N)	14797-65-0	E235.NO2-L/V	0.0010	mg/L	<0.0010	0.0011	<0.0010	0.0010	0.0015
Sulfate (as SO4)	14808-79-8	E235.SO4-L/V	0.050	mg/L	180	178	176	193	188
Cyanides									
Cyanide, strong acid dissociable (Total)		E333/VA	0.0050	mg/L	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Total Metals									
Aluminum, total	7429-90-5	E420/VA	0.0030	mg/L	1.47	0.169	0.165	0.692	0.713
Antimony, total	7440-36-0	E420/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Arsenic, total	7440-38-2	E420/VA	0.00010	mg/L	0.195	0.0297	0.0200	0.0346	0.198
Barium, total	7440-39-3	E420/VA	0.00010	mg/L	0.0231	0.0168	0.0173	0.0176	0.0206
Beryllium, total	7440-41-7	E420/VA	0.000100	mg/L	0.000116	<0.000100	<0.000100	0.000136	<0.000100
Bismuth, total	7440-69-9	E420/VA	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
Boron, total	7440-42-8	E420/VA	0.010	mg/L	0.043	0.042	0.042	0.044	0.046
Cadmium, total	7440-43-9	E420/VA	0.0000050	mg/L	0.000147	0.000127	0.000139	0.000172	0.000141
Calcium, total	7440-70-2	E420/VA	0.050	mg/L	42.6	40.2	40.6	42.2	42.6
Cesium, total	7440-46-2	E420/VA	0.000010	mg/L	0.000361	0.000034	0.000038	0.000047	0.000155

 Page
 :
 4 of 9

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Sub-Matrix: Water		CI	ient sample ID	P2-A	P2-B	P2-C	P2-D	P2-E
(Matrix: Water)								
		Client samp	ling date / time	18-Jul-2024 10:25	18-Jul-2024 10:08	18-Jul-2024 09:50	18-Jul-2024 09:34	18-Jul-2024 10:39
Analyte	CAS Number Method/Lab	LOR	Unit	YL2400958-001	YL2400958-002	YL2400958-003	YL2400958-004	YL2400958-005
,				Result	Result	Result	Result	Result
Total Metals								
Chromium, total	7440-47-3 E420/VA	0.00050	mg/L	0.00347	<0.00050	<0.00050	<0.00050	0.00142
Cobalt, total	7440-48-4 E420/VA	0.00010	mg/L	0.0151	0.0135	0.0153	0.0238	0.0152
Copper, total	7440-50-8 E420/VA	0.00050	mg/L	0.0171	0.00514	0.00615	0.0100	0.0114
Iron, total	7439-89-6 E420/VA	0.010	mg/L	3.66	0.610	0.494	2.71	3.20
Lead, total	7439-92-1 E420/VA	0.000050	mg/L	0.00369	0.000607	0.000456	0.000609	0.00342
Lithium, total	7439-93-2 E420/VA	0.0010	mg/L	0.0222	0.0205	0.0198	0.0220	0.0209
Magnesium, total	7439-95-4 E420/VA	0.0050	mg/L	9.18	8.63	8.74	9.11	9.19
Manganese, total	7439-96-5 E420/VA	0.00010	mg/L	0.554	0.534	0.554	0.593	0.556
Mercury, total	7439-97-6 E508/VA	0.0000050	mg/L	0.0000053	<0.0000050	<0.0000050	<0.0000050	<0.0000050
Molybdenum, total	7439-98-7 E420/VA	0.000050	mg/L	0.000381	0.000082	0.000064	0.000061	0.000226
Nickel, total	7440-02-0 E420/VA	0.00050	mg/L	0.0655	0.0597	0.0614	0.0820	0.0639
Phosphorus, total	7723-14-0 E420/VA	0.050	mg/L	0.109	<0.050	<0.050	<0.050	<0.050
Potassium, total	7440-09-7 E420/VA	0.050	mg/L	3.65	3.40	3.38	3.44	3.55
Rubidium, total	7440-17-7 E420/VA	0.00020	mg/L	0.00304	0.00169	0.00185	0.00160	0.00229
Selenium, total	7782-49-2 E420/VA	0.000050	mg/L	0.000083	<0.000050	<0.000050	<0.000050	0.000061
Silicon, total	7440-21-3 E420/VA	0.10	mg/L	1.89	0.73	0.74	1.02	1.36
Silver, total	7440-22-4 E420/VA	0.000010	mg/L	0.000029	<0.000010	<0.000010	<0.000010	<0.000010
Sodium, total	7440-23-5 E420/VA	0.050	mg/L	27.2	27.2	26.7	26.8	26.9
Strontium, total	7440-24-6 E420/VA	0.00020	mg/L	0.201	0.197	0.200	0.208	0.203
Sulfur, total	7704-34-9 E420/VA	0.50	mg/L	59.1	60.5	60.3	65.4	62.0
Tellurium, total	13494-80-9 E420/VA	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
Thallium, total	7440-28-0 E420/VA	0.000010	mg/L	0.000014	<0.000010	<0.000010	<0.000010	<0.000010
Thorium, total	7440-29-1 E420/VA	0.00010	mg/L	<0.00020 DLM	<0.00010	<0.00010	<0.00010	<0.00010
Tin, total	7440-31-5 E420/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Titanium, total	7440-32-6 E420/VA	0.00030	mg/L	0.0470	<0.00090 DLM	<0.00030	<0.00090 DLM	0.0181
Tungsten, total	7440-33-7 E420/VA	0.00010	mg/L	0.00037	<0.00010	<0.00010	<0.00010	0.00039
Uranium, total	7440-61-1 E420/VA	0.000010	mg/L	0.000300	0.000037	0.000034	0.000177	0.000161
Vanadium, total	7440-62-2 E420/VA	0.00050	mg/L	0.00225	<0.00050	<0.00050	<0.00050	0.00098
Zinc, total	7440-66-6 E420/VA	0.0030	mg/L	0.181	0.170	0.176	0.254	0.184
Zirconium, total	7440-67-7 E420/VA	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
Dissolved Metals								

 Page
 :
 5 of 9

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Paralyte	P2-E	P2-D	P2-C	P2-B	P2-A	ent sample ID	Cli			Sub-Matrix: Water
Part										(Matrix: Water)
Result R	8-Jul-2024 10:39	-Jul-2024 09:34	18-Jul-2024 09:50	18-Jul-2024 10:08	18-Jul-2024 10:25	ling date / time	Client samp			
Dissolved Metals	YL2400958-005	L2400958-004	YL2400958-003	YL2400958-002	YL2400958-001	Unit	LOR	Method/Lab	CAS Number	Analyte
Aluminum, dissolved	Result	Result	Result	Result	Result					
Artimony, dissolved										Dissolved Metals
Arsenic, dissolved	0.189	0.574	0.118	0.0878	0.0984	mg/L	0.0010	E421/VA	7429-90-5 l	Aluminum, dissolved
Barium, dissolved	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	mg/L	0.00010	E421/VA	7440-36-0 [[]	Antimony, dissolved
Beryllium, dissolved	0.0308	0.00299	0.00406	0.00273	0.00461	mg/L	0.00010	E421/VA	7440-38-2 l	Arsenic, dissolved
Bismuth, dissolved	0.0184	0.0180	0.0173	0.0170	0.0182	mg/L	0.00010	E421/VA	7440-39-3 l	Barium, dissolved
Boron, dissolved	<0.000100	0.000134	<0.000100	<0.000100	<0.000100	mg/L	0.000100	E421/VA	7440-41-7 l	Beryllium, dissolved
Cadmium, dissolved 740-43-9 (240-43-9) E421/VA 0.000050 mg/L 0.000146 0.000141 0.000140 0.000173 Calcium, dissolved 7440-70-2 (241/VA) 0.050 mg/L 36.5 38.2 33.0 35.2 Cesium, dissolved 7440-46-2 (241/VA) 0.000010 mg/L 0.000031 0.000038 0.000050 0.000050 mg/L 0.0127 0.0139 0.00050 0.000050 0.00052 0.00052 0.00052	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	mg/L	0.000050	E421/VA	7440-69-9 l	Bismuth, dissolved
Calcium, dissolved 7440-70-2 [421/VA 0.050 mg/L 36.5 mg/L 38.2 mg/L 33.0 mg/L 35.2 mg/L Cesium, dissolved 7440-46-2 [421/VA 0.00010 mg/L 0.000031 mg/L 0.000038 mg/L 0.000038 mg/L 0.000050 mg/L 0.00050 mg/L 0.0020 mg/L 0.0127 mg/L 0.0139 mg/L 0.0139 mg/L 0.0136 mg/L 0.0024 mg/L 0.00452 mg/L 0.00458 mg/L 0.0058 mg/L 0.00458 mg/L 0.0058 mg/L 0.00458 mg/L 0.0058 mg/L 0.00458 mg/L 0.0058 mg/L 0.000153 mg/L 0.000150 mg/L 0.000150 mg/L 0.000150 mg/L 0.000150 mg/L 0.00150 mg/L 0.00150 mg/L 0.00163 mg/L 0.0163 mg/L	0.043	0.042	0.040	0.046	0.043	mg/L	0.010	E421/VA	7440-42-8 l	Boron, dissolved
Cesium, dissolved 7440-46-2 (2010) E421/VA 0.000010 (2010) mg/L (2010) 0.000031 (2010) 0.000038 (2010) 0.000032 (2010) Chromium, dissolved 0.000032 (2010) Chromium, dissolved 0.000050 (2010) 0.00050 (2010)	0.000147	0.000173	0.000140	0.000141	0.000146	mg/L	0.0000050	E421/VA	7440-43-9 l	Cadmium, dissolved
Chromium, dissolved 7440-47-3 E421/VA 0.00050 mg/L <0.00050	35.1	35.2	33.0	38.2	36.5	mg/L	0.050	E421/VA	7440-70-2 [[]	Calcium, dissolved
Cobalt, dissolved 7440-48-4 (copper, dissolved) E421/VA 0.00010 mg/L 0.0127 0.0139 0.0136 0.0204 Copper, dissolved 7440-50-8 (e21/VA) 6221/VA 0.00020 mg/L 0.00452 0.00458 0.00528 0.00819 Iron, dissolved 7439-89-6 (e21/VA) 6221/VA 0.010 mg/L 0.226 0.212 0.227 1.81 Lead, dissolved 7439-92-1 (e21/VA) 6221/VA 0.00050 mg/L 0.00163 0.000153 0.000209 0.00024 Lithium, dissolved 7439-93-2 (e21/VA) 6221/VA 0.0010 mg/L 0.0162 0.0184 0.0151 0.0164 Marganese, dissolved 7439-95-6 (e21/VA) 6221/VA 0.00050 mg/L 0.440 0.523 0.468 0.488 Mercury, dissolved 7439-97-6 (e21/VA) 62000050 mg/L 0.000050 mg/L 0.000050 <0.000050	0.000042	0.000032	0.000038	0.000038	0.000031	mg/L	0.000010	E421/VA	7440-46-2 l	Cesium, dissolved
Copper, dissolved 7440-50-8 E421/VA 0.00020 mg/L 0.00452 0.00458 0.00528 0.00819 Iron, dissolved 7439-89-6 E421/VA 0.010 mg/L 0.226 0.212 0.227 1.81 Lead, dissolved 7439-92-1 E421/VA 0.00050 mg/L 0.00163 0.000153 0.000209 0.000245 Lithium, dissolved 7439-93-2 E421/VA 0.0010 mg/L 0.0162 0.0184 0.0151 0.0164 Magnesium, dissolved 7439-95-4 E421/VA E421/VA 0.0050 mg/L 0.440 0.523 0.468 0.488 Mercury, dissolved 7439-96-5 E421/VA 0.000050 mg/L 0.000050 0.000050 0.440 0.523 0.468 0.488 Mercury, dissolved 7439-96-7 E421/VA 0.000050 mg/L 0.000050 <0.000050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	mg/L	0.00050	E421/VA	7440-47-3 [Chromium, dissolved
Iron, dissolved	0.0135	0.0204	0.0136	0.0139	0.0127	mg/L	0.00010	E421/VA	7440-48-4 [Cobalt, dissolved
Lead, dissolved 7439-92-1 E421/VA 0.000050 mg/L 0.000163 0.000153 0.000209 0.000245 Lithium, dissolved 7439-93-2 E421/VA 0.0010 mg/L 0.0162 0.0184 0.0151 0.0164 Magnesium, dissolved 7439-95-4 E421/VA 0.0050 mg/L 0.440 0.523 0.468 0.488 Mercury, dissolved 7439-97-6 E509/VA 0.000050 mg/L <0.000050	0.00639	0.00819	0.00528	0.00458	0.00452	mg/L	0.00020	E421/VA	7440-50-8 [Copper, dissolved
Lithium, dissolved 7439-93-2 E421/VA 0.0010 mg/L 0.0162 0.0184 0.0151 0.0164 Magnesium, dissolved 7439-95-4 E421/VA 0.0050 mg/L 8.12 9.07 7.85 8.31 Manganese, dissolved 7439-96-5 E421/VA 0.00010 mg/L 0.440 0.523 0.468 0.488 Mercury, dissolved 7439-97-6 E509/VA 0.000050 mg/L <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.000050 <0.00005	1.06	1.81	0.227	0.212	0.226	mg/L	0.010	E421/VA	7439-89-6 l	Iron, dissolved
Magnesium, dissolved 7439-95-4 E421/VA 0.0050 mg/L 8.12 9.07 7.85 8.31 Manganese, dissolved 7439-96-5 E421/VA 0.00010 mg/L 0.440 0.523 0.468 0.488 Mercury, dissolved 7439-97-6 E509/VA 0.000050 mg/L <0.000050	0.00105	0.000245	0.000209	0.000153	0.000163	mg/L	0.000050	E421/VA	7439-92-1 [Lead, dissolved
Manganese, dissolved 7439-96-5 E421/VA 0.00010 mg/L 0.440 0.523 0.468 0.488 Mercury, dissolved 7439-97-6 E509/VA 0.000050 mg/L <0.000050	0.0153	0.0164	0.0151	0.0184	0.0162	mg/L	0.0010	E421/VA	7439-93-2	Lithium, dissolved
Mercury, dissolved 7439-97-6 E509/VA 0.000050 mg/L <0.000050	8.70	8.31	7.85	9.07	8.12	mg/L	0.0050	E421/VA	7439-95-4 [Magnesium, dissolved
Molybdenum, dissolved 7439-98-7 E421/VA 0.000050 mg/L 0.000066 0.000054 <0.000050	0.488	0.488	0.468	0.523	0.440	mg/L	0.00010	E421/VA	7439-96-5 I	Manganese, dissolved
Nickel, dissolved 7440-02-0 E421/VA 0.00050 mg/L 0.0536 0.0596 0.0532 0.0700 Phosphorus, dissolved 7723-14-0 E421/VA 0.050 mg/L <0.050	<0.000050	0.0000050	<0.0000050	<0.0000050	<0.0000050	mg/L	0.0000050	E509/VA	7439-97-6 l	Mercury, dissolved
Phosphorus, dissolved 7723-14-0 E421/VA 0.050 mg/L <0.050	<0.000050	<0.000050	<0.000050	0.000054	0.000066	mg/L	0.000050	E421/VA	7439-98-7 [Molybdenum, dissolved
Potassium, dissolved 7440-09-7 E421/VA 0.050 mg/L 3.06 3.28 3.04 3.09 Rubidium, dissolved 7440-17-7 E421/VA 0.00020 mg/L 0.00170 0.00186 0.00175 0.00174 Selenium, dissolved 7782-49-2 E421/VA 0.00050 mg/L <0.00050	0.0560	0.0700	0.0532	0.0596	0.0536	mg/L	0.00050	E421/VA	7440-02-0	Nickel, dissolved
Rubidium, dissolved 7440-17-7 E421/VA 0.00020 mg/L 0.00170 0.00186 0.00175 0.00174 Selenium, dissolved 7782-49-2 E421/VA 0.00050 mg/L <0.00050	<0.050	<0.050	<0.050	<0.050	<0.050	mg/L	0.050	E421/VA	7723-14-0	Phosphorus, dissolved
Selenium, dissolved 7782-49-2 E421/VA 0.000050 mg/L <0.000050	3.26	3.09	3.04	3.28	3.06	mg/L	0.050	E421/VA	7440-09-7	Potassium, dissolved
Silicon, dissolved 7440-21-3 E421/VA 0.050 mg/L 0.647 0.667 0.687 0.837	0.00183	0.00174	0.00175	0.00186	0.00170	mg/L	0.00020	E421/VA	7440-17-7	Rubidium, dissolved
	<0.000050	<0.000050	<0.000050	0.000064	<0.000050	mg/L	0.000050	E421/VA	7782-49-2	Selenium, dissolved
	0.844	0.837	0.687	0.667	0.647	mg/L	0.050	E421/VA	7440-21-3 l	Silicon, dissolved
1110 == 1	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	mg/L	0.000010			Silver, dissolved
Sodium, dissolved 7440-23-5 E421/VA 0.050 mg/L 24.7 27.2 24.1 24.2	24.9	24.2	24.1	27.2	24.7	mg/L	0.050	E421/VA	7440-23-5 l	Sodium, dissolved
Strontium, dissolved 7440-24-6 E421/VA 0.00020 mg/L 0.182 0.212 0.188 0.186	0.189	0.186	0.188	0.212	0.182	mg/L	0.00020	E421/VA	7440-24-6 l	Strontium, dissolved
Sulfur, dissolved 7704-34-9 E421/VA 0.50 mg/L 50.2 57.2 52.1 51.2	54.8	51.2	52.1	57.2	50.2	mg/L	0.50			Sulfur, dissolved
Tellurium, dissolved 13494-80-9 E421/VA 0.00020 mg/L <0.00020 <0.00020 <0.00020 <0.00020	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020		0.00020	E421/VA	13494-80-9 l	Tellurium, dissolved

 Page
 :
 6 of 9

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Analytical Results

Sub-Matrix: Water			Cli	ient sample ID	P2-A	P2-B	P2-C	P2-D	P2-E
(Matrix: Water)									
			Client samp	ling date / time	18-Jul-2024 10:25	18-Jul-2024 10:08	18-Jul-2024 09:50	18-Jul-2024 09:34	18-Jul-2024 10:39
Analyte	CAS Number	Method/Lab	LOR	Unit	YL2400958-001	YL2400958-002	YL2400958-003	YL2400958-004	YL2400958-005
					Result	Result	Result	Result	Result
Dissolved Metals									
Thallium, dissolved	7440-28-0	E421/VA	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Thorium, dissolved	7440-29-1	E421/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Tin, dissolved	7440-31-5	E421/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Titanium, dissolved	7440-32-6	E421/VA	0.00030	mg/L	<0.00030	<0.00030	<0.00030	<0.00030	<0.00030
Tungsten, dissolved	7440-33-7	E421/VA	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Uranium, dissolved	7440-61-1	E421/VA	0.000010	mg/L	0.000018	0.000021	0.000022	0.000132	0.000044
Vanadium, dissolved	7440-62-2	E421/VA	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Zinc, dissolved	7440-66-6	E421/VA	0.0010	mg/L	0.158	0.168	0.160	0.228	0.175
Zirconium, dissolved	7440-67-7	E421/VA	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
Dissolved mercury filtration location		EP509/VA	-	-	Field	Field	Field	Field	Field
Dissolved metals filtration location		EP421/VA	-	-	Laboratory	Laboratory	Laboratory	Laboratory	Laboratory

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

 Page
 :
 7 of 9

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Sub-Matrix: Water			C	lient sample ID	LUP-14 Pre	LUP-14D PRE	 	
(Matrix: Water)					decant	DECANT		
			Client samp	oling date / time	18-Jul-2024 14:50	21-Jul-2024 13:06	 	
Analyte	CAS Number	Method/Lab	LOR	Unit	YL2400958-006	YL2400958-007	 	
					Result	Result	 	
Physical Tests								
Acidity (as CaCO3)		E283/VA	2.0	mg/L	<2.0		 	
Alkalinity, total (as CaCO3)		E290/VA	1.0	mg/L	22.7		 	
Conductivity		E100/VA	1.0	μS/cm	266		 	
Hardness (as CaCO3), from total Ca/Mg		EC100A/VA	0.60	mg/L	93.2		 	
рН		E108/VA	0.10	pH units	7.45		 	
Solids, total dissolved [TDS]		E162/VA	10	mg/L	162		 	
Solids, total suspended [TSS]		E160-L/VA	1.0	mg/L	7.4		 	
Anions and Nutrients								
Bromide	24959-67-9	E235.Br-U/VA	0.0050	mg/L	0.166		 	
Chloride		E235.CI-L/VA	0.10	mg/L	19.6		 	
Fluoride		E235.F-L/VA	0.010	mg/L	0.083		 	
Kjeldahl nitrogen, total [TKN]		E318/VA	0.050	mg/L	0.407		 	
Nitrate (as N)	14797-55-8	E235.NO3-T/V	0.0030	mg/L	<0.0030		 	
		A						
Nitrite (as N)	14797-65-0	E235.NO2-L/V	0.0010	mg/L	<0.0010		 	
		A	0.0000		0.0444			
Phosphorus, total		E372-U/VA	0.0020	mg/L	0.0111		 	
Sulfate (as SO4)	14808-79-8	E235.SO4-L/V	0.050	mg/L	74.5		 	
Microbiological Toets		A						
Microbiological Tests Coliforms, thermotolerant [fecal]		FC-MF/1Y	1.0	CFU/100mL	<1.0	6.0	 	
				3. 3, 100mL		5.5		
Total Metals Aluminum, total	7429-90-5	E420/VA	0.0030	mg/L	0.0154		 	
Antimony, total	7440-36-0		0.00010	mg/L	<0.00010		 	
Arsenic, total	7440-38-2		0.00010	mg/L	0.00511		 	
Barium, total	7440-39-3		0.00010	mg/L	0.0136		 	
Beryllium, total	7440-41-7		0.00010	mg/L	<0.000100		 	
Bismuth, total	7440-69-9		0.000100	mg/L	<0.000100		 	
Boron, total	7440-42-8		0.010	mg/L	0.078		 	
Cadmium, total	7440-43-9		0.0000050	mg/L	<0.000050		 	
Calcium, total	7440-43-9 7440-70-2		0.050	mg/L	27.2		 	
Carcium, total	7440-70-2	L720/ VA	0.000	mg/L	21.2		 	

 Page
 :
 8 of 9

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Sub-Matrix: Water		CI	lient sample ID	LUP-14 Pre	LUP-14D PRE	 	
(Matrix: Water)				decant	DECANT		
		0" (40 1 1 000 4 4 4 50	04 1 1 000 4 40 00		
		•	ling date / time	18-Jul-2024 14:50	21-Jul-2024 13:06	 	
Analyte	CAS Number Method/Lab	LOR	Unit	YL2400958-006	YL2400958-007	 	
				Result	Result	 	
Total Metals	T4000/A	0.000040		0.000000			
Cesium, total	7440-46-2 E420/VA	0.000010	mg/L	0.000098		 	
Chromium, total	7440-47-3 E420/VA	0.00050	mg/L	<0.00050		 	
Cobalt, total	7440-48-4 E420/VA	0.00010	mg/L	0.00032		 	
Copper, total	7440-50-8 E420/VA	0.00050	mg/L	0.00092		 	
Iron, total	7439-89-6 E420/VA	0.010	mg/L	0.063		 	
Lead, total	7439-92-1 E420/VA	0.000050	mg/L	<0.000050		 	
Lithium, total	7439-93-2 E420/VA	0.0010	mg/L	0.0144		 	
Magnesium, total	7439-95-4 E420/VA	0.0050	mg/L	6.15		 	
Manganese, total	7439-96-5 E420/VA	0.00010	mg/L	0.0260		 	
Mercury, total	7439-97-6 E508/VA	0.0000050	mg/L	<0.0000050		 	
Molybdenum, total	7439-98-7 E420/VA	0.000050	mg/L	0.000147		 	
Nickel, total	7440-02-0 E420/VA	0.00050	mg/L	0.00469		 	
Phosphorus, total	7723-14-0 E420/VA	0.050	mg/L	<0.050		 	
Potassium, total	7440-09-7 E420/VA	0.050	mg/L	2.98		 	
Rubidium, total	7440-17-7 E420/VA	0.00020	mg/L	0.00602		 	
Selenium, total	7782-49-2 E420/VA	0.000050	mg/L	<0.000050		 	
Silicon, total	7440-21-3 E420/VA	0.10	mg/L	<0.10		 	
Silver, total	7440-22-4 E420/VA	0.000010	mg/L	<0.000010		 	
Sodium, total	7440-23-5 E420/VA	0.050	mg/L	12.3		 	
Strontium, total	7440-24-6 E420/VA	0.00020	mg/L	0.171		 	
Sulfur, total	7704-34-9 E420/VA	0.50	mg/L	24.9		 	
Tellurium, total	13494-80-9 E420/VA	0.00020	mg/L	<0.00020		 	
Thallium, total	7440-28-0 E420/VA	0.000010	mg/L	<0.000010		 	
Thorium, total	7440-29-1 E420/VA	0.00010	mg/L	<0.00010		 	
Tin, total	7440-31-5 E420/VA	0.00010	mg/L	<0.00010		 	
Titanium, total	7440-32-6 E420/VA	0.00030	mg/L	<0.00030		 	
Tungsten, total	7440-33-7 E420/VA	0.00010	mg/L	<0.00010		 	
Uranium, total	7440-61-1 E420/VA	0.000010	mg/L	0.000023		 	
Vanadium, total	7440-62-2 E420/VA	0.00050	mg/L	<0.00050		 	
Zinc, total	7440-66-6 E420/VA	0.0030	mg/L	<0.0030		 	
Zirconium, total	7440-67-7 E420/VA	0.00020	mg/L	<0.00020		 	
I	* I	I	I ~	I	l l	l	

Page : 9 of 9

Work Order : YL2400958
Client : Elgin Mining Inc.

Project : ---



Analytical Results

Sub-Matrix: Water			Cli	ient sample ID	LUP-14 Pre	LUP-14D PRE	 	
(Matrix: Water)					decant	DECANT		
			Client samp	ling date / time	18-Jul-2024 14:50	21-Jul-2024 13:06	 	
Analyte	CAS Number	Method/Lab	LOR	Unit	YL2400958-006	YL2400958-007	 	
					Result	Result	 	
Aggregate Organics								
Biochemical oxygen demand [BOD]	BC	D5/1Y	2.0	mg/L	<2.0	<2.0	 	

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



QUALITY CONTROL INTERPRETIVE REPORT

Work Order : **YL2400958** Page : 1 of 22

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Jon Melnyk Account Manager : Oliver Gregg

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

Vancouver BC Canada V6C 2T7 Yellowknife, Northwest Territories Canada X1A 3T3

 Telephone
 :--- Telephone
 : 1 867 445 7143

 Project
 :--- Date Samples Received
 : 22-Jul-2024 09:02

 PO
 :--- Issue Date
 : 01-Aug-2024 17:30

C-O-C number : ---Sampler : ---Site : ----

Quote number : YL23-ELMI100-001

No. of samples received :7
No. of samples analysed :7

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers: Quality Control Samples

- No Method Blank value outliers occur.
- Duplicate outliers occur please see following pages for full details.
- Laboratory Control Sample (LCS) outliers occur please see following pages for full details.
- Matrix Spike outliers occur please see following pages for full details.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

• No Reference Material (RM) Sample outliers occur.

Outliers: Analysis Holding Time Compliance (Breaches) ● Analysis Holding Time Outliers exist - please see following pages for full details.

Outliers : Frequency of Quality Control Samples

<u>No</u> Quality Control Sample Frequency Outliers occur.

 Page
 :
 3 of 22

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

Project : ----



Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: Water

	Analyte Group	Laboratory sample ID	Client/Ref Sample ID	Analyte	CAS Number	Method	Result	Limits	Comment
C	Ouplicate (DUP) RPDs								
	Anions and Nutrients	Anonymous	Anonymous	Kjeldahl nitrogen, total		E318	0.402 % TKND	Diff <2x LOR	Low Level DUP DQO
				[TKN]					exceeded (difference > 2
									LOR).

Result Qualifiers

 Qualifier
 Description

 TKND
 TKN duplication was poor due to interference from high nitrate, which causes negative bias on TKN.

Laboratory Control Sample (LCS) Recover	ies						
Dissolved Metals	QC-MRG2-1561571	 Sulfur, dissolved	7704-34-9	E421	77.0 % MES	80.0-120%	Recovery less than lower
	002						control limit

Result Qualifiers

 Qualifier
 Description

 MES
 Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).</td>

Matrix Spike (MS) Recoveries							
Anions and Nutrients	Anonymous	Anonymous	Kjeldahl nitrogen, total	E318	11.0 % MSTN	70.0-130%	Recovery less than lower
			[TKN]				data quality objective

Result Qualifiers

Qualifier	Description
MSTN	TKN Matrix Spike recovery was low due to interference from high nitrate, which causes negative bias on TKN.

 Page
 :
 4 of 22

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

Project : ---



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and/or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Water					Ev	/aluation: 🗴 =	Holding time exce	edance ; •	= Within	Holding T
Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pre	eparation			Analys	sis	
Container / Client Sample ID(s)			Preparation Date	Holding Rec	g Times Actual	Eval	Analysis Date	Holding Rec	g Times Actual	Eval
ggregate Organics : Biochemical Oxygen Demand (BOD)	5-day									
HDPE [BOD HT-4d] LUP-14D PRE DECANT	BOD5	21-Jul-2024					31-Jul-2024	4 days	10 days	# EHT
ggregate Organics : Biochemical Oxygen Demand (BOD)	5-day									
HDPE [BOD HT-4d] LUP-14 Pre decant	BOD5	18-Jul-2024					31-Jul-2024	4 days	12 days	# EHTL
Anions and Nutrients : Bromide by IC (Ultra Trace Level)										
HDPE LUP-14 Pre decant	E235.Br-U	18-Jul-2024	23-Jul-2024	28 days	5 days	✓	23-Jul-2024	28 days	5 days	✓
Anions and Nutrients : Bromide by IC (Ultra Trace Level)							•			
HDPE P2-A	E235.Br-U	18-Jul-2024	23-Jul-2024	28 days	5 days	✓	23-Jul-2024	28 days	5 days	✓
Anions and Nutrients : Bromide by IC (Ultra Trace Level)										
HDPE P2-B	E235.Br-U	18-Jul-2024	23-Jul-2024	28 days	5 days	✓	23-Jul-2024	28 days	5 days	✓
Anions and Nutrients : Bromide by IC (Ultra Trace Level)										
HDPE P2-C	E235.Br-U	18-Jul-2024	23-Jul-2024	28 days	5 days	✓	23-Jul-2024	28 days	5 days	✓
Anions and Nutrients : Bromide by IC (Ultra Trace Level)										
HDPE P2-D	E235.Br-U	18-Jul-2024	23-Jul-2024	28 davs	5 days	√	23-Jul-2024	28 days	5 days	✓

Page 5 of 22 Work Order: YL2400958 Client Elgin Mining Inc.



Evaluation: **x** = Holding time exceedance ; ✓ = Within Holding Time

Analysis

Project

Analyte Group : Analytical Method

Matrix: Water

Container / Client Sample ID(s) **Holding Times** Eval Preparation **Holding Times** Eval Analysis Date Actual Rec Actual Date Rec Anions and Nutrients : Bromide by IC (Ultra Trace Level) HDPE P2-E E235.Br-U 18-Jul-2024 23-Jul-2024 5 days 23-Jul-2024 28 days 5 days 28 days Anions and Nutrients : Chloride in Water by IC (Low Level) HDPF

Sampling Date

Method

Extraction / Preparation

HDPE LUP-14 Pre decant	E235.CI-L	18-Jul-2024	23-Jul-2024	28 days	5 days	✓	23-Jul-2024	28 days	5 days	✓
Anions and Nutrients : Chloride in Water by IC (Low Level)										
HDPE P2-A	E235.CI-L	18-Jul-2024	23-Jul-2024	28 days	5 days	✓	23-Jul-2024	28 days	5 days	√
Anions and Nutrients : Chloride in Water by IC (Low Level)										
HDPE P2-B	E235.CI-L	18-Jul-2024	23-Jul-2024	28 days	5 days	√	23-Jul-2024	28 days	5 days	✓
Anions and Nutrients : Chloride in Water by IC (Low Level)										
HDPE P2-C	E235.CI-L	18-Jul-2024	23-Jul-2024	28 days	5 days	4	23-Jul-2024	28 days	5 days	✓
Anions and Nutrients : Chloride in Water by IC (Low Level)										
HDPE P2-D	E235.CI-L	18-Jul-2024	23-Jul-2024	28 days	5 days	√	23-Jul-2024	28 days	5 days	✓
Anions and Nutrients : Chloride in Water by IC (Low Level)										
HDPE P2-E	E235.CI-L	18-Jul-2024	23-Jul-2024	28 days	5 days	√	23-Jul-2024	28 days	5 days	✓
Anions and Nutrients : Fluoride in Water by IC (Low Level)										
HDPE LUP-14 Pre decant	E235.F-L	18-Jul-2024	23-Jul-2024	28 days	5 days	✓	23-Jul-2024	28 days	5 days	√
Anions and Nutrients : Fluoride in Water by IC (Low Level)										
HDPE P2-A	E235.F-L	18-Jul-2024	23-Jul-2024	28 days	5 days	✓	23-Jul-2024	28 days	5 days	✓

 Page
 :
 6 of 22

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Matrix: Water						/aluation. * -	Holding time exce	edance, v	– vvitriiri	Holding Time
Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pr	eparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Fluoride in Water by IC (Low Level)										
HDPE										
P2-B	E235.F-L	18-Jul-2024	23-Jul-2024	28	5 days	✓	23-Jul-2024	28 days	5 days	✓
				days						
Anions and Nutrients : Fluoride in Water by IC (Low Level)										
HDPE										
P2-C	E235.F-L	18-Jul-2024	23-Jul-2024	28	5 days	✓	23-Jul-2024	28 days	5 days	✓
				days				-	-	
Anions and Nutrients : Fluoride in Water by IC (Low Level)										
HDPE										
P2-D	E235.F-L	18-Jul-2024	23-Jul-2024	28	5 days	1	23-Jul-2024	28 days	5 days	✓
				days				,	,	
Anions and Nutrients : Fluoride in Water by IC (Low Level)										
HDPE							<u> </u>	I		
P2-E	E235.F-L	18-Jul-2024	23-Jul-2024	28	5 days	✓	23-Jul-2024	28 days	5 days	✓
Γ 2- L	L200.1 -L	10-0ui-2024	20-341-202 4	days	Juays		20-041-2024	20 days	Juays	*
				uays						
Anions and Nutrients : Nitrate in Water by IC (Trace Level)					I			1		
HDPE LUP-14 Pre decant	E235.NO3-T	18-Jul-2024	23-Jul-2024	3 days	5 days	*	23-Jul-2024	3 days	5 days	*
LOP-14 Pre decam	E233.NO3-1	10-Jul-2024	23-Jui-2024	3 uays	5 days	EHTR	23-Jul-2024	3 uays	5 uays	EHTR
						EHIK				EHIK
Anions and Nutrients : Nitrate in Water by IC (Trace Level)					1			1		
HDPE	FOOT NOO T	40 1-1 0004	00 1 1 000 4				00 1 1 000 4			
P2-A	E235.NO3-T	18-Jul-2024	23-Jul-2024	3 days	5 days	*	23-Jul-2024	3 days	5 days	*
						EHTR				EHTR
Anions and Nutrients : Nitrate in Water by IC (Trace Level)										
HDPE										
P2-B	E235.NO3-T	18-Jul-2024	23-Jul-2024	3 days	5 days	*	23-Jul-2024	3 days	5 days	*
						EHTR				EHTR
Anions and Nutrients : Nitrate in Water by IC (Trace Level)										
HDPE										
P2-C	E235.NO3-T	18-Jul-2024	23-Jul-2024	3 days	5 days	*	23-Jul-2024	3 days	5 days	*
						EHTR				EHTR
Anions and Nutrients : Nitrate in Water by IC (Trace Level)										
HDPE										
P2-D	E235.NO3-T	18-Jul-2024	23-Jul-2024	3 days	5 days	×	23-Jul-2024	3 days	5 days	se .
					_	EHTR			·	EHTR

 Page
 :
 7 of 22

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Matrix: Water Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pr		diddion.	Holding time exce	Analys		Tiolding Time
Container / Client Sample ID(s)	141041104	Sampling Butto	Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Nitrate in Water by IC (Trace Level)										
HDPE P2-E	E235.NO3-T	18-Jul-2024	23-Jul-2024	3 days	5 days	* EHTR	23-Jul-2024	3 days	5 days	# EHTR
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE LUP-14 Pre decant	E235.NO2-L	18-Jul-2024	23-Jul-2024	3 days	5 days	# EHTR	23-Jul-2024	3 days	5 days	# EHTR
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE P2-A	E235.NO2-L	18-Jul-2024	23-Jul-2024	3 days	5 days	* EHTR	23-Jul-2024	3 days	5 days	* EHTR
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE P2-B	E235.NO2-L	18-Jul-2024	23-Jul-2024	3 days	5 days	* EHTR	23-Jul-2024	3 days	5 days	# EHTR
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE P2-C	E235.NO2-L	18-Jul-2024	23-Jul-2024	3 days	5 days	* EHTR	23-Jul-2024	3 days	5 days	* EHTR
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE P2-D	E235.NO2-L	18-Jul-2024	23-Jul-2024	3 days	5 days	* EHTR	23-Jul-2024	3 days	5 days	* EHTR
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE P2-E	E235.NO2-L	18-Jul-2024	23-Jul-2024	3 days	5 days	# EHTR	23-Jul-2024	3 days	5 days	# EHTR
Anions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE LUP-14 Pre decant	E235.SO4-L	18-Jul-2024	23-Jul-2024	28 days	5 days	✓	23-Jul-2024	28 days	5 days	✓
Anions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE P2-A	E235.SO4-L	18-Jul-2024	23-Jul-2024	28 days	5 days	✓	23-Jul-2024	28 days	5 days	✓

 Page
 :
 8 of 22

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Matrix: Water						aluation. * -	Holding time exce	euance , v	- vviti iii i	Holding Time
Analyte Group : Analytical Method	Method	Sampling Date	Ext	traction / Pr	eparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE										
P2-B	E235.SO4-L	18-Jul-2024	23-Jul-2024	28	5 days	✓	23-Jul-2024	28 days	5 days	✓
				days						
Anions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE										
P2-C	E235.SO4-L	18-Jul-2024	23-Jul-2024	28	5 days	✓	23-Jul-2024	28 days	5 days	✓
				days						
Anions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE										
P2-D	E235.SO4-L	18-Jul-2024	23-Jul-2024	28	5 days	✓	23-Jul-2024	28 days	5 days	✓
				days						
Anions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE										
P2-E	E235.SO4-L	18-Jul-2024	23-Jul-2024	28	5 days	✓	23-Jul-2024	28 days	5 days	✓
				days						
Anions and Nutrients : Total Kjeldahl Nitrogen by Fluorescence (Low Level)										
Amber glass total (sulfuric acid)										
LUP-14 Pre decant	E318	18-Jul-2024	27-Jul-2024	28	9 days	✓	29-Jul-2024	28 days	11 days	✓
				days						
Anions and Nutrients : Total Phosphorus by Colourimetry (0.002 mg/L)										
Amber glass total (sulfuric acid)										
LUP-14 Pre decant	E372-U	18-Jul-2024	28-Jul-2024	28	10	✓	29-Jul-2024	28 days	11 days	✓
				days	days					
Cyanides : Total Cyanide										
UV-inhibited HDPE - total (sodium hydroxide)										
P2-A	E333	18-Jul-2024	31-Jul-2024	14	13	✓	31-Jul-2024	14 days	13 days	✓
				days	days					
Cyanides : Total Cyanide					,					
UV-inhibited HDPE - total (sodium hydroxide)										
P2-B	E333	18-Jul-2024	31-Jul-2024	14	13	✓	31-Jul-2024	14 days	13 days	✓
				days	days				,-	
Cusnidas y Tatal Cusnida					,-					
Cyanides: Total Cyanide UV-inhibited HDPE - total (sodium hydroxide)										
P2-C	E333	18-Jul-2024	31-Jul-2024	14	13	√	31-Jul-2024	14 dave	13 days	✓
		.0 05, 202 /	010012027	days	days	·	01 041-202-7	, , days	.o dayo	•
				uays	uays					

 Page
 :
 9 of 22

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Matrix: Water	Evaluation: × = Holding time exceedance; v = Within Holding Time									
Analyte Group : Analytical Method	Method	Sampling Date	Ext	traction / Pr	eparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Cyanides : Total Cyanide										
UV-inhibited HDPE - total (sodium hydroxide)										
P2-D	E333	18-Jul-2024	31-Jul-2024	14	13	✓	31-Jul-2024	14 days	13 days	✓
				days	days					
Cyanides : Total Cyanide										
UV-inhibited HDPE - total (sodium hydroxide)										
P2-E	E333	18-Jul-2024	31-Jul-2024	14	13	✓	31-Jul-2024	14 days	13 days	✓
				days	days					
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial dissolved (hydrochloric acid)										
P2-A	E509	18-Jul-2024	26-Jul-2024	28	8 days	✓	26-Jul-2024	28 days	8 days	✓
				days						
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial dissolved (hydrochloric acid)										
P2-B	E509	18-Jul-2024	26-Jul-2024	28	8 days	✓	26-Jul-2024	28 days	8 days	✓
				days	,			,		
Dissolved Metals : Dissolved Mercury in Water by CVAAS				,						
Glass vial dissolved (hydrochloric acid)							<u> </u>			
P2-C	E509	18-Jul-2024	26-Jul-2024	28	8 days	✓	26-Jul-2024	28 days	8 days	✓
				days	,			,		
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial dissolved (hydrochloric acid)										
P2-D	E509	18-Jul-2024	26-Jul-2024	28	8 days	√	26-Jul-2024	28 days	8 days	1
125		10 04. 202 .	20 041 202 1	days	o dayo		20 041 202 1	20 dayo	o dayo	
Photo Later Charles I allegate to War Later Charles				dayo						
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial dissolved (hydrochloric acid) P2-E	E509	18-Jul-2024	26-Jul-2024	28	8 days	√	26-Jul-2024	28 days	8 days	1
12-6	2503	10-041-202 4	20-041-2024	days	o days		20-041-202 4	20 days	o days	•
				uays						
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS				I						
HDPE - dissolved (lab preserved) P2-A	E421	18-Jul-2024	24-Jul-2024	180	6 days	√	25-Jul-2024	180	7 days	1
PZ-A	E421	10-Jul-2024	24-Jui-2024		0 uays	•	25-Jul-2024		7 uays	•
				days				days		
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE - dissolved (lab preserved)	E404	40 1.1 0004	04 1-1 0004		0.1		05 14 0004		7.1	,
P2-B	E421	18-Jul-2024	24-Jul-2024	180	6 days	✓	25-Jul-2024	180	7 days	✓
				days				days		

 Page
 :
 10 of 22

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Matrix: Water	Evaluation: × = Holding time exceedance; v = Within Holding Time									
Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pr	reparation	1		Analys	sis	
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE - dissolved (lab preserved)										
P2-C	E421	18-Jul-2024	24-Jul-2024	180	6 days	✓	25-Jul-2024	180	7 days	✓
				days				days		
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE - dissolved (lab preserved)				<u> </u>			<u> </u>			
P2-D	E421	18-Jul-2024	24-Jul-2024	180	6 days	√	25-Jul-2024	180	7 days	✓
				days	,-			days	,	
				days				days		
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS							I			
HDPE - dissolved (lab preserved) P2-E	E421	18-Jul-2024	24-Jul-2024	400	6 days	√	25-Jul-2024	400	7 days	1
P2-E	E421	10-Jul-2024	24-Jul-2024	180	0 uays	•	25-Jui-2024	180	/ uays	•
				days				days		
Microbiological Tests : Fecal Coliforms in Water by MF										
Sterile HDPE (Sodium thiosulphate)										
LUP-14D PRE DECANT	FC-MF	21-Jul-2024					31-Jul-2024	30 hrs	240 hrs	æ
										EHTL
Microbiological Tests : Fecal Coliforms in Water by MF										
Sterile HDPE (Sodium thiosulphate)										
LUP-14 Pre decant	FC-MF	18-Jul-2024					31-Jul-2024	30 hrs	311 hrs	3 0
										EHTR
Physical Tests : Acidity by Titration										
HDPE										
LUP-14 Pre decant	E283	18-Jul-2024	23-Jul-2024	14	5 days	1	24-Jul-2024	14 days	6 days	1
				days	,				,	
Dhysical Tasta - Asidity by Titustian				,						
Physical Tests : Acidity by Titration HDPE							I			
P2-A	E283	18-Jul-2024	23-Jul-2024	14	5 days	√	24-Jul-2024	14 days	6 days	1
r 2-n	L203	10-341-2024	25-541-2024	days	Juays	Ť	24-3ui-2024	14 days	0 days	·
				uays						
Physical Tests : Acidity by Titration							1			
HDPE	F000	40 1 1 000 /	00 1 1 005 1				04.1.1.005.			
P2-B	E283	18-Jul-2024	23-Jul-2024	14	5 days	✓	24-Jul-2024	14 days	6 days	✓
				days						
Physical Tests : Acidity by Titration										
HDPE										
P2-C	E283	18-Jul-2024	23-Jul-2024	14	5 days	✓	24-Jul-2024	14 days	6 days	✓
	1	1		days	1	l	1	1		

 Page
 :
 11 of 22

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Matrix: Water						raiuation. * =	Holding time exce	euance , v	- vvitiiiii	Holding Till	
Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pr	eparation			Analys	is		
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	Times	Eval	
			Date	Rec	Actual			Rec	Actual		
Physical Tests : Acidity by Titration											
HDPE											
P2-D	E283	18-Jul-2024	23-Jul-2024	14	5 days	✓	24-Jul-2024	14 days	6 days	✓	
				days							
Physical Tests : Acidity by Titration											
HDPE											
P2-E	E283	18-Jul-2024	23-Jul-2024	14	5 days	✓	24-Jul-2024	14 days	6 days	✓	
				days							
Physical Tests : Alkalinity Species by Titration				,							
Physical Tests : Alkalinity Species by Titration HDPE							I				
LUP-14 Pre decant	E290	18-Jul-2024	23-Jul-2024	14	5 days	✓	24-Jul-2024	14 days	6 days	✓	
EST TITTO GOSGIN		10 04. 202 1	20 04. 202 .	days	o aayo		2.00.202.		o days		
				days							
Physical Tests : Alkalinity Species by Titration					1			I			
HDPE	E290	18-Jul-2024	23-Jul-2024		C -l	✓	24-Jul-2024	44 -	0 4	✓	
P2-A	E290	10-Jul-2024	23-Jul-2024	14	5 days	•	24-Jul-2024	14 days	6 days	•	
				days							
Physical Tests : Alkalinity Species by Titration											
HDPE											
P2-B	E290	18-Jul-2024	23-Jul-2024	14	5 days	✓	24-Jul-2024	14 days	6 days	✓	
				days							
Physical Tests : Alkalinity Species by Titration											
HDPE											
P2-C	E290	18-Jul-2024	23-Jul-2024	14	5 days	✓	24-Jul-2024	14 days	6 days	✓	
				days							
Physical Tests : Alkalinity Species by Titration											
HDPE											
P2-D	E290	18-Jul-2024	23-Jul-2024	14	5 days	✓	24-Jul-2024	14 days	6 days	✓	
				days							
Physical Tests : Alkalinity Species by Titration											
HDPE							I				
P2-E	E290	18-Jul-2024	23-Jul-2024	14	5 days	✓	24-Jul-2024	14 days	6 davs	1	
·				days	,-			20,0	,-		
PLANTAGE OF LANGE			The state of the s	uays							
Physical Tests : Conductivity in Water											
HDPE	E100	18-Jul-2024	02 1 2004	00	E days	✓	24 101 2024	20 day:-	6 days	✓	
LUP-14 Pre decant	E100	10-Jul-2024	23-Jul-2024	28	5 days	•	24-Jul-2024	28 days	o days	•	
				days							

 Page
 :
 12 of 22

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Matrix: Water						/aluation. × –	Holding time exce	edance, v	– vvitriiri	Holding Time	
Analyte Group : Analytical Method	Method	Sampling Date	Ext	traction / P	reparation			Analys	ysis		
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval	
			Date	Rec	Actual			Rec	Actual		
Physical Tests : Conductivity in Water											
HDPE											
P2-A	E100	18-Jul-2024	23-Jul-2024	28	5 days	✓	24-Jul-2024	28 days	6 days	✓	
				days							
Physical Tests : Conductivity in Water											
HDPE											
P2-B	E100	18-Jul-2024	23-Jul-2024	28	5 days	✓	24-Jul-2024	28 days	6 days	✓	
				days							
Physical Tests : Conductivity in Water											
HDPE											
P2-C	E100	18-Jul-2024	23-Jul-2024	28	5 days	✓	24-Jul-2024	28 days	6 days	✓	
				days							
Physical Tests : Conductivity in Water											
HDPE											
P2-D	E100	18-Jul-2024	23-Jul-2024	28	5 days	✓	24-Jul-2024	28 days	6 days	✓	
				days							
Physical Tests : Conductivity in Water											
HDPE											
P2-E	E100	18-Jul-2024	23-Jul-2024	28	5 days	✓	24-Jul-2024	28 days	6 days	✓	
				days							
Physical Tests : pH by Meter											
HDPE											
LUP-14 Pre decant	E108	18-Jul-2024	23-Jul-2024	0.25	125 hrs	*	24-Jul-2024	0.25	141 hrs	se .	
				hrs		EHTR-FM		hrs		EHTR-FM	
Physical Tests : pH by Meter											
HDPE											
P2-A	E108	18-Jul-2024	23-Jul-2024	0.25	129 hrs	3E	24-Jul-2024	0.25	145 hrs	3 2	
				hrs		EHTR-FM		hrs		EHTR-FM	
Physical Tests : pH by Meter											
HDPE											
P2-E	E108	18-Jul-2024	23-Jul-2024	0.25	129 hrs	×	24-Jul-2024	0.25	145 hrs	æ	
				hrs		EHTR-FM		hrs		EHTR-FM	
Physical Tests : pH by Meter											
HDPE											
P2-B	E108	18-Jul-2024	23-Jul-2024	0.25	130 hrs	×	24-Jul-2024	0.25	146 hrs	æ	
				hrs		EHTR-FM		hrs		EHTR-FM	
		L			1			1			

 Page
 :
 13 of 22

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

 Matrix: Water

 Analyte Group : Analytical Method
 Method
 Sampling Date
 Extraction / Preparation
 Extraction / Preparation
 Analysis Date
 Holding Times
 Eval

 Container / Client Sample ID(s)
 Preparation
 Holding Times
 Eval
 Analysis Date
 Holding Times
 Eval

Container / Client Sample ID(s)			Preparation Date	Holding Rec	g Times Actual	Eval	Analysis Date	Holding Rec	7 Times Actual	Eval
Physical Tests : pH by Meter			Date	Kec	Actual			Rec	Actual	1
HDPE										
P2-C	E108	18-Jul-2024	23-Jul-2024	0.25	130 hrs	*	24-Jul-2024	0.25	146 hrs	×
				hrs		EHTR-FM		hrs		EHTR-FM
Physical Tests : pH by Meter										
HDPE P2-D	E108	18-Jul-2024	23-Jul-2024	0.25	130 hrs	×	24-Jul-2024	0.25	146 hrs	×
				hrs		EHTR-FM		hrs		EHTR-FM
Physical Tests : TDS by Gravimetry										
HDPE	E162	18-Jul-2024					25-Jul-2024	7	7 -1	√
LUP-14 Pre decant	E102	18-Jul-2024					25-Jul-2024	7 days	7 days	•
Physical Tests : TDS by Gravimetry										
HDPE										
P2-A	E162	18-Jul-2024					25-Jul-2024	7 days	7 days	✓
Place of The Control										
Physical Tests : TDS by Gravimetry HDPE										
P2-B	E162	18-Jul-2024					25-Jul-2024	7 days	7 days	✓
Physical Tests : TDS by Gravimetry										
HDPE P2-C	E162	18-Jul-2024					25-Jul-2024	7 days	7 days	√
120		10 04. 202 .					20 041 202 1	, dayo	, dayo	
Physical Tests : TDS by Gravimetry										
HDPE										
P2-D	E162	18-Jul-2024					25-Jul-2024	7 days	7 days	✓
Physical Tests : TDS by Gravimetry										
HDPE										
P2-E	E162	18-Jul-2024					25-Jul-2024	7 days	7 days	✓
Physical Tests : TSS by Gravimetry (Low Level) HDPE [TSS-WB]										
LUP-14 Pre decant	E160-L	18-Jul-2024					25-Jul-2024	7 days	7 days	✓
		•					•			

 Page
 :
 14 of 22

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.



Project : ---

Matrix: Water Evaluation: **x** = Holding time exceedance ; ✓ = Within Holding Time Extraction / Preparation Analyte Group : Analytical Method Analysis Method Sampling Date Container / Client Sample ID(s) Preparation Holding Times Eval Analysis Date **Holding Times** Eval Rec Actual Rec Actual Date Physical Tests: TSS by Gravimetry (Low Level) HDPE [TSS-WB] E160-L 18-Jul-2024 25-Jul-2024 1 P2-A 7 days 7 days Physical Tests: TSS by Gravimetry (Low Level) HDPE [TSS-WB] P2-B E160-L 18-Jul-2024 25-Jul-2024 7 days 7 days 1 Physical Tests : TSS by Gravimetry (Low Level) HDPE [TSS-WB] P2-C E160-L 18-Jul-2024 25-Jul-2024 7 days 1 7 days Physical Tests: TSS by Gravimetry (Low Level) HDPE [TSS-WB] E160-L ✓ P2-D 18-Jul-2024 25-Jul-2024 7 days 7 days Physical Tests: TSS by Gravimetry (Low Level) HDPE [TSS-WB] P2-E E160-L 18-Jul-2024 25-Jul-2024 7 days 1 7 days Total Metals: Total Mercury in Water by CVAAS Glass vial - total (lab preserved) E508 18-Jul-2024 1 1 LUP-14 Pre decant 25-Jul-2024 28 7 days 25-Jul-2024 28 days 7 days days Total Metals : Total Mercury in Water by CVAAS Glass vial total (hydrochloric acid) P2-A E508 18-Jul-2024 25-Jul-2024 7 days 25-Jul-2024 28 days 7 days 28 days Total Metals : Total Mercury in Water by CVAAS Glass vial total (hydrochloric acid) 25-Jul-2024 1 25-Jul-2024 1 P2-B E508 18-Jul-2024 28 7 days 28 days 7 days days Total Metals : Total Mercury in Water by CVAAS Glass vial total (hydrochloric acid) E508 18-Jul-2024 1 P2-C 25-Jul-2024 7 days 25-Jul-2024 28 days 7 days 1 28 days

 Page
 :
 15 of 22

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

Project : ---



Matrix: **Water**Evaluation: **×** = Holding time exceedance; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pi	reparation		Analysis			J
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
P2-D	E508	18-Jul-2024	25-Jul-2024	28	7 days	✓	25-Jul-2024	28 days	7 days	✓
				days						
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)	5500	40 1 1 0004	05.1.1.0004			,	05 1 1 0004	00.1		
P2-E	E508	18-Jul-2024	25-Jul-2024	28	7 days	✓	25-Jul-2024	28 days	7 days	✓
				days						
Total Metals : Total Metals in Water by CRC ICPMS					1					
HDPE - total (lab preserved)	E420	18-Jul-2024	24-Jul-2024	400	6 days	1	25-Jul-2024	400	7 days	√
LUP-14 Pre decant	E420	10-Jul-2024	24-Jul-2024	180	6 days	•	25-Jul-2024	180	7 days	· •
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS					T					
HDPE - total (lab preserved) P2-A	E420	18-Jul-2024	24-Jul-2024	400	6 days	1	25-Jul-2024	180	7 days	√
F2-A	L420	10-341-2024	24-Jui-2024	180 days	0 days	,	25-5ui-2024	days	1 days	· ·
TALMAL TALMAL WALL OPPONING				uays				uays		
Total Metals : Total Metals in Water by CRC ICPMS HDPE - total (lab preserved)	l			l	I		I			
P2-E	E420	18-Jul-2024	24-Jul-2024	180	6 days	√	25-Jul-2024	180	7 days	√
		10 04. 202 .	2.00.202.	days	o days	·	20 04. 202 .	days	,	·
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
P2-B	E420	18-Jul-2024	24-Jul-2024	180	6 days	1	25-Jul-2024	180	8 days	✓
				days	,			days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
P2-C	E420	18-Jul-2024	24-Jul-2024	180	6 days	✓	25-Jul-2024	180	8 days	✓
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
P2-D	E420	18-Jul-2024	24-Jul-2024	180	6 days	✓	25-Jul-2024	180	8 days	✓
				days				days		

Legend & Qualifier Definitions

EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended

EHTR: Exceeded ALS recommended hold time prior to sample receipt.

EHTL: Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.

EHT: Exceeded ALS recommended hold time prior to analysis.

 Page
 :
 16 of 22

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Rec. HT: ALS recommended hold time (see units).

 Page
 :
 17 of 22

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: Water	Evaluation: × = QC frequency outside specification; ✓ = QC frequency within specification								
Quality Control Sample Type			Co	ount	Frequency (%)				
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation		
Laboratory Duplicates (DUP)									
Acidity by Titration	E283	1560725	1	10	10.0	5.0	✓		
Alkalinity Species by Titration	E290	1560712	1	18	5.5	5.0	✓		
Bromide by IC (Ultra Trace Level)	E235.Br-U	1560723	1	6	16.6	5.0	✓		
Chloride in Water by IC (Low Level)	E235.CI-L	1560720	1	6	16.6	5.0	✓		
Conductivity in Water	E100	1560713	1	16	6.2	5.0	✓		
Dissolved Mercury in Water by CVAAS	E509	1566905	1	20	5.0	5.0	✓		
Dissolved Metals in Water by CRC ICPMS	E421	1561571	1	20	5.0	5.0	✓		
Fluoride in Water by IC (Low Level)	E235.F-L	1560721	1	6	16.6	5.0	✓		
Nitrate in Water by IC (Trace Level)	E235.NO3-T	1560722	1	6	16.6	5.0	✓		
Nitrite in Water by IC (Low Level)	E235.NO2-L	1560718	1	16	6.2	5.0	✓		
pH by Meter	E108	1560711	1	18	5.5	5.0	✓		
Sulfate in Water by IC (Low Level)	E235.SO4-L	1560724	1	6	16.6	5.0	✓		
TDS by Gravimetry	E162	1563444	2	21	9.5	5.0	✓		
Total Cyanide	E333	1573893	1	13	7.6	5.0	✓		
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	1568188	1	5	20.0	5.0	✓		
Total Mercury in Water by CVAAS	E508	1565029	1	20	5.0	5.0	✓		
Total Metals in Water by CRC ICPMS	E420	1561579	1	20	5.0	5.0	✓		
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1568456	1	11	9.0	5.0	✓		
Laboratory Control Samples (LCS)									
Acidity by Titration	E283	1560725	1	10	10.0	5.0	✓		
Alkalinity Species by Titration	E290	1560712	1	18	5.5	5.0	√		
Bromide by IC (Ultra Trace Level)	E235.Br-U	1560723	1	6	16.6	5.0	✓		
Chloride in Water by IC (Low Level)	E235.CI-L	1560720	1	6	16.6	5.0	✓		
Conductivity in Water	E100	1560713	1	16	6.2	5.0	✓		
Dissolved Mercury in Water by CVAAS	E509	1566905	1	20	5.0	5.0	✓		
Dissolved Metals in Water by CRC ICPMS	E421	1561571	1	20	5.0	5.0	✓		
Fluoride in Water by IC (Low Level)	E235.F-L	1560721	1	6	16.6	5.0	✓		
Nitrate in Water by IC (Trace Level)	E235.NO3-T	1560722	1	6	16.6	5.0	✓		
Nitrite in Water by IC (Low Level)	E235.NO2-L	1560718	1	16	6.2	5.0	✓		
pH by Meter	E108	1560711	1	18	5.5	5.0	✓		
Sulfate in Water by IC (Low Level)	E235.SO4-L	1560724	1	6	16.6	5.0	<u>√</u>		
TDS by Gravimetry	E162	1563444	2	21	9.5	5.0	√		
Total Cyanide	E333	1573893	1	13	7.6	5.0	✓		
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	1568188	1	5	20.0	5.0	✓		
Total Mercury in Water by CVAAS	E508	1565029	1	20	5.0	5.0	1		
Total Metals in Water by CRC ICPMS	E420	1561579	1	20	5.0	5.0	✓		

 Page
 :
 18 of 22

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Matrix: Water		Evaluation	n: × = QC freque	ency outside spe	ecification; ✓ = 0	QC frequency wit	thin specification
Quality Control Sample Type			Co	ount		Frequency (%,)
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Laboratory Control Samples (LCS) - Continued							
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1568456	1	11	9.0	5.0	✓
TSS by Gravimetry (Low Level)	E160-L	1563405	1	12	8.3	5.0	✓
Method Blanks (MB)							
Acidity by Titration	E283	1560725	1	10	10.0	5.0	✓
Alkalinity Species by Titration	E290	1560712	1	18	5.5	5.0	√
Bromide by IC (Ultra Trace Level)	E235.Br-U	1560723	1	6	16.6	5.0	<u>√</u>
Chloride in Water by IC (Low Level)	E235.CI-L	1560720	1	6	16.6	5.0	✓
Conductivity in Water	E100	1560713	1	16	6.2	5.0	√
Dissolved Mercury in Water by CVAAS	E509	1566905	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1561571	1	20	5.0	5.0	✓
Fluoride in Water by IC (Low Level)	E235.F-L	1560721	1	6	16.6	5.0	√
Nitrate in Water by IC (Trace Level)	E235.NO3-T	1560722	1	6	16.6	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1560718	1	16	6.2	5.0	✓
Sulfate in Water by IC (Low Level)	E235.SO4-L	1560724	1	6	16.6	5.0	✓
TDS by Gravimetry	E162	1563444	2	21	9.5	5.0	✓
Total Cyanide	E333	1573893	1	13	7.6	5.0	✓
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	1568188	1	5	20.0	5.0	✓
Total Mercury in Water by CVAAS	E508	1565029	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1561579	1	20	5.0	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1568456	1	11	9.0	5.0	✓
TSS by Gravimetry (Low Level)	E160-L	1563405	1	12	8.3	5.0	✓
Matrix Spikes (MS)							
Bromide by IC (Ultra Trace Level)	E235.Br-U	1560723	1	6	16.6	5.0	✓
Chloride in Water by IC (Low Level)	E235.CI-L	1560720	1	6	16.6	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1566905	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1561571	1	20	5.0	5.0	✓
Fluoride in Water by IC (Low Level)	E235.F-L	1560721	1	6	16.6	5.0	✓
Nitrate in Water by IC (Trace Level)	E235.NO3-T	1560722	1	6	16.6	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1560718	1	16	6.2	5.0	✓
Sulfate in Water by IC (Low Level)	E235.SO4-L	1560724	1	6	16.6	5.0	✓
Total Cyanide	E333	1573893	1	13	7.6	5.0	✓
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	1568188	1	5	20.0	5.0	✓
Total Mercury in Water by CVAAS	E508	1565029	1	20	5.0	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1561579	1	20	5.0	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1568456	1	11	9.0	5.0	✓

 Page
 :
 19 of 22

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

Project : ---



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Biochemical Oxygen Demand (BOD) 5-day	BOD5	Water	SM5210B	Sample was diluted, seeded, and incubated at specified temperature for 5 days. Dissolved oxygen is measured initially and after incubation, and the BOD is computed
	Taiga Environmental			from the difference between initial and final DO.
	Laboratory - 4601 -			
	52nd Avenue P.O. BOX			
	1500 Yellowknife			
	Northwest Territories			
	Canada X1A 2R3			
Conductivity in Water E100 Water AP		APHA 2510 (mod)	Conductivity, also known as Electrical Conductivity (EC) or Specific Conductance, is measured by immersion of a conductivity cell with platinum electrodes into a water	
	ALS Environmental -			sample. Conductivity measurements are temperature-compensated to 25°C.
	Vancouver			
pH by Meter	E108	Water	APHA 4500-H (mod)	pH is determined by potentiometric measurement with a pH electrode, and is conducted at ambient laboratory temperature (normally 20 ± 5°C). For high accuracy test results,
	ALS Environmental - pH should be measured in the field within the recommend	pH should be measured in the field within the recommended 15 minute hold time.		
	Vancouver			
TSS by Gravimetry (Low Level)	E160-L	Water	APHA 2540 D (mod)	Total Suspended Solids (TSS) are determined by filtering a sample through a glass fibre filter, following by drying of the filter at $104 \pm 1^{\circ}$ C, with gravimetric measurement of the
	ALS Environmental -			filtered solids. Samples containing very high dissolved solid content (i.e. seawaters,
	Vancouver			brackish waters) may produce a positive bias by this method. Alternate analysis methods are available for these types of samples.
TDS by Gravimetry	E162	Water	APHA 2540 C (mod)	Total Dissolved Solids (TDS) are determined by filtering a sample through a glass fibre filter, with evaporation of the filtrate at 180 ± 2°C for 16 hours or to constant weight,
	ALS Environmental -			with gravimetric measurement of the residue.
	Vancouver			
Bromide by IC (Ultra Trace Level)	E235.Br-U	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
	ALS Environmental -			
	Vancouver			
Chloride in Water by IC (Low Level)	E235.CI-L	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
	ALS Environmental -			
	Vancouver			
Fluoride in Water by IC (Low Level)	E235.F-L	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Vancouver			

 Page
 :
 20 of 22

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Nitrite in Water by IC (Low Level)	E235.NO2-L	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
	ALS Environmental -			detection.
	Vancouver			
Nitrate in Water by IC (Trace Level)	E235.NO3-T	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
	ALS Environmental -			
	Vancouver			
Sulfate in Water by IC (Low Level)	E235.SO4-L	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
	ALS Environmental -			
	Vancouver			
Acidity by Titration	E283	Water	APHA 2310 B (mod)	Acidity is determined by potentiometric titration to pH endpoint of 8.3
	ALS Environmental -			
	Vancouver			
Alkalinity Species by Titration	, , , , , , , , , , , , , , , , , , ,	Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total		
	ALS Environmental -			alkalinity values.
	Vancouver			·
Total Kjeldahl Nitrogen by Fluorescence (Low	E318	Water	Method Fialab 100,	TKN in water is determined by automated continuous flow analysis with membrane
Level)			2018	diffusion and fluorescence detection, after reaction with OPA (ortho-phthalaldehyde).
	ALS Environmental -			This method is approved under US EPA 40 CFR Part 136 (May 2021).
	Vancouver			
Total Cyanide	E333	Water	ISO 14403 (mod)	Total or Strong Acid Dissociable (SAD) Cyanide is determined by Continuous Flow Analyzer (CFA) with in-line UV digestion followed by colourmetric analysis.
	ALS Environmental -			
	Vancouver			Method Limitation: High levels of thiocyanate (SCN) may cause positive interference (up to 0.5% of SCN concentration).
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	Water	APHA 4500-P E (mod).	Total Phosphorus is determined colourimetrically using a discrete analyzer after heated persulfate digestion of the sample.
	ALS Environmental -			
	Vancouver			
Total Metals in Water by CRC ICPMS	E420	Water	EPA 200.2/6020B	Water samples are digested with nitric and hydrochloric acids, and analyzed by
			(mod)	Collision/Reaction Cell ICPMS.
	ALS Environmental -			
	Vancouver			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Dissolved Metals in Water by CRC ICPMS	E421	Water	APHA 3030B/EPA 6020B (mod)	Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by Collision/Reaction Cell ICPMS.
	ALS Environmental -			
	Vancouver			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

 Page
 :
 21 of 22

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Total Mercury in Water by CVAAS	E508	Water	EPA 1631E (mod)	Water samples undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS
	ALS Environmental -			
Dissolved Margury in Water by CVAAC	Vancouver	Water	ADUA COCCE/EDA	Make a section of the
Dissolved Mercury in Water by CVAAS	E509	vvater	APHA 3030B/EPA	Water samples are filtered (0.45 um), preserved with HCl, then undergo a cold-oxidation
	ALS Environmental -		1631E (mod)	using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS.
	Vancouver			CVAAS.
Dissolved Hardness (Calculated)	EC100	Water	APHA 2340B	"Hardness (as CaCO3), dissolved" is calculated from the sum of dissolved Calcium and
Discorred Flarances (Galediated)	LC 100	Water	7117120102	Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers
	ALS Environmental -			to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially
	Vancouver			calculated from dissolved Calcium and Magnesium concentrations, because it is a
				property of water due to dissolved divalent cations.
Hardness (Calculated) from Total Ca/Mg	EC100A	Water	APHA 2340B	"Hardness (as CaCO3), from total Ca/Mg" is calculated from the sum of total Calcium and
				Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers
	ALS Environmental -			to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially
	Vancouver			calculated from dissolved Calcium and Magnesium concentrations, because it is a
				property of water due to dissolved divalent cations. Hardness from total Ca/Mg is
				normally comparable to Dissolved Hardness in non-turbid waters.
Fecal Coliforms in Water by MF	FC-MF	Water	APHA 9222D	See attached report.
	Taiga Environmental			
	Laboratory - 4601 -			
	52nd Avenue P.O. BOX			
	1500 Yellowknife			
	Northwest Territories			
	Canada X1A 2R3			
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Digestion for TKN in water				monitoria Data in principali di Cara d
Digodion for this in water	EP318	Water	APHA 4500-Norg D	Samples are digested at high temperature using Sulfuric Acid with Copper catalyst,
Signatural Title III Water		Water	APHA 4500-Norg D (mod)	
Signatural Marian Water	EP318 ALS Environmental -	Water	· ·	Samples are digested at high temperature using Sulfuric Acid with Copper catalyst,
Signatural Trivial Water		Water	· ·	Samples are digested at high temperature using Sulfuric Acid with Copper catalyst, which converts organic nitrogen sources to Ammonia, which is then quantified by the
ŭ	ALS Environmental - Vancouver		(mod)	Samples are digested at high temperature using Sulfuric Acid with Copper catalyst, which converts organic nitrogen sources to Ammonia, which is then quantified by the analytical method as TKN. This method is unsuitable for samples containing high levels of nitrate. If nitrate exceeds TKN concentration by ten times or more, results may be biased low.
Digestion for Total Phosphorus in water	ALS Environmental -	Water	· ·	Samples are digested at high temperature using Sulfuric Acid with Copper catalyst, which converts organic nitrogen sources to Ammonia, which is then quantified by the analytical method as TKN. This method is unsuitable for samples containing high levels of nitrate. If nitrate exceeds TKN concentration by ten times or more, results may be
ŭ	ALS Environmental - Vancouver		(mod)	Samples are digested at high temperature using Sulfuric Acid with Copper catalyst, which converts organic nitrogen sources to Ammonia, which is then quantified by the analytical method as TKN. This method is unsuitable for samples containing high levels of nitrate. If nitrate exceeds TKN concentration by ten times or more, results may be biased low.
ŭ	ALS Environmental - Vancouver EP372 ALS Environmental -		(mod)	Samples are digested at high temperature using Sulfuric Acid with Copper catalyst, which converts organic nitrogen sources to Ammonia, which is then quantified by the analytical method as TKN. This method is unsuitable for samples containing high levels of nitrate. If nitrate exceeds TKN concentration by ten times or more, results may be biased low.
Digestion for Total Phosphorus in water	ALS Environmental - Vancouver EP372 ALS Environmental - Vancouver	Water	(mod) APHA 4500-P E (mod).	Samples are digested at high temperature using Sulfuric Acid with Copper catalyst, which converts organic nitrogen sources to Ammonia, which is then quantified by the analytical method as TKN. This method is unsuitable for samples containing high levels of nitrate. If nitrate exceeds TKN concentration by ten times or more, results may be biased low. Samples are heated with a persulfate digestion reagent.
ŭ	ALS Environmental - Vancouver EP372 ALS Environmental -		(mod)	Samples are digested at high temperature using Sulfuric Acid with Copper catalyst, which converts organic nitrogen sources to Ammonia, which is then quantified by the analytical method as TKN. This method is unsuitable for samples containing high levels of nitrate. If nitrate exceeds TKN concentration by ten times or more, results may be biased low.
Digestion for Total Phosphorus in water	ALS Environmental - Vancouver EP372 ALS Environmental - Vancouver EP421	Water	(mod) APHA 4500-P E (mod).	Samples are digested at high temperature using Sulfuric Acid with Copper catalyst, which converts organic nitrogen sources to Ammonia, which is then quantified by the analytical method as TKN. This method is unsuitable for samples containing high levels of nitrate. If nitrate exceeds TKN concentration by ten times or more, results may be biased low. Samples are heated with a persulfate digestion reagent.
Digestion for Total Phosphorus in water	ALS Environmental - Vancouver EP372 ALS Environmental - Vancouver EP421 ALS Environmental -	Water	(mod) APHA 4500-P E (mod).	Samples are digested at high temperature using Sulfuric Acid with Copper catalyst, which converts organic nitrogen sources to Ammonia, which is then quantified by the analytical method as TKN. This method is unsuitable for samples containing high levels of nitrate. If nitrate exceeds TKN concentration by ten times or more, results may be biased low. Samples are heated with a persulfate digestion reagent.
Digestion for Total Phosphorus in water	ALS Environmental - Vancouver EP372 ALS Environmental - Vancouver EP421	Water	(mod) APHA 4500-P E (mod).	Samples are digested at high temperature using Sulfuric Acid with Copper catalyst, which converts organic nitrogen sources to Ammonia, which is then quantified by the analytical method as TKN. This method is unsuitable for samples containing high levels of nitrate. If nitrate exceeds TKN concentration by ten times or more, results may be biased low. Samples are heated with a persulfate digestion reagent.

 Page
 :
 22 of 22

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.



Project : ---

Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
	ALS Environmental -			
	Vancouver			

ALS Canada Ltd.



QUALITY CONTROL REPORT

Account Manager

Work Order Page :YL2400958 : 1 of 17

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

: Oliver Gregg Address Address :750 West Pender Street Suite 201

:314 Old Airport Road, Unit 116

Yellowknife, Northwest Territories Canada X1A 3T3

Telephone :1 867 445 7143 Date Samples Received : 22-Jul-2024 09:02

Date Analysis Commenced : 23-Jul-2024

Issue Date :01-Aug-2024 17:30

Telephone

Project PO

C-O-C number Sampler Site :----

Quote number : YL23-ELMI100-001

No. of samples received : 7 No. of samples analysed : 7

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives

Vancouver BC Canada V6C 2T7

Matrix Spike (MS) Report; Recovery and Data Quality Objectives

: Jon Melnyk

- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

Contact

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Ilnaz Badbezanchi	Supervisor - Metals Prep & Mercury	Vancouver Metals, Burnaby, British Columbia
Kaitlyn Gardner	Account Manager Assistant	Taiga Environmental Laboratory External Subcontracting, Yellowknife, Northwest Territories
Maya Urquhart	Lab Analyst	Vancouver Metals, Burnaby, British Columbia
Miles Gropen	Department Manager - Inorganics	Vancouver Inorganics, Burnaby, British Columbia
Monica Ko	Lab Assistant	Vancouver Inorganics, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Vancouver Metals, Burnaby, British Columbia

 Page
 :
 2 of 17

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key:

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

 Page
 :
 3 of 17

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ----

Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Water							Labora	tory Duplicate (D	UP) Report		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC	Lot: 1560711)										
FJ2402097-001	Anonymous	pH		E108	0.10	pH units	8.09	8.11	0.247%	4%	
Physical Tests (QC	Lot: 1560712)										
FJ2402097-001	Anonymous	Alkalinity, total (as CaCO3)		E290	1.0	mg/L	90.8	90.8	0.00%	20%	
Physical Tests (QC	Lot: 1560713)										
FJ2402097-001	Anonymous	Conductivity		E100	2.0	μS/cm	3450	3460	0.289%	10%	
Physical Tests (QC	Lot: 1560725)										
VA24B7819-002	Anonymous	Acidity (as CaCO3)		E283	2.0	mg/L	<2.0	<2.0	0	Diff <2x LOR	
Physical Tests (QC	Lot: 1563444)										
VA24B7687-001	Anonymous	Solids, total dissolved [TDS]		E162	20	mg/L	986	1030	4.02%	20%	
Physical Tests (QC	Lot: 1563445)										
YL2400958-006	LUP-14 Pre decant	Solids, total dissolved [TDS]		E162	20	mg/L	162	162	0.5	Diff <2x LOR	
Anions and Nutrion	ts (QC Lot: 1560718)										
FJ2402097-001	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2-L	0.0200	mg/L	0.344	0.355	3.14%	20%	
Anione and Nutries	ts (QC Lot: 1560720)										
YL2400958-001	P2-A	Chloride	16887-00-6	E235.CI-L	0.10	mg/L	15.0	14.9	0.554%	20%	
Anione and Nutrion	ts (QC Lot: 1560721)					J.					
YL2400958-001	P2-A	Fluoride	16984-48-8	E235.F-L	0.010	mg/L	0.117	0.108	8.02%	20%	
		ridorido	10004 40 0	E200.1 E	0.010	mg/L	0.117	0.100	0.0270	2070	
Anions and Nutrien YL2400958-001	ts (QC Lot: 1560722)	Nitrata (as NI)	14797-55-8	E235.NO3-T	0.0030	no er /1	0.408	0.406	0.551%	20%	
		Nitrate (as N)	14/9/-00-0	E235.NO3-1	0.0030	mg/L	0.406	0.406	0.551%	20%	
	ts (QC Lot: 1560723)		04050.07.0	E005 B 11	0.0050		0.404	0.400	0.5040/	000/	
YL2400958-001	P2-A	Bromide	24959-67-9	E235.Br-U	0.0050	mg/L	0.181	0.180	0.521%	20%	
	ts (QC Lot: 1560724)										
YL2400958-001	P2-A	Sulfate (as SO4)	14808-79-8	E235.SO4-L	0.050	mg/L	180	179	0.413%	20%	
	ts (QC Lot: 1568188)										
VA24B8421-003	Anonymous	Kjeldahl nitrogen, total [TKN]		E318	0.050	mg/L	0.452	# <0.050	0.402	Diff <2x LOR	TKND
	ts (QC Lot: 1568456)										
KS2402939-001	Anonymous	Phosphorus, total	7723-14-0	E372-U	0.0020	mg/L	<0.0020	<0.0020	0	Diff <2x LOR	
Cyanides (QC Lot:	1573893)										
VA24B7994-002	Anonymous	Cyanide, strong acid dissociable (Total)		E333	0.0050	mg/L	0.0088	0.0088	0.00002	Diff <2x LOR	

 Page
 :
 4 of 17

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

ALS

Project : ---

ub-Matrix: Water				sub-Matrix: Water				Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifie			
Total Metals (QC Lo	ot: 1561579)													
FJ2402097-001	Anonymous	Aluminum, total	7429-90-5	E420	0.0060	mg/L	<0.0060	<0.0060	0	Diff <2x LOR				
		Antimony, total	7440-36-0	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR				
		Arsenic, total	7440-38-2	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR				
		Barium, total	7440-39-3	E420	0.00020	mg/L	0.0222	0.0226	1.82%	20%				
		Beryllium, total	7440-41-7	E420	0.000040	mg/L	<0.000040	<0.000040	0	Diff <2x LOR				
		Bismuth, total	7440-69-9	E420	0.000100	mg/L	<0.000100	<0.000100	0	Diff <2x LOR				
		Boron, total	7440-42-8	E420	0.020	mg/L	<0.020	<0.020	0	Diff <2x LOR				
		Cadmium, total	7440-43-9	E420	0.0000100	mg/L	0.0000178	0.0000239	0.0000061	Diff <2x LOR				
		Calcium, total	7440-70-2	E420	0.100	mg/L	696	675	3.06%	20%				
		Cesium, total	7440-46-2	E420	0.000020	mg/L	0.000024	0.000024	0.0000009	Diff <2x LOR				
		Chromium, total	7440-47-3	E420	0.00100	mg/L	<0.00100	<0.00100	0	Diff <2x LOR				
		Cobalt, total	7440-48-4	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR				
		Copper, total	7440-50-8	E420	0.00100	mg/L	<0.00100	<0.00100	0	Diff <2x LOR				
		Iron, total	7439-89-6	E420	0.020	mg/L	<0.020	<0.020	0	Diff <2x LOR				
		Lead, total	7439-92-1	E420	0.000100	mg/L	<0.000100	<0.000100	0	Diff <2x LOR				
		Lithium, total	7439-93-2	E420	0.0020	mg/L	0.0098	0.0093	0.0005	Diff <2x LOR				
		Magnesium, total	7439-95-4	E420	0.0100	mg/L	190	187	1.43%	20%				
		Manganese, total	7439-96-5	E420	0.00020	mg/L	0.00214	0.00245	13.4%	20%				
		Molybdenum, total	7439-98-7	E420	0.000100	mg/L	0.000787	0.000829	0.000042	Diff <2x LOR				
		Nickel, total	7440-02-0	E420	0.00100	mg/L	<0.00100	<0.00100	0	Diff <2x LOR				
		Phosphorus, total	7723-14-0	E420	0.100	mg/L	<0.100	<0.100	0	Diff <2x LOR				
		Potassium, total	7440-09-7	E420	0.100	mg/L	2.26	2.20	2.33%	20%				
		Rubidium, total	7440-17-7	E420	0.00040	mg/L	0.00096	0.00101	0.00005	Diff <2x LOR				
		Selenium, total	7782-49-2	E420	0.000100	mg/L	0.102	0.103	0.548%	20%				
		Silicon, total	7440-21-3	E420	0.20	mg/L	6.81	6.88	1.10%	20%				
		Silver, total	7440-22-4	E420	0.000020	mg/L	<0.000020	<0.000020	0	Diff <2x LOR				
		Sodium, total	7440-23-5	E420	0.100	mg/L	6.38	6.13	3.94%	20%				
		Strontium, total	7440-24-6	E420	0.00040	mg/L	0.364	0.357	1.82%	20%				
		Sulfur, total	7704-34-9	E420	1.00	mg/L	721	731	1.30%	20%				
		Tellurium, total	13494-80-9	E420	0.00040	mg/L	<0.00040	<0.00040	0	Diff <2x LOR				
		Thallium, total	7440-28-0	E420	0.000020	mg/L	<0.000020	<0.000020	0	Diff <2x LOR				
		Thorium, total	7440-29-1	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR				
		Tin, total	7440-31-5	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR				
		Titanium, total	7440-31-6	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR				

 Page
 :
 5 of 17

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.



Project : ---

Sub-Matrix: Water						Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifie	
Total Metals (QC Lo	ot: 1561579) - contin	ued										
FJ2402097-001	Anonymous	Tungsten, total	7440-33-7	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR		
		Uranium, total	7440-61-1	E420	0.000020	mg/L	0.00433	0.00431	0.259%	20%		
		Vanadium, total	7440-62-2	E420	0.00100	mg/L	<0.00100	<0.00100	0	Diff <2x LOR		
		Zinc, total	7440-66-6	E420	0.0060	mg/L	<0.0060	<0.0060	0	Diff <2x LOR		
		Zirconium, total	7440-67-7	E420	0.00040	mg/L	<0.00040	<0.00040	0	Diff <2x LOR		
Total Metals (QC Lo	ot: 1565029)											
VA24B7683-003	Anonymous	Mercury, total	7439-97-6	E508	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR		
Dissolved Metals (C	QC Lot: 1561571)											
VA24B7882-001	Anonymous	Aluminum, dissolved	7429-90-5	E421	0.0010	mg/L	0.0011	0.0014	0.0003	Diff <2x LOR		
		Antimony, dissolved	7440-36-0	E421	0.00010	mg/L	0.00161	0.00163	1.21%	20%		
		Arsenic, dissolved	7440-38-2	E421	0.00010	mg/L	0.00359	0.00347	3.40%	20%		
		Barium, dissolved	7440-39-3	E421	0.00010	mg/L	0.0270	0.0248	8.62%	20%		
		Beryllium, dissolved	7440-41-7	E421	0.000020	mg/L	<0.000020	<0.000020	0	Diff <2x LOR		
		Bismuth, dissolved	7440-69-9	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR		
	Boron, dissolved	7440-42-8	E421	0.010	mg/L	0.082	0.080	0.002	Diff <2x LOR			
		Cadmium, dissolved	7440-43-9	E421	0.0000050	mg/L	0.0000080	0.0000121	0.0000040	Diff <2x LOR		
		Calcium, dissolved	7440-70-2	E421	0.050	mg/L	17.4	17.2	1.22%	20%		
		Cesium, dissolved	7440-46-2	E421	0.000010	mg/L	0.000368	0.000372	1.01%	20%		
		Chromium, dissolved	7440-47-3	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR		
		Cobalt, dissolved	7440-48-4	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR		
		Copper, dissolved	7440-50-8	E421	0.00020	mg/L	0.0165	0.0161	2.28%	20%		
		Iron, dissolved	7439-89-6	E421	0.010	mg/L	<0.010	<0.010	0	Diff <2x LOR		
		Lead, dissolved	7439-92-1	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR		
		Lithium, dissolved	7439-93-2	E421	0.0010	mg/L	0.0398	0.0402	0.884%	20%		
		Magnesium, dissolved	7439-95-4	E421	0.0050	mg/L	2.57	2.48	3.56%	20%		
		Manganese, dissolved	7439-96-5	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR		
		Molybdenum, dissolved	7439-98-7	E421	0.000050	mg/L	0.000646	0.000665	2.87%	20%		
		Nickel, dissolved	7440-02-0	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR		
		Phosphorus, dissolved	7723-14-0	E421	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR		
		Potassium, dissolved	7440-09-7	E421	0.050	mg/L	0.943	0.912	3.41%	20%		
		Rubidium, dissolved	7440-17-7	E421	0.00020	mg/L	0.00124	0.00109	0.00015	Diff <2x LOR		
		Selenium, dissolved	7782-49-2	E421	0.000050	mg/L	0.00071	0.000090	0.000020	Diff <2x LOR		
		Silicon, dissolved	7440-21-3	E421	0.050	mg/L	2.20	2.17	1.17%	20%		
		Silver, dissolved	7440-22-4	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR		

 Page
 :
 6 of 17

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.



Project : ---

Sub-Matrix: Water							Labora	tory Duplicate (D	UP) Report		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Dissolved Metals (QC Lot: 1561571) - cor	tinued									
VA24B7882-001	Anonymous	Sodium, dissolved	7440-23-5	E421	0.050	mg/L	22.7	21.9	3.32%	20%	
		Strontium, dissolved	7440-24-6	E421	0.00020	mg/L	0.543	0.546	0.572%	20%	
		Sulfur, dissolved	7704-34-9	E421	0.50	mg/L	12.3	12.4	0.512%	20%	
		Tellurium, dissolved	13494-80-9	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	
		Thallium, dissolved	7440-28-0	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		Thorium, dissolved	7440-29-1	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Tin, dissolved	7440-31-5	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Titanium, dissolved	7440-32-6	E421	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR	
		Tungsten, dissolved	7440-33-7	E421	0.00010	mg/L	0.00462	0.00478	3.36%	20%	
		Uranium, dissolved	7440-61-1	E421	0.000010	mg/L	0.000021	0.000021	0.00000006	Diff <2x LOR	
		Vanadium, dissolved	7440-62-2	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	
		Zinc, dissolved	7440-66-6	E421	0.0010	mg/L	0.0023	0.0024	0.00002	Diff <2x LOR	
		Zirconium, dissolved	7440-67-7	E421	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR	
Dissolved Metals (QC Lot: 1566905)										
VA24B7594-007	Anonymous	Mercury, dissolved	7439-97-6	E509	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	

Qualifiers

Qualifier Description

TKND TKN duplication was poor due to interference from high nitrate, which causes negative bias on TKN.

 Page
 :
 7 of 17

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

Project : ---



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Analyte	CAS Number Meth	hod	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1560712)						
Alkalinity, total (as CaCO3)	E290	0	1	mg/L	<1.0	
Physical Tests (QCLot: 1560713)						
Conductivity	E100	0	1	μS/cm	1.8	
Physical Tests (QCLot: 1560725)						
Acidity (as CaCO3)	E283	3	2	mg/L	<2.0	
Physical Tests (QCLot: 1563405)						
Solids, total suspended [TSS]	E160	0-L	1	mg/L	<1.0	
Physical Tests (QCLot: 1563444)						
Solids, total dissolved [TDS]	E162	2	10	mg/L	<10	
Physical Tests (QCLot: 1563445)						
Solids, total dissolved [TDS]	E162	2	10	mg/L	<10	
Anions and Nutrients (QCLot: 1560718)						
Nitrite (as N)	14797-65-0 E235	5.NO2-L	0.001	mg/L	<0.0010	
Anions and Nutrients (QCLot: 1560720)						
Chloride	16887-00-6 E235	5.CI-L	0.1	mg/L	<0.10	
Anions and Nutrients (QCLot: 1560721)						
Fluoride	16984-48-8 E235	5.F-L	0.01	mg/L	<0.010	
Anions and Nutrients (QCLot: 1560722)						
Nitrate (as N)	14797-55-8 E235	5.NO3-T	0.003	mg/L	<0.0030	
Anions and Nutrients (QCLot: 1560723)						
Bromide	24959-67-9 E235	5.Br-U	0.005	mg/L	<0.0050	
Anions and Nutrients (QCLot: 1560724)						
Sulfate (as SO4)	14808-79-8 E235	5.SO4-L	0.05	mg/L	<0.050	
Anions and Nutrients (QCLot: 1568188)						
Kjeldahl nitrogen, total [TKN]	E318	8	0.05	mg/L	<0.050	
Anions and Nutrients (QCLot: 1568456)						
Phosphorus, total	7723-14-0 E372	2-U	0.002	mg/L	<0.0020	
Cyanides (QCLot: 1573893)						
Cyanide, strong acid dissociable (Total)	E333	3	0.002	mg/L	<0.0020	
Fotal Metals (QCLot: 1561579)						
Aluminum, total	7429-90-5 E420	0	0.003	mg/L	<0.0030	
Antimony, total	7440-36-0 E420	0	0.0001	mg/L	<0.00010	

 Page
 :
 8 of 17

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

 Project
 :

ALS

Analyte	CAS Number Method	LOR	Unit	Result	Qualifier
otal Metals (QCLot: 1561579) -	- continued				
Arsenic, total	7440-38-2 E420	0.0001	mg/L	<0.00010	
Barium, total	7440-39-3 E420	0.0001	mg/L	<0.00010	
Beryllium, total	7440-41-7 E420	0.00002	mg/L	<0.000020	
Bismuth, total	7440-69-9 E420	0.00005	mg/L	<0.000050	
Boron, total	7440-42-8 E420	0.01	mg/L	<0.010	
Cadmium, total	7440-43-9 E420	0.000005	mg/L	<0.000050	
Calcium, total	7440-70-2 E420	0.05	mg/L	<0.050	
Cesium, total	7440-46-2 E420	0.00001	mg/L	<0.000010	
Chromium, total	7440-47-3 E420	0.0005	mg/L	<0.00050	
Cobalt, total	7440-48-4 E420	0.0001	mg/L	<0.00010	
Copper, total	7440-50-8 E420	0.0005	mg/L	<0.00050	
Iron, total	7439-89-6 E420	0.01	mg/L	<0.010	
Lead, total	7439-92-1 E420	0.00005	mg/L	<0.000050	
Lithium, total	7439-93-2 E420	0.001	mg/L	<0.0010	
Magnesium, total	7439-95-4 E420	0.005	mg/L	<0.0050	
Manganese, total	7439-96-5 E420	0.0001	mg/L	<0.00010	
Molybdenum, total	7439-98-7 E420	0.00005	mg/L	<0.000050	
Nickel, total	7440-02-0 E420	0.0005	mg/L	<0.00050	
Phosphorus, total	7723-14-0 E420	0.05	mg/L	<0.050	
Potassium, total	7440-09-7 E420	0.05	mg/L	<0.050	
Rubidium, total	7440-17-7 E420	0.0002	mg/L	<0.00020	
Selenium, total	7782-49-2 E420	0.00005	mg/L	<0.000050	
Silicon, total	7440-21-3 E420	0.1	mg/L	<0.10	
Silver, total	7440-22-4 E420	0.00001	mg/L	<0.000010	
Sodium, total	7440-23-5 E420	0.05	mg/L	<0.050	
Strontium, total	7440-24-6 E420	0.0002	mg/L	<0.00020	
Sulfur, total	7704-34-9 E420	0.5	mg/L	<0.50	
Tellurium, total	13494-80-9 E420	0.0002	mg/L	<0.00020	
Thallium, total	7440-28-0 E420	0.00001	mg/L	<0.000010	
Thorium, total	7440-29-1 E420	0.0001	mg/L	<0.00010	
Tin, total	7440-31-5 E420	0.0001	mg/L	<0.00010	
Titanium, total	7440-32-6 E420	0.0003	mg/L	<0.00030	
Tungsten, total	7440-33-7 E420	0.0001	mg/L	<0.00010	
Uranium, total	7440-61-1 E420	0.00001	mg/L	<0.000010	
Vanadium, total	7440-62-2 E420	0.0005	mg/L	<0.00050	

 Page
 :
 9 of 17

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

 Project
 :

ALS

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Гotal Metals (QCLot: 1561579) -	continued					
Zinc, total	7440-66-6	E420	0.003	mg/L	<0.0030	
Zirconium, total	7440-67-7	E420	0.0002	mg/L	<0.00020	
Total Metals (QCLot: 1565029)						
Mercury, total	7439-97-6	E508	0.000005	mg/L	<0.0000050	
Dissolved Metals (QCLot: 156157	71)					
Aluminum, dissolved	7429-90-5	E421	0.001	mg/L	<0.0010	
Antimony, dissolved	7440-36-0	E421	0.0001	mg/L	<0.00010	
Arsenic, dissolved	7440-38-2	E421	0.0001	mg/L	<0.00010	
Barium, dissolved	7440-39-3	E421	0.0001	mg/L	<0.00010	
Beryllium, dissolved	7440-41-7	E421	0.00002	mg/L	<0.000020	
Bismuth, dissolved	7440-69-9	E421	0.00005	mg/L	<0.000050	
Boron, dissolved	7440-42-8	E421	0.01	mg/L	<0.010	
Cadmium, dissolved	7440-43-9	E421	0.000005	mg/L	<0.0000050	
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	<0.050	
Cesium, dissolved	7440-46-2	E421	0.00001	mg/L	<0.000010	
Chromium, dissolved	7440-47-3	E421	0.0005	mg/L	<0.00050	
Cobalt, dissolved	7440-48-4	E421	0.0001	mg/L	<0.00010	
Copper, dissolved	7440-50-8	E421	0.0002	mg/L	<0.00020	
Iron, dissolved	7439-89-6	E421	0.01	mg/L	<0.010	
Lead, dissolved	7439-92-1	E421	0.00005	mg/L	<0.000050	
Lithium, dissolved	7439-93-2	E421	0.001	mg/L	<0.0010	
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	<0.0050	
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	<0.00010	
Molybdenum, dissolved	7439-98-7	E421	0.00005	mg/L	<0.000050	
Nickel, dissolved	7440-02-0	E421	0.0005	mg/L	<0.00050	
Phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	<0.050	
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	<0.050	
Rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	<0.00020	
Selenium, dissolved	7782-49-2	E421	0.00005	mg/L	<0.000050	
Silicon, dissolved	7440-21-3	E421	0.05	mg/L	<0.050	
Silver, dissolved	7440-22-4	E421	0.00001	mg/L	<0.000010	
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	<0.050	
Strontium, dissolved	7440-24-6	E421	0.0002	mg/L	<0.00020	
Sulfur, dissolved	7704-34-9	E421	0.5	mg/L	<0.50	
Tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	<0.00020	

 Page
 :
 10 of 17

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

 Project
 :



Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Dissolved Metals (QCLot: 1561571)	- continued					
Thallium, dissolved	7440-28-0	E421	0.00001	mg/L	<0.000010	
Thorium, dissolved	7440-29-1	E421	0.0001	mg/L	<0.00010	
Tin, dissolved	7440-31-5	E421	0.0001	mg/L	<0.00010	
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	<0.00030	
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	<0.00010	
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	<0.000010	
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	<0.00050	
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	<0.0010	
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	<0.00020	
Dissolved Metals (QCLot: 1566905)						
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	<0.000050	

 Page
 :
 11 of 17

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

Project : ----



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Water						Laboratory Co	ntrol Sample (LCS)	Report	
					Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 1560711)									
рН		E108		pH units	7 pH units	100	98.0	102	
Physical Tests (QCLot: 1560712)									
Alkalinity, total (as CaCO3)		E290	1	mg/L	500 mg/L	102	85.0	115	
Physical Tests (QCLot: 1560713)		E400			447.04				
Conductivity		E100	1	μS/cm	147 μS/cm	99.3	90.0	110	
Physical Tests (QCLot: 1560725)		E283	2	200 or /1	50 ma/l	97.0	85.0	115	
Acidity (as CaCO3)		E203	2	mg/L	50 mg/L	97.0	65.0	115	
Physical Tests (QCLot: 1563405) Solids, total suspended [TSS]		E160-L	1	mg/l	150 mg/L	91.2	85.0	115	
		L 100-L	1	mg/L	100 Hig/L	91.2	03.0	113	
Physical Tests (QCLot: 1563444) Solids, total dissolved [TDS]		E162	10	mg/L	1000 mg/L	105	85.0	115	
			10	mg/L	1000 mg/L	100	00.0	'''	
Physical Tests (QCLot: 1563445) Solids, total dissolved [TDS]		E162	10	mg/L	1000 mg/L	103	85.0	115	
,				.5					
Anions and Nutrients (QCLot: 1560718)									I
Nitrite (as N)	14797-65-0	E235.NO2-L	0.001	mg/L	0.5 mg/L	101	90.0	110	
Anions and Nutrients (QCLot: 1560720)									
Chloride	16887-00-6	E235.CI-L	0.1	mg/L	100 mg/L	101	90.0	110	
Anions and Nutrients (QCLot: 1560721)									
Fluoride	16984-48-8	E235.F-L	0.01	mg/L	1 mg/L	101	90.0	110	
Anions and Nutrients (QCLot: 1560722)									
Nitrate (as N)	14797-55-8	E235.NO3-T	0.003	mg/L	2.5 mg/L	101	90.0	110	
Anions and Nutrients (QCLot: 1560723)									
Bromide	24959-67-9	E235.Br-U	0.005	mg/L	0.5 mg/L	102	85.0	115	
Anions and Nutrients (QCLot: 1560724)	11000 ====	5005.004.1			100 "	101			ı
Sulfate (as SO4)	14808-79-8	E235.SO4-L	0.05	mg/L	100 mg/L	101	90.0	110	
Anions and Nutrients (QCLot: 1568188)		F240	0.05	we - /1	A == 0	0E 4	75.0	405	
Kjeldahl nitrogen, total [TKN]		E318	0.05	mg/L	4 mg/L	95.1	75.0	125	
Anions and Nutrients (QCLot: 1568456)	7723-14-0	E272 II	0.002	ma/l	0.05 mg/l	94.0	80.0	120	
Phosphorus, total	1123-14-0	E312-U	0.002	mg/L	0.05 mg/L	94.0	00.0	120	
0 11 (00) 4 (17000)									
Cyanides (QCLot: 1573893)									

 Page
 :
 12 of 17

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.



Project : ---

Sub-Matrix: Water					Laboratory Control Sample (LCS) Report						
					Spike	Recovery (%)	Recovery	Limits (%)			
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier		
Cyanides (QCLot: 1573893) - continued											
Cyanide, strong acid dissociable (Total)		E333	0.002	mg/L	0.25 mg/L	99.9	80.0	120			
Total Metals (QCLot: 1561579)											
Aluminum, total	7429-90-5	E420	0.003	mg/L	2 mg/L	99.4	80.0	120			
Antimony, total	7440-36-0	E420	0.0001	mg/L	1 mg/L	105	80.0	120			
Arsenic, total	7440-38-2	E420	0.0001	mg/L	1 mg/L	103	80.0	120			
Barium, total	7440-39-3	E420	0.0001	mg/L	0.25 mg/L	102	80.0	120			
Beryllium, total	7440-41-7	E420	0.00002	mg/L	0.1 mg/L	93.6	80.0	120			
Bismuth, total	7440-69-9	E420	0.00005	mg/L	1 mg/L	98.8	80.0	120			
Boron, total	7440-42-8	E420	0.01	mg/L	1 mg/L	92.4	80.0	120			
Cadmium, total	7440-43-9	E420	0.000005	mg/L	0.1 mg/L	98.2	80.0	120			
Calcium, total	7440-70-2	E420	0.05	mg/L	50 mg/L	95.9	80.0	120			
Cesium, total	7440-46-2	E420	0.00001	mg/L	0.05 mg/L	93.5	80.0	120			
Chromium, total	7440-47-3	E420	0.0005	mg/L	0.25 mg/L	99.2	80.0	120			
Cobalt, total	7440-48-4	E420	0.0001	mg/L	0.25 mg/L	97.9	80.0	120			
Copper, total	7440-50-8	E420	0.0005	mg/L	0.25 mg/L	95.5	80.0	120			
Iron, total	7439-89-6	E420	0.01	mg/L	1 mg/L	92.2	80.0	120			
Lead, total	7439-92-1	E420	0.00005	mg/L	0.5 mg/L	98.1	80.0	120			
Lithium, total	7439-93-2	E420	0.001	mg/L	0.25 mg/L	99.4	80.0	120			
Magnesium, total	7439-95-4	E420	0.005	mg/L	50 mg/L	104	80.0	120			
Manganese, total	7439-96-5	E420	0.0001	mg/L	0.25 mg/L	99.6	80.0	120			
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	0.25 mg/L	98.2	80.0	120			
Nickel, total	7440-02-0	E420	0.0005	mg/L	0.5 mg/L	97.1	80.0	120			
Phosphorus, total	7723-14-0	E420	0.05	mg/L	10 mg/L	106	80.0	120			
Potassium, total	7440-09-7	E420	0.05	mg/L	50 mg/L	98.9	80.0	120			
Rubidium, total	7440-17-7	E420	0.0002	mg/L	0.1 mg/L	98.3	80.0	120			
Selenium, total	7782-49-2	E420	0.00005	mg/L	1 mg/L	97.7	80.0	120			
Silicon, total	7440-21-3	E420	0.1	mg/L	10 mg/L	102	80.0	120			
Silver, total	7440-22-4	E420	0.00001	mg/L	0.1 mg/L	89.1	80.0	120			
Sodium, total	7440-23-5	E420	0.05	mg/L	50 mg/L	96.9	80.0	120			
Strontium, total	7440-24-6	E420	0.0002	mg/L	0.25 mg/L	102	80.0	120			
Sulfur, total	7704-34-9	E420	0.5	mg/L	50 mg/L	85.7	80.0	120			
Tellurium, total	13494-80-9	E420	0.0002	mg/L	0.1 mg/L	88.0	80.0	120			
Thallium, total	7440-28-0	E420	0.00001	mg/L	1 mg/L	99.6	80.0	120			
Thorium, total	7440-29-1	E420	0.0001	mg/L	0.1 mg/L	88.8	80.0	120			
Tin, total	7440-31-5	E420	0.0001	mg/L	0.5 mg/L	95.3	80.0	120			

 Page
 :
 13 of 17

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.



Project : ---

ub-Matrix: Water					Laboratory Control Sample (LCS) Report						
					Spike	Recovery (%)	Recovery	Limits (%)			
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier		
Total Metals (QCLot: 1561579) - conti	nued										
Titanium, total	7440-32-6	E420	0.0003	mg/L	0.25 mg/L	94.7	80.0	120			
Tungsten, total	7440-33-7	E420	0.0001	mg/L	0.1 mg/L	93.4	80.0	120			
Uranium, total	7440-61-1	E420	0.00001	mg/L	0.005 mg/L	95.1	80.0	120			
Vanadium, total	7440-62-2	E420	0.0005	mg/L	0.5 mg/L	99.6	80.0	120			
Zinc, total	7440-66-6	E420	0.003	mg/L	0.5 mg/L	98.1	80.0	120			
Zirconium, total	7440-67-7	E420	0.0002	mg/L	0.1 mg/L	95.5	80.0	120			
Total Metals (QCLot: 1565029)											
Mercury, total	7439-97-6	E508	0.000005	mg/L	0 mg/L	99.6	80.0	120			
Dissolved Metals (QCLot: 1561571)											
Aluminum, dissolved	7429-90-5	E421	0.001	mg/L	2 mg/L	98.0	80.0	120			
Antimony, dissolved	7440-36-0	E421	0.0001	mg/L	1 mg/L	94.6	80.0	120			
Arsenic, dissolved	7440-38-2	E421	0.0001	mg/L	1 mg/L	97.4	80.0	120			
Barium, dissolved	7440-39-3	E421	0.0001	mg/L	0.25 mg/L	95.1	80.0	120			
Beryllium, dissolved	7440-41-7	E421	0.00002	mg/L	0.1 mg/L	93.4	80.0	120			
Bismuth, dissolved	7440-69-9	E421	0.00005	mg/L	1 mg/L	80.3	80.0	120			
Boron, dissolved	7440-42-8	E421	0.01	mg/L	1 mg/L	92.7	80.0	120			
Cadmium, dissolved	7440-43-9	E421	0.000005	mg/L	0.1 mg/L	82.7	80.0	120			
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	50 mg/L	92.8	80.0	120			
Cesium, dissolved	7440-46-2	E421	0.00001	mg/L	0.05 mg/L	95.8	80.0	120			
Chromium, dissolved	7440-47-3	E421	0.0005	mg/L	0.25 mg/L	96.3	80.0	120			
Cobalt, dissolved	7440-48-4	E421	0.0001	mg/L	0.25 mg/L	98.5	80.0	120			
Copper, dissolved	7440-50-8	E421	0.0002	mg/L	0.25 mg/L	93.2	80.0	120			
Iron, dissolved	7439-89-6	E421	0.01	mg/L	1 mg/L	82.2	80.0	120			
Lead, dissolved	7439-92-1	E421	0.00005	mg/L	0.5 mg/L	91.4	80.0	120			
Lithium, dissolved	7439-93-2	E421	0.001	mg/L	0.25 mg/L	91.3	80.0	120			
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	50 mg/L	98.3	80.0	120			
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	0.25 mg/L	95.5	80.0	120			
Molybdenum, dissolved	7439-98-7	E421	0.00005	mg/L	0.25 mg/L	95.4	80.0	120			
Nickel, dissolved	7440-02-0	E421	0.0005	mg/L	0.5 mg/L	96.1	80.0	120			
Phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	10 mg/L	105	80.0	120			
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	50 mg/L	95.5	80.0	120			
Rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	0.1 mg/L	101	80.0	120			
Selenium, dissolved	7782-49-2	E421	0.00005	mg/L	1 mg/L	91.4	80.0	120			
Silicon, dissolved	7440-21-3	E421	0.05	mg/L	10 mg/L	104	80.0	120			
Silver, dissolved	7440-22-4	E421	0.00001	mg/L	0.1 mg/L	90.1	80.0	120			

 Page
 :
 14 of 17

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.



Project : ---

Sub-Matrix: Water						Laboratory Co	ontrol Sample (LCS)	Report	
					Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Dissolved Metals (QCLot: 1561571) - cor	ntinued								
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	50 mg/L	95.5	80.0	120	
Strontium, dissolved	7440-24-6	E421	0.0002	mg/L	0.25 mg/L	101	80.0	120	
Sulfur, dissolved	7704-34-9	E421	0.5	mg/L	50 mg/L	# 77.0	80.0	120	MES
Tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	0.1 mg/L	103	80.0	120	
Thallium, dissolved	7440-28-0	E421	0.00001	mg/L	1 mg/L	88.7	80.0	120	
Thorium, dissolved	7440-29-1	E421	0.0001	mg/L	0.1 mg/L	85.0	80.0	120	
Tin, dissolved	7440-31-5	E421	0.0001	mg/L	0.5 mg/L	95.4	80.0	120	
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	0.25 mg/L	92.7	80.0	120	
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	0.1 mg/L	91.9	80.0	120	
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	0.005 mg/L	93.3	80.0	120	
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	0.5 mg/L	98.8	80.0	120	
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	0.5 mg/L	97.4	80.0	120	
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	0.1 mg/L	86.9	80.0	120	
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	0 mg/L	93.7	80.0	120	

Qualifiers

Qualifier Description

MES

Data Quality Objective was marginally exceeded (by < 10% absolute) for < 10% of analytes in a Multi-Element Scan / Multi-Parameter Scan (considered acceptable as per OMOE & CCME).

 Page
 :
 15 of 17

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.

Project : ----



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Water							Matrix Spike	(MS) Report		
					Spil	ke	Recovery (%)	Recovery	Limits (%)	
aboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifie
Anions and Nutri	ents (QCLot: 156071	18)								
FJ2402097-002	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2-L	0.513 mg/L	0.5 mg/L	103	75.0	125	
nions and Nutri	ents (QCLot: 156072	20)								
YL2400958-002	P2-B	Chloride	16887-00-6	E235.CI-L	104 mg/L	100 mg/L	104	75.0	125	
nions and Nutri	ents (QCLot: 156072	21)								
/L2400958-002	P2-B	Fluoride	16984-48-8	E235.F-L	1.05 mg/L	1 mg/L	105	75.0	125	
nions and Nutri	ents (QCLot: 156072	22)								
YL2400958-002	P2-B	Nitrate (as N)	14797-55-8	E235.NO3-T	2.61 mg/L	2.5 mg/L	104	75.0	125	
	ents (QCLot: 156072	,								
YL2400958-002	P2-B	Bromide	24959-67-9	E235.Br-U	0.520 mg/L	0.5 mg/L	104	75.0	125	
	ents (QCLot: 156072									
YL2400958-002	P2-B	Sulfate (as SO4)	14808-79-8	E235.SO4-L	ND mg/L		ND	75.0	125	
	ents (QCLot: 156818		14000-75-0	L200.004-L	ND Hig/L		ND	7 3.0	125	
/A24B8421-004	Anonymous	Kjeldahl nitrogen, total [TKN]		E318	0.276 mg/L	2 E ma/l	11.0	70.0	130	MSTI
	ents (QCLot: 156845			E310	0.276 Hig/L	2.5 mg/L	11.0	70.0	130	IVISTI
			7700 11 0	E070 II	0.0477 #	0.05 #	05.5	70.0	400	
VA24B8049-001	Anonymous	Phosphorus, total	7723-14-0	E372-U	0.0477 mg/L	0.05 mg/L	95.5	70.0	130	
yanides (QCLo										
/A24B7994-003	Anonymous	Cyanide, strong acid dissociable (Total)		E333	0.475 mg/L	0.5 mg/L	94.9	75.0	125	
otal Metals (QC	Lot: 1561579)									
-J2402097-002	Anonymous	Aluminum, total	7429-90-5	E420	0.186 mg/L	0.2 mg/L	93.2	70.0	130	
		Antimony, total	7440-36-0	E420	0.0186 mg/L	0.02 mg/L	92.8	70.0	130	
		Arsenic, total	7440-38-2	E420	0.0205 mg/L	0.02 mg/L	103	70.0	130	
		Barium, total	7440-39-3	E420	ND mg/L		ND	70.0	130	
		Beryllium, total	7440-41-7	E420	0.0391 mg/L	0.04 mg/L	97.8	70.0	130	
		Bismuth, total	7440-69-9	E420	0.00931 mg/L	0.01 mg/L	93.1	70.0	130	
		Boron, total	7440-42-8	E420	0.103 mg/L	0.1 mg/L	103	70.0	130	
		Cadmium, total	7440-43-9	E420	0.00391 mg/L	0.004 mg/L	97.7	70.0	130	
		Calcium, total	7440-70-2	E420	ND mg/L		ND	70.0	130	
		Cesium, total	7440-46-2	E420	0.00937 mg/L	0.01 mg/L	93.7	70.0	130	
		Chromium, total	7440-47-3	E420	0.0390 mg/L	0.04 mg/L	97.5	70.0	130	
		· ·			Ü	· ·				
		Cobalt, total	7440-48-4	E420	0.0193 mg/L	0.02 mg/L	96.7	70.0	130	
		Copper, total	7440-50-8	E420	0.0189 mg/L	0.02 mg/L	94.7	70.0	130	
		Iron, total	7439-89-6	E420	ND mg/L		ND	70.0	130	
		Lead, total	7439-92-1	E420	0.0189 mg/L	0.02 mg/L	94.4	70.0	130	
		Lithium, total	7439-93-2	E420	0.101 mg/L	0.1 mg/L	101	70.0	130	

 Page
 :
 16 of 17

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.



Project : ---

Sub-Matrix: Water							Matrix Spik	e (MS) Report		
					Spi	ike	Recovery (%)	Recovery	Limits (%)	
aboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifi
otal Metals (QC	Lot: 1561579) - con	tinued								
FJ2402097-002	Anonymous	Magnesium, total	7439-95-4	E420	ND mg/L		ND	70.0	130	
		Manganese, total	7439-96-5	E420	ND mg/L		ND	70.0	130	
		Molybdenum, total	7439-98-7	E420	0.0191 mg/L	0.02 mg/L	95.6	70.0	130	
		Nickel, total	7440-02-0	E420	0.0382 mg/L	0.04 mg/L	95.6	70.0	130	
		Phosphorus, total	7723-14-0	E420	10.3 mg/L	10 mg/L	103	70.0	130	
		Potassium, total	7440-09-7	E420	ND mg/L		ND	70.0	130	
		Rubidium, total	7440-17-7	E420	0.0196 mg/L	0.02 mg/L	98.2	70.0	130	
		Selenium, total	7782-49-2	E420	0.0400 mg/L	0.04 mg/L	99.9	70.0	130	
		Silicon, total	7440-21-3	E420	9.36 mg/L	10 mg/L	93.6	70.0	130	
		Silver, total	7440-22-4	E420	0.00380 mg/L	0.004 mg/L	95.0	70.0	130	
		Sodium, total	7440-23-5	E420	ND mg/L		ND	70.0	130	
		Strontium, total	7440-24-6	E420	ND mg/L		ND	70.0	130	
		Sulfur, total	7704-34-9	E420	18.7 mg/L	20 mg/L	93.6	70.0	130	
		Tellurium, total	13494-80-9	E420	0.0361 mg/L	0.04 mg/L	90.3	70.0	130	
		Thallium, total	7440-28-0	E420	0.00369 mg/L	0.004 mg/L	92.2	70.0	130	
		Thorium, total	7440-29-1	E420	0.0196 mg/L	0.02 mg/L	97.9	70.0	130	
		Tin, total	7440-31-5	E420	0.0181 mg/L	0.02 mg/L	90.4	70.0	130	
		Titanium, total	7440-32-6	E420	0.0376 mg/L	0.04 mg/L	93.9	70.0	130	
		Tungsten, total	7440-33-7	E420	0.0186 mg/L	0.02 mg/L	93.2	70.0	130	
		Uranium, total	7440-61-1	E420	0.00371 mg/L	0.004 mg/L	92.8	70.0	130	
		Vanadium, total	7440-62-2	E420	0.0982 mg/L	0.1 mg/L	98.2	70.0	130	
		Zinc, total	7440-66-6	E420	0.390 mg/L	0.4 mg/L	97.5	70.0	130	
		Zirconium, total	7440-67-7	E420	0.0405 mg/L	0.04 mg/L	101	70.0	130	
otal Metals (QC	Lot: 1565029)									
/A24B7683-004	Anonymous	Mercury, total	7439-97-6	E508	0.0000969 mg/L	0 mg/L	96.9	70.0	130	
issolved Metals	(QCLot: 1561571)									
A24B7882-002	Anonymous	Aluminum, dissolved	7429-90-5	E421	0.203 mg/L	0.2 mg/L	101	70.0	130	
		Antimony, dissolved	7440-36-0	E421	0.0200 mg/L	0.02 mg/L	100	70.0	130	
		Arsenic, dissolved	7440-38-2	E421	0.0206 mg/L	0.02 mg/L	103	70.0	130	
		Barium, dissolved	7440-39-3	E421	ND mg/L		ND	70.0	130	
		Beryllium, dissolved	7440-41-7	E421	0.0374 mg/L	0.04 mg/L	93.4	70.0	130	
		Bismuth, dissolved	7440-69-9	E421	0.00976 mg/L	0.01 mg/L	97.6	70.0	130	
		Boron, dissolved	7440-42-8	E421	ND mg/L		ND	70.0	130	
		Cadmium, dissolved	7440-43-9	E421	0.00392 mg/L	0.004 mg/L	97.9	70.0	130	
		Calcium, dissolved	7440-70-2	E421	ND mg/L		ND	70.0	130	
		Cesium, dissolved	7440-46-2	E421	0.00982 mg/L	0.01 mg/L	98.2	70.0	130	
		Chromium, dissolved	7440-47-3	E421	0.0397 mg/L	0.04 mg/L	99.3	70.0	130	
		Cobalt, dissolved	7440-48-4	E421	0.0196 mg/L	0.02 mg/L	97.9	70.0	130	
		Copper, dissolved	7440-50-8	E421	0.0197 mg/L	0.02 mg/L	98.3	70.0	130	
		Iron, dissolved	7439-89-6	E421	1.96 mg/L	2 mg/L	98.3	70.0	130	
		Lead, dissolved	7439-92-1	E421	0.0187 mg/L	0.02 mg/L	93.6	70.0	130	
		Lithium, dissolved	7439-93-2	E421	0.0913 mg/L	0.1 mg/L	91.3	70.0	130	
	1	Magnesium, dissolved	7439-95-4	E421	ND mg/L		ND	70.0	130	

 Page
 :
 17 of 17

 Work Order
 :
 YL2400958

 Client
 :
 Elgin Mining Inc.



Project : ---

Sub-Matrix: Water							Matrix Spik	re (MS) Report		
					Spi	ike	Recovery (%)	Recovery	Limits (%)	
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Dissolved Metals	(QCLot: 1561571) - c	continued								
VA24B7882-002	Anonymous	Manganese, dissolved	7439-96-5	E421	0.0200 mg/L	0.02 mg/L	100	70.0	130	
		Molybdenum, dissolved	7439-98-7	E421	0.0198 mg/L	0.02 mg/L	98.9	70.0	130	
		Nickel, dissolved	7440-02-0	E421	0.0393 mg/L	0.04 mg/L	98.3	70.0	130	
		Phosphorus, dissolved	7723-14-0	E421	10.5 mg/L	10 mg/L	105	70.0	130	
		Potassium, dissolved	7440-09-7	E421	3.82 mg/L	4 mg/L	95.6	70.0	130	
		Rubidium, dissolved	7440-17-7	E421	0.0188 mg/L	0.02 mg/L	94.1	70.0	130	
		Selenium, dissolved	7782-49-2	E421	0.0380 mg/L	0.04 mg/L	94.9	70.0	130	
		Silicon, dissolved	7440-21-3	E421	9.32 mg/L	10 mg/L	93.2	70.0	130	
		Silver, dissolved	7440-22-4	E421	0.00382 mg/L	0.004 mg/L	95.6	70.0	130	
		Sodium, dissolved	7440-23-5	E421	ND mg/L		ND	70.0	130	
		Strontium, dissolved	7440-24-6	E421	ND mg/L		ND	70.0	130	
		Sulfur, dissolved	7704-34-9	E421	19.2 mg/L	20 mg/L	96.0	70.0	130	
		Tellurium, dissolved	13494-80-9	E421	0.0410 mg/L	0.04 mg/L	102	70.0	130	
		Thallium, dissolved	7440-28-0	E421	0.00370 mg/L	0.004 mg/L	92.5	70.0	130	
		Thorium, dissolved	7440-29-1	E421	0.0206 mg/L	0.02 mg/L	103	70.0	130	
		Tin, dissolved	7440-31-5	E421	0.0198 mg/L	0.02 mg/L	99.2	70.0	130	
		Titanium, dissolved	7440-32-6	E421	0.0400 mg/L	0.04 mg/L	100	70.0	130	
		Tungsten, dissolved	7440-33-7	E421	0.0188 mg/L	0.02 mg/L	93.8	70.0	130	
		Uranium, dissolved	7440-61-1	E421	0.00373 mg/L	0.004 mg/L	93.3	70.0	130	
		Vanadium, dissolved	7440-62-2	E421	0.101 mg/L	0.1 mg/L	101	70.0	130	
		Zinc, dissolved	7440-66-6	E421	0.387 mg/L	0.4 mg/L	96.8	70.0	130	
		Zirconium, dissolved	7440-67-7	E421	0.0402 mg/L	0.04 mg/L	100	70.0	130	
Dissolved Metals	(QCLot: 1566905)									
VA24B7594-008	Anonymous	Mercury, dissolved	7439-97-6	E509	0.0000904 mg/L	0 mg/L	90.4	70.0	130	

Qualifiers

Qualifier Description

MSTN TKN Matrix Spike recovery was low due to interference from high nitrate, which causes negative bias on TKN.

CHAIN CHAIN CHAIN CLIENT: Eligin Mining PROJECT: LUCY Tine SITE: LUCY Tine SIT	Inc. ALS Leboratory OONTACT PI SAMPLER M	ROUND REQUIREMENTS: TAT may be longer for some tests Trace Organics) 73 - 852 - 2994 403 - 961 - 0169	2 0 0	IQUISHED BY: TIME: Distribution of the date of the d	RECEIVED BY: DATE/TIME: J t dise date):		9:02 ULY 22/24	RELINQUISHED BY: DATE/TIME: FOR LABORATORY USE ONLY (Circle) Custory Seal Intest® Free ice / frozen ice bricke present upon receipt Rendom Semple Temperature on Receipt Cother comments	TORY USE (Temperature of	NLY (Circle nnt upon receipt in Receipt
ALS USE ONLY SAMPLE DETAILS	SAMPLE DETAILS Solid(S) Water(W)	MATRIX:	CONTAINER				ANALYSIS REQUIRED	REQUIRED		
	To home of the money		ERS C			Airle	-)	94		us
SAMPLE	Sample identification (This description will appear on the report)	DATE / TIME (dd-mm-yyyy)	MATRIX TOTAL CONTAINERS	Rootine	Dissolved metals + Hg	Total CVANIC	Total cyanic Nutrienty Mices Biologe BOD 5 Total Phosphorus TKN	Mices Biologic	B005	Proschorus
Pa-R	P2-A	Stid/ HECK-FO-21	七	(\	1		-C100	-	+
P2-B	P2-B	80:01/ HOG-40-81	7	2	1	1		- September 1	-	+
2-cd	>-¢d	05:b/httpk-to-81	7	\	(1			-	-
6-6	Pa-0	hs: 6/ Hecc 60-81	4	<	\	1			1	+
72-15		18-07-6074/16:39	4	(1	1		-	To the second	
1-4m	LUP-14 Pre decent	05:H/A-00-60-81	4	(<	\	<	<	
CUP-14 D	LUP-140 REE DECANT	1			111			<		
	Environmental Division Yellowknife Work Order Reference YL2400958									
					die de die					- Comment
	Telephone: +1 867 873 5593		TOTAL			1		-	+	-

ALS Canada Ltd.



CERTIFICATE OF ANALYSIS

Work Order : YL2401053 Page : 1 of 10

Client Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Account Manager Contact : Jon Melnyk : Oliver Gregg

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

> Vancouver BC Canada V6C 2T7 Yellowknife NT Canada X1A 3T3

Telephone Telephone : 1 867 445 7143 **Project** : Lupin Mine 2024 Date Samples Received : 31-Jul-2024 16:30

PO **Date Analysis Commenced** : 06-Aug-2024

C-O-C number Issue Date : 09-Aug-2024 07:39 Sampler

Site : YL23-ELMI100-001

No. of samples received : 7 No. of samples analysed : 7

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

General Comments

Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

Quote number

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Angelo Salandanan	Lab Assistant	Metals, Burnaby, British Columbia
Ghazaleh Khanmirzaei	Analyst	Metals, Burnaby, British Columbia
Leon Yang	Analyst	Inorganics, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Metals, Burnaby, British Columbia
Sam Silveira	Analyst	Metals, Burnaby, British Columbia

 Page
 :
 2 of 10

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances LOR: Limit of Reporting (detection limit).

Unit	Description
-	no units
μS/cm	microsiemens per centimetre
mg/L	milligrams per litre
pH units	pH units

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Qualifiers

Qualifier	Description
DLA	Detection Limit adjusted for required dilution.
DLDS	Detection Limit Raised: Dilution required due to high Dissolved Solids / Electrical Conductivity.
DLM	Detection Limit Adjusted due to sample matrix effects (e.g. chemical interference, colour, turbidity).

 Page
 :
 3 of 10

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Sub-Matrix: Water			Cli	ent sample ID	P1-A	P1-B	P1-D	C4-A	C4-B
(Matrix: Water)									
			Client samp	ling date / time	30-Jul-2024 11:15	30-Jul-2024 10:50	30-Jul-2024 12:00	30-Jul-2024 15:20	30-Jul-2024 14:55
Analyte	CAS Number	Method/Lab	LOR	Unit	YL2401053-001	YL2401053-002	YL2401053-003	YL2401053-004	YL2401053-005
					Result	Result	Result	Result	Result
Physical Tests									
Acidity (as CaCO3)		E283/VA	2.0	mg/L	15.1	900	15.2	57.8	57.5
Alkalinity, total (as CaCO3)		E290/VA	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Conductivity		E100/VA	1.0	μS/cm	374	2160	374	881	884
Hardness (as CaCO3), dissolved		EC100/VA	0.60	mg/L	102	462	104	203	195
Hardness (as CaCO3), from total Ca/Mg		EC100A/VA	0.60	mg/L	103	463	104	208	208
рН		E108/VA	0.10	pH units	4.12	3.25	4.14	3.39	3.38
Solids, total dissolved [TDS]		E162/VA	10	mg/L	276	2350	271	549	573
Solids, total suspended [TSS]		E160-L/VA	1.0	mg/L	<1.0	9.2	4.8	<1.0	<1.0
Anions and Nutrients									
Bromide	24959-67-9	E235.Br-U/VA	0.0050	mg/L	0.0928	0.0996	0.0860	0.236	0.229
Chloride		E235.CI-L/VA	0.10	mg/L	7.28	8.73	7.34	19.1	19.3
Fluoride		E235.F-L/VA	0.010	mg/L	0.115	0.898	0.116	0.198	0.199
Nitrate (as N)		E235.NO3-T/V	0.0030	mg/L	0.323	0.200	0.327	0.0298	0.0289
		A							
Nitrite (as N)	14797-65-0	E235.NO2-L/V	0.0010	mg/L	<0.0010	<0.0100 DLDS	<0.0010	<0.0050 DLDS	<0.0050 DLDS
0.15-4- (004)	44000 70 0	A	0.050	/I	4.47	4070	440	224	338
Sulfate (as SO4)	14808-79-8	E235.SO4-L/V Δ	0.050	mg/L	147	1370	149	334	338
Cyanides									
Cyanide, strong acid dissociable (Total)		E333/VA	0.0050	mg/L	<0.0050	<0.0050	<0.0050	0.0095	0.0066
Total Metals									
Aluminum, total	7429-90-5	E420/VA	0.0030	mg/L	1.26	36.3	1.30	3.65	3.60
Antimony, total	7440-36-0		0.00010	mg/L	<0.00010	<0.00050 DLA	<0.00010	<0.00010	<0.00010
Arsenic, total	7440-38-2		0.00010	mg/L	0.0101	0.520	0.0182	0.0953	0.0881
Barium, total	7440-39-3		0.00010	mg/L	0.0140	0.0204	0.0139	0.0227	0.0225
Beryllium, total	7440-41-7		0.000100	mg/L	0.000316	0.00409	0.000317	0.000456	0.000452
Bismuth, total	7440-69-9		0.000050	mg/L	<0.000050	<0.000250 DLA	<0.000050	<0.000050	<0.000050
Boron, total	7440-42-8	E420/VA	0.010	mg/L	0.026	0.120	0.026	0.066	0.066
Cadmium, total	7440-43-9		0.0000050	mg/L	0.000267	0.00208	0.000280	0.000285	0.000286
Calcium, total	7440-70-2		0.050	mg/L	28.7	111	29.2	63.3	63.8
Cesium, total	7440-46-2		0.000010	mg/L	0.000054	0.000342	0.000069	0.000099	0.000092
1 ''''	7 110 10-2	I	1	3. –	* *			I	

 Page
 :
 4 of 10

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Sub-Matrix: Water		CI	ient sample ID	P1-A	P1-B	P1-D	C4-A	C4-B
(Matrix: Water)								
		Client samp	ling date / time	30-Jul-2024 11:15	30-Jul-2024 10:50	30-Jul-2024 12:00	30-Jul-2024 15:20	30-Jul-2024 14:55
Analyte	CAS Number Method/Lab	LOR	Unit	YL2401053-001	YL2401053-002	YL2401053-003	YL2401053-004	YL2401053-005
				Result	Result	Result	Result	Result
Total Metals								
Chromium, total	7440-47-3 E420/VA	0.00050	mg/L	<0.00050	0.0119	<0.00050	0.00127	0.00110
Cobalt, total	7440-48-4 E420/VA	0.00010	mg/L	0.0540	0.322	0.0549	0.0908	0.0901
Copper, total	7440-50-8 E420/VA	0.00050	mg/L	0.0380	0.412	0.0411	0.107	0.102
Iron, total	7439-89-6 E420/VA	0.010	mg/L	0.623	375	0.761	4.52	4.18
Lead, total	7439-92-1 E420/VA	0.000050	mg/L	0.00231	0.00488	0.00262	0.0522	0.0522
Lithium, total	7439-93-2 E420/VA	0.0010	mg/L	0.0229	0.139	0.0230	0.0507	0.0500
Magnesium, total	7439-95-4 E420/VA	0.0050	mg/L	7.60	45.1	7.69	12.2	11.9
Manganese, total	7439-96-5 E420/VA	0.00010	mg/L	0.718	3.96	0.738	1.58	1.57
Mercury, total	7439-97-6 E508/VA	0.0000050	mg/L	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050
Molybdenum, total	7439-98-7 E420/VA	0.000050	mg/L	<0.000050	<0.000250 DLA	<0.000050	0.000074	0.000057
Nickel, total	7440-02-0 E420/VA	0.00050	mg/L	0.110	0.646	0.113	0.202	0.199
Phosphorus, total	7723-14-0 E420/VA	0.050	mg/L	<0.050	<0.250 DLA	<0.050	<0.050	<0.050
Potassium, total	7440-09-7 E420/VA	0.050	mg/L	2.86	4.41	2.88	5.36	5.28
Rubidium, total	7440-17-7 E420/VA	0.00020	mg/L	0.00173	0.00588	0.00187	0.00314	0.00292
Selenium, total	7782-49-2 E420/VA	0.000050	mg/L	0.000061	0.000363	<0.000050	0.000101	0.000087
Silicon, total	7440-21-3 E420/VA	0.10	mg/L	3.02	17.9	3.08	10.4	10.0
Silver, total	7440-22-4 E420/VA	0.000010	mg/L	<0.000010	0.000124	<0.000010	0.000012	<0.000010
Sodium, total	7440-23-5 E420/VA	0.050	mg/L	14.4	15.3	14.8	37.8	37.1
Strontium, total	7440-24-6 E420/VA	0.00020	mg/L	0.143	0.558	0.146	0.363	0.360
Sulfur, total	7704-34-9 E420/VA	0.50	mg/L	52.8	512	54.1	131	124
Tellurium, total	13494-80-9 E420/VA	0.00020	mg/L	<0.00020	<0.00100 DLA	<0.00020	<0.00020	<0.00020
Thallium, total	7440-28-0 E420/VA	0.000010	mg/L	<0.000010	<0.000050 DLA	<0.000010	<0.000010	<0.000010
Thorium, total	7440-29-1 E420/VA	0.00010	mg/L	<0.00010	<0.00130 DLM	<0.00010	<0.00010	<0.00010
Tin, total	7440-31-5 E420/VA	0.00010	mg/L	<0.00010	<0.00050 DLA	<0.00010	<0.00010	<0.00010
Titanium, total	7440-32-6 E420/VA	0.00030	mg/L	0.00035	0.0192	0.00145	<0.00180 DLM	<0.00060 DLM
Tungsten, total	7440-33-7 E420/VA	0.00010	mg/L	<0.00010	<0.00050 DLA	<0.00010	<0.00010	<0.00010
Uranium, total	7440-61-1 E420/VA	0.000010	mg/L	0.000291	0.00616	0.000304	0.000877	0.000920
Vanadium, total	7440-62-2 E420/VA	0.00050	mg/L	<0.00050	0.00665	<0.00050	<0.00050	<0.00050
Zinc, total	7440-66-6 E420/VA	0.0030	mg/L	0.518	2.59	0.536	1.24	1.22
Zirconium, total	7440-67-7 E420/VA	0.00020	mg/L	<0.00020	<0.00100 DLA	<0.00020	<0.00020	<0.00020
Dissolved Metals								

 Page
 :
 5 of 10

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Color Sampling date / Jan. Color Samplin	Sub-Matrix: Water		Cl	ient sample ID	P1-A	P1-B	P1-D	C4-A	C4-B
Analysis	(Matrix: Water)								
Analysis			Client samp	ling date / time	30-Jul-2024 11:15	30-Jul-2024 10:50	30lul-2024 12:00	30-Jul-2024 15:20	30-Jul-2024 14:55
Dissolved Melais Result	Analyte	CAS Number Method/Lab	· ·						
Auminum, dissolved 7429-05, E421/NA 0.0010 mgl. 1.30 3.89 1.30 3.89 3.88 Antimony, dissolved 7440-36-0 E421/NA 0.00010 mgl. -0.00010 -0.00010 <0.00010	, and yet					Result		Result	Result
Anthronov, dissolved 7440,36.0 E421VA 0.00010 mg/L -0.00010 c0.00010 c0.0	Dissolved Metals								
Arsenic, dissolved 7440-32	Aluminum, dissolved	7429-90-5 E421/VA	0.0010	mg/L	1.30	36.9	1.30	3.69	3.68
Barium, dissolved	Antimony, dissolved	7440-36-0 E421/VA	0.00010	mg/L	<0.00010	<0.00050 DLA	<0.00010	<0.00010	<0.00010
Beryllium, dissolved 7440-41-7, F421/NA 0.000100 mg/L 0.000314 0.00418 0.000311 0.000412 0.000422 0.000505 0.000050 0.00050 0.00050 0.000050 0.00	Arsenic, dissolved	7440-38-2 E421/VA	0.00010	mg/L	0.0115	0.485	0.00873	0.0835	0.0804
Briting Brit	Barium, dissolved	7440-39-3 E421/VA	0.00010	mg/L	0.0138	0.0173	0.0144	0.0228	0.0220
Boron, dissolved	Beryllium, dissolved	7440-41-7 E421/VA	0.000100	mg/L	0.000314	0.00418	0.000311	0.000419	0.000422
Cadmium, dissolved 7440-43-9 E421/VA 0.0000050 mg/L 0.000264 0.00207 0.00272 0.000274 0.000281 Calcium, dissolved 7440-70-2 E421/VA 0.050 mg/L 0.00055 0.000279 0.000081 0.000080 0.000080 Chromium, dissolved 7440-46-2 E421/VA 0.00050 mg/L 0.00055 0.00072 <0.00050	Bismuth, dissolved	7440-69-9 E421/VA	0.000050	mg/L	<0.000050	<0.000250 DLA	<0.000050	<0.000050	<0.000050
Calcium, dissolved 7440-70-2 (2014) E421/VA 0.050 mg/L (2000) 26.8 104 27.9 58.3 55.7 Costum, dissolved 7440-46-2 (2014) 6.000010 mg/L (2000) 0.000055 0.000279 0.000061 0.000080 0.000084 Chromium, dissolved 7440-48-4 (241/VA) 0.00010 mg/L (2000) 0.0058 0.0022 0.0054 0.00050 0.0014 0.0013 Copper, dissolved 7440-88-4 (241/VA) 0.00010 mg/L (2000) 0.0371 0.394 0.0387 0.101 0.0992 Iron, dissolved 7439-98-96 (241/VA) 0.0010 mg/L (2000) 0.0242 0.00243 0.0523 0.0523 0.0524 Lithium, dissolved 7439-98-9 (241/VA) 0.0010 mg/L (2002) 0.0024 0.00243 0.0223 0.0524 0.0459 Magnesium, dissolved 7439-98-5 (241/VA) 0.0010 mg/L (2000) 0.0021 0.138 0.0218 0.0456 0.0459 Magnesium, dissolved 7439-98-5 (241/VA) 0.0010 mg/L (2000) 0.	Boron, dissolved	7440-42-8 E421/VA	0.010	mg/L	0.024	0.115	0.023	0.053	0.054
Cesium, dissolved 7440-46-2 (brownium, dissolved) 4241/VA 0.000010 mg/L 0.000055 (brownium, dissolved) 0.000079 (brownium, dissolved) 0.000080 (brownium, dissolved) 0.000080 (brownium, dissolved) 0.000050 (b	Cadmium, dissolved	7440-43-9 E421/VA	0.0000050	mg/L	0.000264	0.00207	0.000272	0.000274	0.000281
Chromium, dissolved 7440-47-3 E421/VA 0.00050 mg/L <0.00050 mg/L	Calcium, dissolved	7440-70-2 E421/VA	0.050	mg/L	26.8	104	27.9	58.3	55.7
Cobalt, dissolved 7440-42-4 (241/VA) 0.00010 mg/L 0.0538 (0.322) 0.0545 (0.0862) 0.0867 (0.0867) Copper, dissolved 7440-50-8 (241/VA) 0.00020 mg/L 0.0371 (0.0371) 0.394 (0.0387) 0.101 (0.0992) 0.0992 (0.00243) 0.0101 (0.0992) 0.00020 (0.0867) 0.00024 (0.00429) 0.00243 (0.0566) 0.15 (0.0523) 0.0523 (0.0524) 0.0523 (0.0524) 0.00503 (0.0524) 0.0021 (0.00429) 0.00243 (0.0523) 0.0523 (0.0524) 0.0525 (0.0524) 0.0525 (0.0524) 0.0456 (0.0458) 0.0552 (0.0524) 0.0456 (0.0458) 0.0456 (0.0458) 0.0456 (0.0458) 0.0456 (0.0458) 0.0456 (0.0458) 0.0456 (0.0458) 0.0456 (0.0458) 0.0456 (0.0458) 0.0456 (0.0458) 0.0456 (0.0458)<	Cesium, dissolved	7440-46-2 E421/VA	0.000010	mg/L	0.000055	0.000279	0.000051	0.000080	0.000084
Copper, dissolved 7440-50-8 E421/VA 6.00020 mg/L 0.0371 0.394 0.0387 0.101 0.0992 Iron, dissolved 7439-89-6 E421/VA 0.010 mg/L 0.588 356 0.566 4.15 3.92 Lead, dissolved 7439-93-2 E421/VA 0.000050 mg/L 0.00242 0.00429 0.00243 0.0523 0.0524 Lithium, dissolved 7439-93-2 E421/VA 0.0010 mg/L 0.0221 0.138 0.0218 0.0456 0.0459 Magnesium, dissolved 7439-96-5 E421/VA 0.00050 mg/L 8.48 49.1 8.30 14.0 13.6 Mercury, dissolved 7439-97-6 E509/VA 0.00010 mg/L 0.783 4.08 0.771 1.64 1.68 Mercury, dissolved 7439-98-7 E421/VA 0.000050 mg/L <0.000050 mg/L	Chromium, dissolved	7440-47-3 E421/VA	0.00050	mg/L	<0.00050	0.00872	<0.00050	0.00104	0.00103
Iron, dissolved	Cobalt, dissolved	7440-48-4 E421/VA	0.00010	mg/L	0.0538	0.322	0.0545	0.0862	0.0867
Lead, dissolved 7439-92-1 flathium, dissolved E421/VA 0.00050 mg/L 0.00242 mg/L 0.00429 mg/L 0.00243 mg/L 0.0523 mg/L 0.0524 mg/L Lithium, dissolved 7439-93-2 flat/VA 0.0010 mg/L 0.0221 mg/L 0.138 mg/L 0.0218 mg/L 0.0456 mg/L 0.0459 mg/L 0.00459 mg/L 0.0221 mg/L 0.038 mg/L 0.0218 mg/L 0.0456 mg/L 0.0459 mg/L 0.0050 mg/L 0.0221 mg/L 0.038 mg/L 0.0218 mg/L 0.0456 mg/L 0.0459 mg/L 0.0459 mg/L 0.0221 mg/L 0.038 mg/L 0.0221 mg/L 0.038 mg/L 0.0218 mg/L 0.0456 mg/L 0.0459 mg/L 0.00050 mg/L 0.00050 mg/L 0.00050 mg/L 0.00050 mg/L 0.00050 mg/L 0.000050 mg/L 0.000050 mg/L 0.000050 mg/L 0.000050 mg/L 0.00050 mg/L 0.00050 mg/L 0.050 mg/L 0.055	Copper, dissolved	7440-50-8 E421/VA	0.00020	mg/L	0.0371	0.394	0.0387	0.101	0.0992
Lithium, dissolved 7439-93-2 E421/VA 0.0010 mg/L 0.0221 0.138 0.0218 0.0456 0.0459 Magnesium, dissolved 7439-95-4 E421/VA 0.0050 mg/L 8.48 49.1 8.30 14.0 13.6 Manganese, dissolved 7439-96-5 E421/VA 0.00010 mg/L 0.783 4.08 0.771 1.64 1.68 Mercury, dissolved 7439-98-6 E421/VA 0.000050 mg/L <0.000050	Iron, dissolved	7439-89-6 E421/VA	0.010	mg/L	0.588	356	0.566	4.15	3.92
Magnesium, dissolved 7439-95-4 E421/VA 0.0050 mg/L 8.48 49.1 8.30 14.0 13.6 Manganese, dissolved 7439-96-5 E421/VA 0.00010 mg/L 0.783 4.08 0.771 1.64 1.68 Mercury, dissolved 7439-97-6 E509/VA 0.000050 mg/L <0.000050	Lead, dissolved	7439-92-1 E421/VA	0.000050	mg/L	0.00242	0.00429	0.00243	0.0523	0.0524
Manganese, dissolved 7439-96-5 E421/VA 0.00010 mg/L 0.783 4.08 0.771 1.64 1.68 Mercury, dissolved 7439-97-6 E509/VA 0.000050 mg/L <0.000050	Lithium, dissolved	7439-93-2 E421/VA	0.0010	mg/L	0.0221	0.138	0.0218	0.0456	0.0459
Mercury, dissolved 7439-97-6 E509/VA 0.0000050 mg/L <0.0000050	Magnesium, dissolved	7439-95-4 E421/VA	0.0050	mg/L	8.48	49.1	8.30	14.0	13.6
Molybdenum, dissolved 7439-98-7 E421/VA 0.000050 mg/L <0.000050	Manganese, dissolved	7439-96-5 E421/VA	0.00010	mg/L	0.783	4.08	0.771	1.64	1.68
Nickel, dissolved 7440-02-0 E421/VA 0.00050 mg/L 0.113 0.651 0.113 0.202 0.202 Phosphorus, dissolved 7723-14-0 E421/VA 0.050 mg/L <0.050	Mercury, dissolved	7439-97-6 E509/VA	0.0000050	mg/L	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050
Phosphorus, dissolved 7723-14-0 E421/VA 0.050 mg/L <0.050	Molybdenum, dissolved	7439-98-7 E421/VA	0.000050	mg/L	<0.000050	<0.000250 DLA	<0.000050	0.000051	<0.000050
Potassium, dissolved 7440-09-7 E421/VA 0.050 mg/L 2.90 4.38 2.97 5.29 5.28 Rubidium, dissolved 7440-17-7 E421/VA 0.00020 mg/L 0.00185 0.00564 0.00194 0.00310 0.00305 Selenium, dissolved 7782-49-2 E421/VA 0.000050 mg/L <0.000050	Nickel, dissolved	7440-02-0 E421/VA	0.00050	mg/L	0.113		0.113	0.202	0.202
Rubidium, dissolved 7440-17-7 E421/VA 0.00020 mg/L 0.00185 0.00564 0.00194 0.00310 0.00305 Selenium, dissolved 7782-49-2 E421/VA 0.000050 mg/L <0.000050	Phosphorus, dissolved	7723-14-0 E421/VA	0.050	mg/L	<0.050	<0.250 DLA	<0.050	<0.050	<0.050
Selenium, dissolved 7782-49-2 E421/VA 0.000050 mg/L <0.000050	Potassium, dissolved	7440-09-7 E421/VA	0.050	mg/L	2.90	4.38	2.97	5.29	5.28
Silicon, dissolved 7440-21-3 E421/VA 0.050 mg/L 2.89 16.4 2.85 9.44 9.65 Silver, dissolved 7440-22-4 E421/VA 0.000010 mg/L <0.000010	Rubidium, dissolved	7440-17-7 E421/VA	0.00020	mg/L	0.00185	0.00564	0.00194	0.00310	0.00305
Silver, dissolved 7440-22-4 E421/VA 0.000010 mg/L <0.000010	Selenium, dissolved	7782-49-2 E421/VA	0.000050	mg/L	<0.000050	0.000259	0.000070	0.000068	0.000093
Sodium, dissolved 7440-23-5 E421/VA 0.050 mg/L 15.5 15.5 15.2 39.5 38.5 Strontium, dissolved 7440-24-6 E421/VA 0.00020 mg/L 0.147 0.570 0.154 0.374 0.370 Sulfur, dissolved 7704-34-9 E421/VA 0.50 mg/L 50.2 471 48.2 115 117	Silicon, dissolved	7440-21-3 E421/VA	0.050	mg/L	2.89	16.4	2.85	9.44	9.65
Strontium, dissolved 7440-24-6 E421/VA 0.00020 mg/L 0.147 0.570 0.154 0.374 0.370 Sulfur, dissolved 7704-34-9 E421/VA 0.50 mg/L 50.2 471 48.2 115 117	Silver, dissolved	7440-22-4 E421/VA	0.000010	mg/L	<0.000010	0.000078	<0.000010	<0.000010	<0.000010
Sulfur, dissolved 7704-34-9 E421/VA 0.50 mg/L 50.2 471 48.2 115 117	Sodium, dissolved	7440-23-5 E421/VA	0.050	mg/L	15.5	15.5	15.2	39.5	38.5
	Strontium, dissolved	7440-24-6 E421/VA	0.00020	mg/L	0.147	0.570	0.154	0.374	0.370
Tellurium, dissolved 13494-80-9 E421/VA 0.00020 mg/L <0.00020 <0.00100 DLA <0.00020 <0.00020 <0.00020	Sulfur, dissolved	7704-34-9 E421/VA	0.50	mg/L	50.2	471	48.2	115	117
	Tellurium, dissolved	13494-80-9 E421/VA	0.00020	mg/L	<0.00020	<0.00100 DLA	<0.00020	<0.00020	<0.00020

 Page
 :
 6 of 10

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Analytical Results

Sub-Matrix: Water		Cl	ient sample ID	P1-A	P1-B	P1-D	C4-A	C4-B
(Matrix: Water)								
		Client samp	ling date / time	30-Jul-2024 11:15	30-Jul-2024 10:50	30-Jul-2024 12:00	30-Jul-2024 15:20	30-Jul-2024 14:55
Analyte	CAS Number Method/Lab	LOR	Unit	YL2401053-001	YL2401053-002	YL2401053-003	YL2401053-004	YL2401053-005
				Result	Result	Result	Result	Result
Dissolved Metals								
Thallium, dissolved	7440-28-0 E421/VA	0.000010	mg/L	<0.000010	<0.000050 DLA	<0.000010	<0.000010	<0.000010
Thorium, dissolved	7440-29-1 E421/VA	0.00010	mg/L	<0.00010	0.00112	<0.00010	<0.00010	<0.00010
Tin, dissolved	7440-31-5 E421/VA	0.00010	mg/L	<0.00010	<0.00050 DLA	<0.00010	<0.00010	<0.00010
Titanium, dissolved	7440-32-6 E421/VA	0.00030	mg/L	<0.00030	<0.00150 DLA	<0.00030	<0.00030	<0.00030
Tungsten, dissolved	7440-33-7 E421/VA	0.00010	mg/L	<0.00010	<0.00050 DLA	<0.00010	<0.00010	<0.00010
Uranium, dissolved	7440-61-1 E421/VA	0.000010	mg/L	0.000300	0.00623	0.000284	0.000872	0.000924
Vanadium, dissolved	7440-62-2 E421/VA	0.00050	mg/L	<0.00050	0.00569	<0.00050	<0.00050	<0.00050
Zinc, dissolved	7440-66-6 E421/VA	0.0010	mg/L	0.523	2.50	0.528	1.25	1.27
Zirconium, dissolved	7440-67-7 E421/VA	0.00020	mg/L	<0.00020	<0.00100 DLA	<0.00020	<0.00020	<0.00020
Dissolved mercury filtration location	EP509/VA	-	-	Field	Field	Field	Field	Field
Dissolved metals filtration location	EP421/VA	-	-	Field	Field	Field	Field	Field

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

 Page
 :
 7 of 10

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Sub-Matrix: Water			Cl	ient sample ID	C4-C	C4-E	 	
(Matrix: Water)								
			Client samn	ling date / time	30-Jul-2024 11:15	30-Jul-2024 12:35	 	
Analyte	CAS Number	Method/Lab	LOR	Unit	YL2401053-006	YL2401053-007	 	
Analyte	CAS Number	Wicthou/Lab	20/1	O m	Result	Result	 	
Physical Tests								
Acidity (as CaCO3)		E283/VA	2.0	mg/L	58.9	104	 	
Alkalinity, total (as CaCO3)		E290/VA	1.0	mg/L	<1.0	<1.0	 	
Conductivity		E100/VA	1.0	μS/cm	884	1200	 	
Hardness (as CaCO3), dissolved		EC100/VA	0.60	mg/L	202	248	 	
Hardness (as CaCO3), from total Ca/Mg		EC100A/VA	0.60	mg/L	204	269	 	
рН		E108/VA	0.10	pH units	3.39	3.44	 	
Solids, total dissolved [TDS]		E162/VA	10	mg/L	575	788	 	
Solids, total suspended [TSS]		E160-L/VA	1.0	mg/L	<1.0	16.7	 	
Anions and Nutrients								
Bromide	24959-67-9	E235.Br-U/VA	0.0050	mg/L	0.227	0.286	 	
Chloride		E235.CI-L/VA	0.10	mg/L	19.5	26.0	 	
Fluoride		E235.F-L/VA	0.010	mg/L	0.196	0.230	 	
Nitrate (as N)		E235.NO3-T/V	0.0030	mg/L	0.0497	0.0327	 	
		A						
Nitrite (as N)	14797-65-0	E235.NO2-L/V	0.0010	mg/L	0.0105	<0.0050 DLDS	 	
Sulfate (as SO4)	14000 70 0	A E235.SO4-L/V	0.050	mg/L	339	483	 	
Sunate (as 304)	14000-79-0	E235.504-L/V A	0.030	IIIg/L	339	403	 	
Cyanides								
Cyanide, strong acid dissociable (Total)		E333/VA	0.0050	mg/L	0.0066	0.0163	 	
Total Metals								
Aluminum, total	7429-90-5	E420/VA	0.0030	mg/L	3.52	4.17	 	
Antimony, total	7440-36-0	E420/VA	0.00010	mg/L	<0.00010	<0.00010	 	
Arsenic, total	7440-38-2		0.00010	mg/L	0.134	0.949	 	
Barium, total	7440-39-3		0.00010	mg/L	0.0220	0.0270	 	
Beryllium, total	7440-41-7	E420/VA	0.000100	mg/L	0.000426	0.000863	 	
Bismuth, total	7440-69-9		0.000050	mg/L	<0.000050	<0.000050	 	
Boron, total	7440-42-8		0.010	mg/L	0.064	0.146	 	
Cadmium, total	7440-43-9		0.0000050	mg/L	0.000275	0.000812	 	
Calcium, total	7440-70-2		0.050	mg/L	62.3	79.1	 	
Cesium, total	7440-46-2		0.000010	mg/L	0.000076	0.000186	 	
I		l	1	'	ı		1	1

 Page
 :
 8 of 10

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Sub-Matrix: Water		Cli	ient sample ID	C4-C	C4-E	 	
(Matrix: Water)							
		Client samp	ling date / time	30-Jul-2024 11:15	30-Jul-2024 12:35	 	
Analyte	CAS Number Method/Lab	LOR	Unit	YL2401053-006	YL2401053-007	 	
Analyte	CAS Number Wellow Lab	LON	Onne	Result	Result	 	
Total Metals				rtodat	rtoduit		
Chromium, total	7440-47-3 E420/VA	0.00050	mg/L	0.00114	0.00218	 	
Cobalt, total	7440-48-4 E420/VA	0.00010	mg/L	0.0879	0.142	 	
Copper, total	7440-50-8 E420/VA	0.00050	mg/L	0.0988	0.114	 	
Iron, total	7439-89-6 E420/VA	0.010	mg/L	4.85	38.1	 	
Lead, total	7439-92-1 E420/VA	0.000050	mg/L	0.0547	0.0617	 	
Lithium, total	7439-93-2 E420/VA	0.0010	mg/L	0.0492	0.0693	 	
Magnesium, total	7439-95-4 E420/VA	0.0050	mg/L	11.9	17.4	 	
Manganese, total	7439-96-5 E420/VA	0.00010	mg/L	1.53	2.30	 	
Mercury, total	7439-97-6 E508/VA	0.0000050	mg/L	<0.000050	<0.0000050	 	
Molybdenum, total	7439-98-7 E420/VA	0.000050	mg/L	0.000075	0.000557	 	
Nickel, total	7440-02-0 E420/VA	0.00050	mg/L	0.196	0.409	 	
Phosphorus, total	7723-14-0 E420/VA	0.050	mg/L	<0.050	<0.050	 	
Potassium, total	7440-09-7 E420/VA	0.050	mg/L	5.18	7.50	 	
Rubidium, total	7440-17-7 E420/VA	0.00020	mg/L	0.00288	0.00459	 	
Selenium, total	7782-49-2 E420/VA	0.000050	mg/L	0.000104	0.000262	 	
Silicon, total	7440-21-3 E420/VA	0.10	mg/L	10.1	11.3	 	
Silver, total	7440-22-4 E420/VA	0.000010	mg/L	<0.000010	0.000097	 	
Sodium, total	7440-23-5 E420/VA	0.050	mg/L	36.5	111	 	
Strontium, total	7440-24-6 E420/VA	0.00020	mg/L	0.361	0.439	 	
Sulfur, total	7704-34-9 E420/VA	0.50	mg/L	128	243	 	
Tellurium, total	13494-80-9 E420/VA	0.00020	mg/L	<0.00020	<0.00020	 	
Thallium, total	7440-28-0 E420/VA	0.000010	mg/L	<0.000010	0.000036	 	
Thorium, total	7440-29-1 E420/VA	0.00010	mg/L	<0.00010	<0.00020 DLM	 	
Tin, total	7440-31-5 E420/VA	0.00010	mg/L	<0.00010	<0.00010	 	
Titanium, total	7440-32-6 E420/VA	0.00030	mg/L	<0.00060 DLM	<0.00780 DLM	 	
Tungsten, total	7440-33-7 E420/VA	0.00010	mg/L	<0.00010	0.00058	 	
Uranium, total	7440-61-1 E420/VA	0.000010	mg/L	0.000907	0.00234	 	
Vanadium, total	7440-62-2 E420/VA	0.00050	mg/L	<0.00050	0.00066	 	
Zinc, total	7440-66-6 E420/VA	0.0030	mg/L	1.20	2.30	 	
Zirconium, total	7440-67-7 E420/VA	0.00020	mg/L	<0.00020	<0.00020	 	
Dissolved Metals							

 Page
 :
 9 of 10

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Sub-Matrix: Water		Cli	ient sample ID	C4-C	C4-E	 	
(Matrix: Water)							
		Client samn	ling date / time	30-Jul-2024 11:15	30-Jul-2024 12:35	 	
Analyte	CAS Number Method/Lab	LOR	Unit	YL2401053-006	YL2401053-007	 	
Analyte	CAS Number Method/Lab	LON	Onn	Result	Result	 	
Discolard Matela				Result	Result	 	
Dissolved Metals Aluminum, dissolved	7429-90-5 E421/VA	0.0010	mg/L	3.69	4.15	 	
Antimony, dissolved	7440-36-0 E421/VA	0.00010	mg/L	<0.00010	<0.00010	 	
Arsenic, dissolved	7440-38-2 E421/VA	0.00010	mg/L	0.132	0.827	 	
Barium, dissolved	7440-39-3 E421/VA	0.00010	mg/L	0.0220	0.0227	 	
Beryllium, dissolved	7440-41-7 E421/VA	0.000100	mg/L	0.000428	0.000784	 	
Bismuth, dissolved	7440-69-9 E421/VA	0.000050	mg/L	<0.000050	<0.000050	 	
Boron, dissolved	7440-42-8 E421/VA	0.010	mg/L	0.055	0.115	 	
Cadmium, dissolved	7440-43-9 E421/VA	0.0000050	mg/L	0.000278	0.000806	 	
Calcium, dissolved	7440-70-2 E421/VA	0.050	mg/L	58.1	66.5	 	
Cesium, dissolved	7440-46-2 E421/VA	0.000010	mg/L	0.000077	0.000105	 	
Chromium, dissolved	7440-47-3 E421/VA	0.00050	mg/L	0.00112	0.00125	 	
Cobalt, dissolved	7440-48-4 E421/VA	0.00010	mg/L	0.0868	0.142	 	
Copper, dissolved	7440-50-8 E421/VA	0.00020	mg/L	0.0975	0.108	 	
Iron, dissolved	7439-89-6 E421/VA	0.010	mg/L	4.81	33.7	 	
Lead, dissolved	7439-92-1 E421/VA	0.000050	mg/L	0.0540	0.0586	 	
Lithium, dissolved	7439-93-2 E421/VA	0.0010	mg/L	0.0469	0.0641	 	
Magnesium, dissolved	7439-95-4 E421/VA	0.0050	mg/L	13.9	19.8	 	
Manganese, dissolved	7439-96-5 E421/VA	0.00010	mg/L	1.70	2.55	 	
Mercury, dissolved	7439-97-6 E509/VA	0.0000050	mg/L	<0.0000050	<0.0000050	 	
Molybdenum, dissolved	7439-98-7 E421/VA	0.000050	mg/L	0.000072	0.000478	 	
Nickel, dissolved	7440-02-0 E421/VA	0.00050	mg/L	0.201	0.430	 	
Phosphorus, dissolved	7723-14-0 E421/VA	0.050	mg/L	<0.050	<0.050	 	
Potassium, dissolved	7440-09-7 E421/VA	0.050	mg/L	5.32	8.20	 	
Rubidium, dissolved	7440-17-7 E421/VA	0.00020	mg/L	0.00318	0.00449	 	
Selenium, dissolved	7782-49-2 E421/VA	0.000050	mg/L	0.000081	0.000280	 	
Silicon, dissolved	7440-21-3 E421/VA	0.050	mg/L	9.45	10.1	 	
Silver, dissolved	7440-22-4 E421/VA	0.000010	mg/L	<0.000010	0.000105	 	
Sodium, dissolved	7440-23-5 E421/VA	0.050	mg/L	38.7	111	 	
Strontium, dissolved	7440-24-6 E421/VA	0.00020	mg/L	0.380	0.424	 	
Sulfur, dissolved	7704-34-9 E421/VA	0.50	mg/L	113	206	 	
Tellurium, dissolved	13494-80-9 E421/VA	0.00020	mg/L	<0.00020	<0.00020	 	

 Page
 :
 10 of 10

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Analytical Results

Sub-Matrix: Water		Cli	ient sample ID	C4-C	C4-E	 	
(Matrix: Water)							
		Client samp	ling date / time	30-Jul-2024 11:15	30-Jul-2024 12:35	 	
Analyte	CAS Number Method/Lab	LOR	Unit	YL2401053-006	YL2401053-007	 	
				Result	Result	 	
Dissolved Metals							
Thallium, dissolved	7440-28-0 E421/VA	0.000010	mg/L	<0.000010	0.000031	 	
Thorium, dissolved	7440-29-1 E421/VA	0.00010	mg/L	<0.00010	0.00010	 	
Tin, dissolved	7440-31-5 E421/VA	0.00010	mg/L	<0.00010	<0.00010	 	
Titanium, dissolved	7440-32-6 E421/VA	0.00030	mg/L	<0.00030	<0.00030	 	
Tungsten, dissolved	7440-33-7 E421/VA	0.00010	mg/L	<0.00010	0.00024	 	
Uranium, dissolved	7440-61-1 E421/VA	0.000010	mg/L	0.000890	0.00222	 	
Vanadium, dissolved	7440-62-2 E421/VA	0.00050	mg/L	<0.00050	<0.00050	 	
Zinc, dissolved	7440-66-6 E421/VA	0.0010	mg/L	1.26	2.38	 	
Zirconium, dissolved	7440-67-7 E421/VA	0.00020	mg/L	<0.00020	<0.00020	 	
Dissolved mercury filtration location	EP509/VA	-	-	Field	Field	 	
Dissolved metals filtration location	EP421/VA	-	-	Field	Field	 	

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.



QUALITY CONTROL INTERPRETIVE REPORT

Work Order : **YL2401053** Page : 1 of 21

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Jon Melnyk Account Manager : Oliver Gregg

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

Vancouver BC Canada V6C 2T7

Yellowknife, Northwest Territories Canada X1A 3T3

 Telephone
 :--- Telephone
 : 1 867 445 7143

 Project
 : Lupin Mine 2024
 Date Samples Received
 : 31-Jul-2024 16:30

PO : ---- Issue Date : 09-Aug-2024 07:40 C-O-C number : ---- Sampler : ----

Quote number : YL23-ELMI100-001

No. of samples received :7
No. of samples analysed :7

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Site

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers : Quality Control Samples

- No Method Blank value outliers occur.
- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

No Reference Material (RM) Sample outliers occur.

Outliers: Analysis Holding Time Compliance (Breaches) ● Analysis Holding Time Outliers exist - please see following pages for full details.

Outliers : Frequency of Quality Control Samples

• No Quality Control Sample Frequency Outliers occur.

 Page
 :
 3 of 21

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and/or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Water			Evaluation: × =	Holding time exceedance ; ✓ = Within Holding Time	
Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation	Analysis	

Analyte Group : Analytical Method	Method	Sampling Date	Date Extraction / Preparation				Analysis			
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Bromide by IC (Ultra Trace Level)										
HDPE C4-A	E235.Br-U	30-Jul-2024	06-Aug-2024	28	7 days	4	06-Aug-2024	28 days	7 days	✓
				days						
Anions and Nutrients : Bromide by IC (Ultra Trace Level)					I					
HDPE C4-B	E235.Br-U	30-Jul-2024	06-Aug-2024	28 days	7 days	✓	06-Aug-2024	28 days	7 days	4
Anions and Nutrients : Bromide by IC (Ultra Trace Level)										
HDPE C4-C	E235.Br-U	30-Jul-2024	06-Aug-2024	28 days	7 days	4	06-Aug-2024	28 days	7 days	✓
Anions and Nutrients : Bromide by IC (Ultra Trace Level)										
HDPE C4-E	E235.Br-U	30-Jul-2024	06-Aug-2024	28 days	7 days	4	06-Aug-2024	28 days	7 days	✓
Anions and Nutrients : Bromide by IC (Ultra Trace Level)										
HDPE P1-A	E235.Br-U	30-Jul-2024	06-Aug-2024	28 days	7 days	✓	06-Aug-2024	28 days	7 days	✓
Anions and Nutrients : Bromide by IC (Ultra Trace Level)										
HDPE P1-B	E235.Br-U	30-Jul-2024	06-Aug-2024	28 days	7 days	✓	06-Aug-2024	28 days	7 days	✓
Anions and Nutrients : Bromide by IC (Ultra Trace Level)										
HDPE P1-D	E235.Br-U	30-Jul-2024	06-Aug-2024	28 days	7 days	✓	06-Aug-2024	28 days	7 days	✓

ALS

 Page
 :
 4 of 21

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024

Matrix: Water Evaluation: ▼ = Holding time exceedance; ✓ = Within Holding Time

Matrix: Water						aluation. * =	Holding time excee	suarice , ·	= \vitiiii	riolaling rillie
Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pr	eparation			Analys	sis	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Chloride in Water by IC (Low Level)										
HDPE										
C4-A	E235.CI-L	30-Jul-2024	06-Aug-2024	28	7 days	✓	06-Aug-2024	28 days	7 days	✓
				days						
Anions and Nutrients : Chloride in Water by IC (Low Level)										
HDPE										
C4-B	E235.CI-L	30-Jul-2024	06-Aug-2024	28	7 days	✓	06-Aug-2024	28 days	7 days	✓
				days						
Anions and Nutrients : Chloride in Water by IC (Low Level)										
HDPE										
C4-C	E235.CI-L	30-Jul-2024	06-Aug-2024	28	7 days	✓	06-Aug-2024	28 days	7 days	✓
				days						
Anions and Nutrients : Chloride in Water by IC (Low Level)										
HDPE										
C4-E	E235.CI-L	30-Jul-2024	06-Aug-2024	28	7 days	✓	06-Aug-2024	28 days	7 days	✓
			Ü	days	,		Ĭ		,	
Anions and Nutrients : Chloride in Water by IC (Low Level)										
HDPE										
P1-A	E235.CI-L	30-Jul-2024	06-Aug-2024	28	7 days	✓	06-Aug-2024	28 days	7 days	✓
			Ü	days	,		Ĭ		,	
Anions and Nutrients : Chloride in Water by IC (Low Level)				,						
HDPE										
P1-B	E235.CI-L	30-Jul-2024	06-Aug-2024	28	7 days	1	06-Aug-2024	28 days	7 davs	✓
			3	days	,		3 1			
Anione and Nutriente - Chleride in Water by IC (Level evel)				,						
Anions and Nutrients : Chloride in Water by IC (Low Level) HDPE										
P1-D	E235.CI-L	30-Jul-2024	06-Aug-2024	28	7 days	✓	06-Aug-2024	28 days	7 davs	✓
				days	, -				, -	
Aniana and Nutrianta - Fluorida in Mater by IC (Level aval)										
Anions and Nutrients : Fluoride in Water by IC (Low Level) HDPE							<u> </u>			
C4-A	E235.F-L	30-Jul-2024	06-Aug-2024	28	7 days	√	06-Aug-2024	28 days	7 days	√
		30 041 2024	55 / lag 2024	days	. days	·	557 kg 2524	o dayo	. days	•
				uays						
Anions and Nutrients : Fluoride in Water by IC (Low Level)										
HDPE C4-B	E235.F-L	30-Jul-2024	06-Aug-2024	20	7 days	1	06-Aug-2024	28 days	7 days	✓
<u> </u>	L200.1 -L	50-501-2024	00-Aug-2024	28	r uays	•	00-Aug-2024	20 days	i uays	*
				days						

(ALS)

 Page
 :
 5 of 21

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024

Matrix: **Water**Evaluation: **x** = Holding time exceedance; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	te Extraction / Preparation					Analys	is	
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Fluoride in Water by IC (Low Level)										
HDPE C4-C	E235.F-L	30-Jul-2024	06-Aug-2024	28 days	7 days	√	06-Aug-2024	28 days	7 days	✓
Anions and Nutrients : Fluoride in Water by IC (Low Level)										
HDPE C4-E	E235.F-L	30-Jul-2024	06-Aug-2024	28 days	7 days	4	06-Aug-2024	28 days	7 days	✓
Anions and Nutrients : Fluoride in Water by IC (Low Level)										
HDPE P1-A	E235.F-L	30-Jul-2024	06-Aug-2024	28 days	7 days	✓	06-Aug-2024	28 days	7 days	✓
Anions and Nutrients : Fluoride in Water by IC (Low Level)										
HDPE P1-B	E235.F-L	30-Jul-2024	06-Aug-2024	28 days	7 days	✓	06-Aug-2024	28 days	7 days	✓
Anions and Nutrients : Fluoride in Water by IC (Low Level)										
HDPE P1-D	E235.F-L	30-Jul-2024	06-Aug-2024	28 days	7 days	✓	06-Aug-2024	28 days	7 days	✓
Anions and Nutrients : Nitrate in Water by IC (Trace Level)										
HDPE C4-A	E235.NO3-T	30-Jul-2024	06-Aug-2024	3 days	6 days	* EHT	06-Aug-2024	3 days	6 days	x EHT
Anions and Nutrients : Nitrate in Water by IC (Trace Level)										
HDPE C4-B	E235.NO3-T	30-Jul-2024	06-Aug-2024	3 days	6 days	* EHT	06-Aug-2024	3 days	6 days	* EHT
Anions and Nutrients : Nitrate in Water by IC (Trace Level)										
HDPE C4-E	E235.NO3-T	30-Jul-2024	06-Aug-2024	3 days	6 days	* EHT	06-Aug-2024	3 days	7 days	* EHT
Anions and Nutrients : Nitrate in Water by IC (Trace Level)										
HDPE C4-C	E235.NO3-T	30-Jul-2024	06-Aug-2024	3 days	7 days	* EHT	06-Aug-2024	3 days	7 days	* EHT

ALS

 Page
 :
 6 of 21

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024

Matrix: Water Evaluation: **×** = Holding time exceedance; ✓ = Within Holding Time

Matrix: Water	I					/aluation. × =	Holding time excee			Tiolding Tim
Analyte Group : Analytical Method	Method	Sampling Date		traction / Pr				Analys		
Container / Client Sample ID(s)			Preparation Date	Holding Rec	g Times Actual	Eval	Analysis Date	Holding Rec	7 Times Actual	Eval
Anions and Nutrients : Nitrate in Water by IC (Trace Level)										
HDPE P1-A	E235.NO3-T	30-Jul-2024	06-Aug-2024	3 days	7 days	* EHT	06-Aug-2024	3 days	7 days	* EHT
Anions and Nutrients : Nitrate in Water by IC (Trace Level)										
HDPE P1-B	E235.NO3-T	30-Jul-2024	06-Aug-2024	3 days	7 days	* EHT	06-Aug-2024	3 days	7 days	# EHT
Anions and Nutrients : Nitrate in Water by IC (Trace Level)										
HDPE P1-D	E235.NO3-T	30-Jul-2024	06-Aug-2024	3 days	7 days	* EHT	06-Aug-2024	3 days	7 days	x EHT
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE C4-A	E235.NO2-L	30-Jul-2024	06-Aug-2024	3 days	6 days	* EHT	06-Aug-2024	3 days	6 days	* EHT
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE C4-B	E235.NO2-L	30-Jul-2024	06-Aug-2024	3 days	6 days	* EHT	06-Aug-2024	3 days	6 days	x EHT
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE C4-E	E235.NO2-L	30-Jul-2024	06-Aug-2024	3 days	6 days	* EHT	06-Aug-2024	3 days	7 days	x EHT
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE C4-C	E235.NO2-L	30-Jul-2024	06-Aug-2024	3 days	7 days	x EHT	06-Aug-2024	3 days	7 days	x EHT
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE P1-A	E235.NO2-L	30-Jul-2024	06-Aug-2024	3 days	7 days	* EHT	06-Aug-2024	3 days	7 days	* EHT
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE P1-B	E235.NO2-L	30-Jul-2024	06-Aug-2024	3 days	7 days	* EHT	06-Aug-2024	3 days	7 days	* EHT

Page 7 of 21 YL2401053 Work Order : Client Elgin Mining Inc. Lupin Mine 2024 **Project**

Matrix: Water Analyte Group

C4-A

Cyanides : Total Cyanide

UV-inhibited HDPE - total (sodium hydroxide)

atrix: Water						aluation. • -	Holding time excee			riolaling
Analyte Group : Analytical Method	Method	Sampling Date		traction / Pi				Analys		
Container / Client Sample ID(s)			Preparation		g Times	Eval	Analysis Date		Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE										
P1-D	E235.NO2-L	30-Jul-2024	06-Aug-2024	3 days	7 days	*	06-Aug-2024	3 days	7 days	*
						EHT				EHT
nions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE										
C4-A	E235.SO4-L	30-Jul-2024	06-Aug-2024	28	7 days	✓	06-Aug-2024	28 days	7 days	✓
				days						
nions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE										
C4-B	E235.SO4-L	30-Jul-2024	06-Aug-2024	28	7 days	✓	06-Aug-2024	28 days	7 days	✓
				days						
nions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE										
C4-C	E235.SO4-L	30-Jul-2024	06-Aug-2024	28	7 days	✓	06-Aug-2024	28 days	7 days	1
			· ·	days	,					
nions and Nutrients : Sulfate in Water by IC (Low Level)				,						
HDPE							I			
C4-E	E235.SO4-L	30-Jul-2024	06-Aug-2024	28	7 days	✓	06-Aug-2024	28 days	7 days	1
		00 04. 202 .	00 / tag 202 .	days	. aays		007109 2021	20 44,0	,.	
				uays						
nions and Nutrients : Sulfate in Water by IC (Low Level)										
P1-A	E235.SO4-L	30-Jul-2024	06-Aug-2024	28	7 days	✓	06-Aug-2024	28 days	7 dovo	1
P I-A	L255.504-L	30-3ui-2024	00-Aug-2024		1 uays	•	00-Aug-2024	20 uays	1 days	•
				days						
nions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE						,				
P1-B	E235.SO4-L	30-Jul-2024	06-Aug-2024	28	7 days	✓	06-Aug-2024	28 days	7 days	✓
				days						
nions and Nutrients : Sulfate in Water by IC (Low Level)										
HDPE										
P1-D	E235.SO4-L	30-Jul-2024	06-Aug-2024	28	7 days	✓	06-Aug-2024	28 days	7 days	✓
				days						

E333

30-Jul-2024

07-Aug-2024

8 days

14 days 07-Aug-2024

✓

14 days 8 days

ALS

 Page
 :
 8 of 21

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024

Matrix: Water

Evaluation:	× = Holding	time exceedance : v	= Within Holding Time
-------------	-------------	---------------------	-----------------------

Matrix: water						raidation. • -	nolding time exce	suarice , •	- vviti iii i	riolaling rilling
Analyte Group : Analytical Method	Method	Sampling Date	Ext	traction / Pr	reparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	1
Cyanides : Total Cyanide										
UV-inhibited HDPE - total (sodium hydroxide)										
C4-B	E333	30-Jul-2024	07-Aug-2024	14	8 days	✓	07-Aug-2024	14 days	8 days	✓
				days						1
Cyanides : Total Cyanide										
UV-inhibited HDPE - total (sodium hydroxide)										
C4-C	E333	30-Jul-2024	07-Aug-2024	14	8 days	✓	07-Aug-2024	14 days	8 days	✓
				days			-			1
Cyanides : Total Cyanide				,						
UV-inhibited HDPE - total (sodium hydroxide)		<u> </u>					l			
C4-E	E333	30-Jul-2024	07-Aug-2024	14	8 days	✓	07-Aug-2024	14 days	8 days	1
			3 1	days			3 1		- ,	1
Overide a Total Overida				,-						
Cyanides : Total Cyanide UV-inhibited HDPE - total (sodium hydroxide)				<u> </u>	<u> </u>		<u> </u>			
P1-A	E333	30-Jul-2024	07-Aug-2024	14	8 days	✓	07-Aug-2024	14 days	8 days	✓
1 170	2000	00 001 202 1	07-7 tug-202-4	days	o days	,	07-7 tag-2024	14 days	o days	,
				uays						
Cyanides : Total Cyanide				T T	I		1			
UV-inhibited HDPE - total (sodium hydroxide) P1-B	E333	30-Jul-2024	07-Aug-2024	4.4	8 days	√	07-Aug-2024	14 days	8 days	√
PI-D	E333	30-Jul-2024	07-Aug-2024	14	o uays	•	07-Aug-2024	14 days	o uays	*
				days						
Cyanides : Total Cyanide				_						
UV-inhibited HDPE - total (sodium hydroxide)	F000	00 1 1 000 4				,				
P1-D	E333	30-Jul-2024	07-Aug-2024	14	8 days	✓	07-Aug-2024	14 days	8 days	✓
				days						
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial dissolved (hydrochloric acid)										
C4-A	E509	30-Jul-2024	07-Aug-2024	28	8 days	✓	07-Aug-2024	28 days	8 days	✓
				days						
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial dissolved (hydrochloric acid)										
C4-B	E509	30-Jul-2024	07-Aug-2024	28	8 days	✓	07-Aug-2024	28 days	8 days	✓
				days						i
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial dissolved (hydrochloric acid)										
C4-C	E509	30-Jul-2024	07-Aug-2024	28	8 days	✓	07-Aug-2024	28 days	8 days	✓
				days						i
		1		,						

(ALS)

 Page
 :
 9 of 21

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024

Matrix: Water

Evaluation: × = Holdin	a time exceedance : 🗸	′ = Within Holdina Time
------------------------	-----------------------	-------------------------

Matrix: water						raidation. • =	nolding time exce	cuarice, .	- vvitiiiii	riolaling rillie	
Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pr	reparation		Analysis				
Container / Client Sample ID(s)			Preparation	Holding Times		Eval	Analysis Date	Holding Times		Eval	
			Date	Rec	Actual			Rec	Actual		
Dissolved Metals : Dissolved Mercury in Water by CVAAS											
Glass vial dissolved (hydrochloric acid)											
C4-E	E509	30-Jul-2024	07-Aug-2024	28	8 days	✓	07-Aug-2024	28 days	8 days	✓	
				days							
Dissolved Metals : Dissolved Mercury in Water by CVAAS											
Glass vial dissolved (hydrochloric acid)								T			
P1-A	E509	30-Jul-2024	07-Aug-2024	28	8 days	√	07-Aug-2024	28 days	8 days	✓	
			Ü	days	,		, and the second		,		
Dissolved Metals : Dissolved Mercury in Water by CVAAS				,-							
Glass vial dissolved (hydrochloric acid)								1			
P1-B	E509	30-Jul-2024	07-Aug-2024	28	8 days	✓	07-Aug-2024	28 days	8 davs	✓	
		00 00. 202 .	0. 7.ug 202.	days	o days		0.7.69 202.	20 44,0	o dayo		
				days							
Dissolved Metals : Dissolved Mercury in Water by CVAAS				<u> </u>	<u> </u>		I				
Glass vial dissolved (hydrochloric acid)	E509	30-Jul-2024	07 4 0004		0 4	1	07 4 2024	00 -1	0 -1	√	
P1-D	E509	30-Jul-2024	07-Aug-2024	28	8 days	,	07-Aug-2024	28 days	8 days	•	
				days							
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS											
HDPE - dissolved (lab preserved)						,				,	
C4-A	E421	30-Jul-2024	07-Aug-2024	180	8 days	✓	08-Aug-2024	180	9 days	✓	
				days				days			
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS											
HDPE - dissolved (lab preserved)											
C4-B	E421	30-Jul-2024	07-Aug-2024	180	8 days	✓	08-Aug-2024	180	9 days	✓	
				days				days			
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS											
HDPE - dissolved (lab preserved)											
C4-C	E421	30-Jul-2024	07-Aug-2024	180	8 days	✓	08-Aug-2024	180	9 days	✓	
				days				days			
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS				1	1						
HDPE - dissolved (lab preserved)											
C4-E	E421	30-Jul-2024	07-Aug-2024	180	8 days	✓	08-Aug-2024	180	9 days	✓	
			-	days				days			
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS											
HDPE - dissolved (lab preserved)							I				
P1-A	E421	30-Jul-2024	07-Aug-2024	180	8 days	✓	08-Aug-2024	180	9 days	1	
			5	days	2 22,0		007.29 2027	days			
				udys				uays			

ALS

 Page
 :
 10 of 21

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024

Matrix: Water

Evaluation: × = Holdin	a time exceedance : 🗸	= Within Holding Time
------------------------	-----------------------	-----------------------

Matrix: water						raidation. * =	Holding time excee	suarice , .	- vvitiiiii	riolaling riiii	
Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation				Analysis				
Container / Client Sample ID(s)			Preparation	Preparation Holding Times		Eval Analysis D	Analysis Date	Holding Times		Eval	
			Date	Rec	Actual			Rec	Actual		
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS											
HDPE - dissolved (lab preserved)											
P1-B	E421	30-Jul-2024	07-Aug-2024	180	8 days	1	08-Aug-2024	180	9 days	✓	
				days				days	,		
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS				,							
				I	<u> </u>			I			
HDPE - dissolved (lab preserved) P1-D	E421	30-Jul-2024	07-Aug-2024	180	8 days	√	08-Aug-2024	180	9 days	✓	
۲۱ - ۵	L421	30-3ui-2024	07-Aug-2024		0 days	,	00-Aug-2024		9 uays	•	
				days				days			
Physical Tests : Acidity by Titration											
HDPE						_					
C4-A	E283	30-Jul-2024	06-Aug-2024	14	7 days	✓	06-Aug-2024	14 days	7 days	✓	
				days							
Physical Tests : Acidity by Titration											
HDPE											
C4-B	E283	30-Jul-2024	06-Aug-2024	14	7 days	✓	06-Aug-2024	14 days	7 days	✓	
				days							
Physical Tests : Acidity by Titration											
HDPE				<u> </u>	<u> </u>		<u> </u>				
C4-C	E283	30-Jul-2024	06-Aug-2024	14	7 days	√	06-Aug-2024	14 days	7 davs	✓	
0.0		00 04.1 202 1	007149 2021	days	,	·	007149 2021		. aayo		
				days							
Physical Tests : Acidity by Titration					1						
HDPE	F000	00 1-1 0004							- .	,	
C4-E	E283	30-Jul-2024	06-Aug-2024	14	7 days	✓	06-Aug-2024	14 days	7 days	✓	
				days							
Physical Tests : Acidity by Titration											
HDPE											
P1-A	E283	30-Jul-2024	06-Aug-2024	14	7 days	✓	06-Aug-2024	14 days	7 days	✓	
				days							
Physical Tests : Acidity by Titration											
HDPE							1				
P1-B	E283	30-Jul-2024	06-Aug-2024	14	7 days	✓	06-Aug-2024	14 days	7 days	✓	
			Ĭ	days							
Division Trade Addition to Titudian				,-							
Physical Tests : Acidity by Titration							I				
HDPE	E283	30-Jul-2024	06 4 2024		7 days	√	06 Aug 2024	11 day:-	7 days	✓	
P1-D	⊏203	30-Jui-2024	06-Aug-2024	14	7 days	•	06-Aug-2024	14 days	r days	•	
				days							

ALS

Page : 11 of 21
Work Order : YL2401053
Client : Elgin Mining Inc.
Project : Lupin Mine 2024

Matrix: Water

Evaluation: × =	Holding time exceedance ; ✓ = Within Holding Tin	ne

Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Prepa	aration			Analys	is	
Container / Client Sample ID(s)			Preparation	Holding Ti	ïmes	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec A	Actual			Rec	Actual	
Physical Tests : Alkalinity Species by Titration										
HDPE										
C4-A	E290	30-Jul-2024	06-Aug-2024		days	✓	06-Aug-2024	14 days	7 days	✓
				days						
Physical Tests : Alkalinity Species by Titration										
HDPE										
C4-B	E290	30-Jul-2024	06-Aug-2024		days	✓	06-Aug-2024	14 days	7 days	✓
				days						
Physical Tests : Alkalinity Species by Titration										
HDPE										
C4-C	E290	30-Jul-2024	06-Aug-2024		days	✓	06-Aug-2024	14 days	7 days	✓
				days						
Physical Tests : Alkalinity Species by Titration										
HDPE	5000	00 1 1 0004		_						
C4-E	E290	30-Jul-2024	06-Aug-2024		days	✓	06-Aug-2024	14 days	7 days	✓
				days						
Physical Tests : Alkalinity Species by Titration										
HDPE	E000	00 14 0004	00 4 0004			√	00.40004	44 1	7.1	1
P1-A	E290	30-Jul-2024	06-Aug-2024		days	Y	06-Aug-2024	14 days	7 days	•
				days						
Physical Tests : Alkalinity Species by Titration										
HDPE	E290	30-Jul-2024	06-Aug-2024	44 7	days	✓	06 Aug 2024	11 days	7 days	√
P1-B	E290	30-Jul-2024	06-Aug-2024	14 7 days	uays	, , , , , , , , , , , , , , , , , , ,	06-Aug-2024	14 days	7 days	•
				uays						
Physical Tests : Alkalinity Species by Titration										
HDPE P1-D	E290	30-Jul-2024	06-Aug-2024	44 7	days	√	06-Aug-2024	14 days	7 days	√
F 1-D	L290	30-Jul-2024	00-Aug-2024	14 7 days	uays	, , , , , , , , , , , , , , , , , , ,	00-Aug-2024	14 days	1 days	•
				uays						
Physical Tests : Conductivity in Water HDPE										
C4-A	E100	30-Jul-2024	06-Aug-2024	28 7	days	√	06-Aug-2024	28 days	7 days	✓
OTT.	2100	50-041-202 4	55-7 tag-2024	days	aayo	·	007 lug 2024	_o days	, days	Ť
Physical Tasks Conductivity in Water				days						
Physical Tests : Conductivity in Water HDPE						ı				
C4-B	E100	30-Jul-2024	06-Aug-2024	28 7	days	1	06-Aug-2024	28 days	7 days	✓
V- 5	2.00	50 0di 2024	55-7 tag-2024	days	aayo	·	007 lug 2024	_o days	, days	·
				uays						

Page 12 of 21 Work Order: YL2401053 Client Elgin Mining Inc. Lupin Mine 2024 Project



Matrix: Water					E	valuation: × =	Holding time exce	edance ; •	✓ = Within	Holding Time
Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pi	reparation			Analys	sis	
Container / Client Sample ID(s)			Preparation Date	Holdin Rec	g Times Actual	Eval	Analysis Date	Holding Rec	7 Times Actual	Eval
Physical Tests : Conductivity in Water										
HDPE										
C4-C	E100	30-Jul-2024	06-Aug-2024	28 days	7 days	✓	06-Aug-2024	28 days	7 days	✓
Physical Tests : Conductivity in Water										
HDPE										
C4-E	E100	30-Jul-2024	06-Aug-2024	28 days	7 days	✓	06-Aug-2024	28 days	7 days	✓
Physical Tests : Conductivity in Water										
HDPE P1-A	E100	30-Jul-2024	06-Aug-2024	28 days	7 days	✓	06-Aug-2024	28 days	7 days	4
Physical Tests : Conductivity in Water										
HDPE P1-B	E100	30-Jul-2024	06-Aug-2024	28 days	7 days	1	06-Aug-2024	28 days	7 days	✓
Physical Tests : Conductivity in Water										
HDPE										
P1-D	E100	30-Jul-2024	06-Aug-2024	28 days	7 days	✓	06-Aug-2024	28 days	7 days	✓
Physical Tests : pH by Meter										
HDPE C4-A	E108	30-Jul-2024	06-Aug-2024	0.25 hrs	165 hrs	* EHTR-FM	06-Aug-2024	0.25 hrs	168 hrs	# EHTR-FM
Physical Tests : pH by Meter										
HDPE C4-B	E108	30-Jul-2024	06 Aug 2024	0.05	165 hrs	*	06 Aug 2024	0.05	168 hrs	*
C4-D	E106	30-Jul-2024	06-Aug-2024	0.25 hrs	1001115	EHTR-FM	06-Aug-2024	0.25 hrs	1001115	EHTR-FM
Physical Tests : pH by Meter										
HDPE C4-E	E108	30-Jul-2024	06-Aug-2024	0.25 hrs	168 hrs	# EHTR-FM	06-Aug-2024	0.25 hrs	170 hrs	* EHTR-FM
Physical Tests : pH by Meter								1		
HDPE P1-D	E108	30-Jul-2024	06-Aug-2024	0.25 hrs	168 hrs	* EHTR-FM	06-Aug-2024	0.25 hrs	171 hrs	* EHTR-FM
						1		1		

 Page
 :
 13 of 21

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Matrix: Water Evaluation: ▼ = Holding time exceedance; ✓ = Within Holding Time

Mainx: water						/aluation. * =	nolding time excee			riolaling rill
Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pi	reparation	1		Analys	sis	
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Physical Tests : pH by Meter										
HDPE										
C4-C	E108	30-Jul-2024	06-Aug-2024	0.25	169 hrs	se .	06-Aug-2024	0.25	172 hrs	×
				hrs		EHTR-FM		hrs		EHTR-FM
Physical Tests : pH by Meter										
HDPE							I			
P1-A	E108	30-Jul-2024	06-Aug-2024	0.25	169 hrs	*	06-Aug-2024	0.25	172 hrs	×
1 1-4	2100	00-041-202-	007 tug-2024	hrs	100 1113	EHTR-FM	007 tug-2024	hrs	1721113	EHTR-FN
				1115		LITTIC-I IVI		1115		LITTIC-I IV
Physical Tests : pH by Meter					1	•		1		
HDPE	F.100	00 1 1 000 4			470.1				470.1	
P1-B	E108	30-Jul-2024	06-Aug-2024	0.25	170 hrs	*	06-Aug-2024	0.25	172 hrs	30
				hrs		EHTR-FM		hrs		EHTR-FM
Physical Tests : TDS by Gravimetry										
HDPE										
C4-A	E162	30-Jul-2024					06-Aug-2024	7 days	7 days	✓
Physical Tests : TDS by Gravimetry										
HDPE										
C4-B	E162	30-Jul-2024					06-Aug-2024	7 days	7 days	1
							Ŭ	,	,	
Photostate a TROL Octob										
Physical Tests : TDS by Gravimetry						I	I	I		
HDPE	E162	30-Jul-2024					06-Aug-2024	7 days	7 days	√
C4-C	E102	30-Jul-2024					06-Aug-2024	7 days	7 days	•
Physical Tests : TDS by Gravimetry										
HDPE										
C4-E	E162	30-Jul-2024					06-Aug-2024	7 days	7 days	✓
Physical Tests : TDS by Gravimetry										
HDPE										
P1-A	E162	30-Jul-2024					06-Aug-2024	7 days	7 days	✓
							Ĭ			
Physical Tasta - TD0 by Considerator										
Physical Tests : TDS by Gravimetry										
HDPE	E162	30-Jul-2024					06 4 2024	7 days	7 day-	√
P1-B	□102	30-Jui-2024					06-Aug-2024	7 days	7 days	•

ALS

 Page
 :
 14 of 21

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024

Matrix: **Water**Evaluation: **x** = Holding time exceedance; ✓ = Within Holding Time

							nolding time excee			
Analyte Group : Analytical Method	Method	Sampling Date	Ext	traction / P	reparation			Analys	sis	
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Physical Tests : TDS by Gravimetry										
HDPE										
P1-D	E162	30-Jul-2024					06-Aug-2024	7 days	7 days	✓
Physical Tests : TSS by Gravimetry (Low Level)										
HDPE [TSS-WB]										
C4-A	E160-L	30-Jul-2024					06-Aug-2024	7 days	7 days	✓
								,	,	
Physical Tests : TSS by Gravimetry (Low Level)										
HDPE [TSS-WB]							<u> </u>			
C4-B	E160-L	30-Jul-2024					06-Aug-2024	7 days	7 days	✓
								,	,	
Physical Tests : TSS by Gravimetry (Low Level)										
HDPE [TSS-WB]							I			
C4-C	E160-L	30-Jul-2024					06-Aug-2024	7 days	7 days	1
							007.09 202.	. aayo	. aayo	
Physical Tests : TSS by Gravimetry (Low Level)										
HDPE [TSS-WB]										
C4-E	E160-L	30-Jul-2024					06-Aug-2024	7 days	7 days	✓
O4-L	L 100-L	00-041-202-					00-7 tug-202-4	r days	r days	·
Physical Tests - T00 by Considerator (Level 1994)										
Physical Tests : TSS by Gravimetry (Low Level) HDPE [TSS-WB]				l			<u> </u>			
P1-A	E160-L	30-Jul-2024					06-Aug-2024	7 days	7 days	1
F 1-7A	L 100-L	00-041-202-					00-Aug-2024	1 days	1 days	*
Physical Tests : TSS by Gravimetry (Low Level)										
HDPE [TSS-WB] P1-B	E160-L	30-Jul-2024					06-Aug-2024	7 days	7 days	✓
PI-D	E100-L	30-Jul-2024					00-Aug-2024	7 uays	1 uays	•
Physical Tests : TSS by Gravimetry (Low Level)										
HDPE [TSS-WB]	F400 I	00 1-1 0004					00 4 000 4	7 1	7 1	
P1-D	E160-L	30-Jul-2024					06-Aug-2024	7 days	7 days	✓
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
C4-A	E508	30-Jul-2024	07-Aug-2024	28	8 days	✓	07-Aug-2024	28 days	8 days	✓
				days						

ALS

 Page
 :
 15 of 21

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024

Matrix: Water Evaluation: ★ = Holding time exceedance; ✓ = Within Holding Time

Matrix: Water						/aluation. * -	Holding time exce	euance , v	_ vviti iii i	Holding Time
Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pr	reparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
C4-B	E508	30-Jul-2024	07-Aug-2024	28	8 days	✓	07-Aug-2024	28 days	8 days	✓
				days						
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
C4-C	E508	30-Jul-2024	07-Aug-2024	28	8 days	✓	07-Aug-2024	28 days	8 days	✓
				days						
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
C4-E	E508	30-Jul-2024	07-Aug-2024	28	8 days	✓	07-Aug-2024	28 days	8 days	✓
				days						
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
P1-A	E508	30-Jul-2024	07-Aug-2024	28	8 days	✓	07-Aug-2024	28 days	8 days	✓
			, and the second	days					,	
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
P1-B	E508	30-Jul-2024	07-Aug-2024	28	8 days	✓	07-Aug-2024	28 days	8 days	✓
				days						
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
P1-D	E508	30-Jul-2024	07-Aug-2024	28	8 days	✓	07-Aug-2024	28 days	8 days	✓
			J	days			, and the second		,	
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)	I									
P1-A	E420	30-Jul-2024	07-Aug-2024	180	8 days	✓	07-Aug-2024	180	8 days	✓
			3	days	-,-		, g	days	,-	
Total Metals : Total Metals in Water by CRC ICRMS				, -				,-		
Total Metals : Total Metals in Water by CRC ICPMS HDPE - total (lab preserved)										
P1-D	E420	30-Jul-2024	07-Aug-2024	180	8 days	√	07-Aug-2024	180	8 days	✓
· · -		55 531 202 7	5	days		,	0	days	2 22,0	•
T CHARLE T CHARLES WAS IN SPECIOLOGIC				days				days		
Total Metals : Total Metals in Water by CRC ICPMS							I			
HDPE - total (lab preserved) C4-A	E420	30-Jul-2024	07-Aug-2024	180	8 days	✓	08-Aug-2024	180	9 days	✓
\ \tag{-\tau}	L-720	30-3ui-2024	01-Aug-2024		o uays	•	00-Aug-2024		Juays	•
				days				days		

 Page
 :
 16 of 21

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Matrix: Water

Evaluation: **x** = Holding time exceedance ; ✓ = Within Holding Time

							Tronumg units excess			
Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pr	reparation			Analys	sis	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holdin	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
C4-B	E420	30-Jul-2024	07-Aug-2024	180	8 days	✓	08-Aug-2024	180	9 days	✓
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
C4-C	E420	30-Jul-2024	07-Aug-2024	180	8 days	✓	08-Aug-2024	180	9 days	✓
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
C4-E	E420	30-Jul-2024	07-Aug-2024	180	8 days	✓	08-Aug-2024	180	9 days	✓
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
P1-B	E420	30-Jul-2024	07-Aug-2024	180	8 days	✓	08-Aug-2024	180	9 days	✓
				days				days		

Legend & Qualifier Definitions

EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended

EHT: Exceeded ALS recommended hold time prior to analysis.

Rec. HT: ALS recommended hold time (see units).

 Page
 :
 17 of 21

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Quality Control Sample Type			Co	ount		Frequency (%)
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Laboratory Duplicates (DUP)							
Acidity by Titration	E283	1581046	1	10	10.0	5.0	✓
Alkalinity Species by Titration	E290	1581033	1	11	9.0	5.0	1
Bromide by IC (Ultra Trace Level)	E235.Br-U	1581044	1	8	12.5	5.0	✓
Chloride in Water by IC (Low Level)	E235.CI-L	1581041	1	8	12.5	5.0	✓
Conductivity in Water	E100	1581034	1	20	5.0	5.0	1
Dissolved Mercury in Water by CVAAS	E509	1583864	1	15	6.6	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1581209	1	19	5.2	5.0	✓
Fluoride in Water by IC (Low Level)	E235.F-L	1581042	1	8	12.5	5.0	✓
Nitrate in Water by IC (Trace Level)	E235.NO3-T	1581043	1	8	12.5	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1581039	1	20	5.0	5.0	✓
pH by Meter	E108	1581032	1	20	5.0	5.0	✓
Sulfate in Water by IC (Low Level)	E235.SO4-L	1581045	1	8	12.5	5.0	✓
TDS by Gravimetry	E162	1581361	2	21	9.5	5.0	✓
Total Cyanide	E333	1582921	1	16	6.2	5.0	✓
Total Mercury in Water by CVAAS	E508	1582948	1	13	7.6	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1581165	1	20	5.0	5.0	✓
Laboratory Control Samples (LCS)							
Acidity by Titration	E283	1581046	1	10	10.0	5.0	✓
Alkalinity Species by Titration	E290	1581033	1	11	9.0	5.0	✓
Bromide by IC (Ultra Trace Level)	E235.Br-U	1581044	1	8	12.5	5.0	✓
Chloride in Water by IC (Low Level)	E235.CI-L	1581041	1	8	12.5	5.0	✓
Conductivity in Water	E100	1581034	1	20	5.0	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1583864	1	15	6.6	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1581209	1	19	5.2	5.0	✓
Fluoride in Water by IC (Low Level)	E235.F-L	1581042	1	8	12.5	5.0	✓
Nitrate in Water by IC (Trace Level)	E235.NO3-T	1581043	1	8	12.5	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1581039	1	20	5.0	5.0	✓
pH by Meter	E108	1581032	1	20	5.0	5.0	✓
Sulfate in Water by IC (Low Level)	E235.SO4-L	1581045	1	8	12.5	5.0	✓
TDS by Gravimetry	E162	1581361	2	21	9.5	5.0	✓
Total Cyanide	E333	1582921	1	16	6.2	5.0	✓
Total Mercury in Water by CVAAS	E508	1582948	1	13	7.6	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1581165	1	20	5.0	5.0	✓
TSS by Gravimetry (Low Level)	E160-L	1581358	2	21	9.5	5.0	✓

 Page
 :
 18 of 21

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Matrix: Water Evaluation: × = QC frequency outside specification; ✓ = QC frequency within specification.

Matrix: Water		Evaluatio	n: ▼ = QC <i>treque</i>	ency outside spe	ecification; $\checkmark = 0$	QC frequency with	nın specification
Quality Control Sample Type			Co	ount		Frequency (%)	
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Method Blanks (MB) - Continued							
Acidity by Titration	E283	1581046	1	10	10.0	5.0	✓
Alkalinity Species by Titration	E290	1581033	1	11	9.0	5.0	✓
Bromide by IC (Ultra Trace Level)	E235.Br-U	1581044	1	8	12.5	5.0	✓
Chloride in Water by IC (Low Level)	E235.CI-L	1581041	1	8	12.5	5.0	✓
Conductivity in Water	E100	1581034	1	20	5.0	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1583864	1	15	6.6	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1581209	1	19	5.2	5.0	✓
Fluoride in Water by IC (Low Level)	E235.F-L	1581042	1	8	12.5	5.0	✓
Nitrate in Water by IC (Trace Level)	E235.NO3-T	1581043	1	8	12.5	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1581039	1	20	5.0	5.0	✓
Sulfate in Water by IC (Low Level)	E235.SO4-L	1581045	1	8	12.5	5.0	✓
TDS by Gravimetry	E162	1581361	2	21	9.5	5.0	✓
Total Cyanide	E333	1582921	1	16	6.2	5.0	✓
Total Mercury in Water by CVAAS	E508	1582948	1	13	7.6	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1581165	1	20	5.0	5.0	✓
TSS by Gravimetry (Low Level)	E160-L	1581358	2	21	9.5	5.0	✓
Matrix Spikes (MS)							
Bromide by IC (Ultra Trace Level)	E235.Br-U	1581044	1	8	12.5	5.0	✓
Chloride in Water by IC (Low Level)	E235.CI-L	1581041	1	8	12.5	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1583864	1	15	6.6	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1581209	1	19	5.2	5.0	✓
Fluoride in Water by IC (Low Level)	E235.F-L	1581042	1	8	12.5	5.0	✓
Nitrate in Water by IC (Trace Level)	E235.NO3-T	1581043	1	8	12.5	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	1581039	1	20	5.0	5.0	✓
Sulfate in Water by IC (Low Level)	E235.SO4-L	1581045	1	8	12.5	5.0	✓
Total Cyanide	E333	1582921	1	16	6.2	5.0	✓
Total Mercury in Water by CVAAS	E508	1582948	1	13	7.6	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1581165	1	20	5.0	5.0	✓

 Page
 :
 19 of 21

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Conductivity in Water	E100	Water	APHA 2510 (mod)	Conductivity, also known as Electrical Conductivity (EC) or Specific Conductance, is measured by immersion of a conductivity cell with platinum electrodes into a water
	ALS Environmental -			sample. Conductivity measurements are temperature-compensated to 25°C.
	Vancouver			
pH by Meter	E108	Water	APHA 4500-H (mod)	pH is determined by potentiometric measurement with a pH electrode, and is conducted at ambient laboratory temperature (normally 20 ± 5°C). For high accuracy test results,
	ALS Environmental -			pH should be measured in the field within the recommended 15 minute hold time.
	Vancouver			pri dinala so madalisa in dia nala malan dia rashimbilada no mililada nala amis.
TSS by Gravimetry (Low Level)	E160-L	Water	APHA 2540 D (mod)	Total Suspended Solids (TSS) are determined by filtering a sample through a glass fibre filter, following by drying of the filter at 104 ± 1°C, with gravimetric measurement of the
	ALS Environmental -			filtered solids. Samples containing very high dissolved solid content (i.e. seawaters,
	Vancouver			brackish waters) may produce a positive bias by this method. Alternate analysis
				methods are available for these types of samples.
TDS by Gravimetry	E162	Water	APHA 2540 C (mod)	Total Dissolved Solids (TDS) are determined by filtering a sample through a glass fibre filter, with evaporation of the filtrate at 180 ± 2°C for 16 hours or to constant weight,
	ALS Environmental -			with gravimetric measurement of the residue.
	Vancouver			
Bromide by IC (Ultra Trace Level)	E235.Br-U	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Vancouver			
Chloride in Water by IC (Low Level)	E235.CI-L	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Vancouver			
Fluoride in Water by IC (Low Level)	E235.F-L	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
	ALS Environmental -			
	Vancouver			
Nitrite in Water by IC (Low Level)	E235.NO2-L	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Vancouver			
Nitrate in Water by IC (Trace Level)	E235.NO3-T	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Vancouver			

 Page
 :
 20 of 21

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Sulfate in Water by IC (Low Level)	E235.SO4-L	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Vancouver			
Acidity by Titration	E283	Water	APHA 2310 B (mod)	Acidity is determined by potentiometric titration to pH endpoint of 8.3
	ALS Environmental -			
	Vancouver			
Alkalinity Species by Titration	E290	Water	APHA 2320 B (mod)	Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total
	ALS Environmental -			alkalinity values.
	Vancouver			
Total Cyanide	E333	Water	ISO 14403 (mod)	Total or Strong Acid Dissociable (SAD) Cyanide is determined by Continuous Flow Analyzer (CFA) with in-line UV digestion followed by colourmetric analysis.
	ALS Environmental -			
	Vancouver			Method Limitation: High levels of thiocyanate (SCN) may cause positive interference (up to 0.5% of SCN concentration).
Total Metals in Water by CRC ICPMS	E420	Water	EPA 200.2/6020B (mod)	Water samples are digested with nitric and hydrochloric acids, and analyzed by Collision/Reaction Cell ICPMS.
	ALS Environmental -		,	
	Vancouver			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Dissolved Metals in Water by CRC ICPMS	E421	Water	APHA 3030B/EPA 6020B (mod)	Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by Collision/Reaction Cell ICPMS.
	ALS Environmental -		, , ,	
	Vancouver			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Total Mercury in Water by CVAAS	E508	Water	EPA 1631E (mod)	Water samples undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS
	ALS Environmental -			
	Vancouver			
Dissolved Mercury in Water by CVAAS	E509	Water	APHA 3030B/EPA	Water samples are filtered (0.45 um), preserved with HCl, then undergo a cold-oxidation
			1631E (mod)	using bromine monochloride prior to reduction with stannous chloride, and analyzed by
	ALS Environmental -			CVAAS.
	Vancouver	146		
Dissolved Hardness (Calculated)	EC100	Water	APHA 2340B	"Hardness (as CaCO3), dissolved" is calculated from the sum of dissolved Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers
	ALS Environmental -			to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially
	Vancouver			calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations.

 Page
 :
 21 of 21

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Hardness (Calculated) from Total Ca/Mg	EC100A	Water	APHA 2340B	"Hardness (as CaCO3), from total Ca/Mg" is calculated from the sum of total Calcium and
				Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers
	ALS Environmental -			to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially
	Vancouver			calculated from dissolved Calcium and Magnesium concentrations, because it is a
				property of water due to dissolved divalent cations. Hardness from total Ca/Mg is
				normally comparable to Dissolved Hardness in non-turbid waters.
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Dissolved Metals Water Filtration	EP421	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HNO3.
	ALS Environmental -			
	Vancouver			
Dissolved Mercury Water Filtration	EP509	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HCl.
	ALS Environmental -			
	Vancouver			

ALS Canada Ltd.



QUALITY CONTROL REPORT

Work Order Page :YL2401053 : 1 of 17

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Account Manager : Oliver Gregg Contact : Jon Melnyk Address

Address :750 West Pender Street Suite 201 :314 Old Airport Road, Unit 116 Vancouver BC Canada V6C 2T7

Yellowknife, Northwest Territories Canada X1A 3T3

Telephone Telephone :1 867 445 7143 **Project** Date Samples Received :31-Jul-2024 16:30 : Lupin Mine 2024

PO **Date Analysis Commenced** :06-Aug-2024 C-O-C number Issue Date :09-Aug-2024 07:39

Site :----Quote number : YL23-ELMI100-001

No. of samples received : 7 No. of samples analysed : 7

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives

- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

Sampler

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Angelo Salandanan	Lab Assistant	Vancouver Metals, Burnaby, British Columbia
Ghazaleh Khanmirzaei	Analyst	Vancouver Metals, Burnaby, British Columbia
Leon Yang	Analyst	Vancouver Inorganics, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Vancouver Metals, Burnaby, British Columbia
Sam Silveira	Analyst	Vancouver Metals, Burnaby, British Columbia

 Page
 :
 2 of 17

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key:

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

 Page
 :
 3 of 17

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Water							Labora	tory Duplicate (D	UP) Report		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC	Lot: 1581032)										
VA24B9060-003	Anonymous	рН		E108	0.10	pH units	7.83	7.83	0.00%	4%	
Physical Tests (QC	Lot: 1581033)										
VA24B9060-003	Anonymous	Alkalinity, total (as CaCO3)		E290	1.0	mg/L	166	168	0.907%	20%	
Physical Tests (QC	Lot: 1581034)										
VA24B9060-003	Anonymous	Conductivity		E100	2.0	μS/cm	382	383	0.261%	10%	
Physical Tests (QC	Lot: 1581046)										
VA24B9060-002	Anonymous	Acidity (as CaCO3)		E283	2.0	mg/L	3.7	4.2	0.5	Diff <2x LOR	
Physical Tests (QC	Lot: 1581361)										
VA24B8824-001	Anonymous	Solids, total dissolved [TDS]		E162	20	mg/L	1900	2040	7.14%	20%	
Physical Tests (QC	Lot: 1581362)										
YL2401053-007	C4-E	Solids, total dissolved [TDS]		E162	20	mg/L	788	824	4.53%	20%	
Anions and Nutrien	ts (QC Lot: 1581039)										
VA24B9060-001	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2-L	0.0010	mg/L	0.0042	0.0041	0.00004	Diff <2x LOR	
Anions and Nutrien	ts (QC Lot: 1581041)										
YL2401051-001	Anonymous	Chloride	16887-00-6	E235.CI-L	1.00	mg/L	518	519	0.348%	20%	
Anions and Nutrien	ts (QC Lot: 1581042)										
YL2401051-001	Anonymous	Fluoride	16984-48-8	E235.F-L	0.100	mg/L	0.186	0.189	0.002	Diff <2x LOR	
Anions and Nutrien	ts (QC Lot: 1581043)										
YL2401051-001	Anonymous	Nitrate (as N)	14797-55-8	E235.NO3-T	0.0300	mg/L	11.2	11.2	0.501%	20%	
Anions and Nutrien	ts (QC Lot: 1581044)										
YL2401051-001	Anonymous	Bromide	24959-67-9	E235.Br-U	0.0500	mg/L	4.42	4.45	0.490%	20%	
Anions and Nutrien	ts (QC Lot: 1581045)										
YL2401051-001	Anonymous	Sulfate (as SO4)	14808-79-8	E235.SO4-L	0.500	mg/L	97.6	98.7	1.08%	20%	
Cyanides (QC Lot:	1582921)										
YL2401027-002	Anonymous	Cyanide, strong acid dissociable		E333	0.0050	mg/L	<0.0050	<0.0050	0	Diff <2x LOR	
		(Total)									
Total Metals (QC Lo										,	
YL2401051-001	Anonymous	Aluminum, total	7429-90-5	E420	0.0030	mg/L	0.150	0.154	2.77%	20%	
		Antimony, total	7440-36-0	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Arsenic, total	7440-38-2	E420	0.00010	mg/L	0.00038	0.00040	0.00001	Diff <2x LOR	

 Page
 :
 4 of 17

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Sub-Matrix: Water							Labora	tory Duplicate (D	UP) Report		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Total Metals (QC Lo	ot: 1581165) - continued										
YL2401051-001	Anonymous	Barium, total	7440-39-3	E420	0.00010	mg/L	0.185	0.190	2.97%	20%	
		Beryllium, total	7440-41-7	E420	0.000020	mg/L	<0.000020	<0.000020	0	Diff <2x LOR	
		Bismuth, total	7440-69-9	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	
		Boron, total	7440-42-8	E420	0.010	mg/L	1.11	1.11	0.351%	20%	
		Cadmium, total	7440-43-9	E420	0.0000050	mg/L	0.000256	0.000245	4.29%	20%	
		Calcium, total	7440-70-2	E420	0.050	mg/L	183	185	1.04%	20%	
		Cesium, total	7440-46-2	E420	0.000010	mg/L	0.000056	0.000059	0.000003	Diff <2x LOR	
		Chromium, total	7440-47-3	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	
		Cobalt, total	7440-48-4	E420	0.00010	mg/L	0.00492	0.00487	0.914%	20%	
		Copper, total	7440-50-8	E420	0.00050	mg/L	0.00133	0.00135	0.00002	Diff <2x LOR	
		Iron, total	7439-89-6	E420	0.010	mg/L	0.312	0.326	4.66%	20%	
		Lead, total	7439-92-1	E420	0.000050	mg/L	0.000059	0.000061	0.000002	Diff <2x LOR	
		Lithium, total	7439-93-2	E420	0.0010	mg/L	0.0127	0.0135	6.26%	20%	
		Magnesium, total	7439-95-4	E420	0.0050	mg/L	44.0	43.1	1.93%	20%	
		Manganese, total	7439-96-5	E420	0.00010	mg/L	0.592	0.598	0.907%	20%	
		Molybdenum, total	7439-98-7	E420	0.000050	mg/L	0.00410	0.00411	0.353%	20%	
		Nickel, total	7440-02-0	E420	0.00050	mg/L	0.0180	0.0183	1.42%	20%	
		Phosphorus, total	7723-14-0	E420	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	
		Potassium, total	7440-09-7	E420	0.050	mg/L	29.9	29.7	0.634%	20%	
		Rubidium, total	7440-17-7	E420	0.00020	mg/L	0.0228	0.0236	3.31%	20%	
		Selenium, total	7782-49-2	E420	0.000050	mg/L	0.000212	0.000220	0.000008	Diff <2x LOR	
		Silicon, total	7440-21-3	E420	0.10	mg/L	4.68	4.74	1.08%	20%	
		Silver, total	7440-22-4	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		Sodium, total	7440-23-5	E420	0.050	mg/L	104	105	0.917%	20%	
		Strontium, total	7440-24-6	E420	0.00020	mg/L	1.94	1.97	1.64%	20%	
		Sulfur, total	7704-34-9	E420	0.50	mg/L	39.9	40.8	2.12%	20%	
		Thallium, total	7440-28-0	E420	0.000010	mg/L	0.000107	0.000109	1.57%	20%	
		Thorium, total	7440-29-1	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Tin, total	7440-31-5	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Titanium, total	7440-32-6	E420	0.00030	mg/L	0.00606	0.00728	18.3%	20%	
		Tungsten, total	7440-33-7	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Uranium, total	7440-61-1	E420	0.000010	mg/L	0.000791	0.000812	2.58%	20%	
		Vanadium, total	7440-62-2	E420	0.00050	mg/L	<0.00050	0.00050	0.000005	Diff <2x LOR	
		Zinc. total	7440-66-6	E420	0.0030	mg/L	0.0123	0.0122	0.00008	Diff <2x LOR	

 Page
 :
 5 of 17

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Sub-Matrix: Water						Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier	
	ot: 1581165) - continu	ed										
YL2401051-001	Anonymous	Zirconium, total	7440-67-7	E420	0.00020	mg/L	<0.00040	<0.00020	0.00020	Diff <2x LOR		
Total Metals (QC Lo	ot: 1582948)											
VA24B8966-004	Anonymous	Mercury, total	7439-97-6	E508	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR		
Dissolved Metals (C	QC Lot: 1581209)											
YL2401075-001	Anonymous	Aluminum, dissolved	7429-90-5	E421	0.0010	mg/L	0.0076	0.0079	0.0003	Diff <2x LOR		
		Antimony, dissolved	7440-36-0	E421	0.00010	mg/L	0.00432	0.00431	0.211%	20%		
		Arsenic, dissolved	7440-38-2	E421	0.00010	mg/L	0.123	0.123	0.268%	20%		
		Barium, dissolved	7440-39-3	E421	0.00010	mg/L	0.0388	0.0376	2.91%	20%		
		Beryllium, dissolved	7440-41-7	E421	0.000100	mg/L	<0.000100	<0.000100	0	Diff <2x LOR		
		Bismuth, dissolved	7440-69-9	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR		
		Boron, dissolved	7440-42-8	E421	0.010	mg/L	0.024	0.024	0.0001	Diff <2x LOR		
		Cadmium, dissolved	7440-43-9	E421	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR		
		Calcium, dissolved	7440-70-2	E421	0.050	mg/L	59.8	59.4	0.763%	20%		
		Cesium, dissolved	7440-46-2	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR		
		Chromium, dissolved	7440-47-3	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR		
		Cobalt, dissolved	7440-48-4	E421	0.00010	mg/L	0.00260	0.00252	3.00%	20%		
		Copper, dissolved	7440-50-8	E421	0.00020	mg/L	0.00026	0.00025	0.00001	Diff <2x LOR		
		Iron, dissolved	7439-89-6	E421	0.010	mg/L	0.029	0.030	0.0002	Diff <2x LOR		
		Lead, dissolved	7439-92-1	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR		
		Lithium, dissolved	7439-93-2	E421	0.0010	mg/L	0.0129	0.0131	1.19%	20%		
		Magnesium, dissolved	7439-95-4	E421	0.0050	mg/L	40.9	41.5	1.50%	20%		
		Manganese, dissolved	7439-96-5	E421	0.00010	mg/L	0.0143	0.0146	1.73%	20%		
		Molybdenum, dissolved	7439-98-7	E421	0.000050	mg/L	0.000603	0.000600	0.405%	20%		
		Nickel, dissolved	7440-02-0	E421	0.00050	mg/L	0.00076	0.00074	0.00002	Diff <2x LOR		
		Phosphorus, dissolved	7723-14-0	E421	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR		
		Potassium, dissolved	7440-09-7	E421	0.050	mg/L	5.01	5.15	2.77%	20%		
		Rubidium, dissolved	7440-17-7	E421	0.00020	mg/L	0.00253	0.00271	6.81%	20%		
		Selenium, dissolved	7782-49-2	E421	0.000050	mg/L	0.000064	0.000053	0.000010	Diff <2x LOR		
		Silicon, dissolved	7440-21-3	E421	0.050	mg/L	1.27	1.24	2.15%	20%		
		Silver, dissolved	7440-22-4	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR		
		Sodium, dissolved	7440-23-5	E421	0.050	mg/L	38.3	39.6	3.19%	20%		
		Strontium, dissolved	7440-24-6	E421	0.00020	mg/L	0.341	0.326	4.58%	20%		
		Sulfur, dissolved	7704-34-9	E421	0.50	mg/L	48.0	45.5	5.37%	20%		
		Tellurium, dissolved	13494-80-9	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR		

 Page
 :
 6 of 17

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Sub-Matrix: Water							Labora	tory Duplicate (D	UP) Report		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Dissolved Metals (QC Lot: 1581209) - c	ontinued									
YL2401075-001	Anonymous	Thallium, dissolved	7440-28-0	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		Thorium, dissolved	7440-29-1	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Tin, dissolved	7440-31-5	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Titanium, dissolved	7440-32-6	E421	0.00030	mg/L	0.00031	<0.00030	0.00001	Diff <2x LOR	
		Tungsten, dissolved	7440-33-7	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Uranium, dissolved	7440-61-1	E421	0.000010	mg/L	0.000987	0.000994	0.720%	20%	
		Vanadium, dissolved	7440-62-2	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	
		Zinc, dissolved	7440-66-6	E421	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	
		Zirconium, dissolved	7440-67-7	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	
Dissolved Metals (QC Lot: 1583864)										
VA24B9451-001	Anonymous	Mercury, dissolved	7439-97-6	E509	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	

 Page
 :
 7 of 17

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1581033)						
Alkalinity, total (as CaCO3)		E290	1	mg/L	<1.0	
Physical Tests (QCLot: 1581034)						
Conductivity		E100	1	μS/cm	<1.0	
Physical Tests (QCLot: 1581046)						
Acidity (as CaCO3)		E283	2	mg/L	<2.0	
Physical Tests (QCLot: 1581358)						
Solids, total suspended [TSS]		E160-L	1	mg/L	<1.0	
Physical Tests (QCLot: 1581359)						
Solids, total suspended [TSS]		E160-L	1	mg/L	<1.0	
Physical Tests (QCLot: 1581361)						
Solids, total dissolved [TDS]		E162	10	mg/L	<10	
Physical Tests (QCLot: 1581362)						
Solids, total dissolved [TDS]		E162	10	mg/L	<10	
Anions and Nutrients (QCLot: 1581039)						
Nitrite (as N)	14797-65-0	E235.NO2-L	0.001	mg/L	<0.0010	
Anions and Nutrients (QCLot: 1581041)						
Chloride	16887-00-6	E235.CI-L	0.1	mg/L	<0.10	
Anions and Nutrients (QCLot: 1581042)						
Fluoride	16984-48-8	E235.F-L	0.01	mg/L	<0.010	
Anions and Nutrients (QCLot: 1581043)						
Nitrate (as N)	14797-55-8	E235.NO3-T	0.003	mg/L	<0.0030	
Anions and Nutrients (QCLot: 1581044)						
Bromide	24959-67-9	E235.Br-U	0.005	mg/L	<0.0050	
Anions and Nutrients (QCLot: 1581045)						
Sulfate (as SO4)	14808-79-8	E235.SO4-L	0.05	mg/L	<0.050	
Cyanides (QCLot: 1582921)						
Cyanide, strong acid dissociable (Total)		E333	0.002	mg/L	<0.0020	
Fotal Metals (QCLot: 1581165)						
Aluminum, total	7429-90-5	E420	0.003	mg/L	<0.0030	
Antimony, total	7440-36-0	E420	0.0001	mg/L	<0.00010	
Arsenic, total	7440-38-2	E420	0.0001	mg/L	<0.00010	
Barium, total	7440-39-3	E420	0.0001	mg/L	<0.00010	

 Page
 :
 8 of 17

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Analyte	CAS Number Method	LOR	Unit	Result	Qualifier
otal Metals (QCLot: 1581165) -	continued				
Beryllium, total	7440-41-7 E420	0.00002	mg/L	<0.000020	
Bismuth, total	7440-69-9 E420	0.00005	mg/L	<0.000050	
Boron, total	7440-42-8 E420	0.01	mg/L	<0.010	
Cadmium, total	7440-43-9 E420	0.000005	mg/L	<0.000050	
Calcium, total	7440-70-2 E420	0.05	mg/L	<0.050	
Cesium, total	7440-46-2 E420	0.00001	mg/L	<0.000010	
Chromium, total	7440-47-3 E420	0.0005	mg/L	<0.00050	
Cobalt, total	7440-48-4 E420	0.0001	mg/L	<0.00010	
Copper, total	7440-50-8 E420	0.0005	mg/L	<0.00050	
Iron, total	7439-89-6 E420	0.01	mg/L	<0.010	
Lead, total	7439-92-1 E420	0.00005	mg/L	<0.000050	
Lithium, total	7439-93-2 E420	0.001	mg/L	<0.0010	
Magnesium, total	7439-95-4 E420	0.005	mg/L	<0.0050	
Manganese, total	7439-96-5 E420	0.0001	mg/L	<0.00010	
Molybdenum, total	7439-98-7 E420	0.00005	mg/L	<0.000050	
Nickel, total	7440-02-0 E420	0.0005	mg/L	<0.00050	
Phosphorus, total	7723-14-0 E420	0.05	mg/L	<0.050	
Potassium, total	7440-09-7 E420	0.05	mg/L	<0.050	
Rubidium, total	7440-17-7 E420	0.0002	mg/L	<0.00020	
Selenium, total	7782-49-2 E420	0.00005	mg/L	<0.000050	
Silicon, total	7440-21-3 E420	0.1	mg/L	<0.10	
Silver, total	7440-22-4 E420	0.00001	mg/L	<0.000010	
Sodium, total	7440-23-5 E420	0.05	mg/L	<0.050	
Strontium, total	7440-24-6 E420	0.0002	mg/L	<0.00020	
Sulfur, total	7704-34-9 E420	0.5	mg/L	<0.50	
Tellurium, total	13494-80-9 E420	0.0002	mg/L	<0.00020	
Thallium, total	7440-28-0 E420	0.00001	mg/L	<0.000010	
Thorium, total	7440-29-1 E420	0.0001	mg/L	<0.00010	
Tin, total	7440-31-5 E420	0.0001	mg/L	<0.00010	
Titanium, total	7440-32-6 E420	0.0003	mg/L	<0.00030	
Tungsten, total	7440-33-7 E420	0.0001	mg/L	<0.00010	
Uranium, total	7440-61-1 E420	0.00001	mg/L	<0.000010	
Vanadium, total	7440-62-2 E420	0.0005	mg/L	<0.00050	
Zinc, total	7440-66-6 E420	0.003	mg/L	<0.0030	
Zirconium, total	7440-67-7 E420	0.0002	mg/L	<0.00020	

 Page
 :
 9 of 17

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Analyte	CAS Number Method	LOR	Unit	Result	Qualifier
otal Metals (QCLot: 1582948)					
Mercury, total	7439-97-6 E508	0.000005	mg/L	<0.000050	
Dissolved Metals (QCLot: 1581209)					
Aluminum, dissolved	7429-90-5 E421	0.001	mg/L	<0.0010	
Antimony, dissolved	7440-36-0 E421	0.0001	mg/L	<0.00010	
Arsenic, dissolved	7440-38-2 E421	0.0001	mg/L	<0.00010	
Barium, dissolved	7440-39-3 E421	0.0001	mg/L	<0.00010	
Beryllium, dissolved	7440-41-7 E421	0.00002	mg/L	<0.000020	
Bismuth, dissolved	7440-69-9 E421	0.00005	mg/L	<0.000050	
Boron, dissolved	7440-42-8 E421	0.01	mg/L	<0.010	
Cadmium, dissolved	7440-43-9 E421	0.000005	mg/L	<0.000050	
Calcium, dissolved	7440-70-2 E421	0.05	mg/L	<0.050	
Cesium, dissolved	7440-46-2 E421	0.00001	mg/L	<0.000010	
Chromium, dissolved	7440-47-3 E421	0.0005	mg/L	<0.00050	
Cobalt, dissolved	7440-48-4 E421	0.0001	mg/L	<0.00010	
Copper, dissolved	7440-50-8 E421	0.0002	mg/L	<0.00020	
Iron, dissolved	7439-89-6 E421	0.01	mg/L	<0.010	
Lead, dissolved	7439-92-1 E421	0.00005	mg/L	<0.000050	
Lithium, dissolved	7439-93-2 E421	0.001	mg/L	<0.0010	
Magnesium, dissolved	7439-95-4 E421	0.005	mg/L	<0.0050	
Manganese, dissolved	7439-96-5 E421	0.0001	mg/L	<0.00010	
Molybdenum, dissolved	7439-98-7 E421	0.00005	mg/L	<0.000050	
Nickel, dissolved	7440-02-0 E421	0.0005	mg/L	<0.00050	
Phosphorus, dissolved	7723-14-0 E421	0.05	mg/L	<0.050	
Potassium, dissolved	7440-09-7 E421	0.05	mg/L	<0.050	
Rubidium, dissolved	7440-17-7 E421	0.0002	mg/L	<0.00020	
Selenium, dissolved	7782-49-2 E421	0.00005	mg/L	<0.000050	
Silicon, dissolved	7440-21-3 E421	0.05	mg/L	<0.050	
Silver, dissolved	7440-22-4 E421	0.00001	mg/L	<0.000010	
Sodium, dissolved	7440-23-5 E421	0.05	mg/L	<0.050	
Strontium, dissolved	7440-24-6 E421	0.0002	mg/L	<0.00020	
Sulfur, dissolved	7704-34-9 E421	0.5	mg/L	<0.50	
Tellurium, dissolved	13494-80-9 E421	0.0002	mg/L	<0.00020	
Thallium, dissolved	7440-28-0 E421	0.00001	mg/L	<0.000010	
Thorium, dissolved	7440-29-1 E421	0.0001	mg/L	<0.00010	
Tin, dissolved	7440-31-5 E421	0.0001	mg/L	<0.00010	

 Page
 :
 10 of 17

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Dissolved Metals (QCLot: 1581209) -	continued					
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	<0.00030	
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	<0.00010	
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	<0.000010	
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	<0.00050	
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	<0.0010	
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	<0.00020	
Dissolved Metals (QCLot: 1583864)					1	
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	<0.0000050	

 Page
 :
 11 of 17

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Physical Tests (QCLot: 1581032)	Sub-Matrix: Water						Laboratory Co.	ntrol Sample (LCS)	Report	
Physical Tests (CCLot: 1581032)						Spike	Recovery (%)	Recovery	Limits (%)	
Physical Tosts (OCLot: 158103)	Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Physical Tests (OCLot: 1881033)	Physical Tests (QCLot: 1581032)									
Mainful (sed (sec CACOS)	рН		E108		pH units	7 pH units	100	98.0	102	
Physical Tests (QCLot: 1581044)	Physical Tests (QCLot: 1581033)									
Physical Tests (QCLot: 1581046)	Alkalinity, total (as CaCO3)		E290	1	mg/L	500 mg/L	105	85.0	115	
Physical Tests (QCLot: 1581046) Acidity (ac ACCO3)	Physical Tests (QCLot: 1581034)									
E283 2 mg/L 50 mg/L 97.8 85.0 115	Conductivity		E100	1	μS/cm	147 μS/cm	100	90.0	110	
Physical Tests (OCLot: 1581358)	Physical Tests (QCLot: 1581046)									
	Acidity (as CaCO3)		E283	2	mg/L	50 mg/L	97.8	85.0	115	
Physical Tests (QCLot: 1581359) El60-L	Physical Tests (QCLot: 1581358)									
First Firs	Solids, total suspended [TSS]		E160-L	1	mg/L	150 mg/L	87.8	85.0	115	
Physical Tests (QCLot: 1581361) Solids, total dissolved (TDS)	Physical Tests (QCLot: 1581359)		E							
Ef62 10 mg/L	Solids, total suspended [TSS]		E160-L	1	mg/L	150 mg/L	88.2	85.0	115	
Physical Tests (OCLot: 1581362) Solids, total dissolved [TDS] — E162 10 mg/L 1000 mg/L 106 85.0 115 — Anions and Nutrients (QCLot: 1581039) Writte (as N) 14797-65-0 E235.NO2-L 0.001 mg/L 0.5 mg/L 101 90.0 110 — Anions and Nutrients (QCLot: 1581041) Schloride 16887-00-6 E235.CI-L 0.1 mg/L 100 mg/L 101 90.0 110 — Anions and Nutrients (QCLot: 1581042) Schoride 16984-48-8 E235.F-L 0.01 mg/L 1 mg/L 100 90.0 110 — Anions and Nutrients (QCLot: 1581043) Writte (as N) 14797-65-8 E235.NO3-T 0.003 mg/L 2.5 mg/L 101 90.0 110 — Anions and Nutrients (QCLot: 1581044) Screenide 24959-67-9 E235.Br-U 0.005 mg/L 0.5 mg/L 98.5 85.0 115 — Anions and Nutrients (QCLot: 1581045) Solidate (as SO4) 14808-79-8 E235.SO4-L 0.05 mg/L 100 mg/L 100 mg/L 100 mg/L 100 mg/L 90.0 110 — Cyanides (QCLot: 1582921)	Physical Tests (QCLot: 1581361)									
Eff2 10 mg/L 1000 mg/L 106 85.0 115	Solids, total dissolved [TDS]		E162	10	mg/L	1000 mg/L	102	85.0	115	
Anions and Nutrients (QCLot: 1581041) Anions and Nutrients (QCLot: 1581041) Anions and Nutrients (QCLot: 1581042) Reliable (QCLot: 1581043) Reliable (QCLot: 1581043) Reliable (QCLot: 1581043) Reliable (QCLot: 1581043) Reliable (QCLot: 1581044) Reliable (QCLot: 1581045) Reliable (QCLot: 1582021)	Physical Tests (QCLot: 1581362)		E400	40	4	4000 #	400	05.0	445	
Anions and Nutrients (QCLot: 1581041) Chloride 16887-00-6 E235.NO2-L 0.001 mg/L 100 mg/L 101 90.0 110 Anions and Nutrients (QCLot: 1581042) Chloride 16984-48-8 E235.F-L 0.01 mg/L 1 mg/L 100 90.0 110 Anions and Nutrients (QCLot: 1581043) Altirate (as N) 14797-55-8 E235.NO3-T 0.003 mg/L 2.5 mg/L 101 90.0 110 Anions and Nutrients (QCLot: 1581044) Bromide 24959-67-9 E235.Br-U 0.005 mg/L 0.5 mg/L 98.5 85.0 115 Anions and Nutrients (QCLot: 1581045) Bromide 24959-67-9 E235.SO4-L 0.05 mg/L 100 mg/L 100 mg/L 90.0 110 Anions and Nutrients (QCLot: 1581045) Bromide 24959-67-9 E235.SO4-L 0.05 mg/L 100 mg/L 100 mg/L 90.0 110 Cyanides (QCLot: 1582921)	Solids, total dissolved [1D5]		E 102	10	mg/L	1000 mg/L	106	85.0	115	
Anions and Nutrients (QCLot: 1581041) Chloride 16887-00-6 E235.NO2-L 0.001 mg/L 100 mg/L 101 90.0 110 Anions and Nutrients (QCLot: 1581042) Chloride 16984-48-8 E235.F-L 0.01 mg/L 1 mg/L 100 90.0 110 Anions and Nutrients (QCLot: 1581043) Altirate (as N) 14797-55-8 E235.NO3-T 0.003 mg/L 2.5 mg/L 101 90.0 110 Anions and Nutrients (QCLot: 1581044) Bromide 24959-67-9 E235.Br-U 0.005 mg/L 0.5 mg/L 98.5 85.0 115 Anions and Nutrients (QCLot: 1581045) Bromide 24959-67-9 E235.SO4-L 0.05 mg/L 100 mg/L 100 mg/L 90.0 110 Anions and Nutrients (QCLot: 1581045) Bromide 24959-67-9 E235.SO4-L 0.05 mg/L 100 mg/L 100 mg/L 90.0 110 Cyanides (QCLot: 1582921)										
Anions and Nutrients (QCLot: 1581041) Anions and Nutrients (QCLot: 1581042) Fluoride 16984-48-8 E235.F-L 0.01 mg/L 100 mg/L 100 90.0 110 Anions and Nutrients (QCLot: 1581043) Fluoride 14797-55-8 E235.NO3-T 0.003 mg/L 2.5 mg/L 101 90.0 110 Anions and Nutrients (QCLot: 1581044) Formide 24959-67-9 E235.Br-U 0.005 mg/L 0.5 mg/L 98.5 85.0 115 Anions and Nutrients (QCLot: 1581045) Sulfate (as SO4) 14808-79-8 E235.SO4-L 0.05 mg/L 100 mg/L 100 mg/L 102 90.0 110 Cyanides (QCLot: 1582921)		14797-65-0	E235 NO2-I	0.001	ma/l	0.5 mg/l	101	90.0	110	
Chloride 16887-00-6 E235.Cl-L 0.1 mg/L 100 mg/L 101 90.0 110 Anions and Nutrients (QCLot: 1581042) Cludride 16984-48-8 E235.F-L 0.01 mg/L 1 mg/L 100 90.0 110 Anions and Nutrients (QCLot: 1581043) Sitrate (as N) 14797-55-8 E235.NO3-T 0.003 mg/L 2.5 mg/L 101 90.0 110 Anions and Nutrients (QCLot: 1581044) Bromide 24959-67-9 E235.Br-U 0.005 mg/L 0.5 mg/L 98.5 85.0 115 Anions and Nutrients (QCLot: 1581045) Sulfate (as SO4) 14808-79-8 E235.SO4-L 0.05 mg/L 100 mg/L 100 mg/L 102 90.0 110		11101 00 0	2200.1102.2	0.001	9/2	0.0 mg/2		00.0		
Anions and Nutrients (QCLot: 1581042) Fluoride 16984-48-8 E235.F-L 0.01 mg/L 1 mg/L 100 90.0 110 Anions and Nutrients (QCLot: 1581043) Witrate (as N) 14797-55-8 E235.NO3-T 0.003 mg/L 2.5 mg/L 101 90.0 110 Anions and Nutrients (QCLot: 1581044) Brownide 24959-67-9 E235.Br-U 0.005 mg/L 0.5 mg/L 98.5 85.0 115 Anions and Nutrients (QCLot: 1581045) Buffate (as SO4) 14808-79-8 E235.SO4-L 0.05 mg/L 100 mg/L 102 90.0 110 Cyanides (QCLot: 1582921)		16887-00-6	E235.CI-L	0.1	ma/L	100 mg/L	101	90.0	110	
Anions and Nutrients (QCLot: 1581043) Anions and Nutrients (QCLot: 1581044) Anions and Nutrients (QCLot: 1581044) Bromide 24959-67-9 E235.Br-U 0.005 mg/L 0.5 mg/L 98.5 85.0 115 Anions and Nutrients (QCLot: 1581045) Bromide 24959-67-9 E235.SO4-L 0.05 mg/L 100 mg/L					g-	100 1119/2				
Anions and Nutrients (QCLot: 1581043) Alitrate (as N) 14797-55-8 E235.NO3-T 0.003 mg/L 2.5 mg/L 101 90.0 110 Anions and Nutrients (QCLot: 1581044) Bromide 24959-67-9 E235.Br-U 0.005 mg/L 0.5 mg/L 98.5 85.0 115 Anions and Nutrients (QCLot: 1581045) Sulfate (as SO4) 14808-79-8 E235.SO4-L 0.05 mg/L 100 mg/L 102 90.0 110 Cyanides (QCLot: 1582921)	Fluoride	16984-48-8	E235.F-L	0.01	mg/L	1 mg/L	100	90.0	110	
Anions and Nutrients (QCLot: 1581044) Anions and Nutrients (QCLot: 1581045) Anions and Nutrients (QCLot: 1581045) Sulfate (as SO4) 14808-79-8 E235.SO4-L 0.003 mg/L 0.003 mg/L 0.005 mg/L 0.005 mg/L 0.05 mg/L 0.05 mg/L 100 mg/L										
Anions and Nutrients (QCLot: 1581045) Sulfate (as SO4) 14808-79-8 E235.SO4-L O.005 mg/L O.05 mg/	Nitrate (as N)	14797-55-8	E235.NO3-T	0.003	mg/L	2.5 mg/L	101	90.0	110	
Anions and Nutrients (QCLot: 1581045) Sulfate (as SO4) 14808-79-8 E235.SO4-L O.005 mg/L O.5 m	Anions and Nutrients (OCL of: 1581044)									
Sulfate (as SO4) 14808-79-8 E235.SO4-L 0.05 mg/L 100 mg/L 102 90.0 110 Cyanides (QCLot: 1582921)	Bromide	24959-67-9	E235.Br-U	0.005	mg/L	0.5 mg/L	98.5	85.0	115	
Sulfate (as SO4) 14808-79-8 E235.SO4-L 0.05 mg/L 100 mg/L 102 90.0 110 Cyanides (QCLot: 1582921)	Anions and Nutrients (QCI of: 1581045)									
	Sulfate (as SO4)	14808-79-8	E235.SO4-L	0.05	mg/L	100 mg/L	102	90.0	110	
	Cyanides (QCLot: 1582921)									
	Cyanide, strong acid dissociable (Total)		E333	0.002	mg/L	0.25 mg/L	99.4	80.0	120	

 Page
 :
 12 of 17

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Sub-Matrix: Water	Aatrix: Water					Laboratory Control Sample (LCS) Report					
					Spike	Recovery (%)	Recovery	Limits (%)			
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier		
Total Metals (QCLot: 1581165)											
Aluminum, total	7429-90-5	E420	0.003	mg/L	2 mg/L	101	80.0	120			
Antimony, total	7440-36-0	E420	0.0001	mg/L	1 mg/L	101	80.0	120			
Arsenic, total	7440-38-2	E420	0.0001	mg/L	1 mg/L	106	80.0	120			
Barium, total	7440-39-3	E420	0.0001	mg/L	0.25 mg/L	101	80.0	120			
Beryllium, total	7440-41-7	E420	0.00002	mg/L	0.1 mg/L	103	80.0	120			
Bismuth, total	7440-69-9	E420	0.00005	mg/L	1 mg/L	104	80.0	120			
Boron, total	7440-42-8	E420	0.01	mg/L	1 mg/L	100	80.0	120			
Cadmium, total	7440-43-9	E420	0.000005	mg/L	0.1 mg/L	100.0	80.0	120			
Calcium, total	7440-70-2	E420	0.05	mg/L	50 mg/L	106	80.0	120			
Cesium, total	7440-46-2	E420	0.00001	mg/L	0.05 mg/L	95.4	80.0	120			
Chromium, total	7440-47-3	E420	0.0005	mg/L	0.25 mg/L	101	80.0	120			
Cobalt, total	7440-48-4	E420	0.0001	mg/L	0.25 mg/L	97.8	80.0	120			
Copper, total	7440-50-8	E420	0.0005	mg/L	0.25 mg/L	97.8	80.0	120			
Iron, total	7439-89-6	E420	0.01	mg/L	1 mg/L	100	80.0	120			
Lead, total	7439-92-1	E420	0.00005	mg/L	0.5 mg/L	104	80.0	120			
Lithium, total	7439-93-2	E420	0.001	mg/L	0.25 mg/L	112	80.0	120			
Magnesium, total	7439-95-4	E420	0.005	mg/L	50 mg/L	97.8	80.0	120			
Manganese, total	7439-96-5	E420	0.0001	mg/L	0.25 mg/L	99.9	80.0	120			
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	0.25 mg/L	95.5	80.0	120			
Nickel, total	7440-02-0	E420	0.0005	mg/L	0.5 mg/L	96.5	80.0	120			
Phosphorus, total	7723-14-0	E420	0.05	mg/L	10 mg/L	102	80.0	120			
Potassium, total	7440-09-7	E420	0.05	mg/L	50 mg/L	103	80.0	120			
Rubidium, total	7440-17-7	E420	0.0002	mg/L	0.1 mg/L	101	80.0	120			
Selenium, total	7782-49-2	E420	0.00005	mg/L	1 mg/L	109	80.0	120			
Silicon, total	7440-21-3	E420	0.1	mg/L	10 mg/L	110	80.0	120			
Silver, total	7440-22-4	E420	0.00001	mg/L	0.1 mg/L	92.6	80.0	120			
Sodium, total	7440-23-5	E420	0.05	mg/L	50 mg/L	103	80.0	120			
Strontium, total	7440-24-6	E420	0.0002	mg/L	0.25 mg/L	100	80.0	120			
Sulfur, total	7704-34-9	E420	0.5	mg/L	50 mg/L	105	80.0	120			
Tellurium, total	13494-80-9	E420	0.0002	mg/L	0.1 mg/L	104	80.0	120			
Thallium, total	7440-28-0	E420	0.00001	mg/L	1 mg/L	102	80.0	120			
Thorium, total	7440-29-1	E420	0.0001	mg/L	0.1 mg/L	100	80.0	120			
Tin, total	7440-31-5	E420	0.0001	mg/L	0.5 mg/L	97.4	80.0	120			
Titanium, total	7440-32-6	E420	0.0003	mg/L	0.25 mg/L	95.6	80.0	120			
Tungsten, total	7440-33-7	E420	0.0001	mg/L	0.1 mg/L	100	80.0	120			
Uranium, total	7440-61-1	E420	0.00001	mg/L	0.005 mg/L	102	80.0	120			

 Page
 :
 13 of 17

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Sub-Matrix: Water					Laboratory Control Sample (LCS) Report					
					Spike	Recovery (%)	Recovery	Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier	
Total Metals (QCLot: 1581165) - co	ntinued									
Vanadium, total	7440-62-2	E420	0.0005	mg/L	0.5 mg/L	102	80.0	120		
Zinc, total	7440-66-6	E420	0.003	mg/L	0.5 mg/L	97.3	80.0	120		
Zirconium, total	7440-67-7	E420	0.0002	mg/L	0.1 mg/L	93.5	80.0	120		
Total Metals (QCLot: 1582948)										
Mercury, total	7439-97-6	E508	0.000005	mg/L	0 mg/L	90.6	80.0	120		
Dissolved Metals (QCLot: 1581209)										
Aluminum, dissolved	7429-90-5	E421	0.001	mg/L	2 mg/L	100	80.0	120		
Antimony, dissolved	7440-36-0	E421	0.0001	mg/L	1 mg/L	94.2	80.0	120		
Arsenic, dissolved	7440-38-2	E421	0.0001	mg/L	1 mg/L	105	0.08	120		
Barium, dissolved	7440-39-3	E421	0.0001	mg/L	0.25 mg/L	104	80.0	120		
Beryllium, dissolved	7440-41-7	E421	0.00002	mg/L	0.1 mg/L	94.0	80.0	120		
Bismuth, dissolved	7440-69-9	E421	0.00005	mg/L	1 mg/L	100	80.0	120		
Boron, dissolved	7440-42-8	E421	0.01	mg/L	1 mg/L	86.6	80.0	120		
Cadmium, dissolved	7440-43-9	E421	0.000005	mg/L	0.1 mg/L	98.0	80.0	120		
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	50 mg/L	92.8	80.0	120		
Cesium, dissolved	7440-46-2	E421	0.00001	mg/L	0.05 mg/L	95.0	80.0	120		
Chromium, dissolved	7440-47-3	E421	0.0005	mg/L	0.25 mg/L	100	80.0	120		
Cobalt, dissolved	7440-48-4	E421	0.0001	mg/L	0.25 mg/L	99.6	80.0	120		
Copper, dissolved	7440-50-8	E421	0.0002	mg/L	0.25 mg/L	98.0	80.0	120		
Iron, dissolved	7439-89-6	E421	0.01	mg/L	1 mg/L	91.6	80.0	120		
Lead, dissolved	7439-92-1	E421	0.00005	mg/L	0.5 mg/L	99.7	80.0	120		
Lithium, dissolved	7439-93-2	E421	0.001	mg/L	0.25 mg/L	94.0	80.0	120		
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	50 mg/L	102	80.0	120		
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	0.25 mg/L	99.9	80.0	120		
Molybdenum, dissolved	7439-98-7	E421	0.00005	mg/L	0.25 mg/L	94.6	80.0	120		
Nickel, dissolved	7440-02-0	E421	0.0005	mg/L	0.5 mg/L	99.6	80.0	120		
Phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	10 mg/L	103	80.0	120		
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	50 mg/L	102	80.0	120		
Rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	0.1 mg/L	100	80.0	120		
Selenium, dissolved	7782-49-2	E421	0.00005	mg/L	1 mg/L	96.1	80.0	120		
Silicon, dissolved	7440-21-3	E421	0.05	mg/L	10 mg/L	102	80.0	120		
Silver, dissolved	7440-22-4	E421	0.00001	mg/L	0.1 mg/L	91.6	80.0	120		
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	50 mg/L	107	80.0	120		
Strontium, dissolved	7440-24-6	E421	0.0002	mg/L	0.25 mg/L	99.8	80.0	120		
Sulfur, dissolved	7704-34-9	E421	0.5	mg/L	50 mg/L	103	80.0	120		

 Page
 :
 14 of 17

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Sub-Matrix: Water						Laboratory Co	ntrol Sample (LCS)	Report	
					Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Dissolved Metals (QCLot: 1581209) - co	ntinued								
Tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	0.1 mg/L	90.7	80.0	120	
Thallium, dissolved	7440-28-0	E421	0.00001	mg/L	1 mg/L	100	80.0	120	
Thorium, dissolved	7440-29-1	E421	0.0001	mg/L	0.1 mg/L	99.0	80.0	120	
Tin, dissolved	7440-31-5	E421	0.0001	mg/L	0.5 mg/L	94.7	80.0	120	
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	0.25 mg/L	93.8	80.0	120	
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	0.1 mg/L	99.6	80.0	120	
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	0.005 mg/L	102	80.0	120	
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	0.5 mg/L	103	80.0	120	
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	0.5 mg/L	94.1	80.0	120	
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	0.1 mg/L	94.3	80.0	120	
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	0 mg/L	87.5	80.0	120	

 Page
 :
 15 of 17

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Water								e (MS) Report		
					Spi	ke	Recovery (%)	Recovery	Limits (%)	
aboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifie
nions and Nutrie	ents (QCLot: 158103	39)								
/A24B9060-002	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2-L	0.505 mg/L	0.5 mg/L	101	75.0	125	
nions and Nutrie	ents (QCLot: 158104	H)								
YL2401053-001	P1-A	Chloride	16887-00-6	E235.CI-L	102 mg/L	100 mg/L	102	75.0	125	
nions and Nutrie	ents (QCLot: 158104	12)								
YL2401053-001	P1-A	Fluoride	16984-48-8	E235.F-L	1.03 mg/L	1 mg/L	103	75.0	125	
nions and Nutrie	ents (QCLot: 158104	13)								
YL2401053-001	P1-A	Nitrate (as N)	14797-55-8	E235.NO3-T	2.53 mg/L	2.5 mg/L	101	75.0	125	
nions and Nutrie	ents (QCLot: 158104	14)								
YL2401053-001	P1-A	Bromide	24959-67-9	E235.Br-U	0.494 mg/L	0.5 mg/L	98.9	75.0	125	
	ents (QCLot: 158104					3				
YL2401053-001	P1-A	Sulfate (as SO4)	14808-79-8	E235.SO4-L	ND mg/L		ND	75.0	125	
yanides (QCLot		Surface (do 504)	14000 70 0	E200.004 E	14B mg/E		No	70.0	120	
YL2401027-003	Anonymous	Cyanide, strong acid dissociable (Total)		E333	0.254 mg/L	0.25 mg/L	102	75.0	125	
otal Metals (QC		Cyanide, strong acid dissociable (Total)		L333	0.234 Hig/L	0.23 Hg/L	102	73.0	123	
YL2401078-004	Anonymous	Aluminum, total	7429-90-5	E420	ND mg/L		ND	70.0	130	
1L2401076-004	Anonymous	· ·			_		90.2		130	
		Antimony, total	7440-36-0	E420	0.0180 mg/L	0.02 mg/L		70.0		
		Arsenic, total	7440-38-2	E420	0.0197 mg/L	0.02 mg/L	98.6	70.0	130	
		Barium, total	7440-39-3	E420	ND mg/L		ND	70.0	130	
		Beryllium, total	7440-41-7	E420	0.0388 mg/L	0.04 mg/L	96.9	70.0	130	
		Bismuth, total	7440-69-9	E420	0.0104 mg/L	0.01 mg/L	104	70.0	130	
		Boron, total	7440-42-8	E420	0.083 mg/L	0.1 mg/L	83.2	70.0	130	
		Cadmium, total	7440-43-9	E420	0.00381 mg/L	0.004 mg/L	95.2	70.0	130	
		Calcium, total	7440-70-2	E420	ND mg/L		ND	70.0	130	
		Cesium, total	7440-46-2	E420	0.00952 mg/L	0.01 mg/L	95.2	70.0	130	
		Chromium, total	7440-47-3	E420	0.0380 mg/L	0.04 mg/L	95.1	70.0	130	
		Cobalt, total	7440-48-4	E420	0.0189 mg/L	0.02 mg/L	94.6	70.0	130	
		Copper, total	7440-50-8	E420	0.0188 mg/L	0.02 mg/L	93.8	70.0	130	
		Iron, total	7439-89-6	E420	1.91 mg/L	2 mg/L	95.6	70.0	130	
		Lead, total	7439-92-1	E420	0.0194 mg/L	0.02 mg/L	97.2	70.0	130	
		Lithium, total	7439-93-2	E420	0.0981 mg/L	0.02 mg/L 0.1 mg/L	98.1	70.0	130	
		Magnesium, total	7439-95-4	E420	, and a	0.1 mg/L	ND	70.0	130	
					ND mg/L					
		Manganese, total	7439-96-5	E420	0.0191 mg/L	0.02 mg/L	95.5	70.0	130	
		Molybdenum, total	7439-98-7	E420	0.0177 mg/L	0.02 mg/L	88.6	70.0	130	
		Nickel, total	7440-02-0	E420	0.0374 mg/L	0.04 mg/L	93.6	70.0	130	
		Phosphorus, total	7723-14-0	E420	9.04 mg/L	10 mg/L	90.4	70.0	130	

 Page
 :
 16 of 17

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



ub-Matrix: Water							Matrix Spik	e (MS) Report		
					Spi	ike	Recovery (%)	Recovery	Limits (%)	
aboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifie
otal Metals (QCI	Lot: 1581165) - continu	ned								
YL2401078-004	Anonymous	Potassium, total	7440-09-7	E420	ND mg/L		ND	70.0	130	
		Rubidium, total	7440-17-7	E420	0.0187 mg/L	0.02 mg/L	93.4	70.0	130	
		Selenium, total	7782-49-2	E420	0.0409 mg/L	0.04 mg/L	102	70.0	130	
		Silicon, total	7440-21-3	E420	9.37 mg/L	10 mg/L	93.7	70.0	130	
		Silver, total	7440-22-4	E420	0.00377 mg/L	0.004 mg/L	94.3	70.0	130	
		Sodium, total	7440-23-5	E420	1.78 mg/L	2 mg/L	89.0	70.0	130	
		Strontium, total	7440-24-6	E420	ND mg/L		ND	70.0	130	
		Sulfur, total	7704-34-9	E420	ND mg/L		ND	70.0	130	
		Tellurium, total	13494-80-9	E420	0.0380 mg/L	0.04 mg/L	94.9	70.0	130	
		Thallium, total	7440-28-0	E420	0.00374 mg/L	0.004 mg/L	93.6	70.0	130	
		Thorium, total	7440-29-1	E420	0.0204 mg/L	0.02 mg/L	102	70.0	130	
		Tin, total	7440-31-5	E420	0.0184 mg/L	0.02 mg/L	92.0	70.0	130	
		Titanium, total	7440-32-6	E420	0.0360 mg/L	0.04 mg/L	90.1	70.0	130	
		Tungsten, total	7440-32-0	E420	0.0204 mg/L	0.02 mg/L	102	70.0	130	
		Uranium, total	7440-61-1	E420	0.00429 mg/L	0.004 mg/L	107	70.0	130	
		Vanadium, total	7440-62-2	E420	0.0968 mg/L	0.004 mg/L 0.1 mg/L	96.8	70.0	130	
		Zinc, total	7440-66-6	E420	_	_	92.8	70.0	130	
		Zirconium, total	7440-67-7	E420	0.371 mg/L 0.0370 mg/L	0.4 mg/L	92.4	70.0	130	
		zirconium, total	7440-07-7	E420	0.0370 Hig/L	0.04 mg/L	92.4	70.0	130	
otal Metals (QCI										
/A24B8966-005	Anonymous	Mercury, total	7439-97-6	E508	0.0000910 mg/L	0 mg/L	91.0	70.0	130	
	(QCLot: 1581209)	Mercury, total	7439-97-6	E508	0.0000910 mg/L	0 mg/L	91.0	70.0	130	
issolved Metals	•	Mercury, total Aluminum, dissolved	7439-97-6 7429-90-5	E508	0.0000910 mg/L 0.405 mg/L	0 mg/L 0.4 mg/L	91.0	70.0	130	
issolved Metals	(QCLot: 1581209)									
issolved Metals	(QCLot: 1581209)	Aluminum, dissolved	7429-90-5	E421	0.405 mg/L	0.4 mg/L	101	70.0	130	
issolved Metals	(QCLot: 1581209)	Aluminum, dissolved Antimony, dissolved	7429-90-5 7440-36-0	E421 E421	0.405 mg/L ND mg/L	0.4 mg/L 	101 ND	70.0 70.0	130 130	
issolved Metals	(QCLot: 1581209)	Aluminum, dissolved Antimony, dissolved Arsenic, dissolved	7429-90-5 7440-36-0 7440-38-2	E421 E421 E421	0.405 mg/L ND mg/L ND mg/L	0.4 mg/L 	101 ND ND	70.0 70.0 70.0	130 130 130	
issolved Metals	(QCLot: 1581209)	Aluminum, dissolved Antimony, dissolved Arsenic, dissolved Barium, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3	E421 E421 E421 E421	0.405 mg/L ND mg/L ND mg/L ND mg/L	0.4 mg/L 	101 ND ND ND	70.0 70.0 70.0 70.0	130 130 130 130	
issolved Metals	(QCLot: 1581209)	Aluminum, dissolved Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7	E421 E421 E421 E421 E421	0.405 mg/L ND mg/L ND mg/L ND mg/L 0.0715 mg/L	0.4 mg/L 0.08 mg/L	101 ND ND ND ND 89.4	70.0 70.0 70.0 70.0 70.0	130 130 130 130 130	
issolved Metals	(QCLot: 1581209)	Aluminum, dissolved Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9	E421 E421 E421 E421 E421 E421	0.405 mg/L ND mg/L ND mg/L ND mg/L 0.0715 mg/L 0.0175 mg/L ND mg/L	0.4 mg/L 0.08 mg/L 0.02 mg/L	101 ND ND ND ND 89.4 87.6	70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130	
issolved Metals	(QCLot: 1581209)	Aluminum, dissolved Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8	E421 E421 E421 E421 E421 E421 E421	0.405 mg/L ND mg/L ND mg/L ND mg/L 0.0715 mg/L 0.0175 mg/L ND mg/L 0.00754 mg/L	0.4 mg/L 0.08 mg/L 0.02 mg/L	101 ND ND ND 89.4 87.6 ND	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130	
issolved Metals	(QCLot: 1581209)	Aluminum, dissolved Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2	E421 E421 E421 E421 E421 E421 E421 E421	0.405 mg/L ND mg/L ND mg/L ND mg/L 0.0715 mg/L 0.0175 mg/L ND mg/L 0.00754 mg/L ND mg/L	0.4 mg/L 0.08 mg/L 0.02 mg/L 0.008 mg/L	101 ND ND ND 89.4 87.6 ND 94.3 ND	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130	
issolved Metals	(QCLot: 1581209)	Aluminum, dissolved Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2	E421 E421 E421 E421 E421 E421 E421 E421	0.405 mg/L ND mg/L ND mg/L ND mg/L 0.0715 mg/L 0.0175 mg/L ND mg/L 0.00754 mg/L ND mg/L 0.0192 mg/L	0.4 mg/L 0.08 mg/L 0.02 mg/L 0.008 mg/L 0.008 mg/L 0.008 mg/L	101 ND ND ND 89.4 87.6 ND 94.3 ND	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130	
issolved Metals	(QCLot: 1581209)	Aluminum, dissolved Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3	E421 E421 E421 E421 E421 E421 E421 E421	0.405 mg/L ND mg/L ND mg/L ND mg/L 0.0715 mg/L 0.0175 mg/L ND mg/L 0.00754 mg/L ND mg/L 0.0192 mg/L 0.0777 mg/L	0.4 mg/L 0.08 mg/L 0.02 mg/L 0.008 mg/L 0.008 mg/L 0.02 mg/L 0.02 mg/L	101 ND ND ND 89.4 87.6 ND 94.3 ND 96.3 97.2	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
issolved Metals	(QCLot: 1581209)	Aluminum, dissolved Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Cobalt, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2	E421 E421 E421 E421 E421 E421 E421 E421	0.405 mg/L ND mg/L ND mg/L ND mg/L 0.0715 mg/L 0.0175 mg/L ND mg/L 0.00754 mg/L ND mg/L 0.0192 mg/L 0.0379 mg/L	0.4 mg/L 0.08 mg/L 0.02 mg/L 0.008 mg/L 0.008 mg/L 0.02 mg/L 0.04 mg/L	101 ND ND ND 89.4 87.6 ND 94.3 ND	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
issolved Metals	(QCLot: 1581209)	Aluminum, dissolved Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Cobalt, dissolved Copper, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8	E421 E421 E421 E421 E421 E421 E421 E421	0.405 mg/L ND mg/L ND mg/L ND mg/L 0.0715 mg/L 0.0175 mg/L ND mg/L 0.00754 mg/L ND mg/L 0.0192 mg/L 0.0777 mg/L 0.0379 mg/L	0.4 mg/L 0.08 mg/L 0.02 mg/L 0.008 mg/L 0.02 mg/L 0.02 mg/L 0.04 mg/L 0.04 mg/L	101 ND ND ND 89.4 87.6 ND 94.3 ND 96.3 97.2 94.7	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
issolved Metals	(QCLot: 1581209)	Aluminum, dissolved Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Cobalt, dissolved Copper, dissolved Iron, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8 7439-89-6	E421 E421 E421 E421 E421 E421 E421 E421	0.405 mg/L ND mg/L ND mg/L ND mg/L 0.0715 mg/L 0.0175 mg/L ND mg/L 0.00754 mg/L ND mg/L 0.0192 mg/L 0.0777 mg/L 0.0356 mg/L 3.83 mg/L	0.4 mg/L 0.08 mg/L 0.02 mg/L 0.008 mg/L 0.02 mg/L 0.04 mg/L 0.04 mg/L 4 mg/L	101 ND ND ND 89.4 87.6 ND 94.3 ND 96.3 97.2 94.7 89.0 95.7	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
issolved Metals	(QCLot: 1581209)	Aluminum, dissolved Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Calcium, dissolved Chromium, dissolved Choper, dissolved Copper, dissolved Iron, dissolved Lead, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-42-8 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8 7439-89-6 7439-92-1	E421 E421 E421 E421 E421 E421 E421 E421	0.405 mg/L ND mg/L ND mg/L ND mg/L 0.0715 mg/L 0.0175 mg/L ND mg/L 0.00754 mg/L ND mg/L 0.0192 mg/L 0.0777 mg/L 0.0356 mg/L 3.83 mg/L 0.0366 mg/L	0.4 mg/L 0.08 mg/L 0.02 mg/L 0.008 mg/L 0.02 mg/L 0.04 mg/L 0.04 mg/L 0.04 mg/L 0.04 mg/L	101 ND ND ND 89.4 87.6 ND 94.3 ND 96.3 97.2 94.7 89.0 95.7 91.6	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
issolved Metals	(QCLot: 1581209)	Aluminum, dissolved Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Copper, dissolved Iron, dissolved Lead, dissolved Lead, dissolved Lithium, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8 7439-89-6 7439-92-1 7439-93-2	E421 E421 E421 E421 E421 E421 E421 E421	0.405 mg/L ND mg/L ND mg/L ND mg/L 0.0715 mg/L 0.0175 mg/L 0.00754 mg/L ND mg/L 0.0192 mg/L 0.0777 mg/L 0.0379 mg/L 0.0366 mg/L 0.178 mg/L	0.4 mg/L 0.08 mg/L 0.02 mg/L 0.008 mg/L 0.02 mg/L 0.04 mg/L 0.04 mg/L 0.04 mg/L 0.04 mg/L 0.04 mg/L 0.04 mg/L	101 ND ND ND 89.4 87.6 ND 94.3 ND 96.3 97.2 94.7 89.0 95.7 91.6 89.3	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
issolved Metals	(QCLot: 1581209)	Aluminum, dissolved Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Copper, dissolved Iron, dissolved Lead, dissolved Lithium, dissolved Magnesium, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8 7439-89-6 7439-92-1 7439-93-2 7439-95-4	E421 E421 E421 E421 E421 E421 E421 E421	0.405 mg/L ND mg/L ND mg/L ND mg/L 0.0715 mg/L 0.0175 mg/L 0.00754 mg/L ND mg/L 0.0192 mg/L 0.0777 mg/L 0.0379 mg/L 0.0356 mg/L 3.83 mg/L 0.0366 mg/L 0.178 mg/L ND mg/L	0.4 mg/L 0.08 mg/L 0.02 mg/L 0.008 mg/L 0.02 mg/L 0.04 mg/L 0.04 mg/L 0.04 mg/L 0.04 mg/L 0.04 mg/L 0.04 mg/L 0.02 mg/L	101 ND ND ND 89.4 87.6 ND 94.3 ND 96.3 97.2 94.7 89.0 95.7 91.6 89.3 ND	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
issolved Metals	(QCLot: 1581209)	Aluminum, dissolved Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Copper, dissolved Iron, dissolved Lead, dissolved Lithium, dissolved Magnesium, dissolved Manganese, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8 7439-89-6 7439-92-1 7439-93-2 7439-95-4 7439-96-5	E421 E421 E421 E421 E421 E421 E421 E421	0.405 mg/L ND mg/L ND mg/L ND mg/L 0.0715 mg/L 0.0175 mg/L 0.00754 mg/L ND mg/L 0.0192 mg/L 0.0777 mg/L 0.0379 mg/L 0.0356 mg/L 3.83 mg/L 0.0366 mg/L ND mg/L ND mg/L ND mg/L ND mg/L	0.4 mg/L 0.08 mg/L 0.02 mg/L 0.008 mg/L 0.02 mg/L 0.04 mg/L 0.04 mg/L 0.04 mg/L 0.04 mg/L 0.04 mg/L 0.02 mg/L	101 ND ND ND 89.4 87.6 ND 94.3 ND 96.3 97.2 94.7 89.0 95.7 91.6 89.3 ND ND	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
issolved Metals	(QCLot: 1581209)	Aluminum, dissolved Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Copper, dissolved Iron, dissolved Lead, dissolved Lithium, dissolved Magnesium, dissolved Manganese, dissolved Molybdenum, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-46-2 7440-48-4 7440-50-8 7439-89-6 7439-92-1 7439-93-2 7439-95-4 7439-96-5 7439-98-7	E421 E421 E421 E421 E421 E421 E421 E421	0.405 mg/L ND mg/L ND mg/L ND mg/L 0.0715 mg/L 0.0175 mg/L 0.00754 mg/L ND mg/L 0.0192 mg/L 0.0379 mg/L 0.0356 mg/L 3.83 mg/L 0.178 mg/L ND mg/L 0.178 mg/L 0.0366 mg/L ND mg/L ND mg/L ND mg/L ND mg/L ND mg/L ND mg/L	0.4 mg/L 0.08 mg/L 0.02 mg/L 0.008 mg/L 0.02 mg/L 0.04 mg/L	101 ND ND ND 89.4 87.6 ND 94.3 ND 96.3 97.2 94.7 89.0 95.7 91.6 89.3 ND ND	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
/A24B8966-005 /issolved Metals /L2401075-002	(QCLot: 1581209)	Aluminum, dissolved Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Copper, dissolved Iron, dissolved Lead, dissolved Lithium, dissolved Magnesium, dissolved Manganese, dissolved	7429-90-5 7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8 7439-89-6 7439-92-1 7439-93-2 7439-95-4 7439-96-5	E421 E421 E421 E421 E421 E421 E421 E421	0.405 mg/L ND mg/L ND mg/L ND mg/L 0.0715 mg/L 0.0175 mg/L 0.00754 mg/L ND mg/L 0.0192 mg/L 0.0777 mg/L 0.0379 mg/L 0.0356 mg/L 3.83 mg/L 0.0366 mg/L ND mg/L ND mg/L ND mg/L ND mg/L	0.4 mg/L 0.08 mg/L 0.02 mg/L 0.008 mg/L 0.02 mg/L 0.04 mg/L 0.04 mg/L 0.04 mg/L 0.04 mg/L 0.04 mg/L 0.02 mg/L	101 ND ND ND 89.4 87.6 ND 94.3 ND 96.3 97.2 94.7 89.0 95.7 91.6 89.3 ND ND	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	

 Page
 :
 17 of 17

 Work Order
 :
 YL2401053

 Client
 :
 Elgin Mining Inc.

 Project
 :
 Lupin Mine 2024



Sub-Matrix: Water							Matrix Spik	e (MS) Report		
					Spi	ke	Recovery (%)	Recovery	Limits (%)	
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Dissolved Metals	(QCLot: 1581209)	- continued								
YL2401075-002	Anonymous	Rubidium, dissolved	7440-17-7	E421	0.0394 mg/L	0.04 mg/L	98.5	70.0	130	
		Selenium, dissolved	7782-49-2	E421	0.0815 mg/L	0.08 mg/L	102	70.0	130	
		Silicon, dissolved	7440-21-3	E421	19.8 mg/L	20 mg/L	99.2	70.0	130	
		Silver, dissolved	7440-22-4	E421	0.00738 mg/L	0.008 mg/L	92.3	70.0	130	
		Sodium, dissolved	7440-23-5	E421	ND mg/L		ND	70.0	130	
		Strontium, dissolved	7440-24-6	E421	ND mg/L		ND	70.0	130	
		Sulfur, dissolved	7704-34-9	E421	ND mg/L		ND	70.0	130	
		Tellurium, dissolved	13494-80-9	E421	0.0788 mg/L	0.08 mg/L	98.5	70.0	130	
		Thallium, dissolved	7440-28-0	E421	0.00730 mg/L	0.008 mg/L	91.2	70.0	130	
		Thorium, dissolved	7440-29-1	E421	0.0399 mg/L	0.04 mg/L	99.8	70.0	130	
		Tin, dissolved	7440-31-5	E421	0.0378 mg/L	0.04 mg/L	94.5	70.0	130	
		Titanium, dissolved	7440-32-6	E421	0.0820 mg/L	0.08 mg/L	102	70.0	130	
		Tungsten, dissolved	7440-33-7	E421	0.0387 mg/L	0.04 mg/L	96.7	70.0	130	
		Uranium, dissolved	7440-61-1	E421	0.00774 mg/L	0.008 mg/L	96.7	70.0	130	
		Vanadium, dissolved	7440-62-2	E421	0.206 mg/L	0.2 mg/L	103	70.0	130	
		Zinc, dissolved	7440-66-6	E421	0.704 mg/L	0.8 mg/L	88.0	70.0	130	
		Zirconium, dissolved	7440-67-7	E421	0.0806 mg/L	0.08 mg/L	101	70.0	130	
issolved Metals	(QCLot: 1583864)									
/A24B9592-001	Anonymous	Mercury, dissolved	7439-97-6	E509	0.0000866 mg/L	0 mg/L	86.6	70.0	130	

	CHAIN OF CUSTODY ALS Laboratory		Lindsay	Lindsay Pistner	2	A RECEIVED BY:	1650	NELINGOISTICO DT.		
CLIENT:	Elgin Mining Inc.	TURNAROUND REQUIREMENTS:	Standard IVI II THE TAIL OF THE PRINCE	1-01-101	2	VIETIME: 2	WIN. hno	DATE/TIME:	GE ON V OLLA	DATE/TIME:
7.	Lupin Mine 2024	(Standard TAT may be longer for some tests		Non Standard or urgent TAT (L	fl.ist due date	÷		Custody Seal Intact?	or our lours	Yes
SITE: L	Lupin Mine	and the state of gaining						Free ice / frozen ice bricks present upon receipt?	present upon receipt?	
PURCHASE ORDER NO.:			ALS QU	ALS QUOTE NC YL23-ELMI100-001	LMI100-001			Random Sample Temperature on Receipt	ture on Receipt	റ്ള
		CONTACT PH: 403-862-2994						Other comments:		1.9
SAMPLER: LIY	ndsay Pistner same	SAMPLER MOBILE: 604-315-3741								
EMAIL REPORTS TO: J		1	EMAIL IN	EMAIL INVOICE TO: Payables@mandalayresources.com	ayables@ma	ndalayresour	ces.com			
SPECIAL HANDLING/STORAGE OR DISPOSAL:	RAGE OR DISPOSAL:									
ALS USE ONLY	SAMPLE DETAILS Solid(S) Water(W)	(W) MATRIX:	CONTAINER	Q %			ANALYS	ANALYSIS REQUIRED		Additional Information
SAMPLE	Sample identification (This description will appear on the report)		MATRIX	TOTAL CONTAINERS	Dissolved metals + Hg	Total metals + Hg	Total Cyanide			Comments on likely contaminant levels, dilutions, or samples requiring specific QC analysis dic.
0	P1-A	30-07-204 ilistam	7		×	×	×		Environmental Division	ieion
0	P1-8	30-07-2024 10-50	L. Wie	7 ×	×	×	×		Yellowknife	
סי	P1-D	30-07-7074 12-wom	7 m	7 ×	×	*	×		Work Order Reference	าลี ว
C	C4-A	30-07-2024 312000		7 ×	×	×	×		1 54010	200
C	C4-B	30-07-2024 2:58 mm	7	7 ×	×	×	×			
0	C4-C			٠ ×	×	×	×			
0	C4-E	30-07-2024 12:35		7 ×	×	×	×		記念物	
									Telephone: +1 867 873 5593	
*			TOTAL							



CERTIFICATE OF ANALYSIS

YL2401440 **Work Order**

Amendment

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Calgary

Oliver Gregg Contact Jon Melnyk **Account Manager** Address

750 West Pender Street Suite 201 Address 2559 29th Street NE

Vancouver British Columbia Canada V6C 2T7 Calgary AB Canada T1Y 7B5 Telephone Telephone : 1 867 445 7143

Project : LUPIN MINE Date Samples Received : 10-Sep-2024 09:30 PO **Date Analysis Commenced** : 12-Sep-2024

C-O-C number Issue Date 02-Oct-2024 09:32 Sampler

: YL24-ELMI100-001 Quote number

No. of samples received : 6 No. of samples analysed : 6

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

General Comments

Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification

Signatories

Site

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Gurvinder Kour	Lab Assistant	Metals, Calgary, Alberta
Harpreet Chawla	Team Leader - Inorganics	Inorganics, Calgary, Alberta
Jon Fisher	Production Manager, Environmental	Inorganics, Waterloo, Ontario
Katarzyna Glinka	Analyst	Inorganics, Calgary, Alberta
Kevin Baxter	Team Leader - Inorganics	Inorganics, Calgary, Alberta
Kevin Baxter	Team Leader - Inorganics	Metals, Calgary, Alberta
Parker Sgarbossa	Laboratory Analyst	Metals, Calgary, Alberta
Ruifang Zheng	Analyst	Inorganics, Calgary, Alberta
Shirley Li	Team Leader - Inorganics	Metals, Calgary, Alberta

alsglobal.com Page: 1 of 13

Work Order : YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances.

LOR: Limit of Reporting (detection limit).

Unit	Description
mg/L	milligrams per litre
pH units	pH units
μS/cm	microsiemens per centimetre
-	no units
meq/L	milliequivalents per litre
%	percent
NTU	nephelometric turbidity units
CU	colour units (1 cu = 1 mg/l pt)

<: less than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Sample Comments

Sample	Client Id	Comment
YL2401440-006	P2-SEEP	Water sample(s) for total mercury analysis was not submitted in glass or PTFE container with HCl preservative. Results may be biased low.

>: greater than.

Work Order : YL2401440
Client : Elgin Mining Inc.
Project : LUPIN MINE



Qualifiers

Qualifier	Description
DLDS	Detection Limit Raised: Dilution required due to high Dissolved Solids / Electrical Conductivity.
HTA	Analytical holding time was exceeded.
RRR	Refer to report comments for issues regarding this analysis.
RRV	Reported result verified by repeat analysis.
SP	Sample was preserved at the laboratory.

alsglobal.com Page: 3 of 13

Work Order : YL2401440
Client : Elgin Mining Inc.
Project : LUPIN MINE



Analytical Results

Sub-Matrix: Water (Matrix: Water)			Client sa	mple ID	P2-A	P2-B	P2-C	P2-D	P2-E
(Watrix: Water)		С	lient sampling date	/ time	08-Sep-2024 00:00				
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	YL2401440-001	YL2401440-002	YL2401440-003	YL2401440-004	YL2401440-005
					Result	Result	Result	Result	Result
Physical Tests									
Hardness (as CaCO3), dissolved		EC100/CG	0.60	mg/L	129	134	148	116	132
Hardness (as CaCO3), from total Ca/Mg		EC100A/CG	0.60	mg/L	132	137	151	115	136
Conductivity		E100/CG	2.0	μS/cm	441	444	491	396	454
рН		E108/CG	0.10	pH units	4.77 RRV	4.81 RRV	4.35 RRV	4.24 RRV	4.60 RRV
Alkalinity, bicarbonate (as HCO3)	71-52-3	E290/CG	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Alkalinity, carbonate (as CO3)	3812-32-6	E290/CG	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Alkalinity, hydroxide (as OH)	14280-30-9	E290/CG	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Alkalinity, total (as CaCO3)		E290/CG	2.0	mg/L	<2.0	<2.0	<2.0	<2.0	<2.0
Solids, total dissolved [TDS], calculated		EC103/CG	1.0	mg/L	273	278	307	245	280
Anions and Nutrients									
Chloride	16887-00-6	E235.CI/CG	0.50	mg/L	13.1	13.5	13.1	8.87	13.4
Fluoride	16984-48-8	E235.F/CG	0.020	mg/L	0.126	0.123	0.171	0.122	0.126
Nitrate (as N)	14797-55-8	E235.NO3/CG	0.020	mg/L	0.404	0.420	0.438	0.338	0.402
Nitrite (as N)	14797-65-0	E235.NO2/CG	0.010	mg/L	<0.010	<0.010	<0.010	<0.010	<0.010
Sulfate (as SO4)	14808-79-8	E235.SO4/CG	0.30	mg/L	178	180	201	161	182
Nitrate + Nitrite (as N)		EC235.N+N/C G	0.0500	mg/L	0.404	0.420	0.438	0.338	0.402
Cyanides									
Cyanide, strong acid dissociable (Total)		E333/WT	0.0050	mg/L	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Ion Balance									
Anion sum		EC101/CG	0.10	meq/L	4.11	4.16	4.59	3.63	4.20
Cation sum		EC101/CG	0.10	meq/L	3.86	4.00	4.45	3.48	3.99

alsglobal.com Page: 4 of 13

Work Order : YL2401440
Client : Elgin Mining Inc.
Project : LUPIN MINE



Analytical Results

Sub-Matrix: Water (Matrix: Water)			Client sa	mple ID	P2-A	P2-B	P2-C	P2-D	P2-E
		С	lient sampling date	/ time	08-Sep-2024 00:00				
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	YL2401440-001	YL2401440-002	YL2401440-003	YL2401440-004	YL2401440-005
					Result	Result	Result	Result	Result
Ion Balance									
Ion balance (APHA)		EC101/CG	0.01	%	-3.14	-1.96	-1.55	-2.11	-2.56
lon balance (cations/anions)		EC101/CG	0.010	%	93.9	96.2	96.9	95.9	95.0
Total Metals									
Aluminum, total	7429-90-5	E420/CG	0.0030	mg/L	0.513	0.407	1.53	1.24	0.597
Antimony, total	7440-36-0	E420/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Arsenic, total	7440-38-2	E420/CG	0.00010	mg/L	0.00692	0.00802	0.00661	0.00967	0.00746
Barium, total	7440-39-3	E420/CG	0.00010	mg/L	0.0191	0.0191	0.0193	0.0157	0.0190
Beryllium, total	7440-41-7	E420/CG	0.000100	mg/L	0.000162	0.000150	0.000310	0.000305	0.000160
Bismuth, total	7440-69-9	E420/CG	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
Boron, total	7440-42-8	E420/CG	0.010	mg/L	0.043	0.047	0.049	0.035	0.045
Cadmium, total	7440-43-9	E420/CG	0.0000050	mg/L	0.000214	0.000205	0.000299	0.000268	0.000204
Calcium, total	7440-70-2	E420/CG	0.050	mg/L	39.1	41.2	44.3	32.9	40.0
Cesium, total	7440-46-2	E420/CG	0.000010	mg/L	0.000039	0.000039	0.000056	0.000052	0.000045
Chromium, total	7440-47-3	E420/CG	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Cobalt, total	7440-48-4	E420/CG	0.00010	mg/L	0.0281	0.0253	0.0416	0.0463	0.0266
Copper, total	7440-50-8	E420/CG	0.00050	mg/L	0.0165	0.0137	0.0294	0.0314	0.0153
Iron, total	7439-89-6	E420/CG	0.010	mg/L	0.528	0.462	1.22	1.81	0.615
Lead, total	7439-92-1	E420/CG	0.000050	mg/L	0.000374	0.000326	0.000702	0.00164	0.000365
Lithium, total	7439-93-2	E420/CG	0.0010	mg/L	0.0191	0.0204	0.0261	0.0222	0.0197
Magnesium, total	7439-95-4	E420/CG	0.0050	mg/L	8.48	8.36	9.86	7.99	8.69
Manganese, total	7439-96-5	E420/CG	0.00010	mg/L	0.713	0.711	0.808	0.730	0.720

alsglobal.com Page: 5 of 13

Work Order : YL2401440
Client : Elgin Mining Inc.
Project : LUPIN MINE



Analytical Results

Sub-Matrix: Water			Olimates		P2-A	P2-B	P2-C	P2-D	P2-E
(Matrix: Water)			Client s ar	•					
Analyta	CAS Number	C Method/Lab/Accreditation	lient sampling date LOR		08-Sep-2024 00:00				
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	YL2401440-001 Result	YL2401440-002 Result	YL2401440-003 Result	YL2401440-004 Result	YL2401440-005 Result
Total Metals					rtodat	rtoout	rtoout	roodit	rtodak
Mercury, total	7439-97-6	E508/CG	0.0000050	mg/L	<0.0000050	<0.0000050	<0.0000050	<0.000050	<0.0000050
Molybdenum, total	7439-98-7	E420/CG	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
Nickel, total	7440-02-0	E420/CG	0.00050	mg/L	0.0928	0.0842	0.122	0.106	0.0879
Phosphorus, total	7723-14-0	E420/CG	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050
Potassium, total	7440-09-7	E420/CG	0.050	mg/L	3.53	3.55	3.60	3.06	3.50
Rubidium, total	7440-17-7	E420/CG	0.00020	mg/L	0.00204	0.00197	0.00258	0.00197	0.00208
Selenium, total	7782-49-2	E420/CG	0.000050	mg/L	0.000078	0.000074	0.000059	<0.000050	<0.000050
Silicon, total	7440-21-3	E420/CG	0.10	mg/L	1.32	1.12	1.84	2.51	1.23
Silver, total	7440-22-4	E420/CG	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Sodium, total	7440-23-5	E420/CG	0.050	mg/L	25.4	26.1	25.2	17.5	25.8
Strontium, total	7440-24-6	E420/CG	0.00020	mg/L	0.191	0.198	0.215	0.168	0.206
Sulfur, total	7704-34-9	E420/CG	0.50	mg/L	61.1	62.4	70.2	55.0	63.4
Tellurium, total	13494-80-9	E420/CG	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
Thallium, total	7440-28-0	E420/CG	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Thorium, total	7440-29-1	E420/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Tin, total	7440-31-5	E420/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Titanium, total	7440-32-6	E420/CG	0.00030	mg/L	<0.00030	0.00044	<0.00030	0.00043	<0.00030
Tungsten, total	7440-33-7	E420/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Uranium, total	7440-61-1	E420/CG	0.000010	mg/L	0.000108	0.000067	0.000206	0.000326	0.000096
Vanadium, total	7440-62-2	E420/CG	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Zinc, total	7440-66-6	E420/CG	0.0030	mg/L	0.253	0.256	0.318	0.448	0.263

alsglobal.com Page: 6 of 13

Work Order : YL2401440
Client : Elgin Mining Inc.
Project : LUPIN MINE



Analytical Results

Sub-Matrix: Water (Matrix: Water)				mple ID	P2-A	P2-B	P2-C	P2-D	P2-E
			Client sampling date / tim		08-Sep-2024 00:00				
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	YL2401440-001	YL2401440-002	YL2401440-003	YL2401440-004	YL2401440-005
					Result	Result	Result	Result	Result
Total Metals									
Zirconium, total	7440-67-7	E420/CG	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
Dissolved Metals									
Aluminum, dissolved	7429-90-5	E421/CG	0.0010	mg/L	0.542	0.401	1.58	1.26	0.584
Antimony, dissolved	7440-36-0	E421/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Arsenic, dissolved	7440-38-2	E421/CG	0.00010	mg/L	0.00578	0.00500	0.00547	0.00881	0.00590
Barium, dissolved	7440-39-3	E421/CG	0.00010	mg/L	0.0191	0.0199	0.0195	0.0159	0.0191
Beryllium, dissolved	7440-41-7	E421/CG	0.000100	mg/L	0.000200	0.000150	0.000329	0.000340	0.000174
Bismuth, dissolved	7440-69-9	E421/CG	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
Boron, dissolved	7440-42-8	E421/CG	0.010	mg/L	0.043	0.045	0.047	0.035	0.045
Cadmium, dissolved	7440-43-9	E421/CG	0.0000050	mg/L	0.000219	0.000193	0.000312	0.000267	0.000209
Calcium, dissolved	7440-70-2	E421/CG	0.050	mg/L	38.8	40.5	44.2	34.0	40.0
Cesium, dissolved	7440-46-2	E421/CG	0.000010	mg/L	0.000045	0.000036	0.000056	0.000052	0.000044
Chromium, dissolved	7440-47-3	E421/CG	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Cobalt, dissolved	7440-48-4	E421/CG	0.00010	mg/L	0.0291	0.0249	0.0417	0.0465	0.0264
Copper, dissolved	7440-50-8	E421/CG	0.00020	mg/L	0.0168	0.0133	0.0292	0.0311	0.0152
Iron, dissolved	7439-89-6	E421/CG	0.010	mg/L	0.486	0.406	1.18	1.78	0.560
Lead, dissolved	7439-92-1	E421/CG	0.000050	mg/L	0.000332	0.000231	0.000696	0.00158	0.000316
Lithium, dissolved	7439-93-2	E421/CG	0.0010	mg/L	0.0208	0.0194	0.0249	0.0229	0.0208
Magnesium, dissolved	7439-95-4	E421/CG	0.0050	mg/L	7.78	8.07	9.12	7.67	7.91
Manganese, dissolved	7439-96-5	E421/CG	0.00010	mg/L	0.693	0.704	0.822	0.709	0.688
Mercury, dissolved	7439-97-6	E509/CG	0.0000050	mg/L	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050

alsglobal.com Page: 7 of 13

Work Order : YL2401440
Client : Elgin Mining Inc.
Project : LUPIN MINE



Analytical Results

Sub-Matrix: Water			Client sar	mple ID	P2-A	P2-B	P2-C	P2-D	P2-E
(Matrix: Water)				'	00 Con 2024 00:00	00 Con 2024 00:00	00 Con 2024 00:00	00 Com 2024 00:00	00 Can 2024 00:00
Analyte	CAS Number		lient sampling date LOR	Unit	08-Sep-2024 00:00 YL2401440-001	08-Sep-2024 00:00 YL2401440-002	08-Sep-2024 00:00 YL2401440-003	08-Sep-2024 00:00 YL2401440-004	08-Sep-2024 00:00 YL2401440-005
	<i>5,10,114,</i>		2071	J	Result	Result	Result	Result	Result
Dissolved Metals									
Molybdenum, dissolved	7439-98-7	E421/CG	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
Nickel, dissolved	7440-02-0	E421/CG	0.00050	mg/L	0.0950	0.0820	0.121	0.106	0.0864
Phosphorus, dissolved	7723-14-0	E421/CG	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050
Potassium, dissolved	7440-09-7	E421/CG	0.050	mg/L	3.57	3.60	3.69	3.13	3.53
Rubidium, dissolved	7440-17-7	E421/CG	0.00020	mg/L	0.00209	0.00195	0.00250	0.00181	0.00202
Selenium, dissolved	7782-49-2	E421/CG	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
Silicon, dissolved	7440-21-3	E421/CG	0.050	mg/L	1.35	1.08	1.81	2.44	1.18
Silver, dissolved	7440-22-4	E421/CG	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Sodium, dissolved	7440-23-5	E421/CG	0.050	mg/L	24.5	25.6	25.2	17.7	25.5
Strontium, dissolved	7440-24-6	E421/CG	0.00020	mg/L	0.195	0.196	0.210	0.166	0.203
Sulfur, dissolved	7704-34-9	E421/CG	0.50	mg/L	62.6	62.6	69.6	54.4	62.8
Tellurium, dissolved	13494-80-9	E421/CG	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
Thallium, dissolved	7440-28-0	E421/CG	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Thorium, dissolved	7440-29-1	E421/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Tin, dissolved	7440-31-5	E421/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Titanium, dissolved	7440-32-6	E421/CG	0.00030	mg/L	<0.00030	<0.00030	<0.00030	<0.00030	<0.00030
Tungsten, dissolved	7440-33-7	E421/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Uranium, dissolved	7440-61-1	E421/CG	0.000010	mg/L	0.000094	0.000058	0.000199	0.000306	0.000088
Vanadium, dissolved	7440-62-2	E421/CG	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Zinc, dissolved	7440-66-6	E421/CG	0.0010	mg/L	0.257	0.264	0.325	0.466	0.268
Zirconium, dissolved	7440-67-7	E421/CG	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020

alsglobal.com Page: 8 of 13

Work Order : YL2401440
Client : Elgin Mining Inc.
Project : LUPIN MINE



Analytical Results

Sub-Matrix: Water (Matrix: Water)			Client s ar	mple ID	P2-A	P2-B	P2-C	P2-D	P2-E
		С	lient sampling date	/ time	08-Sep-2024 00:00				
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	YL2401440-001	YL2401440-002	YL2401440-003	YL2401440-004	YL2401440-005
					Result	Result	Result	Result	Result
Dissolved Metals									
Dissolved mercury filtration location		EP509/CG	-	-	Field	Field	Field	Field	Field
Dissolved metals filtration location		EP421/CG	-	-	Field	Field	Field	Field	Field

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

Analytical Results

Sub-Matrix: Water (Matrix: Water)			Client s ar	mple ID	P2-SEEP	 	
		С	lient sampling date	/ time	08-Sep-2024 00:00	 	
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	YL2401440-006	 	
					Result	 	
Physical Tests							
Colour, true		E329/CG	5.0	CU	320 HTA	 	
Hardness (as CaCO3), dissolved		EC100/CG	0.60	mg/L	383	 	
Hardness (as CaCO3), from total Ca/Mg		EC100A/CG	0.60	mg/L	392	 	
Solids, total dissolved [TDS]		E162/CG	10	mg/L	1160	 	
Turbidity		E121/CG	0.10	NTU	21.9	 	
Conductivity		E100/CG	2.0	μS/cm	1460	 	
рН		E108/CG	0.10	pH units	6.60	 	
Alkalinity, bicarbonate (as HCO3)	71-52-3	E290/CG	1.0	mg/L	15.1	 	
Alkalinity, carbonate (as CO3)	3812-32-6	E290/CG	1.0	mg/L	<1.0	 	
Alkalinity, hydroxide (as OH)	14280-30-9	E290/CG	1.0	mg/L	<1.0	 	
Alkalinity, total (as CaCO3)		E290/CG	2.0	mg/L	12.4	 	
Solids, total dissolved [TDS], calculated		EC103/CG	1.0	mg/L	1110	 	

alsglobal.com Page: 9 of 13

Work Order : YL2401440
Client : Elgin Mining Inc.
Project : LUPIN MINE



Analytical Results

Sub-Matrix: Water (Matrix: Water)		Client sa	mple ID	P2-SEEP	 	
		lient sampling date	/ time	08-Sep-2024 00:00	 	
Analyte CAS Numb	er Method/Lab/Accreditation	LOR	Unit	YL2401440-006	 	
				Result	 	
Anions and Nutrients						
Chloride 16887-00	6 E235.CI/CG	0.50	mg/L	31.7	 	
Fluoride 16984-48	8 E235.F/CG	0.020	mg/L	0.233	 	
Nitrate (as N) 14797-55	8 E235.NO3/CG	0.020	mg/L	6.93	 	
Nitrite (as N) 14797-65	0 E235.NO2/CG	0.010	mg/L	<0.050 DLDS	 	
Sulfate (as SO4) 14808-79	8 E235.SO4/CG	0.30	mg/L	687	 	
Nitrate + Nitrite (as N)	EC235.N+N/C G	0.0500	mg/L	6.93	 	
Organic / Inorganic Carbon						
Carbon, dissolved organic [DOC]	E358-L/CG	0.50	mg/L	0.85 ^{SP}	 	
Carbon, total organic [TOC]	E355-L/CG	0.50	mg/L	0.85 ^{SP}	 	
Ion Balance						
Anion sum -	EC101/CG	0.10	meq/L	16.0	 	
Cation sum -	EC101/CG	0.10	meq/L	16.2	 	
Ion balance (APHA)	EC101/CG	0.01	%	0.62	 	
Ion balance (cations/anions)	EC101/CG	0.010	%	101	 	
Total Metals						
Aluminum, total 7429-90	5 E420/CG	0.0030	mg/L	5.01	 	
Antimony, total 7440-36	0 E420/CG	0.00010	mg/L	0.00013	 	
Arsenic, total 7440-38	2 E420/CG	0.00010	mg/L	0.0766	 	
Barium, total 7440-39	3 E420/CG	0.00010	mg/L	0.0408	 	
Beryllium, total 7440-41	7 E420/CG	0.000100	mg/L	0.000658	 	
Bismuth, total 7440-69	9 E420/CG	0.000050	mg/L	0.000112	 	

alsglobal.com Page: 10 of 13

Work Order : YL2401440
Client : Elgin Mining Inc.
Project : LUPIN MINE



Analytical Results

Sub-Matrix: Water (Matrix: Water)			Client sa	mple ID	P2-SEEP	 		
		С	lient sampling date	/ time	08-Sep-2024 00:00	 		
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	YL2401440-006	 		
					Result	 		
Total Metals								
Boron, total	7440-42-8	E420/CG	0.010	mg/L	0.094	 		
Cadmium, total	7440-43-9	E420/CG	0.0000050	mg/L	0.00124	 		
Calcium, total	7440-70-2	E420/CG	0.050	mg/L	114	 		
Cesium, total	7440-46-2	E420/CG	0.000010	mg/L	0.000060	 		
Chromium, total	7440-47-3	E420/CG	0.00050	mg/L	0.00768	 		
Cobalt, total	7440-48-4	E420/CG	0.00010	mg/L	0.149	 		
Copper, total	7440-50-8	E420/CG	0.00050	mg/L	0.152	 		
Iron, total	7439-89-6	E420/CG	0.010	mg/L	2.37	 		
Lead, total	7439-92-1	E420/CG	0.000050	mg/L	0.00170	 		
Lithium, total	7439-93-2	E420/CG	0.0010	mg/L	0.0189	 		
Magnesium, total	7439-95-4	E420/CG	0.0050	mg/L	26.1	 		
Manganese, total	7439-96-5	E420/CG	0.00010	mg/L	2.43	 		
Mercury, total	7439-97-6	E508/CG	0.0000050	mg/L	0.0000171 RRR, RRV	 		
Molybdenum, total	7439-98-7	E420/CG	0.000050	mg/L	0.00216	 		
Nickel, total	7440-02-0	E420/CG	0.00050	mg/L	0.270	 		
Phosphorus, total	7723-14-0	E420/CG	0.050	mg/L	0.145	 		
Potassium, total	7440-09-7	E420/CG	0.050	mg/L	7.50	 		
Rubidium, total	7440-17-7	E420/CG	0.00020	mg/L	0.00716	 		
Selenium, total	7782-49-2	E420/CG	0.000050	mg/L	0.000530	 		
Silicon, total	7440-21-3	E420/CG	0.10	mg/L	7.26	 		
Silver, total	7440-22-4	E420/CG	0.000010	mg/L	0.000142	 		
		I and the second	I .	I and the second	1		I and the second se	

alsglobal.com Page: 11 of 13

Work Order : YL2401440
Client : Elgin Mining Inc.
Project : LUPIN MINE



Analytical Results

Sub-Matrix: Water (Matrix: Water)			Client sar	mple ID	P2-SEEP	 	
		С	lient sampling date	/ time	08-Sep-2024 00:00	 	
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	YL2401440-006	 	
					Result	 	
Total Metals							
Sodium, total	7440-23-5	E420/CG	0.050	mg/L	173	 	
Strontium, total	7440-24-6	E420/CG	0.00020	mg/L	0.481	 	
Sulfur, total	7704-34-9	E420/CG	0.50	mg/L	252	 	
Tellurium, total	13494-80-9	E420/CG	0.00020	mg/L	<0.00020	 	
Thallium, total	7440-28-0	E420/CG	0.000010	mg/L	0.000029	 	
Thorium, total	7440-29-1	E420/CG	0.00010	mg/L	0.00348	 	
Tin, total	7440-31-5	E420/CG	0.00010	mg/L	<0.00010	 	
Titanium, total	7440-32-6	E420/CG	0.00030	mg/L	0.0409	 	
Tungsten, total	7440-33-7	E420/CG	0.00010	mg/L	0.00013	 	
Uranium, total	7440-61-1	E420/CG	0.000010	mg/L	0.00241	 	
Vanadium, total	7440-62-2	E420/CG	0.00050	mg/L	0.00442	 	
Zinc, total	7440-66-6	E420/CG	0.0030	mg/L	0.908	 	
Zirconium, total	7440-67-7	E420/CG	0.00020	mg/L	0.00795	 	
Dissolved Metals							
Calcium, dissolved	7440-70-2	E421/CG	0.050	mg/L	112	 	
Iron, dissolved	7439-89-6	E421/CG	0.010	mg/L	2.35	 	
Magnesium, dissolved	7439-95-4	E421/CG	0.0050	mg/L	25.2	 	
Manganese, dissolved	7439-96-5	E421/CG	0.00010	mg/L	2.32	 	
Potassium, dissolved	7440-09-7	E421/CG	0.050	mg/L	7.55	 	
Sodium, dissolved	7440-23-5	E421/CG	0.050	mg/L	174	 	
Dissolved metals filtration location		EP421/CG	-	-	Field	 	

alsglobal.com Page: 12 of 13

Work Order : YL2401440
Client : Elgin Mining Inc.
Project : LUPIN MINE

Page: 13 of 13



Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

alsglobal.com



QUALITY CONTROL INTERPRETIVE REPORT

:YL2401440 **Work Order** Page : 1 of 17

Amendment

Client Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Jon Melnyk Account Manager : Oliver Gregg

Address Address : 750 West Pender Street Suite 201 : 314 Old Airport Road, Unit 116

Yellowknife, Northwest Territories Canada X1A 3T3

: 02-Oct-2024 09:31

Telephone Telephone : 1 867 445 7143 **Date Samples Received** Project : LUPIN MINE : 10-Sep-2024 09:30 PO

C-O-C number Sampler Site

Quote number : YL24-ELMI100-001

No. of samples received :6 No. of samples analysed :6

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Issue Date

Key

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

Vancouver BC Canada V6C 2T7

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers Outliers: Quality Control Samples

No Method Blank value outliers occur.

- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

• No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

• Analysis Holding Time Outliers exist - please see following pages for full details.

Outliers : Frequency of Quality Control Samples

<u>No</u> Quality Control Sample Frequency Outliers occur.

Page : 3 of 17

Work Order : YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and/or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Water					Ev	aluation: × =	Holding time exce	edance ; •	= Within	Holding Time
Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pre	eparation		Analys		ysis	
Container / Client Sample ID(s)			Preparation Date	Holding Rec	Times Actual	Eval	Analysis Date	Holding Rec	Times Actual	Eval
Anions and Nutrients : Chloride in Water by IC										
HDPE P2-A	E235.CI	08-Sep-2024	12-Sep-2024	28 days	5 days	✓	12-Sep-2024	28 days	5 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE P2-B	E235.Cl	08-Sep-2024	12-Sep-2024	28 days	5 days	✓	12-Sep-2024	28 days	5 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE P2-C	E235.CI	08-Sep-2024	12-Sep-2024	28 days	5 days	✓	12-Sep-2024	28 days	5 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE P2-D	E235.CI	08-Sep-2024	12-Sep-2024	28 days	5 days	✓	12-Sep-2024	28 days	5 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE P2-E	E235.Cl	08-Sep-2024	12-Sep-2024	28 days	5 days	✓	12-Sep-2024	28 days	5 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE P2-SEEP	E235.Cl	08-Sep-2024	12-Sep-2024	28 days	5 days	✓	12-Sep-2024	28 days	5 days	✓
Anions and Nutrients : Fluoride in Water by IC										
HDPE P2-A	E235.F	08-Sep-2024	12-Sep-2024	28 days	5 days	✓	12-Sep-2024	28 days	5 days	✓

Page : 4 of 17

Work Order : YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Matrix: Water Evaluation: ★ = Holding time exceedance; ✓ = Within Holding Time

Matrix: Water				Holding time exceedance ; ✓ = Within Holding I						
Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pr	reparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Fluoride in Water by IC										
HDPE										
P2-B	E235.F	08-Sep-2024	12-Sep-2024	28	5 days	✓	12-Sep-2024	28 days	5 days	✓
				days						
Anions and Nutrients : Fluoride in Water by IC										
HDPE										
P2-C	E235.F	08-Sep-2024	12-Sep-2024	28	5 days	✓	12-Sep-2024	28 days	5 days	✓
				days						
Anions and Nutrients : Fluoride in Water by IC										
HDPE										
P2-D	E235.F	08-Sep-2024	12-Sep-2024	28	5 days	✓	12-Sep-2024	28 days	5 days	✓
				days				-	-	
Anions and Nutrients : Fluoride in Water by IC										
HDPE				<u> </u>						
P2-E	E235.F	08-Sep-2024	12-Sep-2024	28	5 days	✓	12-Sep-2024	28 days	5 davs	✓
		, .		days	, -			, -	, -	
Anions and Nutrients : Fluoride in Water by IC				uayo						
HDPE							<u> </u>			
P2-SEEP	E235.F	08-Sep-2024	12-Sep-2024	28	5 days	✓	12-Sep-2024	28 days	5 davs	✓
12 3221		00 000 202 .	.2 336 232 .	days	o days	·	12 336 232 .	20 44,0	o dayo	
Andrews and Nestricutes a Nitrate in Westernber 10				uayo						
Anions and Nutrients : Nitrate in Water by IC HDPE							<u> </u>			
P2-A	E235.NO3	08-Sep-2024	12-Sep-2024	3 days	5 days	×	12-Sep-2024	3 days	5 days	×
1 2-74	2200.1100	00 COP 2021	12-00p-2024	o days	o days	EHT	12-00p-2024	o days	o days	EHT
						L111				
Anions and Nutrients : Nitrate in Water by IC							I			
HDPE P2-B	E235.NO3	08-Sep-2024	12-Sep-2024	3 days	5 days	*	12-Sep-2024	3 days	5 days	×
F2-D	L233.NO3	00-3ep-2024	12-3 c p-2024	3 days	Juays	EHT	12-3ep-2024	3 days	3 uays	EHT
						LIII				L111
Anions and Nutrients : Nitrate in Water by IC					I					
HDPE P2-C	E235.NO3	08-Sep-2024	12-Sep-2024	2 days	5 days	*	12-Sep-2024	3 days	5 days	×
F2-0	E235.NU3	08-Sep-2024	12-Sep-2024	3 days	o days		12-Sep-2024	3 days	o days	
						EHT				EHT
Anions and Nutrients : Nitrate in Water by IC										
HDPE	E005 1100	00.0	10.0			,	40.0			
P2-D	E235.NO3	08-Sep-2024	12-Sep-2024	3 days	5 days	*	12-Sep-2024	3 days	5 days	*
						EHT				EHT

Page : 5 of 17

Work Order : YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Matrix: Water Evaluation: ▼ = Holding time exceedance; ✓ = Within Holding Time

Matrix: Water	l					raidation. ** =	= Holding time exceedance ; ✓ = Within Hold					
Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pr	reparation			Analys	sis			
Container / Client Sample ID(s)			Preparation		g Times	Eval	Analysis Date		Times	Eval		
			Date	Rec	Actual			Rec	Actual			
Anions and Nutrients : Nitrate in Water by IC												
HDPE												
P2-E	E235.NO3	08-Sep-2024	12-Sep-2024	3 days	5 days	sc .	12-Sep-2024	3 days	5 days	*		
						EHT				EHT		
Anions and Nutrients : Nitrate in Water by IC												
HDPE												
P2-SEEP	E235.NO3	08-Sep-2024	12-Sep-2024	3 days	5 days	32	12-Sep-2024	3 days	5 days	32		
						EHT				EHT		
Anions and Nutrients : Nitrite in Water by IC												
HDPE												
P2-A	E235.NO2	08-Sep-2024	12-Sep-2024	3 days	5 days	*	12-Sep-2024	3 days	5 days	×		
						EHT				EHT		
Anions and Nutrients : Nitrite in Water by IC												
HDPE												
P2-B	E235.NO2	08-Sep-2024	12-Sep-2024	3 days	5 days	*	12-Sep-2024	3 days	5 days	sc.		
		·				EHT	' '			EHT		
Anions and Nutrients : Nitrite in Water by IC												
HDPE				I								
P2-C	E235.NO2	08-Sep-2024	12-Sep-2024	3 days	5 days	32	12-Sep-2024	3 days	5 days	3c		
		00 000 202 .	.2 336 232 .	l augo	o days	EHT	.2 336 232 .	o aayo	o days	EHT		
A terror IAI (to to All West All (to be 10												
Anions and Nutrients : Nitrite in Water by IC HDPE												
P2-D	E235.NO2	08-Sep-2024	12-Sep-2024	3 days	5 days	×	12-Sep-2024	3 days	5 days	×		
1 2-0	2200.1102	00 000 2021	12-00p-202+	0 days	o days	EHT	12-00p-2024	o days	o days	EHT		
						LIII				E111		
Anions and Nutrients : Nitrite in Water by IC												
HDPE P2-E	E235.NO2	08-Sep-2024	12-Sep-2024	3 days	5 days	*	12-Sep-2024	3 days	5 days	×		
Γ <i>Ζ</i> -Ε	EZ3J.INUZ	00-3ep-2024	12-3 c p-2024	3 days	5 uays	EHT	12-3 c p-2024	3 uays	5 uays	EHT		
						EHI				ENI		
Anions and Nutrients : Nitrite in Water by IC												
HDPE	E005 NO0	00.0 0004	40.0 0004	0 4	F 4	,-	40.0 2001	0 4	F 4			
P2-SEEP	E235.NO2	08-Sep-2024	12-Sep-2024	3 days	5 days	*	12-Sep-2024	3 days	5 days	*		
						EHT				EHT		
Anions and Nutrients : Sulfate in Water by IC												
HDPE												
P2-A	E235.SO4	08-Sep-2024	12-Sep-2024	28	5 days	✓	12-Sep-2024	28 days	5 days	✓		
				days								

Page : 6 of 17

Work Order : YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Matrix: Water Evaluation: ★ = Holding time exceedance; ✓ = Within Holding Time

							ion: × = Holding time exceedance ; ✓ = Within Holding				
Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pi	reparation			Analys	sis		
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval	
			Date	Rec	Actual			Rec	Actual		
Anions and Nutrients : Sulfate in Water by IC											
HDPE											
P2-B	E235.SO4	08-Sep-2024	12-Sep-2024	28	5 days	✓	12-Sep-2024	28 days	5 days	✓	
				days							
Anions and Nutrients : Sulfate in Water by IC											
HDPE											
P2-C	E235.SO4	08-Sep-2024	12-Sep-2024	28	5 days	✓	12-Sep-2024	28 days	5 days	✓	
				days							
Anions and Nutrients : Sulfate in Water by IC											
HDPE							I				
P2-D	E235.SO4	08-Sep-2024	12-Sep-2024	28	5 days	✓	12-Sep-2024	28 days	5 days	✓	
			•	days					-		
Anions and Nutrients : Sulfate in Water by IC											
HDPE							I				
P2-E	E235.SO4	08-Sep-2024	12-Sep-2024	28	5 days	✓	12-Sep-2024	28 days	5 davs	✓	
		· ·		days	,		,				
Anions and Nutrients : Sulfate in Water by IC				,							
HDPE											
P2-SEEP	E235.SO4	08-Sep-2024	12-Sep-2024	28	5 days	✓	12-Sep-2024	28 days	5 davs	✓	
. 2 322				days	, -		,		, -		
Cyanides : Total Cyanide				aayo							
UV-inhibited HDPE - total (sodium hydroxide)							I				
P2-A	E333	08-Sep-2024	16-Sep-2024	14	9 days	1	16-Sep-2024	14 days	9 days	✓	
127	2000	00 000 202 .	10 00p 202 1	days	o dayo		10 000 2021	l i dayo	o dayo		
				days							
Cyanides: Total Cyanide							<u> </u>				
UV-inhibited HDPE - total (sodium hydroxide) P2-B	E333	08-Sep-2024	16-Sep-2024	14	9 days	√	16-Sep-2024	14 days	0 dave	✓	
1 2-0	L000	00-06p-2024	10-06p-2024	days	Juays	•	10-06p-2024	14 days	Juays	•	
				uays							
Cyanides: Total Cyanide							I	I			
UV-inhibited HDPE - total (sodium hydroxide) P2-C	E333	08-Sep-2024	16-Sep-2024	4.4	9 days	√	16-Sep-2024	14 days	9 days	✓	
F2-U	∟ುು	00-3ep-2024	10-3ep-2024	14	9 uays	•	10-3ep-2024	14 days	9 uays	▼	
				days				L			
Cyanides : Total Cyanide											
UV-inhibited HDPE - total (sodium hydroxide)	F222	00.0 0004	10.00061		0.1		40.0 0004	44.1	0.1		
P2-D	E333	08-Sep-2024	16-Sep-2024	14	9 days	✓	16-Sep-2024	14 days	9 days	✓	
				days							

Page : 7 of 17

Work Order : YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Matrix: Water Evaluation: × = Holding time exceedance; ✓ = Within Holding Time

Matrix: Water						/aluation: × =	Holding Time			
Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pr	reparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Cyanides : Total Cyanide										
UV-inhibited HDPE - total (sodium hydroxide)										
P2-E	E333	08-Sep-2024	16-Sep-2024	14	9 days	✓	16-Sep-2024	14 days	9 days	✓
				days						
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial dissolved (hydrochloric acid)										
P2-A	E509	08-Sep-2024	13-Sep-2024	28	6 days	1	13-Sep-2024	28 days	6 days	✓
		·	·	days			·			
Dissolved Metals : Dissolved Mercury in Water by CVAAS				,						
Glass vial dissolved (hydrochloric acid)							I			
P2-B	E509	08-Sep-2024	13-Sep-2024	28	6 days	✓	13-Sep-2024	28 days	6 davs	✓
. <u></u>			,	days			' '		,	
Discoluted Metals a Discoluted Management in Western Inc. OVA A C										
Dissolved Metals : Dissolved Mercury in Water by CVAAS Glass vial dissolved (hydrochloric acid)					<u> </u>		I			
P2-C	E509	08-Sep-2024	13-Sep-2024	28	6 days	1	13-Sep-2024	28 days	6 days	√
F2-0	2000	00-0cp-2024	10-0ep-2024	days	0 days	Ť	15-0ep-2024	20 days	0 days	•
				uays						
Dissolved Metals : Dissolved Mercury in Water by CVAAS				<u> </u>	I	<u> </u>	1		I I	
Glass vial dissolved (hydrochloric acid)	E509	00 Can 2024	12 Can 2024		6 days	√	12 Can 2024	28 days	6 days	√
P2-D	E509	08-Sep-2024	13-Sep-2024	28	6 days	•	13-Sep-2024	20 days	6 days	•
				days						
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial dissolved (hydrochloric acid)										
P2-E	E509	08-Sep-2024	13-Sep-2024	28	6 days	✓	13-Sep-2024	28 days	6 days	✓
				days						
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE - dissolved (lab preserved)										
P2-A	E421	08-Sep-2024	13-Sep-2024	180	6 days	✓	16-Sep-2024	180	8 days	✓
				days				days		
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE - dissolved (lab preserved)										
P2-B	E421	08-Sep-2024	13-Sep-2024	180	6 days	✓	16-Sep-2024	180	8 days	✓
				days				days		
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE - dissolved (lab preserved)										
P2-C	E421	08-Sep-2024	13-Sep-2024	180	6 days	✓	16-Sep-2024	180	8 days	✓
				days	,-			days	, ,	
				aayo				aayo		

Page : 8 of 17

Work Order : YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Matrix: Water Evaluation: ▼ = Holding time exceedance; ✓ = Within Holding Time

Matrix: Water						raidation. • -	× = Holding time exceedance; ✓ = Within Hold					
Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pr	reparation			Analys	is			
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	g Times	Eval		
			Date	Rec	Actual			Rec	Actual			
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS												
HDPE - dissolved (lab preserved)												
P2-D	E421	08-Sep-2024	13-Sep-2024	180	6 days	✓	16-Sep-2024	180	8 days	✓		
				days				days				
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS												
HDPE - dissolved (lab preserved)												
P2-E	E421	08-Sep-2024	13-Sep-2024	180	6 days	✓	16-Sep-2024	180	8 days	✓		
				days				days				
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS									<u> </u>			
HDPE - dissolved (lab preserved)												
P2-SEEP	E421	08-Sep-2024	13-Sep-2024	180	6 days	✓	16-Sep-2024	180	8 days	✓		
		·		days				days	-			
Organic / Inorganic Carbon : Dissolved Organic Carbon by Combustion (Low Leve	N											
Amber glass dissolved (lab preserved)]											
P2-SEEP	E358-L	08-Sep-2024	26-Sep-2024	3 days	19	*	27-Sep-2024	28 days	1 davs	✓		
				,-	days	EHT		, -	, -			
Organic / Inorganic Carbon : Total Organic Carbon (Non-Purgeable) by Combustic	on (Low Lovel)				, -							
Amber glass total (lab preserved)	ii (Low Level)						<u> </u>					
P2-SEEP	E355-L	08-Sep-2024	26-Sep-2024	3 days	19	32	27-Sep-2024	28 days	1 davs	✓		
12 322		00 00p 202 .	20 000 202 .	o aayo	days	EHT	2. 339 232 .	20 00,0	. aayo			
District Tests Albeliais Onesias by Titasian					dayo							
Physical Tests : Alkalinity Species by Titration HDPE							<u> </u>					
P2-A	E290	08-Sep-2024	12-Sep-2024	14	5 days	√	12-Sep-2024	14 days	5 days	✓		
12-74		00 COP 2021	12-00p-202+	days	o days	,	12-00p-2024	1+ days	o days	•		
				uays								
Physical Tests : Alkalinity Species by Titration							I					
HDPE P2-B	E290	08-Sep-2024	12-Sep-2024	14	5 days	√	12-Sep-2024	14 days	5 days	✓		
PZ-B	E290	06-3ep-2024	12-3ep-2024	1	5 uays	•	12-3ep-2024	14 uays	5 uays	•		
				days								
Physical Tests : Alkalinity Species by Titration												
HDPE	F000	00 00= 0004	10 00- 0001		E dave		10 00- 0004	11 4	E d			
P2-C	E290	08-Sep-2024	12-Sep-2024	14	5 days	✓	12-Sep-2024	14 days	5 days	✓		
				days								
Physical Tests : Alkalinity Species by Titration												
HDPE										_		
P2-D	E290	08-Sep-2024	12-Sep-2024	14	5 days	✓	12-Sep-2024	14 days	5 days	✓		
				days								

Page : 9 of 17

Work Order : YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Matrix: Water Evaluation: ★ = Holding time exceedance; ✓ = Within Holding Time

Matrix: Water						uluulloil.	Holding time excee	oudinoo ,	* *************************************	riolaling riili
Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pi	reparation			Analys	sis	
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Physical Tests : Alkalinity Species by Titration										
HDPE										
P2-E	E290	08-Sep-2024	12-Sep-2024	14	5 days	✓	12-Sep-2024	14 days	5 days	✓
				days						
Physical Tests : Alkalinity Species by Titration										
HDPE										
P2-SEEP	E290	08-Sep-2024	12-Sep-2024	14	5 days	✓	12-Sep-2024	14 days	5 days	✓
		·	·	days			·			
Physical Tests : Colour (True) by Spectrometer (5 CU)				,						
HDPE										
P2-SEEP	E329	08-Sep-2024	19-Sep-2024	3 days	12	*	19-Sep-2024	3 davs	12 days	*
				,-	days	EHT		, -	,-	EHT
District Action Control of the Control					dayo					
Physical Tests : Conductivity in Water HDPE										
	E100	08-Sep-2024	12-Sep-2024	00	5 days	✓	12-Sep-2024	20 days	5 days	✓
P2-A	E100	06-3ep-2024	12-Sep-2024	28	5 days	•	12-Sep-2024	20 days	5 days	•
				days						
Physical Tests : Conductivity in Water										
HDPE						,				,
P2-B	E100	08-Sep-2024	12-Sep-2024	28	5 days	✓	12-Sep-2024	28 days	5 days	✓
				days						
Physical Tests : Conductivity in Water										
HDPE										
P2-C	E100	08-Sep-2024	12-Sep-2024	28	5 days	✓	12-Sep-2024	28 days	5 days	✓
				days						
Physical Tests : Conductivity in Water										
HDPE										
P2-D	E100	08-Sep-2024	12-Sep-2024	28	5 days	✓	12-Sep-2024	28 days	5 days	✓
				days						
Physical Tests : Conductivity in Water										
HDPE										
P2-E	E100	08-Sep-2024	12-Sep-2024	28	5 days	✓	12-Sep-2024	28 days	5 days	✓
		'	•	days			·			
Physical Tests : Conductivity in Water				, ,						
Physical Tests : Conductivity in Water HDPE										
P2-SEEP	E100	08-Sep-2024	12-Sep-2024	20	5 days	√	12-Sep-2024	28 days	5 days	✓
F2-SECF		00-36p-2024	12-36h-2024	28	3 uays	•	12-3ep-2024	20 uays	3 uays	•
				days						

Page : 10 of 17

Work Order : YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Matrix: Water Evaluation: ▼ = Holding time exceedance; ✓ = Within Holding Time

Matrix: Water	Madha al	On any English Date	Ev.	traction / D		valuation. • –	Holding time exce			Tiolding Tilli
Analyte Group : Analytical Method	Method	Sampling Date		traction / P				Analys		
Container / Client Sample ID(s)			Preparation Date	Rec	g Times Actual	Eval	Analysis Date	Rec	Times Actual	Eval
Physical Tests : pH by Meter										
HDPE P2-A	E108	08-Sep-2024	12-Sep-2024	0.25	112 hrs	*	12-Sep-2024	0.25	112 hrs	*
Physical Tests : pH by Meter				hrs		EHTR-FM		hrs		EHTR-FM
HDPE				T	<u> </u>			I	I	
P2-B	E108	08-Sep-2024	12-Sep-2024	0.25 hrs	112 hrs	# EHTR-FM	12-Sep-2024	0.25 hrs	112 hrs	# EHTR-FM
Physical Tests : pH by Meter										
HDPE P2-C	E108	08-Sep-2024	12-Sep-2024	0.25 hrs	112 hrs	* EHTR-FM	12-Sep-2024	0.25 hrs	112 hrs	* EHTR-FM
Physical Tests : pH by Meter										
HDPE P2-D	E108	08-Sep-2024	12-Sep-2024	0.25 hrs	112 hrs	* EHTR-FM	12-Sep-2024	0.25 hrs	112 hrs	EHTR-FM
Physical Tests : pH by Meter										
HDPE P2-E	E108	08-Sep-2024	12-Sep-2024	0.25 hrs	112 hrs	* EHTR-FM	12-Sep-2024	0.25 hrs	112 hrs	* EHTR-FM
Physical Tests : pH by Meter										
HDPE P2-SEEP	E108	08-Sep-2024	12-Sep-2024	0.25 hrs	112 hrs	* EHTR-FM	12-Sep-2024	0.25 hrs	112 hrs	* EHTR-FM
Physical Tests : TDS by Gravimetry										
HDPE P2-SEEP	E162	08-Sep-2024					19-Sep-2024	7 days	12 days	* EHT
Physical Tests : Turbidity by Nephelometry										
HDPE P2-SEEP	E121	08-Sep-2024					20-Sep-2024	3 days	12 days	x EHT
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid) P2-A	E508	08-Sep-2024	13-Sep-2024	28 days	6 days	1	13-Sep-2024	28 days	6 days	✓

Page : 11 of 17

Work Order : YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Matrix: Water Evaluation: × = Holding time exceedance; ✓ = Within Holding Time

Matrix: Water						raidation. • -	Holding time exce	cuarice , •	- *************************************	Holding Time
Analyte Group : Analytical Method	Method	Sampling Date	Ex	Extraction / Preparation				Analys	is	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
P2-B	E508	08-Sep-2024	13-Sep-2024	28	6 days	✓	13-Sep-2024	28 days	6 days	✓
				days						
Total Metals : Total Mercury in Water by CVAAS			1111							
Glass vial total (hydrochloric acid)										
P2-C	E508	08-Sep-2024	13-Sep-2024	28	6 days	✓	13-Sep-2024	28 days	6 days	✓
				days						
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
P2-D	E508	08-Sep-2024	13-Sep-2024	28	6 days	✓	13-Sep-2024	28 days	6 days	✓
			·	days	'				,	
Total Metals : Total Mercury in Water by CVAAS				,						
Glass vial total (hydrochloric acid)							I			
P2-E	E508	08-Sep-2024	13-Sep-2024	28	6 days	✓	13-Sep-2024	28 days	6 days	✓
122			.0 000 202.	days	o days		10 000 2021	20 44,0	o aayo	
Total Metals : Total Mercury in Water by CVAAS				uayo						
Glass vial total (hydrochloric acid)				<u> </u>	<u> </u>		I	<u> </u>		
P2-SEEP	E508	08-Sep-2024	13-Sep-2024	28	6 days	√	13-Sep-2024	28 days	6 days	√
1 2-OLLI	2000	00-00p-2024	10-00р-2024	days	o days		10-00p-2024	20 days	o days	•
				days						
Total Metals : Total Metals in Water by CRC ICPMS							I			
HDPE - total (lab preserved) P2-A	E420	08-Sep-2024	14-Sep-2024	180	6 days	√	16-Sep-2024	180	8 days	✓
F2-A	L+20	00-00p-202+	14-0ер-2024	days	0 days	,	10-0ep-2024		0 days	*
				uays				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved) P2-B	E420	08-Sep-2024	14-Sep-2024	400	6 days	√	16-Sep-2024	400	8 days	✓
r2-D	E420	00-Sep-2024	14-Sep-2024	180	ouays	•	10-Sep-2024	180	o uays	•
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)	F400	00.0 0004	44.0 0004		0.1		40.0 0004		0.1	
P2-C	E420	08-Sep-2024	14-Sep-2024	180	6 days	✓	16-Sep-2024	180	8 days	✓
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
P2-D	E420	08-Sep-2024	14-Sep-2024	180	6 days	✓	16-Sep-2024	180	8 days	✓
				days				days		

Page : 12 of 17

Work Order : YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Matrix: Water

Evaluation: **x** = Holding time exceedance ; ✓ = Within Holding Time

THAT THAT I						alaation.	Tiolaing time excee	, ,	***********	riolaning riini
Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pr	reparation			Analys	sis	
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
P2-E	E420	08-Sep-2024	14-Sep-2024	180	6 days	✓	16-Sep-2024	180	8 days	✓
				days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
P2-SEEP	E420	08-Sep-2024	14-Sep-2024	180	6 days	✓	16-Sep-2024	180	8 days	✓
				days				days		

Legend & Qualifier Definitions

EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended

EHT: Exceeded ALS recommended hold time prior to analysis.

Rec. HT: ALS recommended hold time (see units).

Page : 13 of 17

Work Order : YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Quality Control Sample Type			C	ount		Frequency (%)
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Laboratory Duplicates (DUP)							
Alkalinity Species by Titration	E290	1648421	1	20	5.0	5.0	1
Chloride in Water by IC	E235.CI	1648328	1	15	6.6	5.0	1
Colour (True) by Spectrometer (5 CU)	E329	1661793	1	14	7.1	5.0	1
Conductivity in Water	E100	1648420	1	20	5.0	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1650625	1	16	6.2	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1650113	1	20	5.0	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	1676183	1	7	14.2	5.0	✓
Fluoride in Water by IC	E235.F	1648327	1	15	6.6	5.0	✓
Nitrate in Water by IC	E235.NO3	1648324	1	17	5.8	5.0	✓
Nitrite in Water by IC	E235.NO2	1648325	1	17	5.8	5.0	✓
pH by Meter	E108	1648419	1	20	5.0	5.0	✓
Sulfate in Water by IC	E235.SO4	1648326	1	15	6.6	5.0	✓
TDS by Gravimetry	E162	1661891	1	5	20.0	5.0	✓
Total Cyanide	E333	1653573	2	37	5.4	5.0	✓
Total Mercury in Water by CVAAS	E508	1650624	1	19	5.2	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1650111	1	20	5.0	5.0	✓
Total Organic Carbon (Non-Purgeable) by Combustion (Low Level)	E355-L	1676184	1	7	14.2	5.0	✓
Turbidity by Nephelometry	E121	1661906	1	15	6.6	5.0	✓
Laboratory Control Samples (LCS)							
Alkalinity Species by Titration	E290	1648421	1	20	5.0	5.0	1
Chloride in Water by IC	E235.CI	1648328	1	15	6.6	5.0	✓
Colour (True) by Spectrometer (5 CU)	E329	1661793	1	14	7.1	5.0	✓
Conductivity in Water	E100	1648420	1	20	5.0	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1650625	1	16	6.2	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1650113	1	20	5.0	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	1676183	1	7	14.2	5.0	✓
Fluoride in Water by IC	E235.F	1648327	1	15	6.6	5.0	✓
Nitrate in Water by IC	E235.NO3	1648324	1	17	5.8	5.0	✓
Nitrite in Water by IC	E235.NO2	1648325	1	17	5.8	5.0	✓
pH by Meter	E108	1648419	1	20	5.0	5.0	✓
Sulfate in Water by IC	E235.SO4	1648326	1	15	6.6	5.0	✓
TDS by Gravimetry	E162	1661891	1	5	20.0	5.0	✓
Total Cyanide	E333	1653573	2	37	5.4	5.0	✓
Total Mercury in Water by CVAAS	E508	1650624	1	19	5.2	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1650111	1	20	5.0	5.0	✓
Total Organic Carbon (Non-Purgeable) by Combustion (Low Level)	E355-L	1676184	1	7	14.2	5.0	1

Page : 14 of 17

Work Order : YL2401440 Amendment 1



Matrix: Water		Evaluation	on: × = QC freque	ency outside sp	ecification; ✓ = 0	QC frequency wi	thin specification
Quality Control Sample Type			Co	ount		Frequency (%)
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Laboratory Control Samples (LCS) - Continued							
Turbidity by Nephelometry	E121	1661906	1	15	6.6	5.0	✓
Method Blanks (MB)							
Alkalinity Species by Titration	E290	1648421	1	20	5.0	5.0	✓
Chloride in Water by IC	E235.CI	1648328	1	15	6.6	5.0	✓
Colour (True) by Spectrometer (5 CU)	E329	1661793	1	14	7.1	5.0	✓
Conductivity in Water	E100	1648420	1	20	5.0	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1650625	1	16	6.2	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1650113	1	20	5.0	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	1676183	1	7	14.2	5.0	✓
Fluoride in Water by IC	E235.F	1648327	1	15	6.6	5.0	✓
Nitrate in Water by IC	E235.NO3	1648324	1	17	5.8	5.0	✓
Nitrite in Water by IC	E235.NO2	1648325	1	17	5.8	5.0	✓
Sulfate in Water by IC	E235.SO4	1648326	1	15	6.6	5.0	✓
TDS by Gravimetry	E162	1661891	1	5	20.0	5.0	✓
Total Cyanide	E333	1653573	2	37	5.4	5.0	✓
Total Mercury in Water by CVAAS	E508	1650624	1	19	5.2	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1650111	1	20	5.0	5.0	✓
Total Organic Carbon (Non-Purgeable) by Combustion (Low Level)	E355-L	1676184	1	7	14.2	5.0	✓
Turbidity by Nephelometry	E121	1661906	1	15	6.6	5.0	✓
Matrix Spikes (MS)							
Chloride in Water by IC	E235.Cl	1648328	1	15	6.6	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1650625	1	16	6.2	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1650113	1	20	5.0	5.0	✓
Dissolved Organic Carbon by Combustion (Low Level)	E358-L	1676183	1	7	14.2	5.0	✓
Fluoride in Water by IC	E235.F	1648327	1	15	6.6	5.0	✓
Nitrate in Water by IC	E235.NO3	1648324	1	17	5.8	5.0	✓
Nitrite in Water by IC	E235.NO2	1648325	1	17	5.8	5.0	✓
Sulfate in Water by IC	E235.SO4	1648326	1	15	6.6	5.0	✓
Total Cyanide	E333	1653573	2	37	5.4	5.0	✓
Total Mercury in Water by CVAAS	E508	1650624	1	19	5.2	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1650111	1	20	5.0	5.0	✓
Total Organic Carbon (Non-Purgeable) by Combustion (Low Level)	E355-L	1676184	1	7	14.2	5.0	✓

Page : 15 of 17

Work Order : YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Conductivity in Water	E100	Water	APHA 2510 (mod)	Conductivity, also known as Electrical Conductivity (EC) or Specific Conductance, is measured by immersion of a conductivity cell with platinum electrodes into a water
	ALS Environmental -			sample. Conductivity measurements are temperature-compensated to 25°C.
	Calgary			campio. Consucerty industriants are temperature compensation to 20 0.
pH by Meter	E108	Water	APHA 4500-H (mod)	pH is determined by potentiometric measurement with a pH electrode, and is conducted
				at ambient laboratory temperature (normally 20 ± 5°C). For high accuracy test results,
	ALS Environmental -			pH should be measured in the field within the recommended 15 minute hold time.
	Calgary			
Turbidity by Nephelometry	E121	Water	APHA 2130 B (mod)	Turbidity is measured by the nephelometric method, by measuring the intensity of light
				scatter under defined conditions.
	ALS Environmental -			
	Calgary			
TDS by Gravimetry	E162	Water	APHA 2540 C (mod)	Total Dissolved Solids (TDS) are determined by filtering a sample through a glass fibre
				filter, with evaporation of the filtrate at $180 \pm 2^{\circ}\text{C}$ for 16 hours or to constant weight,
	ALS Environmental -			with gravimetric measurement of the residue.
Old with in Water Lord	Calgary	10/-4-	EDA 000 4 (*** 1)	
Chloride in Water by IC	E235.Cl	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Calgary			
Fluoride in Water by IC	E235.F	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Calgary			
Nitrite in Water by IC	E235.NO2	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Calgary			
Nitrate in Water by IC	E235.NO3	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Calgary			
Sulfate in Water by IC	E235.SO4	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
	ALS Environmental -			
	Calgary			
Alkalinity Species by Titration	E290	Water	APHA 2320 B (mod)	Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate,
				carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total
	ALS Environmental -			alkalinity values.
	Calgary			

Page

16 of 17 YL2401440 Amendment 1 Work Order :

Elgin Mining Inc. LUPIN MINE Client Project



Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Colour (True) by Spectrometer (5 CU)	E329	Water	APHA 2120 C (mod)	Colour (True Colour) is determined by filtering a sample through a 0.45 micron membrane
				filter followed by analysis of the filtrate using the platinum-cobalt colourimetric
	ALS Environmental -			method. Colour measurements can be highly pH dependent, and apply to the pH of the
	Calgary			sample as received (at time of testing), without pH adjustment.
Total Cyanide	E333	Water	ISO 14403 (mod)	Total or Strong Acid Dissociable (SAD) Cyanide is determined by Continuous Flow
				Analyzer (CFA) with in-line UV digestion followed by colourmetric analysis.
	ALS Environmental -			
	Waterloo			Method Limitation: High levels of thiocyanate (SCN) may cause positive interference (up
		NA / - 4	ADITA 5040 D (*** 1)	to 0.5% of SCN concentration).
Total Organic Carbon (Non-Purgeable) by	E355-L	Water	APHA 5310 B (mod)	Total Organic Carbon (Non-Purgeable), also known as NPOC (total), is a direct
Combustion (Low Level)	ALC Environmental			measurement of TOC after an acidified sample has been purged to remove inorganic
	ALS Environmental -			carbon (IC). Analysis is by high temperature combustion with infrared detection of CO2.
	Calgary			NPOC does not include volatile organic species that are purged off with IC. For samples where the majority of total carbon (TC) is comprised of IC (which is common),
				this method is more accurate and more reliable than the TOC by subtraction method (i.e.
				TC minus TIC).
Dissolved Organic Carbon by Combustion	E358-L	Water	APHA 5310 B (mod)	Dissolved Organic Carbon (Non-Purgeable), also known as NPOC (dissolved), is a
(Low Level)	2000 2		, ,	direct measurement of DOC after a filtered (0.45 micron) sample has been acidified and
(=======	ALS Environmental -			purged to remove inorganic carbon (IC). Analysis is by high temperature combustion
	Calgary			with infrared detection of CO2. NPOC does not include volatile organic species that are
				purged off with IC. For samples where the majority of DC (dissolved carbon) is
				comprised of IC (which is common), this method is more accurate and more reliable than
				the DOC by subtraction method (i.e. DC minus DIC).
Total Metals in Water by CRC ICPMS	E420	Water	EPA 200.2/6020B	Water samples are digested with nitric and hydrochloric acids, and analyzed by
			(mod)	Collision/Reaction Cell ICPMS.
	ALS Environmental -			
	Calgary			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered
Discribed I Martin To Water Lee ODO TODMO		NA / - 4		by this method.
Dissolved Metals in Water by CRC ICPMS	E421	Water	APHA 3030B/EPA	Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by
	ALS Environmental -		6020B (mod)	Collision/Reaction Cell ICPMS.
				Mathed Limitation (res Cultur), Cultide and valetile cultur enesies may not be recovered
	Calgary			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Total Mercury in Water by CVAAS	E508	Water	EPA 1631E (mod)	Water samples undergo a cold-oxidation using bromine monochloride prior to reduction
				with stannous chloride, and analyzed by CVAAS
	ALS Environmental -			
	Calgary			
Dissolved Mercury in Water by CVAAS	E509	Water	APHA 3030B/EPA	Water samples are filtered (0.45 um), preserved with HCl, then undergo a cold-oxidation
			1631E (mod)	using bromine monochloride prior to reduction with stannous chloride, and analyzed by
	ALS Environmental -			CVAAS.
	Calgary			

Page : 17 of 17

Work Order : YL2401440 Amendment 1



Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Dissolved Hardness (Calculated)	EC100	Water	APHA 2340B	"Hardness (as CaCO3), dissolved" is calculated from the sum of dissolved Calcium and
Discoved Flarances (Galediated)	LO 100	Water	74 117 (20 102	Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers
	ALS Environmental -			to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially
	Calgary			calculated from dissolved Calcium and Magnesium concentrations, because it is a
	Caigary			property of water due to dissolved divalent cations.
Hardness (Calculated) from Total Ca/Mg	EC100A	Water	APHA 2340B	"Hardness (as CaCO3), from total Ca/Mg" is calculated from the sum of total Calcium and
, , , , ,	20100/1			Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers
	ALS Environmental -			to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially
	Calgary			calculated from dissolved Calcium and Magnesium concentrations, because it is a
	0 ,			property of water due to dissolved divalent cations. Hardness from total Ca/Mg is
				normally comparable to Dissolved Hardness in non-turbid waters.
Ion Balance using Dissolved Metals	EC101	Water	APHA 1030E	Cation Sum, Anion Sum, and Ion Balance are calculated based on quidance from APHA
				Standard Methods (1030E Checking Correctness of Analysis). Dissolved species are
	ALS Environmental -			used where available. Minor ions are included where data is present.
	Calgary			Ion Balance cannot be calculated accurately for waters with very low electrical
				conductivity (EC).
TDS in Water (Calculation)	EC103	Water	APHA 1030E (mod)	Total Dissolved Solids is calculated based on guidance from APHA Standard Methods
				(1030E Checking Correctness of Analysis). Dissolved species are used where
	ALS Environmental -			available. Minor ions are included where data is present.
	Calgary			
Nitrate and Nitrite (as N) (Calculation)	EC235.N+N	Water	EPA 300.0	Nitrate and Nitrite (as N) is a calculated parameter. Nitrate and Nitrite (as N) = Nitrite (as
				N) + Nitrate (as N).
	ALS Environmental -			
	Calgary			
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Preparation for Total Organic Carbon by	EP355	Water		Preparation for Total Organic Carbon by Combustion
Combustion				
	ALS Environmental -			
	Calgary			
Preparation for Dissolved Organic Carbon for	EP358	Water	APHA 5310 B (mod)	Preparation for Dissolved Organic Carbon
Combustion				
	ALS Environmental -			
	Calgary			
Dissolved Metals Water Filtration	EP421	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HNO3.
	ALS Environmental -			
Dissolved Mercury Water Filtration	Calgary	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HCl.
Dissolved Mercury vvaler Fill attori	EP509	vvaler	AFIIA SUSUD	vvater samples are illeted (0.45 dm), and preserved with not.
	ALS Environmental -			
	Calgary			

ALS Canada Ltd.



QUALITY CONTROL REPORT

Work Order : YL2401440 Page : 1 of 17

Amendment : 1

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Jon Melnyk Account Manager : Oliver Gregg

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

Yellowknife, Northwest Territories Canada X1A 3T3

 Telephone
 :--- Telephone
 :1 867 445 7143

 Project
 : LUPIN MINE
 Date Samples Received
 : 10-Sep-2024 09

: LUPIN MINE Date Samples Received : 10-Sep-2024 09:30 :---- Date Analysis Commenced : 12-Sep-2024

C-O-C number :---- Issue Date :02-Oct-2024 09:32 Sampler :---

Site :---

Vancouver BC Canada V6C 2T7

No. of samples received : 6
No. of samples analysed : 6

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives

- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

:YL24-ELMI100-001

Signatories

PO

Quote number

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department	
Gurvinder Kour	Lab Assistant	Calgary Metals, Calgary, Alberta	
Harpreet Chawla	Team Leader - Inorganics	Calgary Inorganics, Calgary, Alberta	
Jon Fisher	Production Manager, Environmental	Waterloo Inorganics, Waterloo, Ontario	
Katarzyna Glinka	Analyst	Calgary Inorganics, Calgary, Alberta	
Kevin Baxter	Team Leader - Inorganics	Calgary Inorganics, Calgary, Alberta	
Kevin Baxter	Team Leader - Inorganics	Calgary Metals, Calgary, Alberta	
Parker Sgarbossa	Laboratory Analyst	Calgary Metals, Calgary, Alberta	
Ruifang Zheng	Analyst	Calgary Inorganics, Calgary, Alberta	
Shirley Li	Team Leader - Inorganics	Calgary Metals, Calgary, Alberta	

Page : 2 of 17

Work Order: YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key:

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Page : 3 of 17

Work Order: YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Water					Laboratory Duplicate (DUP) Report								
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier		
Physical Tests (QC	Lot: 1648419)												
CG2413105-001	Anonymous	рН		E108	0.10	pH units	7.98	8.00	0.250%	4%			
Physical Tests (QC	Lot: 1648420)												
CG2413105-001	Anonymous	Conductivity		E100	2.0	μS/cm	1970	1940	1.33%	10%			
Physical Tests (QC	Lot: 1648421)												
CG2413105-001	Anonymous	Alkalinity, total (as CaCO3)		E290	1.0	mg/L	508	484	4.86%	20%			
Physical Tests (QC	Lot: 1661793)												
CG2413609-001	Anonymous	Colour, true		E329	5.0	CU	<5.0	<5.0	0	Diff <2x LOR			
Physical Tests (QC	Lot: 1661891)												
CG2413554-001	Anonymous	Solids, total dissolved [TDS]		E162	20	mg/L	1460	1210	18.2%	20%			
Physical Tests (QC	Lot: 1661906)												
CG2413605-001	Anonymous	Turbidity		E121	0.10	NTU	21.6	21.6	0.463%	15%			
Anions and Nutrien	ts (QC Lot: 1648324)												
YL2401440-001	P2-A	Nitrate (as N)	14797-55-8	E235.NO3	0.020	mg/L	0.404	0.408	0.812%	20%			
Anions and Nutrien	ts (QC Lot: 1648325)												
YL2401440-001	P2-A	Nitrite (as N)	14797-65-0	E235.NO2	0.010	mg/L	<0.010	<0.010	0	Diff <2x LOR			
Anions and Nutrien	ts (QC Lot: 1648326)												
YL2401440-001	P2-A	Sulfate (as SO4)	14808-79-8	E235.SO4	0.30	mg/L	178	179	0.794%	20%			
Anions and Nutrien	ts (QC Lot: 1648327)												
YL2401440-001	P2-A	Fluoride	16984-48-8	E235.F	0.020	mg/L	0.126	0.126	0.0006	Diff <2x LOR			
Anions and Nutrien	ts (QC Lot: 1648328)												
YL2401440-001	P2-A	Chloride	16887-00-6	E235.CI	0.50	mg/L	13.1	13.2	0.864%	20%			
Cyanides (QC Lot:	1653573)												
WT2427138-001	Anonymous	Cyanide, strong acid dissociable (Total)		E333	0.0020	mg/L	0.0027	0.0027	0.00001	Diff <2x LOR			
Cyanides (QC Lot:	1653576)												
KS2403724-001	Anonymous	Cyanide, strong acid dissociable (Total)		E333	0.0050	mg/L	<0.0050	<0.0050	0	Diff <2x LOR			
Organic / Inorganic	Carbon (QC Lot: 16761	83)											
CG2413982-001	Anonymous	Carbon, dissolved organic [DOC]		E358-L	0.50	mg/L	2.37	2.61	0.24	Diff <2x LOR			
Organic / Inorganic	Carbon (QC Lot: 16761	84)											
CG2413982-001	Anonymous	Carbon, total organic [TOC]		E355-L	0.50	mg/L	2.39	2.33	0.06	Diff <2x LOR			

Page : 4 of 17

Work Order: YL2401440 Amendment 1



Sub-Matrix: Water							Labora	tory Duplicate (D	UP) Report		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifie
Total Metals (QC Lo	ot: 1650111)										
CG2413082-001	Anonymous	Aluminum, total	7429-90-5	E420	0.0030	mg/L	0.0236	0.0227	0.0009	Diff <2x LOR	
		Antimony, total	7440-36-0	E420	0.00010	mg/L	0.00035	0.00033	0.00001	Diff <2x LOR	
		Arsenic, total	7440-38-2	E420	0.00010	mg/L	0.00031	0.00034	0.00003	Diff <2x LOR	
		Barium, total	7440-39-3	E420	0.00010	mg/L	0.679	0.673	0.898%	20%	
		Beryllium, total	7440-41-7	E420	0.000020	mg/L	<0.020 µg/L	<0.000020	0	Diff <2x LOR	
		Bismuth, total	7440-69-9	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	
		Boron, total	7440-42-8	E420	0.010	mg/L	0.057	0.059	0.002	Diff <2x LOR	
		Cadmium, total	7440-43-9	E420	0.0000050	mg/L	0.0313 μg/L	0.0000406	0.0000093	Diff <2x LOR	
		Calcium, total	7440-70-2	E420	0.050	mg/L	71.0	72.8	2.58%	20%	
		Cesium, total	7440-46-2	E420	0.000010	mg/L	0.000026	0.000026	0.0000008	Diff <2x LOR	
		Chromium, total	7440-47-3	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	
		Cobalt, total	7440-48-4	E420	0.00010	mg/L	<0.10 µg/L	<0.00010	0	Diff <2x LOR	
		Copper, total	7440-50-8	E420	0.00050	mg/L	0.00051	<0.00050	0.00001	Diff <2x LOR	
		Iron, total	7439-89-6	E420	0.010	mg/L	0.026	0.031	0.005	Diff <2x LOR	
		Lead, total	7439-92-1	E420	0.000050	mg/L	0.000082	0.000082	0.0000007	Diff <2x LOR	
		Lithium, total	7439-93-2	E420	0.0010	mg/L	0.210	0.216	2.82%	20%	
		Magnesium, total	7439-95-4	E420	0.0050	mg/L	33.2	33.5	0.648%	20%	
		Manganese, total	7439-96-5	E420	0.00010	mg/L	0.00181	0.00163	10.2%	20%	
		Molybdenum, total	7439-98-7	E420	0.000050	mg/L	0.00174	0.00165	5.18%	20%	
		Nickel, total	7440-02-0	E420	0.00050	mg/L	0.00093	0.00092	0.00001	Diff <2x LOR	
		Phosphorus, total	7723-14-0	E420	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	
		Potassium, total	7440-09-7	E420	0.050	mg/L	9.13	9.04	0.966%	20%	
		Rubidium, total	7440-17-7	E420	0.00020	mg/L	0.00577	0.00589	2.10%	20%	
		Selenium, total	7782-49-2	E420	0.000050	mg/L	2.16 µg/L	0.00222	2.88%	20%	
		Silicon, total	7440-21-3	E420	0.10	mg/L	3.27	3.29	0.632%	20%	
		Silver, total	7440-22-4	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		Sodium, total	7440-23-5	E420	0.050	mg/L	20.7	20.8	0.929%	20%	
		Strontium, total	7440-24-6	E420	0.00020	mg/L	0.298	0.296	0.490%	20%	
		Sulfur, total	7704-34-9	E420	0.50	mg/L	21.0	21.0	0.127%	20%	
		Tellurium, total	13494-80-9	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	
		Thallium, total	7440-28-0	E420	0.000010	mg/L	0.000017	0.000016	0.000001	Diff <2x LOR	
		Thorium, total	7440-29-1	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Tin, total	7440-31-5	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Titanium, total	7440-32-6	E420	0.00030	mg/L	0.00039	0.00036	0.00003	Diff <2x LOR	

Page : 5 of 17

Work Order: YL2401440 Amendment 1



Sub-Matrix: Water							Labora	tory Duplicate (D	UP) Report		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Total Metals (QC Lo	ot: 1650111) - continued										
CG2413082-001	Anonymous	Tungsten, total	7440-33-7	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Uranium, total	7440-61-1	E420	0.000010	mg/L	0.00288	0.00286	0.565%	20%	
		Vanadium, total	7440-62-2	E420	0.00050	mg/L	0.00083	0.00084	0.000007	Diff <2x LOR	
		Zinc, total	7440-66-6	E420	0.0030	mg/L	<0.0030	<0.0030	0	Diff <2x LOR	
		Zirconium, total	7440-67-7	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	
Total Metals (QC Lo	ot: 1650624)										
CG2413082-001	Anonymous	Mercury, total	7439-97-6	E508	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	
Dissolved Metals (C	QC Lot: 1650113)										
CG2413082-001	Anonymous	Aluminum, dissolved	7429-90-5	E421	0.0010	mg/L	0.0045	0.0042	0.0002	Diff <2x LOR	
		Antimony, dissolved	7440-36-0	E421	0.00010	mg/L	0.00039	0.00038	0.00001	Diff <2x LOR	
		Arsenic, dissolved	7440-38-2	E421	0.00010	mg/L	0.00029	0.00030	0.00001	Diff <2x LOR	
		Barium, dissolved	7440-39-3	E421	0.00010	mg/L	0.664	0.674	1.40%	20%	
		Beryllium, dissolved	7440-41-7	E421	0.000020	mg/L	<0.020 µg/L	<0.000020	0	Diff <2x LOR	
		Bismuth, dissolved	7440-69-9	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	
		Boron, dissolved	7440-42-8	E421	0.010	mg/L	0.052	0.055	0.002	Diff <2x LOR	
		Cadmium, dissolved	7440-43-9	E421	0.0000050	mg/L	0.0175 μg/L	0.0000153	0.0000022	Diff <2x LOR	
		Calcium, dissolved	7440-70-2	E421	0.050	mg/L	67.8	68.4	0.800%	20%	
		Cesium, dissolved	7440-46-2	E421	0.000010	mg/L	0.000020	0.000019	0.0000007	Diff <2x LOR	
		Chromium, dissolved	7440-47-3	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	
		Cobalt, dissolved	7440-48-4	E421	0.00010	mg/L	<0.10 µg/L	<0.00010	0	Diff <2x LOR	
		Copper, dissolved	7440-50-8	E421	0.00020	mg/L	0.00024	0.00026	0.00002	Diff <2x LOR	
		Iron, dissolved	7439-89-6	E421	0.010	mg/L	<0.010	<0.010	0	Diff <2x LOR	
		Lead, dissolved	7439-92-1	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	
		Lithium, dissolved	7439-93-2	E421	0.0010	mg/L	0.208	0.217	4.04%	20%	
		Magnesium, dissolved	7439-95-4	E421	0.0050	mg/L	33.0	32.6	1.12%	20%	
		Manganese, dissolved	7439-96-5	E421	0.00010	mg/L	0.00014	0.00013	0.00002	Diff <2x LOR	
		Molybdenum, dissolved	7439-98-7	E421	0.000050	mg/L	0.0014	0.00163	0.924%	20%	
		Nickel, dissolved	7440-02-0	E421	0.00050	mg/L	0.00070	0.00069	0.000006	Diff <2x LOR	
		Phosphorus, dissolved	7723-14-0	E421	0.050	mg/L	<0.050	<0.050	0.000000	Diff <2x LOR	
		Potassium, dissolved	7440-09-7	E421	0.050	mg/L	9.15	9.06	1.02%	20%	
		Rubidium, dissolved	7440-03-7	E421	0.00020	mg/L	0.00552	0.00562	1.78%	20%	
		Selenium, dissolved	7782-49-2	E421	0.00020		2.55 µg/L	0.00562	4.43%	20%	
			7440-21-3	E421	0.0000	mg/L	2.55 μg/L 3.15	3.19	1.15%	20%	
		Silicon, dissolved				mg/L					
		Silver, dissolved	7440-22-4	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	

Page : 6 of 17

Work Order: YL2401440 Amendment 1



Sub-Matrix: Water					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifie
Dissolved Metals (QC Lot: 1650113) - coi	ntinued									
CG2413082-001	Anonymous	Sodium, dissolved	7440-23-5	E421	0.050	mg/L	20.0	19.6	2.06%	20%	
		Strontium, dissolved	7440-24-6	E421	0.00020	mg/L	0.284	0.279	1.67%	20%	
		Sulfur, dissolved	7704-34-9	E421	0.50	mg/L	20.5	20.9	1.72%	20%	
		Tellurium, dissolved	13494-80-9	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	
		Thallium, dissolved	7440-28-0	E421	0.000010	mg/L	0.000015	0.000013	0.000002	Diff <2x LOR	
		Thorium, dissolved	7440-29-1	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Tin, dissolved	7440-31-5	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Titanium, dissolved	7440-32-6	E421	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR	
		Tungsten, dissolved	7440-33-7	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Uranium, dissolved	7440-61-1	E421	0.000010	mg/L	0.00287	0.00281	1.96%	20%	
		Vanadium, dissolved	7440-62-2	E421	0.00050	mg/L	0.00070	0.00068	0.00002	Diff <2x LOR	
		Zinc, dissolved	7440-66-6	E421	0.0010	mg/L	0.0012	0.0013	0.00005	Diff <2x LOR	
		Zirconium, dissolved	7440-67-7	E421	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR	
Dissolved Metals (QC Lot: 1650625)										
CG2413082-001	Anonymous	Mercury, dissolved	7439-97-6	E509	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	

Page : 7 of 17

Work Order: YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Analyte	CAS Number Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1648420)					
Conductivity	E100	1	μS/cm	<1.0	
Physical Tests (QCLot: 1648421)					
Alkalinity, total (as CaCO3)	E290	1	mg/L	<1.0	
Physical Tests (QCLot: 1661793)					
Colour, true	E329	5	CU	<5.0	
hysical Tests (QCLot: 1661891)					
Solids, total dissolved [TDS]	E162	10	mg/L	<10	
Physical Tests (QCLot: 1661906)					
Turbidity	E121	0.1	NTU	<0.10	
Anions and Nutrients (QCLot: 1648324)					
Nitrate (as N)	14797-55-8 E235.NO3	0.02	mg/L	<0.020	
Anions and Nutrients (QCLot: 1648325)					
Nitrite (as N)	14797-65-0 E235.NO2	0.01	mg/L	<0.010	
nions and Nutrients (QCLot: 1648326)					
Sulfate (as SO4)	14808-79-8 E235.SO4	0.3	mg/L	<0.30	
nions and Nutrients (QCLot: 1648327)				,	
Fluoride	16984-48-8 E235.F	0.02	mg/L	<0.020	
nions and Nutrients (QCLot: 1648328)					
Chloride	16887-00-6 E235.CI	0.5	mg/L	<0.50	
yanides (QCLot: 1653573)				,	
Cyanide, strong acid dissociable (Total)	E333	0.002	mg/L	<0.0020	
yanides (QCLot: 1653576)				,	
Cyanide, strong acid dissociable (Total)	E333	0.002	mg/L	<0.0020	
rganic / Inorganic Carbon (QCLot: 16761	83)				
Carbon, dissolved organic [DOC]	E358-L	0.5	mg/L	<0.50	
organic / Inorganic Carbon (QCLot: 16761	84)				
Carbon, total organic [TOC]	E355-L	0.5	mg/L	<0.50	
otal Metals (QCLot: 1650111)					
Aluminum, total	7429-90-5 E420	0.003	mg/L	<0.0030	
Antimony, total	7440-36-0 E420	0.0001	mg/L	<0.00010	
Arsenic, total	7440-38-2 E420	0.0001	mg/L	<0.00010	
Barium, total	7440-39-3 E420	0.0001	mg/L	<0.00010	

Page : 8 of 17

Work Order: YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



nalyte	CAS Number	Method	LOR	Unit	Result	Qualifier
otal Metals (QCLot: 1650111)	- continued					
Beryllium, total	7440-41-7	E420	0.0000	2 mg/L	<0.000020	
Bismuth, total	7440-69-9	E420	0.0000	5 mg/L	<0.000050	
Boron, total	7440-42-8	E420	0.01	mg/L	<0.010	
Cadmium, total	7440-43-9	E420	0.00000	05 mg/L	<0.0000050	
Calcium, total	7440-70-2	E420	0.05	mg/L	<0.050	
Cesium, total	7440-46-2	E420	0.0000	1 mg/L	<0.000010	
Chromium, total	7440-47-3	E420	0.0008	5 mg/L	<0.00050	
Cobalt, total	7440-48-4	E420	0.000	l mg/L	<0.00010	
Copper, total	7440-50-8	E420	0.0008	5 mg/L	<0.00050	
Iron, total	7439-89-6	E420	0.01	mg/L	<0.010	
Lead, total	7439-92-1	E420	0.0000	5 mg/L	<0.000050	
Lithium, total	7439-93-2	E420	0.001	mg/L	<0.0010	
Magnesium, total	7439-95-4	E420	0.005	mg/L	<0.0050	
Manganese, total	7439-96-5 I	E420	0.000	l mg/L	<0.00010	
Molybdenum, total	7439-98-7	E420	0.0000	5 mg/L	<0.000050	
Nickel, total	7440-02-0	E420	0.0008	5 mg/L	<0.00050	
Phosphorus, total	7723-14-0	E420	0.05	mg/L	<0.050	
Potassium, total	7440-09-7	E420	0.05	mg/L	<0.050	
Rubidium, total	7440-17-7	E420	0.0002	2 mg/L	<0.00020	
Selenium, total	7782-49-2	E420	0.0000	5 mg/L	<0.000050	
Silicon, total	7440-21-3	E420	0.1	mg/L	<0.10	
Silver, total	7440-22-4	E420	0.0000	1 mg/L	<0.000010	
Sodium, total	7440-23-5	E420	0.05	mg/L	<0.050	
Strontium, total	7440-24-6	E420	0.0002	2 mg/L	<0.00020	
Sulfur, total	7704-34-9	E420	0.5	mg/L	<0.50	
Tellurium, total	13494-80-9	E420	0.0002	2 mg/L	<0.00020	
Thallium, total	7440-28-0	E420	0.0000	1 mg/L	<0.000010	
Thorium, total	7440-29-1	E420	0.000	l mg/L	<0.00010	
Tin, total	7440-31-5 I	E420	0.000	l mg/L	<0.00010	
Titanium, total	7440-32-6	E420	0.0003	B mg/L	<0.00030	
Tungsten, total	7440-33-7	E420	0.000	l mg/L	<0.00010	
Uranium, total	7440-61-1	E420	0.0000	1 mg/L	<0.000010	
Vanadium, total	7440-62-2	E420	0.0008	5 mg/L	<0.00050	
Zinc, total	7440-66-6	E420	0.003	mg/L	<0.0030	
Zirconium, total	7440-67-7	E420	0.0002	2 mg/L	<0.00020	

Page : 9 of 17

Work Order: YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Inalyte	CAS Number Method	LOR	Unit	Result	Qualifier
otal Metals (QCLot: 1650624)					
Mercury, total	7439-97-6 E508	0.000005	mg/L	<0.0000050	
issolved Metals (QCLot: 1650113)					
Aluminum, dissolved	7429-90-5 E421	0.001	mg/L	<0.0010	
Antimony, dissolved	7440-36-0 E421	0.0001	mg/L	<0.00010	
Arsenic, dissolved	7440-38-2 E421	0.0001	mg/L	<0.00010	
Barium, dissolved	7440-39-3 E421	0.0001	mg/L	<0.00010	
Beryllium, dissolved	7440-41-7 E421	0.00002	mg/L	<0.000020	
Bismuth, dissolved	7440-69-9 E421	0.00005	mg/L	<0.000050	
Boron, dissolved	7440-42-8 E421	0.01	mg/L	<0.010	
Cadmium, dissolved	7440-43-9 E421	0.000005	mg/L	<0.000050	
Calcium, dissolved	7440-70-2 E421	0.05	mg/L	<0.050	
Cesium, dissolved	7440-46-2 E421	0.00001	mg/L	<0.000010	
Chromium, dissolved	7440-47-3 E421	0.0005	mg/L	<0.00050	
Cobalt, dissolved	7440-48-4 E421	0.0001	mg/L	<0.00010	
Copper, dissolved	7440-50-8 E421	0.0002	mg/L	<0.00020	
Iron, dissolved	7439-89-6 E421	0.01	mg/L	<0.010	
Lead, dissolved	7439-92-1 E421	0.00005	mg/L	<0.000050	
Lithium, dissolved	7439-93-2 E421	0.001	mg/L	<0.0010	
Magnesium, dissolved	7439-95-4 E421	0.005	mg/L	<0.0050	
Manganese, dissolved	7439-96-5 E421	0.0001	mg/L	<0.00010	
Molybdenum, dissolved	7439-98-7 E421	0.00005	mg/L	<0.000050	
Nickel, dissolved	7440-02-0 E421	0.0005	mg/L	<0.00050	
Phosphorus, dissolved	7723-14-0 E421	0.05	mg/L	<0.050	
Potassium, dissolved	7440-09-7 E421	0.05	mg/L	<0.050	
Rubidium, dissolved	7440-17-7 E421	0.0002	mg/L	<0.00020	
Selenium, dissolved	7782-49-2 E421	0.00005	mg/L	<0.000050	
Silicon, dissolved	7440-21-3 E421	0.05	mg/L	<0.050	
Silver, dissolved	7440-22-4 E421	0.00001	mg/L	<0.000010	
Sodium, dissolved	7440-23-5 E421	0.05	mg/L	<0.050	
Strontium, dissolved	7440-24-6 E421	0.0002	mg/L	<0.00020	
Sulfur, dissolved	7704-34-9 E421	0.5	mg/L	<0.50	
Tellurium, dissolved	13494-80-9 E421	0.0002	mg/L	<0.00020	
Thallium, dissolved	7440-28-0 E421	0.00001	mg/L	<0.000010	
Thorium, dissolved	7440-29-1 E421	0.0001	mg/L	<0.00010	
Tin, dissolved	7440-31-5 E421	0.0001	mg/L	<0.00010	

Page : 10 of 17

Work Order: YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Analyte	CAS Number Method	LOR	Unit	Result	Qualifier
Dissolved Metals (QCLot: 1650113) - con-	tinued				
Titanium, dissolved	7440-32-6 E421	0.0003	mg/L	<0.00030	
Tungsten, dissolved	7440-33-7 E421	0.0001	mg/L	<0.00010	
Uranium, dissolved	7440-61-1 E421	0.00001	mg/L	<0.000010	
Vanadium, dissolved	7440-62-2 E421	0.0005	mg/L	<0.00050	
Zinc, dissolved	7440-66-6 E421	0.001	mg/L	<0.0010	
Zirconium, dissolved	7440-67-7 E421	0.0002	mg/L	<0.00020	
Dissolved Metals (QCLot: 1650625)					
Mercury, dissolved	7439-97-6 E509	0.000005	mg/L	<0.0000050	

Page : 11 of 17

Work Order: YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Water					Laboratory Co	ntrol Sample (LCS)	Report	
				Spike	Recovery (%)	Recovery	Limits (%)	
Analyte CA	S Number Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 1648419)								
рН	E108		pH units	7 pH units	101	98.0	102	
Physical Tests (QCLot: 1648420)								
Conductivity	E100	1	μS/cm	147 μS/cm	99.0	90.0	110	
Physical Tests (QCLot: 1648421)								
Alkalinity, total (as CaCO3)	E290	1	mg/L	500 mg/L	102	85.0	115	
Physical Tests (QCLot: 1661793)								
Colour, true	E329	5	CU	100 CU	102	85.0	115	
Physical Tests (QCLot: 1661891)								
Solids, total dissolved [TDS]	E162	10	mg/L	1000 mg/L	91.6	85.0	115	
Physical Tests (QCLot: 1661906)								
Turbidity	E121	0.1	NTU	200 NTU	99.5	85.0	115	
Anions and Nutrients (QCLot: 1648324)								
Nitrate (as N)	4797-55-8 E235.NO3	0.02	mg/L	2.5 mg/L	96.1	90.0	110	
Anions and Nutrients (QCLot: 1648325)								
Nitrite (as N)	4797-65-0 E235.NO2	0.01	mg/L	0.5 mg/L	97.8	90.0	110	
Anions and Nutrients (QCLot: 1648326)								
Sulfate (as SO4)	4808-79-8 E235.SO4	0.3	mg/L	100 mg/L	98.9	90.0	110	
Anions and Nutrients (QCLot: 1648327)								
Fluoride 1	6984-48-8 E235.F	0.02	mg/L	1 mg/L	99.5	90.0	110	
Anions and Nutrients (QCLot: 1648328)								
Chloride 1	6887-00-6 E235.CI	0.5	mg/L	100 mg/L	97.2	90.0	110	
Cyanides (QCLot: 1653573) Cyanide, strong acid dissociable (Total)	E333	0.002	ma ar /1	0.25 mg/L	84.5	80.0	120	
	2555	0.002	mg/L	0.25 Hg/L	64.5	80.0	120	
Cyanides (QCLot: 1653576)	E333	0.002	mg/l	0.25 mg/L	90.9	80.0	120	
Cyanide, strong acid dissociable (Total)	[2333	0.002	mg/L	0.25 mg/L	90.9	80.0	120	
Organic / Inorganic Carbon (QCLot: 1676183) Carbon, dissolved organic [DOC]	E358-L	0.5	mg/L	8.57 mg/L	108	80.0	120	
		0.0	IIIg/L	0.07 Hig/L	100	00.0	120	
Organic / Inorganic Carbon (QCLot: 1676184) Carbon, total organic [TOC]	E355-L	0.5	mg/L	8.57 mg/L	107	80.0	120	
Carbon, total organic [100]		0.5	IIIg/L	0.57 Hig/L	107	00.0	120	

Page : 12 of 17

Work Order: YL2401440 Amendment 1



Sub-Matrix: Water					Laboratory Control Sample (LCS) Report						
					Spike	Recovery (%)	Recovery	Limits (%)	imits (%)		
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifie		
Total Metals (QCLot: 1650111)											
Aluminum, total	7429-90-5	E420	0.003	mg/L	2 mg/L	98.7	80.0	120			
Antimony, total	7440-36-0	E420	0.0001	mg/L	1 mg/L	106	80.0	120			
Arsenic, total	7440-38-2	E420	0.0001	mg/L	1 mg/L	99.4	80.0	120			
Barium, total	7440-39-3	E420	0.0001	mg/L	0.25 mg/L	93.5	80.0	120			
Beryllium, total	7440-41-7	E420	0.00002	mg/L	0.1 mg/L	95.8	80.0	120			
Bismuth, total	7440-69-9	E420	0.00005	mg/L	1 mg/L	102	80.0	120			
Boron, total	7440-42-8	E420	0.01	mg/L	1 mg/L	106	80.0	120			
Cadmium, total	7440-43-9	E420	0.000005	mg/L	0.1 mg/L	91.4	80.0	120			
Calcium, total	7440-70-2	E420	0.05	mg/L	50 mg/L	99.4	80.0	120			
Cesium, total	7440-46-2	E420	0.00001	mg/L	0.05 mg/L	92.6	80.0	120			
Chromium, total	7440-47-3	E420	0.0005	mg/L	0.25 mg/L	94.5	80.0	120			
Cobalt, total	7440-48-4	E420	0.0001	mg/L	0.25 mg/L	94.1	80.0	120			
Copper, total	7440-50-8	E420	0.0005	mg/L	0.25 mg/L	92.3	80.0	120			
Iron, total	7439-89-6	E420	0.01	mg/L	1 mg/L	95.5	80.0	120			
Lead, total	7439-92-1	E420	0.00005	mg/L	0.5 mg/L	103	80.0	120			
Lithium, total	7439-93-2	E420	0.001	mg/L	0.25 mg/L	91.3	80.0	120			
Magnesium, total	7439-95-4	E420	0.005	mg/L	50 mg/L	95.1	80.0	120			
Manganese, total	7439-96-5	E420	0.0001	mg/L	0.25 mg/L	97.2	80.0	120			
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	0.25 mg/L	95.7	80.0	120			
Nickel, total	7440-02-0	E420	0.0005	mg/L	0.5 mg/L	94.2	80.0	120			
Phosphorus, total	7723-14-0	E420	0.05	mg/L	10 mg/L	100	70.0	130			
Potassium, total	7440-09-7	E420	0.05	mg/L	50 mg/L	102	80.0	120			
Rubidium, total	7440-17-7	E420	0.0002	mg/L	0.1 mg/L	101	80.0	120			
Selenium, total	7782-49-2	E420	0.00005	mg/L	1 mg/L	92.2	80.0	120			
Silicon, total	7440-21-3	E420	0.1	mg/L	10 mg/L	102	60.0	140			
Silver, total	7440-22-4	E420	0.00001	mg/L	0.1 mg/L	92.1	80.0	120			
Sodium, total	7440-23-5	E420	0.05	mg/L	50 mg/L	94.4	80.0	120			
Strontium, total	7440-24-6	E420	0.0002	mg/L	0.25 mg/L	96.3	80.0	120			
Sulfur, total	7704-34-9	E420	0.5	mg/L	50 mg/L	93.5	80.0	120			
Tellurium, total	13494-80-9	E420	0.0002	mg/L	0.1 mg/L	88.8	80.0	120			
Thallium, total	7440-28-0	E420	0.00001	mg/L	1 mg/L	96.6	80.0	120			
Thorium, total	7440-29-1	E420	0.0001	mg/L	0.1 mg/L	102	80.0	120			
Tin, total	7440-31-5	E420	0.0001	mg/L	0.5 mg/L	96.2	80.0	120			
Titanium, total	7440-32-6	E420	0.0003	mg/L	0.25 mg/L	92.5	80.0	120			
Tungsten, total	7440-33-7		0.0001	mg/L	0.1 mg/L	99.5	80.0	120			

Page : 13 of 17

Work Order: YL2401440 Amendment 1



Sub-Matrix: Water						Laboratory Co	ntrol Sample (LCS)	Report	
					Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Total Metals (QCLot: 1650111) - cont	inued								
Uranium, total	7440-61-1	E420	0.00001	mg/L	0.005 mg/L	97.3	80.0	120	
Vanadium, total	7440-62-2	E420	0.0005	mg/L	0.5 mg/L	96.5	80.0	120	
Zinc, total	7440-66-6	E420	0.003	mg/L	0.5 mg/L	89.8	80.0	120	
Zirconium, total	7440-67-7	E420	0.0002	mg/L	0.1 mg/L	95.6	80.0	120	
Total Metals (QCLot: 1650624)									'
Mercury, total	7439-97-6	E508	0.000005	mg/L	0 mg/L	102	80.0	120	
Dissolved Metals (QCLot: 1650113)									
Aluminum, dissolved	7429-90-5	E421	0.001	mg/L	2 mg/L	103	80.0	120	
Antimony, dissolved	7440-36-0	E421	0.0001	mg/L	1 mg/L	98.8	80.0	120	
Arsenic, dissolved	7440-38-2	E421	0.0001	mg/L	1 mg/L	102	0.08	120	
Barium, dissolved	7440-39-3	E421	0.0001	mg/L	0.25 mg/L	104	80.0	120	
Beryllium, dissolved	7440-41-7	E421	0.00002	mg/L	0.1 mg/L	95.2	80.0	120	
Bismuth, dissolved	7440-69-9	E421	0.00005	mg/L	1 mg/L	106	80.0	120	
Boron, dissolved	7440-42-8	E421	0.01	mg/L	1 mg/L	110	80.0	120	
Cadmium, dissolved	7440-43-9	E421	0.000005	mg/L	0.1 mg/L	95.3	80.0	120	
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	50 mg/L	100	80.0	120	
Cesium, dissolved	7440-46-2	E421	0.00001	mg/L	0.05 mg/L	94.6	80.0	120	
Chromium, dissolved	7440-47-3	E421	0.0005	mg/L	0.25 mg/L	101	80.0	120	
Cobalt, dissolved	7440-48-4	E421	0.0001	mg/L	0.25 mg/L	96.9	80.0	120	
Copper, dissolved	7440-50-8	E421	0.0002	mg/L	0.25 mg/L	94.1	80.0	120	
Iron, dissolved	7439-89-6	E421	0.01	mg/L	1 mg/L	98.3	80.0	120	
Lead, dissolved	7439-92-1	E421	0.00005	mg/L	0.5 mg/L	104	80.0	120	
Lithium, dissolved	7439-93-2	E421	0.001	mg/L	0.25 mg/L	94.5	80.0	120	
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	50 mg/L	94.9	80.0	120	
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	0.25 mg/L	99.0	80.0	120	
Molybdenum, dissolved	7439-98-7	E421	0.00005	mg/L	0.25 mg/L	100	80.0	120	
Nickel, dissolved	7440-02-0	E421	0.0005	mg/L	0.5 mg/L	96.0	80.0	120	
Phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	10 mg/L	100	70.0	130	
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	50 mg/L	105	80.0	120	
Rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	0.1 mg/L	99.6	80.0	120	
Selenium, dissolved	7782-49-2	E421	0.00005	mg/L	1 mg/L	95.9	80.0	120	
Silicon, dissolved	7440-21-3	E421	0.05	mg/L	10 mg/L	103	60.0	140	
Silver, dissolved	7440-22-4	E421	0.00001	mg/L	0.1 mg/L	94.2	80.0	120	
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	50 mg/L	93.9	80.0	120	
Strontium, dissolved	7440-24-6	E421	0.0002	mg/L	0.25 mg/L	98.1	80.0	120	

Page : 14 of 17

Work Order: YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Sub-Matrix: Water						Laboratory Co	ontrol Sample (LCS)	Report	
					Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Dissolved Metals (QCLot: 1650113)	- continued								
Sulfur, dissolved	7704-34-9	E421	0.5	mg/L	50 mg/L	98.0	80.0	120	
Tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	0.1 mg/L	93.5	80.0	120	
Thallium, dissolved	7440-28-0	E421	0.00001	mg/L	1 mg/L	98.7	80.0	120	
Thorium, dissolved	7440-29-1	E421	0.0001	mg/L	0.1 mg/L	105	80.0	120	
Tin, dissolved	7440-31-5	E421	0.0001	mg/L	0.5 mg/L	101	80.0	120	
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	0.25 mg/L	94.8	80.0	120	
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	0.1 mg/L	103	80.0	120	
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	0.005 mg/L	102	80.0	120	
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	0.5 mg/L	98.9	80.0	120	
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	0.5 mg/L	97.2	80.0	120	
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	0.1 mg/L	99.0	80.0	120	
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	0 mg/L	99.3	80.0	120	

Page : 15 of 17

Work Order: YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Anions and Nutrients (QCLot: 1648: YL2401440-002 P2-B Cyanides (QCLot: 1653573) WT2427138-001 Anonymous Cyanides (QCLot: 1653576) KS2403724-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Total Metals (QCLot: 1650111) CG2413082-002 Anonymous						-	e (MS) Report		
Anions and Nutrients (QCLot: 1648: YL2401440-002 P2-B Cyanides (QCLot: 1653573) WT2427138-001 Anonymous Cyanides (QCLot: 1653576) KS2403724-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Total Metals (QCLot: 1650111)				Spil	re	Recovery (%)	Recovery	/ Limits (%)	
Anions and Nutrients (QCLot: 1648: YL2401440-002 P2-B Cyanides (QCLot: 1653573) WT2427138-001 Anonymous Cyanides (QCLot: 1653576) KS2403724-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Total Metals (QCLot: 1650111)	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Anions and Nutrients (QCLot: 1648: YL2401440-002 P2-B Cyanides (QCLot: 1653573) WT2427138-001 Anonymous Cyanides (QCLot: 1653576) KS2403724-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous	8324)								
P2-B P2-B	Nitrate (as N)	14797-55-8	E235.NO3	2.42 mg/L	2.5 mg/L	96.6	75.0	125	
Anions and Nutrients (QCLot: 16483 YL2401440-002 P2-B Anions and Nutrients (QCLot: 16483 YL2401440-002 P2-B Anions and Nutrients (QCLot: 16483 YL2401440-002 P2-B Cyanides (QCLot: 1653573) WT2427138-001 Anonymous Cyanides (QCLot: 1653576) KS2403724-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous CG2413982-001 Anonymous CG2413982-001 Anonymous CG2413982-001 Anonymous CG2413982-001 Anonymous CG2413982-001 Anonymous	8325)								
YL2401440-002 P2-B	Nitrite (as N)	14797-65-0	E235.NO2	0.498 mg/L	0.5 mg/L	99.6	75.0	125	
Anions and Nutrients (QCLot: 16483 YL2401440-002 P2-B Anions and Nutrients (QCLot: 16483 YL2401440-002 P2-B Cyanides (QCLot: 1653573) WT2427138-001 Anonymous Cyanides (QCLot: 1653576) KS2403724-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Cotal Metals (QCLot: 1650111)	8326)								
P2-B Anions and Nutrients (QCLot: 1648: YL2401440-002 P2-B Cyanides (QCLot: 1653573) WT2427138-001 Anonymous Cyanides (QCLot: 1653576) KS2403724-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous CG2413982-001 Anonymous CG2413982-001 Anonymous CG2413982-001 Anonymous CG2413982-001 Anonymous CG2413982-001 Anonymous	Sulfate (as SO4)	14808-79-8	E235.SO4	ND mg/L		ND	75.0	125	
Anions and Nutrients (QCLot: 16483 YL2401440-002 P2-B Cyanides (QCLot: 1653573) WT2427138-001 Anonymous Cyanides (QCLot: 1653576) KS2403724-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous CG2413982-001 Anonymous CG2413982-001 Anonymous CG2413982-001 Anonymous CG2413982-001 Anonymous	8327)								
YL2401440-002 P2-B Cyanides (QCLot: 1653573) WT2427138-001 Anonymous Cyanides (QCLot: 1653576) KS2403724-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous CG2413982-001 Anonymous CG2413982-001 Anonymous CG2413982-001 Anonymous	Fluoride	16984-48-8	E235.F	0.996 mg/L	1 mg/L	99.6	75.0	125	
YL2401440-002 P2-B Cyanides (QCLot: 1653573) WT2427138-001 Anonymous Cyanides (QCLot: 1653576) KS2403724-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous CG2413982-001 Anonymous CG2413982-001 Anonymous CG2413982-001 Anonymous					<u> </u>				
Cyanides (QCLot: 1653573) WT2427138-001 Anonymous Cyanides (QCLot: 1653576) KS2403724-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous CG2413982-001 Anonymous Fotal Metals (QCLot: 1650111)	Chloride	16887-00-6	E235.CI	97.8 mg/L	100 mg/L	97.8	75.0	125	
WT2427138-001 Anonymous Cyanides (QCLot: 1653576) KS2403724-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Total Metals (QCLot: 1650111)			2200.01	07.0 mg/2		01.0	7 0.0	120	
Cyanides (QCLot: 1653576) KS2403724-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Fotal Metals (QCLot: 1650111)	Cyanide, strong acid dissociable (Total)		E333	0.214 mg/L	0.25 mg/L	85.5	75.0	125	
KS2403724-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Total Metals (QCLot: 1650111)	Cyanide, strong acid dissociable (Total)		E333	0.214 Hig/L	0.25 mg/L	03.3	73.0	120	
Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Total Metals (QCLot: 1650111)	Curried strong soid discosichle (Tetal)		F222	0.040//	0.05/	04.0	75.0	405	
CG2413982-001 Anonymous Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Fotal Metals (QCLot: 1650111)	Cyanide, strong acid dissociable (Total)		E333	0.212 mg/L	0.25 mg/L	84.6	75.0	125	
Organic / Inorganic Carbon (QCLot: CG2413982-001 Anonymous Fotal Metals (QCLot: 1650111)									
CG2413982-001 Anonymous Total Metals (QCLot: 1650111)	Carbon, dissolved organic [DOC]		E358-L	3.92 mg/L	5 mg/L	78.3	70.0	130	
Total Metals (QCLot: 1650111)	t: 1676184)								
	Carbon, total organic [TOC]		E355-L	4.11 mg/L	5 mg/L	82.2	70.0	130	
CG2413082-002 Anonymous									
	Aluminum, total	7429-90-5	E420	1.84 mg/L	2 mg/L	91.8	70.0	130	
	Antimony, total	7440-36-0	E420	0.200 mg/L	0.2 mg/L	99.8	70.0	130	
	Arsenic, total	7440-38-2	E420	0.185 mg/L	0.2 mg/L	92.5	70.0	130	
	Barium, total	7440-39-3	E420	0.183 mg/L	0.2 mg/L	91.3	70.0	130	
	Beryllium, total	7440-41-7	E420	0.358 mg/L	0.4 mg/L	89.6	70.0	130	
	Bismuth, total	7440-69-9	E420	0.100 mg/L	0.1 mg/L	100	70.0	130	
	Boron, total	7440-42-8	E420	0.993 mg/L	1 mg/L	99.3	70.0	130	
	Cadmium, total	7440-43-9	E420	0.0369 mg/L	0.04 mg/L	92.2	70.0	130	
	Calcium, total	7440-70-2	E420	ND mg/L		ND	70.0	130	
	Cesium, total	7440-46-2	E420	0.0964 mg/L	0.1 mg/L	96.4	70.0	130	
	Chromium, total	7440-47-3	E420	0.354 mg/L	0.4 mg/L	88.6	70.0	130	
	Cobalt, total	7440-48-4	E420	0.184 mg/L	0.2 mg/L	92.2	70.0	130	
	Copper, total	7440-50-8	E420	0.183 mg/L	0.2 mg/L	91.6	70.0	130	
l l		7439-89-6	E420		•	1		130	
	Iron, total			18.3 mg/L	20 mg/L	91.5	70.0		
	Lead, total Lithium, total	7439-92-1 7439-93-2	E420 E420	0.197 mg/L 0.842 mg/L	0.2 mg/L 1 mg/L	98.5 84.2	70.0 70.0	130 130	

Page : 16 of 17

Work Order: YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



ub-Matrix: Water							Matrix Spik	re (MS) Report		
					Spi	ke	Recovery (%)	Recovery	Limits (%)	
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Total Metals (QC	Lot: 1650111) - con	tinued								
CG2413082-002	Anonymous	Magnesium, total	7439-95-4	E420	ND mg/L		ND	70.0	130	
		Manganese, total	7439-96-5	E420	0.187 mg/L	0.2 mg/L	93.4	70.0	130	
		Molybdenum, total	7439-98-7	E420	0.192 mg/L	0.2 mg/L	95.8	70.0	130	
		Nickel, total	7440-02-0	E420	0.369 mg/L	0.4 mg/L	92.3	70.0	130	
		Phosphorus, total	7723-14-0	E420	92.2 mg/L	100 mg/L	92.2	70.0	130	
		Potassium, total	7440-09-7	E420	38.1 mg/L	40 mg/L	95.2	70.0	130	
		Rubidium, total	7440-17-7	E420	0.190 mg/L	0.2 mg/L	95.1	70.0	130	
		Selenium, total	7782-49-2	E420	0.370 mg/L	0.4 mg/L	92.6	70.0	130	
		Silicon, total	7440-21-3	E420	89.7 mg/L	100 mg/L	89.7	70.0	130	
		Silver, total	7440-22-4	E420	0.0391 mg/L	0.04 mg/L	97.8	70.0	130	
		Sodium, total	7440-23-5	E420	18.6 mg/L	20 mg/L	92.9	70.0	130	
		Strontium, total	7440-24-6	E420	ND mg/L		ND	70.0	130	
		Sulfur, total	7704-34-9	E420	169 mg/L	200 mg/L	84.3	70.0	130	
		Tellurium, total	13494-80-9	E420	0.376 mg/L	0.4 mg/L	94.0	70.0	130	
		Thallium, total	7440-28-0	E420	0.0383 mg/L	0.04 mg/L	95.8	70.0	130	
		Thorium, total	7440-29-1	E420	0.202 mg/L	0.2 mg/L	101	70.0	130	
		Tin, total	7440-31-5	E420	0.190 mg/L	0.2 mg/L	95.2	70.0	130	
		Titanium, total	7440-32-6	E420	0.346 mg/L	0.4 mg/L	86.6	70.0	130	
		Tungsten, total	7440-33-7	E420	0.194 mg/L	0.2 mg/L	97.0	70.0	130	
		Uranium, total	7440-61-1	E420	0.0385 mg/L	0.04 mg/L	96.3	70.0	130	
		Vanadium, total	7440-62-2	E420	0.910 mg/L	1 mg/L	91.0	70.0	130	
		Zinc, total	7440-66-6	E420	3.65 mg/L	4 mg/L	91.2	70.0	130	
		Zirconium, total	7440-67-7	E420	0.385 mg/L	0.4 mg/L	96.2	70.0	130	
otal Metals (QC	Lot: 1650624)									
CG2413082-002	Anonymous	Mercury, total	7439-97-6	E508	0.000112 mg/L	0 mg/L	112	70.0	130	
Dissolved Metals	(QCLot: 1650113)									
CG2413082-002	Anonymous	Aluminum, dissolved	7429-90-5	E421	1.87 mg/L	2 mg/L	93.4	70.0	130	
		Antimony, dissolved	7440-36-0	E421	0.200 mg/L	0.2 mg/L	100	70.0	130	
		Arsenic, dissolved	7440-38-2	E421	0.189 mg/L	0.2 mg/L	94.4	70.0	130	
		Barium, dissolved	7440-39-3	E421	0.186 mg/L	0.2 mg/L	93.1	70.0	130	
		Beryllium, dissolved	7440-41-7	E421	0.344 mg/L	0.4 mg/L	86.1	70.0	130	
		Bismuth, dissolved	7440-69-9	E421	0.0937 mg/L	0.1 mg/L	93.7	70.0	130	
		Boron, dissolved	7440-42-8	E421	0.997 mg/L	1 mg/L	99.7	70.0	130	
		Cadmium, dissolved	7440-43-9	E421	0.0375 mg/L	0.04 mg/L	93.7	70.0	130	
		Calcium, dissolved	7440-70-2	E421	ND mg/L		ND	70.0	130	
		Cesium, dissolved	7440-46-2	E421	0.0916 mg/L	0.1 mg/L	91.6	70.0	130	
		Chromium, dissolved	7440-47-3	E421	0.379 mg/L	0.4 mg/L	94.7	70.0	130	
		Cobalt, dissolved	7440-48-4	E421	0.188 mg/L	0.2 mg/L	93.9	70.0	130	
		Copper, dissolved	7440-50-8	E421	0.188 mg/L	0.2 mg/L	93.8	70.0	130	
		Iron, dissolved	7439-89-6	E421	18.5 mg/L	20 mg/L	92.7	70.0	130	
		Lead, dissolved	7439-92-1	E421	0.195 mg/L	0.2 mg/L	97.4	70.0	130	
		Lithium, dissolved	7439-93-2	E421	0.840 mg/L	1 mg/L	84.0	70.0	130	
	I	Magnesium, dissolved	7439-95-4	E421	ND mg/L		ND	70.0	130	
			00 00 1		gg. =			. 3.0	.00	

Page : 17 of 17

Work Order: YL2401440 Amendment 1

Client : Elgin Mining Inc.
Project : LUPIN MINE



Sub-Matrix: Water							Matrix Spik	re (MS) Report		
					Spi	ke	Recovery (%)	Recovery	Limits (%)	
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Dissolved Metals	(QCLot: 1650113) - co	ntinued								
CG2413082-002	Anonymous	Manganese, dissolved	7439-96-5	E421	0.190 mg/L	0.2 mg/L	95.2	70.0	130	
		Molybdenum, dissolved	7439-98-7	E421	0.188 mg/L	0.2 mg/L	93.8	70.0	130	
		Nickel, dissolved	7440-02-0	E421	0.376 mg/L	0.4 mg/L	94.1	70.0	130	
		Phosphorus, dissolved	7723-14-0	E421	92.3 mg/L	100 mg/L	92.3	70.0	130	
		Potassium, dissolved	7440-09-7	E421	39.0 mg/L	40 mg/L	97.5	70.0	130	
		Rubidium, dissolved	7440-17-7	E421	0.195 mg/L	0.2 mg/L	97.4	70.0	130	
		Selenium, dissolved	7782-49-2	E421	0.378 mg/L	0.4 mg/L	94.4	70.0	130	
		Silicon, dissolved	7440-21-3	E421	88.0 mg/L	100 mg/L	88.0	70.0	130	
		Silver, dissolved	7440-22-4	E421	0.0384 mg/L	0.04 mg/L	95.9	70.0	130	
		Sodium, dissolved	7440-23-5	E421	18.5 mg/L	20 mg/L	92.3	70.0	130	
		Strontium, dissolved	7440-24-6	E421	0.177 mg/L	0.2 mg/L	88.6	70.0	130	
		Sulfur, dissolved	7704-34-9	E421	175 mg/L	200 mg/L	87.7	70.0	130	
		Tellurium, dissolved	13494-80-9	E421	0.378 mg/L	0.4 mg/L	94.5	70.0	130	
		Thallium, dissolved	7440-28-0	E421	0.0372 mg/L	0.04 mg/L	92.9	70.0	130	
		Thorium, dissolved	7440-29-1	E421	0.197 mg/L	0.2 mg/L	98.4	70.0	130	
		Tin, dissolved	7440-31-5	E421	0.190 mg/L	0.2 mg/L	95.0	70.0	130	
		Titanium, dissolved	7440-32-6	E421	0.364 mg/L	0.4 mg/L	91.1	70.0	130	
		Tungsten, dissolved	7440-33-7	E421	0.194 mg/L	0.2 mg/L	97.2	70.0	130	
		Uranium, dissolved	7440-61-1	E421	0.0376 mg/L	0.04 mg/L	94.0	70.0	130	
		Vanadium, dissolved	7440-62-2	E421	0.928 mg/L	1 mg/L	92.8	70.0	130	
		Zinc, dissolved	7440-66-6	E421	3.79 mg/L	4 mg/L	94.8	70.0	130	
		Zirconium, dissolved	7440-67-7	E421	0.379 mg/L	0.4 mg/L	94.8	70.0	130	
Dissolved Metals	(QCLot: 1650625)									
CG2413082-002	Anonymous	Mercury, dissolved	7439-97-6	E509	0.0000970 mg/L	0 mg/L	97.0	70.0	130	

)				
>	CHAIN OF CUSTODY		RELINQUISHED BY:	SHED BY:		₽	RECEIVED BY:	8		RELINQ	RELINQUISHED BY:	RECEIVED BY:
(ALS)	ALS LABOURDOY		DATE/TIME:	m		2	DATE/IME:	01	MC	DATE/TIME:	fi.	DATE/TIME:
CLIENT:	Elgin Mining Inc.	TURNAROUND REQUIREMENTS:	Standa	Standard TAT (List due date):	due date):	Whe	When available	-	120	FOR LA	FOR LABORATORY USE ONLY (Circle)	
PROJECT:	Lupin Mine (St	(Standard TAT may be longer for some tests e.g., Ultra Trace Organics)	□ Non S	Non Standard or urgent TAT (List due date):	gent TAT (Li	it due date):				Custody Seal Intact?	al Intact?	
SITE:	Lupin Mine Site	- Circle France Organica,								Free ice / f	Free ice / frozen ice bricks present upon receipt?	Yes
PURCHASE ORDER NO.:	6		ALS	ALS QUOTE NO .:	ĭ					Random S	Random Sample Temperature on Receipt:	ď ;
PROJECT MANAGER:	Jon Melnyk CONTACT PH:	403-862-2994								Other comments:	nents:	0
SAMPLER:	Jon Meinyk SAMPLER MOBILE:	F	_									ſ
EMAIL REPORTS TO:	jonm@idsmining.ca		EMA	EMAIL INVOICE TO:		jonm@jdsmining.ca	ca			-		
SPECIAL HANDLING/ST	SPECIAL HANDLING/STORAGE OR DISPOSAL:									Ī		
ALS USE ONLY	SAMPLE DETAILS Solid(S) Water(W)	MATRIX:	CONT	CONTAINER					ANALYSIS REQUIRED	REQUIRE		Additional Information
SAMPLE	Sample identification (This description wil appear on the report)	DATE / TIME (dd-mm-yyyy)	MATRIX	OTAL CONTAINERS	al	ved Metals	netals	f ercury	ved Mercury	:yanide		P2-SEEP - Unknown Substance
	P2-A	8-Sep-24			Yes	Yes	Yes	Yes	Yes	Yes		Dissolved Mercury and Dissolved Metals were
	P2-B	8-Sep-24			Yes	Yes	Yes	Yes	Yes	Yes		Dissolved Mercury and Dissolved Metals were field Filtered
	P2-C	8-Sep-24			Yes	Yes	Yes	Yes	Yes	Yes		Dissolved Mercury and Dissolved Metals were field Filtered
	P2-D	8-Sep-24			Yes	Yes	Yes	Yes	Yes	Yes		Dissolved Mercury and Dissolved Metals were field Filtered
	P2-E	8-Sep-24			Yes	Yes	Yes	Yes	Yes	Yes		Dissolved Mercury and Dissolved Metals were field Filtered
	P2-SEEP	8-Sep-24			Yes	Yes	Yes					Dissolved Metals could not be field filtered
										< m	Environmental Division	sion
											Work Order Reference YL2401440	10
											S. S. S.	
										Te	Telephone: +1 867 873 5593	
		E	TOTAL									



CERTIFICATE OF ANALYSIS

YL2401441 **Work Order**

Client Elgin Mining Inc. Contact Jon Melnyk

Address : 750 West Pender Street Suite 201

Vancouver British Columbia Canada V6C 2T7

Telephone

Project : LUPIN MINE

PO C-O-C number : ----Sampler : ----Site

Quote number : YL24-ELMI100-001

No. of samples received : 4 No. of samples analysed : 4 Laboratory : ALS Environmental - Calgary

Account Manager : Oliver Gregg

: 2559 29th Street NE Address Calgary AB Canada T1Y 7B5

Telephone : 1 867 445 7143 Date Samples Received : 10-Sep-2024 09:30

Date Analysis Commenced : 12-Sep-2024 Issue Date : 19-Sep-2024 14:24

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

General Comments

Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
George Huang	Supervisor - Inorganic	Metals, Calgary, Alberta
Gurvinder Kour	Lab Assistant	Metals, Calgary, Alberta
Harpreet Chawla	Team Leader - Inorganics	Inorganics, Calgary, Alberta
Jon Fisher	Production Manager, Environmental	Inorganics, Waterloo, Ontario
Katarzyna Glinka	Analyst	Inorganics, Calgary, Alberta
Kevin Baxter	Team Leader - Inorganics	Inorganics, Calgary, Alberta
Parker Sgarbossa	Laboratory Analyst	Metals, Calgary, Alberta
Shirley Li	Team Leader - Inorganics	Metals, Calgary, Alberta

alsglobal.com Page: 1 of 9



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances.

LOR: Limit of Reporting (detection limit).

Unit	Description
mg/L	milligrams per litre
pH units	pH units
μS/cm	microsiemens per centimetre
-	no units
meq/L	milliequivalents per litre
%	percent

<: less than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Qualifiers

Qualifier	Description
RRV	Reported result verified by repeat analysis.

>: greater than.



Page: 3 of 9 alsglobal.com



Analytical Results

Sub-Matrix: Water (Matrix: Water)			Client s ar	mple ID	P1-A	P1-B	P1-D	C4-E	
		С	lient sampling date	/ time	08-Sep-2024 09:20	08-Sep-2024 09:20	08-Sep-2024 09:20	08-Sep-2024 09:20	
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	YL2401441-001	YL2401441-002	YL2401441-003	YL2401441-004	
					Result	Result	Result	Result	
Physical Tests									
Hardness (as CaCO3), dissolved		EC100/CG	0.60	mg/L	105	114	108	218	
Hardness (as CaCO3), from total Ca/Mg		EC100A/CG	0.60	mg/L	109	112	106	221	
Conductivity		E100/CG	2.0	μS/cm	367	403	359	863	
рН		E108/CG	0.10	pH units	4.12 RRV	4.05 RRV	4.26 RRV	3.45 RRV	
Alkalinity, bicarbonate (as HCO3)	71-52-3	E290/CG	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	
Alkalinity, carbonate (as CO3)	3812-32-6	E290/CG	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	
Alkalinity, hydroxide (as OH)	14280-30-9	E290/CG	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	
Alkalinity, total (as CaCO3)		E290/CG	2.0	mg/L	<2.0	<2.0	<2.0	<2.0	
Solids, total dissolved [TDS], calculated		EC103/CG	1.0	mg/L	220	244	222	534	
Anions and Nutrients									
Chloride	16887-00-6	E235.CI/CG	0.50	mg/L	6.84	6.84	6.78	18.3	
Fluoride	16984-48-8	E235.F/CG	0.020	mg/L	0.115	0.130	0.114	0.257	
Nitrate (as N)	14797-55-8	E235.NO3/CG	0.020	mg/L	0.314	0.314	0.316	0.056	
Nitrite (as N)	14797-65-0	E235.NO2/CG	0.010	mg/L	<0.010	<0.010	<0.010	<0.010	
Sulfate (as SO4)	14808-79-8	E235.SO4/CG	0.30	mg/L	146	162	146	346	
Nitrate + Nitrite (as N)		EC235.N+N/C G	0.0500	mg/L	0.314	0.314	0.316	0.0560	
Cyanides									
Cyanide, strong acid dissociable (Total)		E333/WT	0.0050	mg/L	<0.0050	<0.0050	<0.0050	<0.0050	
Ion Balance									
Anion sum		EC101/CG	0.10	meq/L	3.26	3.60	3.26	7.74	
Cation sum		EC101/CG	0.10	meq/L	3.12	3.48	3.16	7.46	

Page: 4 of 9 alsglobal.com



Analytical Results

Sub-Matrix: Water (Matrix: Water)			Client sa	mple ID	P1-A	P1-B	P1-D	C4-E	
		C	lient sampling date	/ time	08-Sep-2024 09:20	08-Sep-2024 09:20	08-Sep-2024 09:20	08-Sep-2024 09:20	
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	YL2401441-001	YL2401441-002	YL2401441-003	YL2401441-004	
					Result	Result	Result	Result	
Ion Balance									
Ion balance (APHA)		EC101/CG	0.01	%	-2.19	-1.69	-1.56	-1.84	
Ion balance (cations/anions)		EC101/CG	0.010	%	95.7	96.7	96.9	96.4	
Total Metals									
Aluminum, total	7429-90-5	E420/CG	0.0030	mg/L	1.50	2.06	1.35	5.25	
Antimony, total	7440-36-0	E420/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	0.00010	
Arsenic, total	7440-38-2	E420/CG	0.00010	mg/L	0.00751	0.00925	0.00835	1.23	
Barium, total	7440-39-3	E420/CG	0.00010	mg/L	0.0137	0.0140	0.0132	0.0310	
Beryllium, total	7440-41-7	E420/CG	0.000100	mg/L	0.000384	0.000471	0.000339	0.000589	
Bismuth, total	7440-69-9	E420/CG	0.000050	mg/L	<0.000050	<0.000050	<0.000050	0.000096	
Boron, total	7440-42-8	E420/CG	0.010	mg/L	0.028	0.030	0.027	0.067	
Cadmium, total	7440-43-9	E420/CG	0.0000050	mg/L	0.000280	0.000325	0.000257	0.000366	
Calcium, total	7440-70-2	E420/CG	0.050	mg/L	29.7	30.7	28.7	65.1	
Cesium, total	7440-46-2	E420/CG	0.000010	mg/L	0.000056	0.000051	0.000052	0.000667	
Chromium, total	7440-47-3	E420/CG	0.00050	mg/L	<0.00050	<0.00050	<0.00050	0.00460	
Cobalt, total	7440-48-4	E420/CG	0.00010	mg/L	0.0581	0.0704	0.0541	0.100	
Copper, total	7440-50-8	E420/CG	0.00050	mg/L	0.0388	0.0408	0.0363	0.118	
ron, total	7439-89-6	E420/CG	0.010	mg/L	0.936	3.76	0.917	16.2	
Lead, total	7439-92-1	E420/CG	0.000050	mg/L	0.00212	0.00229	0.00233	0.0798	
_ithium, total	7439-93-2	E420/CG	0.0010	mg/L	0.0218	0.0224	0.0207	0.0546	
Magnesium, total	7439-95-4	E420/CG	0.0050	mg/L	8.48	8.68	8.31	14.1	
Manganese, total	7439-96-5	E420/CG	0.00010	mg/L	0.747	0.836	0.698	1.63	

Page: 5 of 9 alsglobal.com



Analytical Results

Sub-Matrix: Water (Matrix: Water)		Client s ar	mple ID	P1-A	P1-B	P1-D	C4-E	
	С	lient sampling date	/ time	08-Sep-2024 09:20	08-Sep-2024 09:20	08-Sep-2024 09:20	08-Sep-2024 09:20	
Analyte CAS Number	Method/Lab/Accreditation	LOR	Unit	YL2401441-001	YL2401441-002	YL2401441-003	YL2401441-004	
				Result	Result	Result	Result	
Total Metals								
Mercury, total 7439-97-6	E508/CG	0.0000050	mg/L	<0.0000050	<0.0000050	<0.0000050	<0.0000050	
Molybdenum, total 7439-98-7	E420/CG	0.000050	mg/L	<0.000050	<0.000050	<0.000050	0.000412	
Nickel, total 7440-02-0	E420/CG	0.00050	mg/L	0.117	0.130	0.110	0.227	
Phosphorus, total 7723-14-0	E420/CG	0.050	mg/L	<0.050	<0.050	<0.050	0.107	
Potassium, total 7440-09-7	E420/CG	0.050	mg/L	2.98	2.98	2.93	5.86	
Rubidium, total 7440-17-7	E420/CG	0.00020	mg/L	0.00176	0.00188	0.00192	0.00426	
Selenium, total 7782-49-2	E420/CG	0.000050	mg/L	0.000050	0.000053	0.000057	0.000126	
Silicon, total 7440-21-3	E420/CG	0.10	mg/L	3.09	3.22	3.10	12.7	
Silver, total 7440-22-4	E420/CG	0.000010	mg/L	<0.000010	<0.000010	<0.000010	0.000025	
Sodium, total 7440-23-5	E420/CG	0.050	mg/L	15.1	14.7	14.6	38.3	
Strontium, total 7440-24-6	E420/CG	0.00020	mg/L	0.154	0.159	0.154	0.407	
Sulfur, total 7704-34-9	E420/CG	0.50	mg/L	52.9	59.0	51.5	132	
Tellurium, total 13494-80-9	E420/CG	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	
Thallium, total 7440-28-0	E420/CG	0.000010	mg/L	<0.000010	<0.000010	<0.000010	0.000018	
Thorium, total 7440-29-1	E420/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	0.00037	
Tin, total 7440-31-5	E420/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	
Titanium, total 7440-32-6	E420/CG	0.00030	mg/L	<0.00030	<0.00030	<0.00030	0.0298	
Tungsten, total 7440-33-7	E420/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	0.00298	
Uranium, total 7440-61-1	E420/CG	0.000010	mg/L	0.000334	0.000362	0.000307	0.00144	
Vanadium, total 7440-62-2	E420/CG	0.00050	mg/L	<0.00050	<0.00050	<0.00050	0.00207	
Zinc, total 7440-66-6	E420/CG	0.0030	mg/L	0.536	0.611	0.507	1.17	

Page: 6 of 9 alsglobal.com



Analytical Results

Sub-Matrix: Water (Matrix: Water)			Client s a	mple ID	P1-A	P1-B	P1-D	C4-E	
		С	lient sampling date	/ time	08-Sep-2024 09:20	08-Sep-2024 09:20	08-Sep-2024 09:20	08-Sep-2024 09:20	
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	YL2401441-001	YL2401441-002	YL2401441-003	YL2401441-004	
					Result	Result	Result	Result	
Total Metals									
Zirconium, total	7440-67-7	E420/CG	0.00020	mg/L	<0.00020	<0.00020	<0.00020	0.00020	
Dissolved Metals									
Aluminum, dissolved	7429-90-5	E421/CG	0.0010	mg/L	1.45	2.03	1.32	4.18	
Antimony, dissolved	7440-36-0	E421/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	
Arsenic, dissolved	7440-38-2	E421/CG	0.00010	mg/L	0.00621	0.00946	0.00833	0.528	
Barium, dissolved	7440-39-3	E421/CG	0.00010	mg/L	0.0138	0.0144	0.0134	0.0238	
Beryllium, dissolved	7440-41-7	E421/CG	0.000100	mg/L	0.000380	0.000479	0.000343	0.000599	
Bismuth, dissolved	7440-69-9	E421/CG	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	
Boron, dissolved	7440-42-8	E421/CG	0.010	mg/L	0.027	0.029	0.026	0.063	
Cadmium, dissolved	7440-43-9	E421/CG	0.0000050	mg/L	0.000288	0.000340	0.000268	0.000386	
Calcium, dissolved	7440-70-2	E421/CG	0.050	mg/L	29.1	31.4	29.8	64.5	
Cesium, dissolved	7440-46-2	E421/CG	0.000010	mg/L	0.000053	0.000050	0.000048	0.000092	
Chromium, dissolved	7440-47-3	E421/CG	0.00050	mg/L	<0.00050	<0.00050	<0.00050	0.00160	
Cobalt, dissolved	7440-48-4	E421/CG	0.00010	mg/L	0.0565	0.0692	0.0537	0.0992	
Copper, dissolved	7440-50-8	E421/CG	0.00020	mg/L	0.0375	0.0397	0.0364	0.112	
ron, dissolved	7439-89-6	E421/CG	0.010	mg/L	0.863	3.80	0.895	10.1	
Lead, dissolved	7439-92-1	E421/CG	0.000050	mg/L	0.00211	0.00229	0.00239	0.0668	
Lithium, dissolved	7439-93-2	E421/CG	0.0010	mg/L	0.0217	0.0227	0.0208	0.0534	
Magnesium, dissolved	7439-95-4	E421/CG	0.0050	mg/L	7.89	8.56	8.24	13.8	
langanese, dissolved	7439-96-5	E421/CG	0.00010	mg/L	0.731	0.819	0.706	1.66	
Mercury, dissolved	7439-97-6	E509/CG	0.0000050	mg/L	<0.0000050	<0.0000050	<0.0000050	<0.0000050	

Page: 7 of 9 alsglobal.com



Analytical Results

Sub-Matrix: Water (Matrix: Water)			Client s an	mple ID	P1-A	P1-B	P1-D	C4-E	
		С	lient sampling date	/ time	08-Sep-2024 09:20	08-Sep-2024 09:20	08-Sep-2024 09:20	08-Sep-2024 09:20	
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	YL2401441-001	YL2401441-002	YL2401441-003	YL2401441-004	
					Result	Result	Result	Result	
Dissolved Metals									
Molybdenum, dissolved	7439-98-7	E421/CG	0.000050	mg/L	<0.000050	<0.000050	<0.000050	0.000156	
Nickel, dissolved	7440-02-0	E421/CG	0.00050	mg/L	0.115	0.128	0.109	0.228	
Phosphorus, dissolved	7723-14-0	E421/CG	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	
Potassium, dissolved	7440-09-7	E421/CG	0.050	mg/L	2.94	2.99	2.94	5.76	
Rubidium, dissolved	7440-17-7	E421/CG	0.00020	mg/L	0.00179	0.00177	0.00181	0.00332	
Selenium, dissolved	7782-49-2	E421/CG	0.000050	mg/L	0.000055	0.000051	0.000059	0.000120	
Silicon, dissolved	7440-21-3	E421/CG	0.050	mg/L	2.99	3.12	3.00	11.0	
Silver, dissolved	7440-22-4	E421/CG	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	
Sodium, dissolved	7440-23-5	E421/CG	0.050	mg/L	14.4	14.6	14.7	38.5	
Strontium, dissolved	7440-24-6	E421/CG	0.00020	mg/L	0.152	0.165	0.153	0.400	
Sulfur, dissolved	7704-34-9	E421/CG	0.50	mg/L	52.8	58.7	52.1	136	
Tellurium, dissolved	13494-80-9	E421/CG	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	
Thallium, dissolved	7440-28-0	E421/CG	0.000010	mg/L	<0.000010	<0.000010	<0.000010	0.000011	
Thorium, dissolved	7440-29-1	E421/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	0.00013	
Tin, dissolved	7440-31-5	E421/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	
Titanium, dissolved	7440-32-6	E421/CG	0.00030	mg/L	<0.00030	<0.00030	<0.00030	<0.00030	
Tungsten, dissolved	7440-33-7	E421/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	
Uranium, dissolved	7440-61-1	E421/CG	0.000010	mg/L	0.000334	0.000361	0.000305	0.00141	
Vanadium, dissolved	7440-62-2	E421/CG	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	
Zinc, dissolved	7440-66-6	E421/CG	0.0010	mg/L	0.584	0.669	0.558	1.27	
Zirconium, dissolved	7440-67-7	E421/CG	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	

Page: 8 of 9 alsglobal.com



Analytical Results

Sub-Matrix: Water (Matrix: Water)			Client s ar	mple ID	P1-A	P1-B	P1-D	C4-E	
		С	lient sampling date	/ time	08-Sep-2024 09:20	08-Sep-2024 09:20	08-Sep-2024 09:20	08-Sep-2024 09:20	
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	YL2401441-001	YL2401441-002	YL2401441-003	YL2401441-004	
					Result	Result	Result	Result	
Dissolved Metals									
Dissolved mercury filtration location		EP509/CG	-	-	Field	Field	Field	Field	
Dissolved metals filtration location		EP421/CG	-	-	Field	Field	Field	Field	

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

Page: 9 of 9 alsglobal.com



QUALITY CONTROL INTERPRETIVE REPORT

Work Order : **YL2401441** Page : 1 of 14

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Jon Melnyk Account Manager : Oliver Gregg

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

Yellowknife, Northwest Territories Canada X1A 3T3

 Telephone
 :-- Telephone
 : 1 867 445 7143

 Project
 : LUPIN MINE
 Date Samples Received
 : 10-Sep-2024 09:30

PO : ---- Issue Date : 19-Sep-2024 13:28

C-O-C number : ---Sampler : ---Site : ----

Quote number : YL24-ELMI100-001

No. of samples received :4
No. of samples analysed :4

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

Vancouver BC Canada V6C 2T7

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers Outliers : Quality Control Samples

No Mothed Plank value outliers occur

- No Method Blank value outliers occur.
- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

No Reference Material (RM) Sample outliers occur.

Outliers: Analysis Holding Time Compliance (Breaches) ● Analysis Holding Time Outliers exist - please see following pages for full details.

Outliers : Frequency of Quality Control Samples

• No Quality Control Sample Frequency Outliers occur.

 Page
 :
 3 of 14

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and/or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Water	Evaluation: × =	Holding time exceedance ; ✓ = Within Holding Time

Analyte Group : Analytical Method	Method	Sampling Date	e Extraction / Preparation					Analysis			
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	Times	Eval	
			Date	Rec	Actual			Rec	Actual		
Anions and Nutrients : Chloride in Water by IC											
HDPE											
C4-E	E235.CI	08-Sep-2024	12-Sep-2024	28	4 days	✓	12-Sep-2024	28 days	4 days	✓	
				days							
Anions and Nutrients : Chloride in Water by IC											
HDPE											
P1-A	E235.CI	08-Sep-2024	12-Sep-2024	28	4 days	✓	12-Sep-2024	28 days	4 days	✓	
				days							
Anions and Nutrients : Chloride in Water by IC											
HDPE											
P1-B	E235.CI	08-Sep-2024	12-Sep-2024	28	4 days	✓	12-Sep-2024	28 days	4 days	✓	
				days							
Anions and Nutrients : Chloride in Water by IC											
HDPE											
P1-D	E235.CI	08-Sep-2024	12-Sep-2024	28	4 days	✓	12-Sep-2024	28 days	4 days	✓	
				days							
Anions and Nutrients : Fluoride in Water by IC											
HDPE											
C4-E	E235.F	08-Sep-2024	12-Sep-2024	28	4 days	✓	12-Sep-2024	28 days	4 days	✓	
				days							
Anions and Nutrients : Fluoride in Water by IC											
HDPE											
P1-A	E235.F	08-Sep-2024	12-Sep-2024	28	4 days	✓	12-Sep-2024	28 days	4 days	✓	
				days							
Anions and Nutrients : Fluoride in Water by IC											
HDPE											
P1-B	E235.F	08-Sep-2024	12-Sep-2024	28	4 days	✓	12-Sep-2024	28 days	4 days	✓	
				days							

ALS

 Page
 :
 4 of 14

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE

Matrix: Water Evaluation: ▼ = Holding time exceedance; ✓ = Within Holding Time

Matrix: Water						/aluation. * -	Holding time exce			Holding Till
Analyte Group : Analytical Method	Method	Sampling Date	Ext	traction / Pr	reparation	1		Analys	is	
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Fluoride in Water by IC										
HDPE										
P1-D	E235.F	08-Sep-2024	12-Sep-2024	28	4 days	✓	12-Sep-2024	28 days	4 days	✓
				days						
Anions and Nutrients : Nitrate in Water by IC										
HDPE										
C4-E	E235.NO3	08-Sep-2024	12-Sep-2024	3 days	4 days	×	12-Sep-2024	3 days	4 days	*
						EHT				EHT
Anions and Nutrients : Nitrate in Water by IC										
HDPE										
P1-A	E235.NO3	08-Sep-2024	12-Sep-2024	3 days	4 days	*	12-Sep-2024	3 days	4 days	×
						EHT				EHT
Anions and Nutrients : Nitrate in Water by IC										
HDPE										
P1-B	E235.NO3	08-Sep-2024	12-Sep-2024	3 days	4 days	*	12-Sep-2024	3 days	4 days	3 0
						EHT				EHT
Anions and Nutrients : Nitrate in Water by IC										
HDPE							I			
P1-D	E235.NO3	08-Sep-2024	12-Sep-2024	3 days	4 days	×	12-Sep-2024	3 days	4 days	3c
			•			EHT				EHT
Anions and Nutrients : Nitrite in Water by IC										
HDPE										
C4-E	E235.NO2	08-Sep-2024	12-Sep-2024	3 days	4 days	*	12-Sep-2024	3 days	4 days	æ
		· '	,	,		EHT	, ,			EHT
Anions and Nutrients : Nitrite in Water by IC										
HDPE							I			
P1-A	E235.NO2	08-Sep-2024	12-Sep-2024	3 days	4 days	×	12-Sep-2024	3 days	4 days	*
		' '	,			EHT	, ,			EHT
Aniana and Nationals - Nitrite in Mater by IC										
Anions and Nutrients : Nitrite in Water by IC HDPE							I			
P1-B	E235.NO2	08-Sep-2024	12-Sep-2024	3 days	4 days	*	12-Sep-2024	3 days	4 days	3c
		00 00p 2024	. 2 00p 202 T	2 20,5	,0	EHT		Lays	,	EHT
A STATE OF THE STA										
Anions and Nutrients : Nitrite in Water by IC							I			
HDPE P1-D	E235.NO2	08-Sep-2024	12-Sep-2024	3 days	4 days	*	12-Sep-2024	3 days	4 days	×
ר וייט	L200.1402	00-06p-2024	12-06p-2024	3 uays	+ uays	EHT	12-36p-2024	Juays	- uays	EHT
						LITT				∟пі

ALS

 Page
 :
 5 of 14

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE

Matrix: Water Evaluation: × = Holding time exceedance; ✓ = Within Holding Time

Analyte Group : Analytical Method Container / Client Sample ID(s) Method Sampling Date	Preparation	action / Pri Holding	eparation g Times	Eval	Analysis Date	Analys		
Container / Client Sample ID(s)	· ·	Holding	Times	Fval	Analysis Date	I I a I alia a		
	· ·				Allalysis Date	Holaing	Times	Eval
	Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Sulfate in Water by IC								
HDPE								
C4-E E235.SO4 08-Sep-2024 1	2-Sep-2024	28	4 days	✓	12-Sep-2024	28 days	4 days	✓
		days						
Anions and Nutrients : Sulfate in Water by IC								
HDPE								
	2-Sep-2024	28	4 days	✓	12-Sep-2024	28 days	4 days	✓
		days	,		'	,	, í	
Anique and Nutricute - Culfete in Wetch by IC								
Anions and Nutrients : Sulfate in Water by IC HDPE					I			
	2-Sep-2024	28	4 days	✓	12-Sep-2024	28 days	4 davs	✓
1.5	. 2 oop 202 :	days	· uayo		.2 000 202 .	20 44,0	· aayo	
		days						
Anions and Nutrients : Sulfate in Water by IC								
HDPE E235.SO4 08-Sep-2024 1	0.004		4 -1	1	40.0 2004	00 4	4 -1	√
P1-D E235.SO4 08-Sep-2024 1	2-Sep-2024	28	4 days	•	12-Sep-2024	28 days	4 days	•
		days						
Cyanides : Total Cyanide								
UV-inhibited HDPE - total (sodium hydroxide)								
C4-E E333 08-Sep-2024 1	6-Sep-2024	14	8 days	✓	16-Sep-2024	14 days	8 days	✓
		days						
Cyanides : Total Cyanide								
UV-inhibited HDPE - total (sodium hydroxide)								
P1-A E333 08-Sep-2024 1	6-Sep-2024	14	8 days	✓	16-Sep-2024	14 days	8 days	✓
		days						
Cyanides : Total Cyanide								
UV-inhibited HDPE - total (sodium hydroxide)	T							
	6-Sep-2024	14	8 days	✓	16-Sep-2024	14 days	8 davs	✓
		days	,		'	,	, í	
Cyanides : Total Cyanide UV-inhibited HDPE - total (sodium hydroxide)					I			
· · · · · · · · · · · · · · · · · · ·	6-Sep-2024	14	8 days	√	16-Sep-2024	14 days	8 days	✓
1 1-D	0-06p-2024		o uays	•	10-06p-2024	17 days	o uays	•
		days						
D:								
Dissolved Metals : Dissolved Mercury in Water by CVAAS						1		
Glass vial dissolved (hydrochloric acid)								
Glass vial dissolved (hydrochloric acid)	6-Sep-2024	28	8 days	✓	16-Sep-2024	28 days	8 days	✓

(ALS)

 Page
 :
 6 of 14

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE

Matrix: Water

Evaluation:	× = Holding	time exceedance;	✓ = Within Holding Tim
-------------	-------------	------------------	------------------------

						raidation.	Holding time exce		***********	riolanig riin
Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pr	reparation		Analysis			
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial dissolved (hydrochloric acid)										
P1-A	E509	08-Sep-2024	16-Sep-2024	28	8 days	✓	16-Sep-2024	28 days	8 days	✓
				days						
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial dissolved (hydrochloric acid)										
P1-B	E509	08-Sep-2024	16-Sep-2024	28	8 days	✓	16-Sep-2024	28 days	8 days	✓
				days						
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial dissolved (hydrochloric acid)										
P1-D	E509	08-Sep-2024	16-Sep-2024	28	8 days	✓	16-Sep-2024	28 days	8 days	✓
				days						
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE - dissolved (lab preserved)				<u> </u>						
C4-E	E421	08-Sep-2024	16-Sep-2024	180	8 days	√	17-Sep-2024	180	9 days	✓
0.2			.0 000 202.	days	o days		552 252 .	days	o aayo	
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS				dayo				aayo		
HDPE - dissolved (lab preserved)				<u> </u>	<u> </u>		I	<u> </u>		
P1-A	E421	08-Sep-2024	16-Sep-2024	180	8 days	√	17-Sep-2024	180	9 days	√
1 174	L-72 I	00-00p-202+	10-00p-2024	days	o days		17-00p-2024	days	o dayo	•
				uays				uays		
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS				1	<u> </u>					
HDPE - dissolved (lab preserved) P1-B	E421	08-Sep-2024	16-Sep-2024	400	8 days	√	17-Sep-2024	400	9 days	√
PI-B	L421	00-3ep-2024	10-3ep-2024	180	o uays	•	17-3ep-2024	180	9 uays	•
				days				days		
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE - dissolved (lab preserved)	E404	00.0 0004	40.0 2004		0 -1		47.0 0004		0 -1	,
P1-D	E421	08-Sep-2024	16-Sep-2024	180	8 days	✓	17-Sep-2024	180	9 days	✓
				days				days		
Physical Tests : Alkalinity Species by Titration										
HDPE										
C4-E	E290	08-Sep-2024	12-Sep-2024	14	4 days	✓	12-Sep-2024	14 days	4 days	✓
				days						
Physical Tests : Alkalinity Species by Titration										
HDPE										
P1-A	E290	08-Sep-2024	12-Sep-2024	14	4 days	✓	12-Sep-2024	14 days	4 days	✓
				days						

(ALS)

 Page
 :
 7 of 14

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE

Matrix: Water Evaluation: × = Holding time exceedance; ✓ = Within Holding Time

latrix: Water					E	/aluation: 🗴 =	Holding time exce	edance ; 🔻	= Within	Holding Ti
Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pi	reparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Physical Tests : Alkalinity Species by Titration										
HDPE										
P1-B	E290	08-Sep-2024	12-Sep-2024	14	4 days	✓	12-Sep-2024	14 days	4 days	✓
				days						
Physical Tests : Alkalinity Species by Titration										
HDPE										
P1-D	E290	08-Sep-2024	12-Sep-2024	14	4 days	✓	12-Sep-2024	14 days	4 days	✓
			•	days						
Physical Tests : Conductivity in Water				,						
HDPE								<u> </u>		
C4-E	E100	08-Sep-2024	12-Sep-2024	28	4 days	✓	12-Sep-2024	28 days	4 days	✓
		, ,	, ,	days	,		'		,	
Newsiant Trade - Constructivity in Mater										
Physical Tests : Conductivity in Water HDPE										
P1-A	E100	08-Sep-2024	12-Sep-2024	00	4 days	1	12-Sep-2024	28 days	4 days	1
P I-A		00-3ер-2024	12-3ep-2024	28	4 uays	•	12-3ep-2024	20 uays	4 uays	•
				days						
Physical Tests : Conductivity in Water										
HDPE						_				
P1-B	E100	08-Sep-2024	12-Sep-2024	28	4 days	✓	12-Sep-2024	28 days	4 days	✓
				days						
Physical Tests : Conductivity in Water										
HDPE										
P1-D	E100	08-Sep-2024	12-Sep-2024	28	4 days	✓	12-Sep-2024	28 days	4 days	✓
				days						
Physical Tests : pH by Meter										
HDPE										
C4-E	E108	08-Sep-2024	12-Sep-2024	0.25	103 hrs	3c	12-Sep-2024	0.25	103 hrs	×
				hrs		EHTR-FM		hrs		EHTR-F
Physical Tests : pH by Meter										
HDPE										
P1-A	E108	08-Sep-2024	12-Sep-2024	0.25	103 hrs	*	12-Sep-2024	0.25	103 hrs	3c
		,	,	hrs		EHTR-FM		hrs		EHTR-F
Division Tests until by Mater				•						
Physical Tests : pH by Meter HDPE										
P1-B	E108	08-Sep-2024	12-Sep-2024	0.05	103 hrs	×	12-Sep-2024	0.05	103 hrs	
Г I-D		00-36p-2024	12-36p-2024	0.25	1031118	EHTR-FM	12-36p-2024	0.25	1031118	EHTR-F
				hrs		EUIK-LIM		hrs		בחות-ו

ALS

 Page
 :
 8 of 14

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE

Matrix: Water Evaluation: × = Holding time exceedance: ✓ = Within Holding Time

atrix: Water					E۱	/aluation: 🗴 = l	Holding time excee	edance ; 🕦	/ = Within	Holding Tir
nalyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pr	reparation		Analysis		sis	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
hysical Tests : pH by Meter										
HDPE										
P1-D	E108	08-Sep-2024	12-Sep-2024	0.25	103 hrs	3 0	12-Sep-2024	0.25	103 hrs	*
				hrs		EHTR-FM		hrs		EHTR-FI
otal Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
C4-E	E508	08-Sep-2024	16-Sep-2024	28	8 days	✓	16-Sep-2024	28 days	8 days	✓
				days						
otal Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
P1-A	E508	08-Sep-2024	16-Sep-2024	28	8 days	✓	16-Sep-2024	28 days	8 days	✓
				days						
otal Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
P1-B	E508	08-Sep-2024	16-Sep-2024	28	8 days	1	16-Sep-2024	28 days	8 days	✓
		· ·	,	days			, ,		. ,	
otal Metals : Total Mercury in Water by CVAAS				,						
Glass vial total (hydrochloric acid)										
P1-D	E508	08-Sep-2024	16-Sep-2024	28	8 days	✓	16-Sep-2024	28 days	8 days	1
				days	, -			,-	- III, I	
otal Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)							I			
C4-E	E420	08-Sep-2024	16-Sep-2024	180	8 days	√	17-Sep-2024	180	9 days	✓
0+ L		00 00p 202 .	10 00p 2021	days	o dayo		17 GGP 2021	days	o dayo	
COLMAND TANK OF THE OPENING				days				days		
otal Metals : Total Metals in Water by CRC ICPMS							I			
HDPE - total (lab preserved) P1-A	E420	08-Sep-2024	16-Sep-2024	180	8 days	√	17-Sep-2024	180	9 days	1
F 1-A	L420	00-3ep-2024	10-3ep-2024		0 days	, ,	17-3ep-2024		9 uays	•
				days				days		
otal Metals : Total Metals in Water by CRC ICPMS				I	I					
HDPE - total (lab preserved)	E420	00 00 - 0004	16 Cor 0004	165	0 4	1	17 00- 0004	400	0 4	1
P1-B	E420	08-Sep-2024	16-Sep-2024	180	8 days	~	17-Sep-2024	180	9 days	∀
				days				days		
otal Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										_
P1-D	E420	08-Sep-2024	16-Sep-2024	180	8 days	✓	17-Sep-2024	180	9 days	✓
	:= 0		10 00p 2021	100	o dayo	i i		days	,	

Legend & Qualifier Definitions

 Page
 :
 9 of 14

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended

EHT: Exceeded ALS recommended hold time prior to analysis.

Rec. HT: ALS recommended hold time (see units).

 Page
 :
 10 of 14

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Quality Control Sample Type			ion: × = QC freque	ount		Frequency (%	
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Laboratory Duplicates (DUP)						,	
Alkalinity Species by Titration	E290	1648427	1	20	5.0	5.0	✓
Chloride in Water by IC	E235.CI	1648328	1	15	6.6	5.0	√
Conductivity in Water	E100	1648426	1	20	5.0	5.0	√
Dissolved Mercury in Water by CVAAS	E509	1651020	1	16	6.2	5.0	√
Dissolved Metals in Water by CRC ICPMS	E421	1652001	1	20	5.0	5.0	√
Fluoride in Water by IC	E235.F	1648327	1	15	6.6	5.0	√
Nitrate in Water by IC	E235.NO3	1648324	1	17	5.8	5.0	√
Nitrite in Water by IC	E235.NO2	1648325	1	17	5.8	5.0	√
pH by Meter	E108	1648425	1	20	5.0	5.0	1
Sulfate in Water by IC	E235.SO4	1648326	1	15	6.6	5.0	1
Total Cyanide	E333	1653576	1	19	5.2	5.0	√
Total Mercury in Water by CVAAS	E508	1651021	1	15	6.6	5.0	1
Total Metals in Water by CRC ICPMS	E420	1651999	1	20	5.0	5.0	1
Laboratory Control Samples (LCS)							-
Alkalinity Species by Titration	E290	1648427	1	20	5.0	5.0	✓
Chloride in Water by IC	E235.CI	1648328	1	15	6.6	5.0	1
Conductivity in Water	E100	1648426	1	20	5.0	5.0	1
Dissolved Mercury in Water by CVAAS	E509	1651020	1	16	6.2	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1652001	1	20	5.0	5.0	✓
Fluoride in Water by IC	E235.F	1648327	1	15	6.6	5.0	1
Nitrate in Water by IC	E235.NO3	1648324	1	17	5.8	5.0	✓
Nitrite in Water by IC	E235.NO2	1648325	1	17	5.8	5.0	✓
pH by Meter	E108	1648425	1	20	5.0	5.0	✓
Sulfate in Water by IC	E235.SO4	1648326	1	15	6.6	5.0	✓
Total Cyanide	E333	1653576	1	19	5.2	5.0	✓
Total Mercury in Water by CVAAS	E508	1651021	1	15	6.6	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1651999	1	20	5.0	5.0	✓
Method Blanks (MB)							
Alkalinity Species by Titration	E290	1648427	1	20	5.0	5.0	✓
Chloride in Water by IC	E235.CI	1648328	1	15	6.6	5.0	✓
Conductivity in Water	E100	1648426	1	20	5.0	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1651020	1	16	6.2	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1652001	1	20	5.0	5.0	✓
Fluoride in Water by IC	E235.F	1648327	1	15	6.6	5.0	✓
Nitrate in Water by IC	E235.NO3	1648324	1	17	5.8	5.0	✓

 Page
 :
 11 of 14

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Matrix: Water Evaluation: ★ = QC frequency outside specification; ✓ = QC frequency within specification.

Matrix: Water		Evaluatio	n. 🔻 – QC irequi	ericy outside spe	ecincation, 🗸 – (C irequericy wit	пт ѕрестсано
Quality Control Sample Type			Co	ount		Frequency (%)	
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Method Blanks (MB) - Continued							
Nitrite in Water by IC	E235.NO2	1648325	1	17	5.8	5.0	✓
Sulfate in Water by IC	E235.SO4	1648326	1	15	6.6	5.0	✓
Total Cyanide	E333	1653576	1	19	5.2	5.0	✓
Total Mercury in Water by CVAAS	E508	1651021	1	15	6.6	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1651999	1	20	5.0	5.0	✓
Matrix Spikes (MS)							
Chloride in Water by IC	E235.Cl	1648328	1	15	6.6	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1651020	1	16	6.2	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1652001	1	20	5.0	5.0	✓
Fluoride in Water by IC	E235.F	1648327	1	15	6.6	5.0	✓
Nitrate in Water by IC	E235.NO3	1648324	1	17	5.8	5.0	✓
Nitrite in Water by IC	E235.NO2	1648325	1	17	5.8	5.0	✓
Sulfate in Water by IC	E235.SO4	1648326	1	15	6.6	5.0	✓
Total Cyanide	E333	1653576	1	19	5.2	5.0	✓
Total Mercury in Water by CVAAS	E508	1651021	1	15	6.6	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1651999	1	20	5.0	5.0	√

 Page
 :
 12 of 14

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Conductivity in Water	E100	Water	APHA 2510 (mod)	Conductivity, also known as Electrical Conductivity (EC) or Specific Conductance, is
				measured by immersion of a conductivity cell with platinum electrodes into a water
	ALS Environmental -			sample. Conductivity measurements are temperature-compensated to 25°C.
	Calgary			
pH by Meter	E108	Water	APHA 4500-H (mod)	pH is determined by potentiometric measurement with a pH electrode, and is conducted
				at ambient laboratory temperature (normally 20 \pm 5°C). For high accuracy test results,
	ALS Environmental -			pH should be measured in the field within the recommended 15 minute hold time.
	Calgary			
Chloride in Water by IC	E235.CI	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
	ALS Environmental -			
	Calgary			
Fluoride in Water by IC	E235.F	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Calgary			
Nitrite in Water by IC	E235.NO2	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			action.
	Calgary			
Nitrate in Water by IC	E235.NO3	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Calgary			
Sulfate in Water by IC	E235.SO4	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Calgary			
Alkalinity Species by Titration	E290	Water	APHA 2320 B (mod)	Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate, carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total
	ALS Environmental -			alkalinity values.
	Calgary			,
Total Cyanide	E333	Water	ISO 14403 (mod)	Total or Strong Acid Dissociable (SAD) Cyanide is determined by Continuous Flow Analyzer (CFA) with in-line UV digestion followed by colourmetric analysis.
	ALS Environmental -			
	Waterloo			Method Limitation: High levels of thiocyanate (SCN) may cause positive interference (up to 0.5% of SCN concentration).

 Page
 :
 13 of 14

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Total Metals in Water by CRC ICPMS	E420	Water	EPA 200.2/6020B	Water samples are digested with nitric and hydrochloric acids, and analyzed by
·			(mod)	Collision/Reaction Cell ICPMS.
	ALS Environmental -			
	Calgary			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered
Di la IMA di Maria de De la Pida		147 /		by this method.
Dissolved Metals in Water by CRC ICPMS	E421	Water	APHA 3030B/EPA	Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by
	ALS Environmental -		6020B (mod)	Collision/Reaction Cell ICPMS.
	Calgary			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered
	, ,			by this method.
Total Mercury in Water by CVAAS	E508	Water	EPA 1631E (mod)	Water samples undergo a cold-oxidation using bromine monochloride prior to reduction
				with stannous chloride, and analyzed by CVAAS
	ALS Environmental -			
Dissolved Mercury in Water by CVAAS	Calgary	Water	4 DUI 4 0000 D / ED 4	N
Dissolved Mercury III Water by CVAAS	E509	vvalei	APHA 3030B/EPA 1631E (mod)	Water samples are filtered (0.45 um), preserved with HCl, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by
	ALS Environmental -		1031L (IIIou)	CVAAS.
	Calgary			
Dissolved Hardness (Calculated)	EC100	Water	APHA 2340B	"Hardness (as CaCO3), dissolved" is calculated from the sum of dissolved Calcium and
				Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers
	ALS Environmental -			to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially
	Calgary			calculated from dissolved Calcium and Magnesium concentrations, because it is a
Hardness (Calculated) from Total Ca/Mg	EC100A	Water	APHA 2340B	property of water due to dissolved divalent cations. "Hardness (as CaCO3), from total Ca/Mg" is calculated from the sum of total Calcium and
Training (Galcarated) from Total Carring	LOTODA	· · · · · · · · · · · · · · · · · · ·	7117120100	Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers
	ALS Environmental -			to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially
	Calgary			calculated from dissolved Calcium and Magnesium concentrations, because it is a
				property of water due to dissolved divalent cations. Hardness from total Ca/Mg is
				normally comparable to Dissolved Hardness in non-turbid waters.
Ion Balance using Dissolved Metals	EC101	Water	APHA 1030E	Cation Sum, Anion Sum, and Ion Balance are calculated based on guidance from APHA
	ALS Environmental -			Standard Methods (1030E Checking Correctness of Analysis). Dissolved species are used where available. Minor ions are included where data is present.
	Calgary			lon Balance cannot be calculated accurately for waters with very low electrical
	Jg,			conductivity (EC).
TDS in Water (Calculation)	EC103	Water	APHA 1030E (mod)	Total Dissolved Solids is calculated based on guidance from APHA Standard Methods
				(1030E Checking Correctness of Analysis). Dissolved species are used where
	ALS Environmental -			available. Minor ions are included where data is present.
Nitrata and Nitrita (as NI) (Calculation)	Calgary	Water	EPA 300.0	
Nitrate and Nitrite (as N) (Calculation)	EC235.N+N	vvaler	EFA 300.0	Nitrate and Nitrite (as N) is a calculated parameter. Nitrate and Nitrite (as N) = Nitrite (as N) + Nitrate (as N).
	ALS Environmental -			14) + 14111 atc (as 14).
	Calgary			
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions

 Page
 :
 14 of 14

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Dissolved Metals Water Filtration	EP421	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HNO3.
	ALS Environmental -			
	Calgary			
Dissolved Mercury Water Filtration	EP509	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HCl.
	ALS Environmental -			
	Calgary			

ALS Canada Ltd.



QUALITY CONTROL REPORT

Work Order : **YL2401441** Page : 1 of 17

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Jon Melnyk Account Manager : Oliver Gregg
Address : 750 West Pender Street Suite 201 Address : 314 Old Airpot

Address : 314 Old Airport Road, Unit 116

Yellowknife, Northwest Territories Canada X1A 3T3

Telephone :1 867 445 7143

Date Samples Received : 10-Sep-2024 09:30

Date Analysis Commenced : 12-Sep-2024

Issue Date : 19-Sep-2024 13:32

Telephone :---

Project : LUPIN MINE

PO :--C-O-C number :--Sampler :--Site :---

Quote number : YL24-ELMI100-001

No. of samples received : 4
No. of samples analysed : 4

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives

Vancouver BC Canada V6C 2T7

- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
George Huang	Supervisor - Inorganic	Calgary Metals, Calgary, Alberta
Gurvinder Kour	Lab Assistant	Calgary Metals, Calgary, Alberta
Harpreet Chawla	Team Leader - Inorganics	Calgary Inorganics, Calgary, Alberta
Jon Fisher	Production Manager, Environmental	Waterloo Inorganics, Waterloo, Ontario
Katarzyna Glinka	Analyst	Calgary Inorganics, Calgary, Alberta
Kevin Baxter	Team Leader - Inorganics	Calgary Inorganics, Calgary, Alberta
Parker Sgarbossa	Laboratory Analyst	Calgary Metals, Calgary, Alberta
Shirley Li	Team Leader - Inorganics	Calgary Metals, Calgary, Alberta

 Page
 :
 2 of 17

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key:

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

 Page
 :
 3 of 17

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Water	p-Matrix: Water					Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC	Lot: 1648425)										
CG2413104-001	Anonymous	pH		E108	0.10	pH units	7.82	7.87	0.637%	4%	
Physical Tests (QC	Lot: 1648426)										
CG2413104-001	Anonymous	Conductivity		E100	2.0	μS/cm	2080	2090	0.480%	10%	
Physical Tests (QC	Lot: 1648427)										
CG2413104-001	Anonymous	Alkalinity, total (as CaCO3)		E290	1.0	mg/L	504	493	2.29%	20%	
Anions and Nutrient	ts (QC Lot: 1648324)										
YL2401440-001	Anonymous	Nitrate (as N)	14797-55-8	E235.NO3	0.020	mg/L	0.404	0.408	0.812%	20%	
Anions and Nutrient	ts (QC Lot: 1648325)										
YL2401440-001	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2	0.010	mg/L	<0.010	<0.010	0	Diff <2x LOR	
Anions and Nutrient	ts (QC Lot: 1648326)										
YL2401440-001	Anonymous	Sulfate (as SO4)	14808-79-8	E235.SO4	0.30	mg/L	178	179	0.794%	20%	
Anions and Nutrient	ts (QC Lot: 1648327)										
YL2401440-001	Anonymous	Fluoride	16984-48-8	E235.F	0.020	mg/L	0.126	0.126	0.0006	Diff <2x LOR	
Anions and Nutrien	ts (QC Lot: 1648328)										
YL2401440-001	Anonymous	Chloride	16887-00-6	E235.CI	0.50	mg/L	13.1	13.2	0.864%	20%	
Cyanides (QC Lot:	1653576)										
KS2403724-001	Anonymous	Cyanide, strong acid dissociable (Total)		E333	0.0050	mg/L	<0.0050	<0.0050	0	Diff <2x LOR	
Total Metals (QC Lo	ot: 1651021)										
CG2413183-001	Anonymous	Mercury, total	7439-97-6	E508	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	
Total Metals (QC Lo	ot: 1651999)										
CG2413194-001	Anonymous	Aluminum, total	7429-90-5	E420	0.0030	mg/L	0.0063	0.0059	0.0004	Diff <2x LOR	
		Antimony, total	7440-36-0	E420	0.00010	mg/L	0.00023	0.00022	0.000005	Diff <2x LOR	
		Arsenic, total	7440-38-2	E420	0.00010	mg/L	0.00011	<0.00010	0.00001	Diff <2x LOR	
		Barium, total	7440-39-3	E420	0.00010	mg/L	0.0607	0.0614	1.16%	20%	
		Beryllium, total	7440-41-7	E420	0.000020	mg/L	<0.020 µg/L	<0.000020	0	Diff <2x LOR	
		Bismuth, total	7440-69-9	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	
		Boron, total	7440-42-8	E420	0.010	mg/L	0.015	0.015	0.0003	Diff <2x LOR	
		Cadmium, total	7440-43-9	E420	0.0000050	mg/L	0.0701 μg/L	0.0000704	0.370%	20%	
		Calcium, total	7440-70-2	E420	0.050	mg/L	91.6	90.3	1.35%	20%	

 Page
 :
 4 of 17

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



ub-Matrix: Water						Laboratory Duplicate (DUP) Report					
aboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Total Metals (QC Lo	ot: 1651999) - continued										
CG2413194-001	Anonymous	Cesium, total	7440-46-2	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		Chromium, total	7440-47-3	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	
		Cobalt, total	7440-48-4	E420	0.00010	mg/L	<0.10 µg/L	<0.00010	0	Diff <2x LOR	
		Copper, total	7440-50-8	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	
		Iron, total	7439-89-6	E420	0.010	mg/L	0.035	0.047	0.012	Diff <2x LOR	
		Lead, total	7439-92-1	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	
		Lithium, total	7439-93-2	E420	0.0010	mg/L	0.0710	0.0705	0.651%	20%	
		Magnesium, total	7439-95-4	E420	0.0050	mg/L	44.2	43.9	0.642%	20%	
		Manganese, total	7439-96-5	E420	0.00010	mg/L	0.00782	0.00768	1.70%	20%	
		Molybdenum, total	7439-98-7	E420	0.000050	mg/L	0.00332	0.00292	13.1%	20%	
		Nickel, total	7440-02-0	E420	0.00050	mg/L	0.00343	0.00338	0.00005	Diff <2x LOR	
		Phosphorus, total	7723-14-0	E420	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	
		Potassium, total	7440-09-7	E420	0.050	mg/L	2.12	2.12	0.108%	20%	
		Rubidium, total	7440-17-7	E420	0.00020	mg/L	0.00128	0.00124	0.00003	Diff <2x LOR	
		Selenium, total	7782-49-2	E420	0.000050	mg/L	27.5 μg/L	0.0276	0.315%	20%	
		Silicon, total	7440-21-3	E420	0.10	mg/L	2.15	2.12	1.02%	20%	
		Silver, total	7440-22-4	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		Sodium, total	7440-23-5	E420	0.050	mg/L	5.02	4.98	0.786%	20%	
		Strontium, total	7440-24-6	E420	0.00020	mg/L	0.161	0.162	0.662%	20%	
		Sulfur, total	7704-34-9	E420	0.50	mg/L	80.1	80.9	1.04%	20%	
		Tellurium, total	13494-80-9	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	
		Thallium, total	7440-28-0	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		Thorium, total	7440-29-1	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Tin, total	7440-31-5	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Titanium, total	7440-32-6	E420	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR	
		Tungsten, total	7440-33-7	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Uranium, total	7440-61-1	E420	0.000010	mg/L	0.00328	0.00335	1.91%	20%	
		Vanadium, total	7440-62-2	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	
		Zinc, total	7440-66-6	E420	0.0030	mg/L	0.0035	<0.0030	0.0005	Diff <2x LOR	
		Zirconium, total	7440-67-7	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	
issolved Metals (C	QC Lot: 1651020)										
G2413183-001	Anonymous	Mercury, dissolved	7439-97-6	E509	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	
issolved Metals (C	QC Lot: 1652001)										
G2413194-001	Anonymous	Aluminum, dissolved	7429-90-5	E421	0.0010	mg/L	0.0015	0.0013	0.0002	Diff <2x LOR	

 Page
 :
 5 of 17

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



ub-Matrix: Water						Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifie
Dissolved Metals (C	QC Lot: 1652001) - cont	inued									
CG2413194-001	Anonymous	Antimony, dissolved	7440-36-0	E421	0.00010	mg/L	0.00023	0.00022	0.000007	Diff <2x LOR	
		Arsenic, dissolved	7440-38-2	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Barium, dissolved	7440-39-3	E421	0.00010	mg/L	0.0617	0.0609	1.38%	20%	
		Beryllium, dissolved	7440-41-7	E421	0.000020	mg/L	<0.020 µg/L	<0.000020	0	Diff <2x LOR	
		Bismuth, dissolved	7440-69-9	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	
		Boron, dissolved	7440-42-8	E421	0.010	mg/L	0.015	0.015	0.0003	Diff <2x LOR	
		Cadmium, dissolved	7440-43-9	E421	0.0000050	mg/L	0.0581 μg/L	0.0000591	1.77%	20%	
		Calcium, dissolved	7440-70-2	E421	0.050	mg/L	89.5	90.8	1.38%	20%	
		Cesium, dissolved	7440-46-2	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		Chromium, dissolved	7440-47-3	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	
		Cobalt, dissolved	7440-48-4	E421	0.00010	mg/L	<0.10 µg/L	<0.00010	0	Diff <2x LOR	
		Copper, dissolved	7440-50-8	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	
		Iron, dissolved	7439-89-6	E421	0.010	mg/L	0.021	0.021	0.0002	Diff <2x LOR	
		Lead, dissolved	7439-92-1	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	
		Lithium, dissolved	7439-93-2	E421	0.0010	mg/L	0.0726	0.0698	3.87%	20%	
		Magnesium, dissolved	7439-95-4	E421	0.0050	mg/L	41.8	42.9	2.55%	20%	
		Manganese, dissolved	7439-96-5	E421	0.00010	mg/L	0.00681	0.00682	0.170%	20%	
		Molybdenum, dissolved	7439-98-7	E421	0.000050	mg/L	0.00303	0.00305	0.638%	20%	
		Nickel, dissolved	7440-02-0	E421	0.00050	mg/L	0.00319	0.00324	0.00004	Diff <2x LOR	
		Phosphorus, dissolved	7723-14-0	E421	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	
		Potassium, dissolved	7440-09-7	E421	0.050	mg/L	2.06	2.08	1.12%	20%	
		Rubidium, dissolved	7440-17-7	E421	0.00020	mg/L	0.00122	0.00121	0.000003	Diff <2x LOR	
		Selenium, dissolved	7782-49-2	E421	0.000050	mg/L	31.7 μg/L	0.0323	1.86%	20%	
		Silicon, dissolved	7440-21-3	E421	0.050	mg/L	2.00	2.01	0.668%	20%	
		Silver, dissolved	7440-22-4	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		Sodium, dissolved	7440-23-5	E421	0.050	mg/L	4.70	4.83	2.78%	20%	
		Strontium, dissolved	7440-24-6	E421	0.00020	mg/L	0.160	0.161	0.396%	20%	
		Sulfur, dissolved	7704-34-9	E421	0.50	mg/L	80.3	80.9	0.732%	20%	
		Tellurium, dissolved	13494-80-9	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	
		Thallium, dissolved	7440-28-0	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		Thorium, dissolved	7440-29-1	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Tin, dissolved	7440-31-5	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Titanium, dissolved	7440-32-6	E421	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR	
		Tungsten, dissolved	7440-33-7	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	

 Page
 :
 6 of 17

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Sub-Matrix: Water					Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Dissolved Metals (C	QC Lot: 1652001) - contir	nued									
CG2413194-001	Anonymous	Uranium, dissolved	7440-61-1	E421	0.000010	mg/L	0.00319	0.00316	1.01%	20%	
		Vanadium, dissolved	7440-62-2	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	
		Zinc, dissolved	7440-66-6	E421	0.0010	mg/L	0.0044	0.0043	0.0001	Diff <2x LOR	
		Zirconium, dissolved	7440-67-7	E421	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR	

 Page
 :
 7 of 17

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1648426)						
Conductivity		E100	1	μS/cm	<1.0	
Physical Tests (QCLot: 1648427)						
Alkalinity, total (as CaCO3)		E290	1	mg/L	<1.0	
Anions and Nutrients (QCLot: 1648324)						
Nitrate (as N)	14797-55-8	E235.NO3	0.02	mg/L	<0.020	
Anions and Nutrients (QCLot: 1648325)						
Nitrite (as N)	14797-65-0	E235.NO2	0.01	mg/L	<0.010	
Anions and Nutrients (QCLot: 1648326)						
Sulfate (as SO4)	14808-79-8	E235.SO4	0.3	mg/L	<0.30	
Anions and Nutrients (QCLot: 1648327)						
Fluoride	16984-48-8	E235.F	0.02	mg/L	<0.020	
Anions and Nutrients (QCLot: 1648328)						
Chloride	16887-00-6	E235.Cl	0.5	mg/L	<0.50	
Cyanides (QCLot: 1653576)						
Cyanide, strong acid dissociable (Total)		E333	0.002	mg/L	<0.0020	
otal Metals (QCLot: 1651021)						
Mercury, total	7439-97-6	E508	0.000005	mg/L	<0.0000050	
otal Metals (QCLot: 1651999)						
Aluminum, total	7429-90-5	E420	0.003	mg/L	<0.0030	
Antimony, total	7440-36-0	E420	0.0001	mg/L	<0.00010	
Arsenic, total	7440-38-2	E420	0.0001	mg/L	<0.00010	
Barium, total	7440-39-3	E420	0.0001	mg/L	<0.00010	
Beryllium, total	7440-41-7	E420	0.00002	mg/L	<0.000020	
Bismuth, total	7440-69-9	E420	0.00005	mg/L	<0.000050	
Boron, total	7440-42-8	E420	0.01	mg/L	<0.010	
Cadmium, total	7440-43-9	E420	0.000005	mg/L	<0.000050	
Calcium, total	7440-70-2	E420	0.05	mg/L	<0.050	
Cesium, total	7440-46-2	E420	0.00001	mg/L	<0.000010	
Chromium, total	7440-47-3	E420	0.0005	mg/L	<0.00050	
Cobalt, total	7440-48-4	E420	0.0001	mg/L	<0.00010	
Copper, total	7440-50-8	E420	0.0005	mg/L	<0.00050	
Iron, total	7439-89-6	E420	0.01	mg/L	<0.010	

 Page
 :
 8 of 17

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
otal Metals (QCLot: 1651999) -	continued					
Lead, total	7439-92-1	E420	0.00005	mg/L	<0.000050	
Lithium, total	7439-93-2	E420	0.001	mg/L	<0.0010	
Magnesium, total	7439-95-4	E420	0.005	mg/L	<0.0050	
Manganese, total	7439-96-5	E420	0.0001	mg/L	<0.00010	
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	<0.000050	
Nickel, total	7440-02-0	E420	0.0005	mg/L	<0.00050	
Phosphorus, total	7723-14-0	E420	0.05	mg/L	<0.050	
Potassium, total	7440-09-7	E420	0.05	mg/L	<0.050	
Rubidium, total	7440-17-7	E420	0.0002	mg/L	<0.00020	
Selenium, total	7782-49-2	E420	0.00005	mg/L	<0.000050	
Silicon, total	7440-21-3	E420	0.1	mg/L	<0.10	
Silver, total	7440-22-4	E420	0.00001	mg/L	<0.000010	
Sodium, total	7440-23-5	E420	0.05	mg/L	<0.050	
Strontium, total	7440-24-6	E420	0.0002	mg/L	<0.00020	
Sulfur, total	7704-34-9	E420	0.5	mg/L	<0.50	
Tellurium, total	13494-80-9	E420	0.0002	mg/L	<0.00020	
Thallium, total	7440-28-0	E420	0.00001	mg/L	<0.000010	
Thorium, total	7440-29-1	E420	0.0001	mg/L	<0.00010	
Tin, total	7440-31-5	E420	0.0001	mg/L	<0.00010	
Titanium, total	7440-32-6	E420	0.0003	mg/L	<0.00030	
Tungsten, total	7440-33-7	E420	0.0001	mg/L	<0.00010	
Uranium, total	7440-61-1	E420	0.00001	mg/L	<0.000010	
Vanadium, total	7440-62-2	E420	0.0005	mg/L	<0.00050	
Zinc, total	7440-66-6	E420	0.003	mg/L	<0.0030	
Zirconium, total	7440-67-7	E420	0.0002	mg/L	<0.00020	
ssolved Metals (QCLot: 165102	20)					
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	<0.000050	
issolved Metals (QCLot: 165200	01)					
Aluminum, dissolved	7429-90-5	E421	0.001	mg/L	<0.0010	
Antimony, dissolved	7440-36-0	E421	0.0001	mg/L	<0.00010	
Arsenic, dissolved	7440-38-2	E421	0.0001	mg/L	<0.00010	
Barium, dissolved	7440-39-3	E421	0.0001	mg/L	<0.00010	
Beryllium, dissolved	7440-41-7	E421	0.00002	mg/L	<0.000020	
Bismuth, dissolved	7440-69-9	E421	0.00005	mg/L	<0.000050	
Boron, dissolved	7440-42-8	E421	0.01	mg/L	<0.010	

 Page
 :
 9 of 17

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Dissolved Metals (QCLot: 165200	1) - continued					
Cadmium, dissolved	7440-43-9	E421	0.000005	mg/L	<0.0000050	
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	<0.050	
Cesium, dissolved	7440-46-2	E421	0.00001	mg/L	<0.000010	
Chromium, dissolved	7440-47-3	E421	0.0005	mg/L	<0.00050	
Cobalt, dissolved	7440-48-4	E421	0.0001	mg/L	<0.00010	
Copper, dissolved	7440-50-8	E421	0.0002	mg/L	<0.00020	
Iron, dissolved	7439-89-6	E421	0.01	mg/L	<0.010	
Lead, dissolved	7439-92-1	E421	0.00005	mg/L	<0.000050	
Lithium, dissolved	7439-93-2	E421	0.001	mg/L	<0.0010	
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	<0.0050	
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	<0.00010	
Molybdenum, dissolved	7439-98-7	E421	0.00005	mg/L	<0.000050	
Nickel, dissolved	7440-02-0	E421	0.0005	mg/L	<0.00050	
Phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	<0.050	
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	<0.050	
Rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	<0.00020	
Selenium, dissolved	7782-49-2	E421	0.00005	mg/L	<0.000050	
Silicon, dissolved	7440-21-3	E421	0.05	mg/L	<0.050	
Silver, dissolved	7440-22-4	E421	0.00001	mg/L	<0.000010	
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	<0.050	
Strontium, dissolved	7440-24-6	E421	0.0002	mg/L	<0.00020	
Sulfur, dissolved	7704-34-9	E421	0.5	mg/L	<0.50	
Tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	<0.00020	
Thallium, dissolved	7440-28-0	E421	0.00001	mg/L	<0.000010	
Thorium, dissolved	7440-29-1	E421	0.0001	mg/L	<0.00010	
Tin, dissolved	7440-31-5	E421	0.0001	mg/L	<0.00010	
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	<0.00030	
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	<0.00010	
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	<0.000010	
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	<0.00050	
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	<0.0010	
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	<0.00020	

 Page
 :
 10 of 17

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



 Page
 :
 11 of 17

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

-Matrix: Water					Laboratory Co	ntrol Sample (LCS)	CS) Report					
				Spike	Recovery (%)	Recovery	Limits (%)					
Analyte CAS Numb	er Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier				
Physical Tests (QCLot: 1648425)												
pH -	E108		pH units	7 pH units	101	98.0	102					
Physical Tests (QCLot: 1648426)												
	E100	1	μS/cm	147 μS/cm	101	90.0	110					
Physical Tests (QCLot: 1648427)												
Alkalinity, total (as CaCO3)	E290	1	mg/L	500 mg/L	99.6	85.0	115					
Anions and Nutrients (QCLot: 1648324)												
Vitrate (as N) 14797-55	8 E235.NO3	0.02	mg/L	2.5 mg/L	96.1	90.0	110					
Anions and Nutrients (QCLot: 1648325)												
Nitrite (as N) 14797-65	0 E235.NO2	0.01	mg/L	0.5 mg/L	97.8	90.0	110					
Anions and Nutrients (QCLot: 1648326)												
Sulfate (as SO4) 14808-79	8 E235.SO4	0.3	mg/L	100 mg/L	98.9	90.0	110					
Anions and Nutrients (QCLot: 1648327)												
Fluoride 16984-48	8 E235.F	0.02	mg/L	1 mg/L	99.5	90.0	110					
Anions and Nutrients (QCLot: 1648328)												
Chloride 16887-00	6 E235.CI	0.5	mg/L	100 mg/L	97.2	90.0	110					
Cyanides (QCLot: 1653576)												
Cyanide, strong acid dissociable (Total)	E333	0.002	mg/L	0.25 mg/L	90.9	80.0	120					
Total Metals (QCLot: 1651021)	0.5500	0.000005	"	0 /	100	00.0	100	ı				
Mercury, total 7439-97	6 E508	0.000005	mg/L	0 mg/L	103	80.0	120					
Total Metals (QCLot: 1651999) Aluminum, total 7429-90	5 5400	0.000	/I	0/1	400	00.0	120	ı				
		0.003 0.0001	mg/L	2 mg/L	103 95.9	80.0 80.0	120					
			mg/L	1 mg/L								
Arsenic, total 7440-38 Barium, total 7440-39		0.0001 0.0001	mg/L	1 mg/L 0.25 mg/L	98.0 97.2	80.0 80.0	120 120					
		0.0001	mg/L	0.25 mg/L 0.1 mg/L	97.2 95.3	80.0	120					
•		0.00002	mg/L	0.1 mg/L 1 mg/L	95.3	80.0	120					
Bismuth, total 7440-69 Boron, total 7440-42		0.0005	mg/L mg/L	1 mg/L	96.8	80.0	120					
Cadmium, total 7440-42		0.000005	mg/L	0.1 mg/L	92.6	80.0	120					
		0.05	mg/L	50 mg/L	95.2	80.0	120					
Calcium, total 7440-70	4	0.03	IIIg/L	30 Hig/L	30.2	00.0	120					

 Page
 :
 12 of 17

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Sub-Matrix: Water	rix: Water					Laboratory Co	ontrol Sample (LCS)	Report	
					Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Total Metals (QCLot: 1651999) - contin	ued								
Cesium, total	7440-46-2	E420	0.00001	mg/L	0.05 mg/L	96.6	80.0	120	
Chromium, total	7440-47-3	E420	0.0005	mg/L	0.25 mg/L	97.6	80.0	120	
Cobalt, total	7440-48-4	E420	0.0001	mg/L	0.25 mg/L	97.0	80.0	120	
Copper, total	7440-50-8	E420	0.0005	mg/L	0.25 mg/L	94.1	80.0	120	
Iron, total	7439-89-6	E420	0.01	mg/L	1 mg/L	115	80.0	120	
Lead, total	7439-92-1	E420	0.00005	mg/L	0.5 mg/L	92.0	80.0	120	
Lithium, total	7439-93-2	E420	0.001	mg/L	0.25 mg/L	92.5	80.0	120	
Magnesium, total	7439-95-4	E420	0.005	mg/L	50 mg/L	101	80.0	120	
Manganese, total	7439-96-5	E420	0.0001	mg/L	0.25 mg/L	96.4	80.0	120	
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	0.25 mg/L	97.0	80.0	120	
Nickel, total	7440-02-0	E420	0.0005	mg/L	0.5 mg/L	95.4	80.0	120	
Phosphorus, total	7723-14-0	E420	0.05	mg/L	10 mg/L	106	70.0	130	
Potassium, total	7440-09-7	E420	0.05	mg/L	50 mg/L	99.9	80.0	120	
Rubidium, total	7440-17-7	E420	0.0002	mg/L	0.1 mg/L	96.3	80.0	120	
Selenium, total	7782-49-2	E420	0.00005	mg/L	1 mg/L	90.2	80.0	120	
Silicon, total	7440-21-3	E420	0.1	mg/L	10 mg/L	104	60.0	140	
Silver, total	7440-22-4	E420	0.00001	mg/L	0.1 mg/L	92.3	80.0	120	
Sodium, total	7440-23-5	E420	0.05	mg/L	50 mg/L	97.2	80.0	120	
Strontium, total	7440-24-6	E420	0.0002	mg/L	0.25 mg/L	98.6	80.0	120	
Sulfur, total	7704-34-9	E420	0.5	mg/L	50 mg/L	97.0	80.0	120	
Tellurium, total	13494-80-9	E420	0.0002	mg/L	0.1 mg/L	88.7	80.0	120	
Thallium, total	7440-28-0	E420	0.00001	mg/L	1 mg/L	92.3	80.0	120	
Thorium, total	7440-29-1	E420	0.0001	mg/L	0.1 mg/L	94.3	80.0	120	
Tin, total	7440-31-5	E420	0.0001	mg/L	0.5 mg/L	95.9	80.0	120	
Titanium, total	7440-32-6	E420	0.0003	mg/L	0.25 mg/L	99.1	80.0	120	
Tungsten, total	7440-33-7	E420	0.0001	mg/L	0.1 mg/L	97.4	80.0	120	
Uranium, total	7440-61-1	E420	0.00001	mg/L	0.005 mg/L	96.5	80.0	120	
Vanadium, total	7440-62-2	E420	0.0005	mg/L	0.5 mg/L	99.1	80.0	120	
Zinc, total	7440-66-6	E420	0.003	mg/L	0.5 mg/L	91.4	80.0	120	
Zirconium, total	7440-67-7	E420	0.0002	mg/L	0.1 mg/L	97.9	80.0	120	
				_					
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	0 mg/L	103	80.0	120	
Dissolved Metals (QCLot: 1652001)									
Aluminum, dissolved	7429-90-5	E421	0.001	mg/L	2 mg/L	104	80.0	120	
Antimony, dissolved	7440-36-0	E421	0.0001	mg/L	1 mg/L	98.7	80.0	120	
Arsenic, dissolved	7440-38-2	E421	0.0001	mg/L	1 mg/L	99.3	80.0	120	

 Page
 :
 13 of 17

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Sub-Matrix: Water	Matrix: Water					Laboratory Co	ntrol Sample (LCS)	Report						
					Spike	Recovery (%)	Recovery	Limits (%)						
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier					
Dissolved Metals (QCLot: 1652001) -	continued													
Barium, dissolved	7440-39-3	E421	0.0001	mg/L	0.25 mg/L	100	80.0	120						
Beryllium, dissolved	7440-41-7	E421	0.00002	mg/L	0.1 mg/L	101	80.0	120						
Bismuth, dissolved	7440-69-9	E421	0.00005	mg/L	1 mg/L	94.2	80.0	120						
Boron, dissolved	7440-42-8	E421	0.01	mg/L	1 mg/L	99.4	80.0	120						
Cadmium, dissolved	7440-43-9	E421	0.000005	mg/L	0.1 mg/L	95.6	80.0	120						
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	50 mg/L	99.7	80.0	120						
Cesium, dissolved	7440-46-2	E421	0.00001	mg/L	0.05 mg/L	101	80.0	120						
Chromium, dissolved	7440-47-3	E421	0.0005	mg/L	0.25 mg/L	98.2	80.0	120						
Cobalt, dissolved	7440-48-4	E421	0.0001	mg/L	0.25 mg/L	98.8	80.0	120						
Copper, dissolved	7440-50-8	E421	0.0002	mg/L	0.25 mg/L	96.2	80.0	120						
Iron, dissolved	7439-89-6	E421	0.01	mg/L	1 mg/L	116	80.0	120						
Lead, dissolved	7439-92-1	E421	0.00005	mg/L	0.5 mg/L	96.8	80.0	120						
Lithium, dissolved	7439-93-2	E421	0.001	mg/L	0.25 mg/L	97.6	80.0	120						
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	50 mg/L	100	80.0	120						
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	0.25 mg/L	98.1	80.0	120						
Molybdenum, dissolved	7439-98-7	E421	0.00005	mg/L	0.25 mg/L	104	80.0	120						
Nickel, dissolved	7440-02-0	E421	0.0005	mg/L	0.5 mg/L	97.6	80.0	120						
Phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	10 mg/L	104	70.0	130						
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	50 mg/L	101	80.0	120						
Rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	0.1 mg/L	97.5	80.0	120						
Selenium, dissolved	7782-49-2	E421	0.00005	mg/L	1 mg/L	93.6	80.0	120						
Silicon, dissolved	7440-21-3	E421	0.05	mg/L	10 mg/L	105	60.0	140						
Silver, dissolved	7440-22-4	E421	0.00001	mg/L	0.1 mg/L	96.8	80.0	120						
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	50 mg/L	97.9	80.0	120						
Strontium, dissolved	7440-24-6	E421	0.0002	mg/L	0.25 mg/L	102	80.0	120						
Sulfur, dissolved	7704-34-9	E421	0.5	mg/L	50 mg/L	100	80.0	120						
Tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	0.1 mg/L	95.5	80.0	120						
Thallium, dissolved	7440-28-0	E421	0.00001	mg/L	1 mg/L	96.0	80.0	120						
Thorium, dissolved	7440-29-1	E421	0.0001	mg/L	0.1 mg/L	99.2	80.0	120						
Tin, dissolved	7440-31-5	E421	0.0001	mg/L	0.5 mg/L	99.2	80.0	120						
Titanium, dissolved	7440-32-6	E421	0.0003	mg/L	0.25 mg/L	98.6	80.0	120						
Tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	0.1 mg/L	101	80.0	120						
Uranium, dissolved	7440-61-1	E421	0.00001	mg/L	0.005 mg/L	99.6	80.0	120						
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	0.5 mg/L	100	80.0	120						
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	0.5 mg/L	96.5	80.0	120						
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	0.1 mg/L	102	80.0	120						
La contraction of the contractio		l		Ü	ı			I	I					

 Page
 :
 14 of 17

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Sub-Matrix: Water		Laboratory Co	ontrol Sample (LCS)	Report					
					Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier

 Page
 :
 15 of 17

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Water								(MS) Report		
					Spil	ke	Recovery (%)	Recovery	Limits (%)	
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifie
Anions and Nutri	ents (QCLot: 164832	(4)								
YL2401440-002	Anonymous	Nitrate (as N)	14797-55-8	E235.NO3	2.42 mg/L	2.5 mg/L	96.6	75.0	125	
Anions and Nutri	ents (QCLot: 164832	25)								
YL2401440-002	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2	0.498 mg/L	0.5 mg/L	99.6	75.0	125	
nions and Nutri	ents (QCLot: 164832	26)								
YL2401440-002	Anonymous	Sulfate (as SO4)	14808-79-8	E235.SO4	ND mg/L		ND	75.0	125	
nions and Nutri	ents (QCLot: 164832	27)								
YL2401440-002	Anonymous	Fluoride	16984-48-8	E235.F	0.996 mg/L	1 mg/L	99.6	75.0	125	
	ents (QCLot: 164832									
YL2401440-002	Anonymous	Chloride	16887-00-6	E235.CI	97.8 mg/L	100 mg/L	97.8	75.0	125	
yanides (QCLo		of the first of th	10001 00 0	2200.01	or to mg/E	100 mg/L	01.0	70.0	120	
		Overside storms said disconichia (Tatal)		F222	0.040 //	0.05 //	04.0	75.0	405	
KS2403724-001	Anonymous	Cyanide, strong acid dissociable (Total)		E333	0.212 mg/L	0.25 mg/L	84.6	75.0	125	
otal Metals (QC	Lot: 1651021)									
CG2413183-002	Anonymous	Mercury, total	7439-97-6	E508	0.0000964 mg/L	0 mg/L	96.4	70.0	130	
otal Metals (QC	Lot: 1651999)									
CG2413201-001	Anonymous	Aluminum, total	7429-90-5	E420	1.95 mg/L	2 mg/L	97.6	70.0	130	
		Antimony, total	7440-36-0	E420	0.194 mg/L	0.2 mg/L	97.3	70.0	130	
		Arsenic, total	7440-38-2	E420	0.189 mg/L	0.2 mg/L	94.4	70.0	130	
		Barium, total	7440-39-3	E420	0.192 mg/L	0.2 mg/L	95.9	70.0	130	
		Beryllium, total	7440-41-7	E420	0.389 mg/L	0.4 mg/L	97.3	70.0	130	
		Bismuth, total	7440-69-9	E420	0.0980 mg/L	0.1 mg/L	98.0	70.0	130	
		Boron, total	7440-42-8	E420	0.953 mg/L	1 mg/L	95.3	70.0	130	
		Cadmium, total	7440-43-9	E420	0.0378 mg/L	0.04 mg/L	94.5	70.0	130	
		Calcium, total	7440-70-2	E420	ND mg/L		ND	70.0	130	
		Cesium, total	7440-46-2	E420	0.0987 mg/L	0.1 mg/L	98.7	70.0	130	
		Chromium, total	7440-47-3	E420	0.372 mg/L	0.4 mg/L	93.0	70.0	130	
		Cobalt, total	7440-48-4	E420	0.193 mg/L	0.4 mg/L 0.2 mg/L	96.7	70.0	130	
		· ·			_	-				
		Copper, total Iron, total	7440-50-8 7439-89-6	E420 E420	0.190 mg/L	0.2 mg/L	94.9	70.0 70.0	130 130	
					19.0 mg/L	20 mg/L	95.2			
		Lead, total	7439-92-1	E420	0.190 mg/L	0.2 mg/L	94.9	70.0	130	
		Lithium, total	7439-93-2	E420	0.908 mg/L	1 mg/L	90.8	70.0	130	
		Magnesium, total	7439-95-4	E420	ND mg/L		ND	70.0	130	
		Manganese, total	7439-96-5	E420	0.190 mg/L	0.2 mg/L	95.2	70.0	130	
		Molybdenum, total	7439-98-7	E420	0.194 mg/L	0.2 mg/L	97.1	70.0	130	
		Nickel, total	7440-02-0	E420	0.386 mg/L	0.4 mg/L	96.5	70.0	130	
	* The second of	Phosphorus, total	7723-14-0	E420	98.8 mg/L	100 mg/L	98.8	70.0	130	'

 Page
 :
 16 of 17

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



ub-Matrix: Water			Matrix Spike (MS) Report							
					Spi	Limits (%)				
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifie
otal Metals (QCI	Lot: 1651999) - contin	ued								
CG2413201-001	Anonymous	Potassium, total	7440-09-7	E420	38.9 mg/L	40 mg/L	97.2	70.0	130	
		Rubidium, total	7440-17-7	E420	0.194 mg/L	0.2 mg/L	96.9	70.0	130	
		Selenium, total	7782-49-2	E420	0.377 mg/L	0.4 mg/L	94.3	70.0	130	
		Silicon, total	7440-21-3	E420	88.9 mg/L	100 mg/L	88.9	70.0	130	
		Silver, total	7440-22-4	E420	0.0403 mg/L	0.04 mg/L	101	70.0	130	
		Sodium, total	7440-23-5	E420	19.4 mg/L	20 mg/L	97.2	70.0	130	
		Strontium, total	7440-24-6	E420	0.181 mg/L	0.2 mg/L	90.7	70.0	130	
		Sulfur, total	7704-34-9	E420	183 mg/L	200 mg/L	91.4	70.0	130	
		Tellurium, total	13494-80-9	E420	0.380 mg/L	0.4 mg/L	94.9	70.0	130	
		Thallium, total	7440-28-0	E420	0.0387 mg/L	0.04 mg/L	96.8	70.0	130	
		Thorium, total	7440-29-1	E420	0.193 mg/L	0.2 mg/L	96.5	70.0	130	
		Tin, total	7440-31-5	E420	0.194 mg/L	0.2 mg/L	96.9	70.0	130	
		Titanium, total	7440-32-6	E420	0.376 mg/L	0.4 mg/L	94.0	70.0	130	
		Tungsten, total	7440-33-7	E420	0.194 mg/L	0.4 mg/L	97.1	70.0	130	
		Uranium, total	7440-61-1	E420	0.0393 mg/L	0.04 mg/L	98.2	70.0	130	
		Vanadium, total	7440-62-2	E420	0.958 mg/L	1 mg/L	95.8	70.0	130	
		Zinc, total	7440-66-6	E420	_	_	94.9	70.0	130	
		Zirconium, total	7440-67-7	E420	3.80 mg/L 0.390 mg/L	4 mg/L	97.6	70.0	130	
	(00)	Zirconium, total	7440-07-7	E420	0.390 Hig/L	0.4 mg/L	97.0	70.0	130	
issolved Metals	(QCLot: 1651020)									
CG2413183-002	Anonymous	Mercury, dissolved	7439-97-6	E509	0.000111 mg/L	0 mg/L	111	70.0	130	
issolved Metals	(QCI of: 1652001)									
	(432311 1332331)									
	Anonymous	Aluminum, dissolved	7429-90-5	E421	1.92 mg/L	2 mg/L	96.0	70.0	130	
		Aluminum, dissolved Antimony, dissolved	7429-90-5 7440-36-0	E421 E421	1.92 mg/L 0.190 mg/L	2 mg/L 0.2 mg/L	96.0 95.0	70.0 70.0	130 130	
		· ·			-	-				
		Antimony, dissolved	7440-36-0	E421	0.190 mg/L	0.2 mg/L	95.0	70.0	130	
		Antimony, dissolved Arsenic, dissolved	7440-36-0 7440-38-2	E421 E421	0.190 mg/L 0.188 mg/L	0.2 mg/L 0.2 mg/L	95.0 94.1	70.0 70.0	130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved	7440-36-0 7440-38-2 7440-39-3	E421 E421 E421	0.190 mg/L 0.188 mg/L 0.187 mg/L	0.2 mg/L 0.2 mg/L 0.2 mg/L	95.0 94.1 93.6	70.0 70.0 70.0	130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved	7440-36-0 7440-38-2 7440-39-3 7440-41-7	E421 E421 E421 E421 E421	0.190 mg/L 0.188 mg/L 0.187 mg/L 0.373 mg/L 0.0946 mg/L	0.2 mg/L 0.2 mg/L 0.2 mg/L 0.4 mg/L 0.1 mg/L	95.0 94.1 93.6 93.2 94.6	70.0 70.0 70.0 70.0	130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved	7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9	E421 E421 E421 E421	0.190 mg/L 0.188 mg/L 0.187 mg/L 0.373 mg/L 0.0946 mg/L 0.922 mg/L	0.2 mg/L 0.2 mg/L 0.2 mg/L 0.4 mg/L 0.1 mg/L 1 mg/L	95.0 94.1 93.6 93.2	70.0 70.0 70.0 70.0 70.0	130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved	7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9	E421 E421 E421 E421 E421 E421 E421	0.190 mg/L 0.188 mg/L 0.187 mg/L 0.373 mg/L 0.0946 mg/L 0.922 mg/L 0.0382 mg/L	0.2 mg/L 0.2 mg/L 0.2 mg/L 0.4 mg/L 0.1 mg/L 1 mg/L 0.04 mg/L	95.0 94.1 93.6 93.2 94.6 92.2 95.6	70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved	7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2	E421 E421 E421 E421 E421 E421 E421 E421	0.190 mg/L 0.188 mg/L 0.187 mg/L 0.373 mg/L 0.0946 mg/L 0.922 mg/L 0.0382 mg/L ND mg/L	0.2 mg/L 0.2 mg/L 0.2 mg/L 0.4 mg/L 0.4 mg/L 0.1 mg/L 1 mg/L 0.04 mg/L	95.0 94.1 93.6 93.2 94.6 92.2 95.6 ND	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved	7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2	E421 E421 E421 E421 E421 E421 E421 E421	0.190 mg/L 0.188 mg/L 0.187 mg/L 0.373 mg/L 0.0946 mg/L 0.922 mg/L 0.0382 mg/L ND mg/L 0.0956 mg/L	0.2 mg/L 0.2 mg/L 0.2 mg/L 0.4 mg/L 0.4 mg/L 1 mg/L 0.04 mg/L 0.04 mg/L 0.1 mg/L	95.0 94.1 93.6 93.2 94.6 92.2 95.6 ND 95.6	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved	7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3	E421 E421 E421 E421 E421 E421 E421 E421	0.190 mg/L 0.188 mg/L 0.187 mg/L 0.373 mg/L 0.0946 mg/L 0.922 mg/L 0.0382 mg/L ND mg/L 0.0956 mg/L 0.377 mg/L	0.2 mg/L 0.2 mg/L 0.2 mg/L 0.4 mg/L 0.4 mg/L 1 mg/L 0.04 mg/L 0.1 mg/L 0.4 mg/L 0.4 mg/L	95.0 94.1 93.6 93.2 94.6 92.2 95.6 ND 95.6 94.4	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Cobalt, dissolved	7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3 7440-48-4	E421 E421 E421 E421 E421 E421 E421 E421	0.190 mg/L 0.188 mg/L 0.187 mg/L 0.373 mg/L 0.0946 mg/L 0.922 mg/L 0.0382 mg/L ND mg/L 0.0956 mg/L 0.377 mg/L 0.196 mg/L	0.2 mg/L 0.2 mg/L 0.2 mg/L 0.4 mg/L 0.1 mg/L 1 mg/L 0.04 mg/L 0.1 mg/L 0.4 mg/L 0.2 mg/L 0.2 mg/L	95.0 94.1 93.6 93.2 94.6 92.2 95.6 ND 95.6 94.4	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Cobalt, dissolved Copper, dissolved	7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8	E421 E421 E421 E421 E421 E421 E421 E421	0.190 mg/L 0.188 mg/L 0.187 mg/L 0.373 mg/L 0.0946 mg/L 0.922 mg/L 0.0382 mg/L ND mg/L 0.0956 mg/L 0.377 mg/L 0.196 mg/L 0.190 mg/L	0.2 mg/L 0.2 mg/L 0.2 mg/L 0.4 mg/L 0.1 mg/L 1 mg/L 0.04 mg/L 0.1 mg/L 0.2 mg/L 0.2 mg/L 0.2 mg/L	95.0 94.1 93.6 93.2 94.6 92.2 95.6 ND 95.6 94.4 98.1	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Cobalt, dissolved Copper, dissolved Iron, dissolved	7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8 7439-89-6	E421 E421 E421 E421 E421 E421 E421 E421	0.190 mg/L 0.188 mg/L 0.187 mg/L 0.373 mg/L 0.0946 mg/L 0.922 mg/L 0.0382 mg/L ND mg/L 0.0956 mg/L 0.377 mg/L 0.196 mg/L 0.190 mg/L 18.9 mg/L	0.2 mg/L 0.2 mg/L 0.2 mg/L 0.4 mg/L 0.1 mg/L 1 mg/L 0.04 mg/L 0.1 mg/L 0.2 mg/L 0.2 mg/L 0.2 mg/L	95.0 94.1 93.6 93.2 94.6 92.2 95.6 ND 95.6 94.4 98.1 94.8	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Cobalt, dissolved Copper, dissolved Iron, dissolved Lead, dissolved	7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8 7439-89-6 7439-92-1	E421 E421 E421 E421 E421 E421 E421 E421	0.190 mg/L 0.188 mg/L 0.187 mg/L 0.373 mg/L 0.0946 mg/L 0.922 mg/L 0.0382 mg/L ND mg/L 0.0956 mg/L 0.377 mg/L 0.196 mg/L 0.190 mg/L 18.9 mg/L 0.188 mg/L	0.2 mg/L 0.2 mg/L 0.2 mg/L 0.4 mg/L 0.1 mg/L 1 mg/L 0.04 mg/L 0.1 mg/L 0.2 mg/L 0.2 mg/L 0.2 mg/L 0.2 mg/L 0.2 mg/L	95.0 94.1 93.6 93.2 94.6 92.2 95.6 ND 95.6 94.4 98.1 94.8 94.6 94.2	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Cobalt, dissolved Copper, dissolved Iron, dissolved Lead, dissolved Lithium, dissolved	7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8 7439-89-6 7439-92-1 7439-93-2	E421 E421 E421 E421 E421 E421 E421 E421	0.190 mg/L 0.188 mg/L 0.187 mg/L 0.373 mg/L 0.0946 mg/L 0.922 mg/L 0.0382 mg/L ND mg/L 0.0956 mg/L 0.377 mg/L 0.196 mg/L 0.190 mg/L 18.9 mg/L 0.188 mg/L 0.883 mg/L	0.2 mg/L 0.2 mg/L 0.2 mg/L 0.4 mg/L 0.1 mg/L 1 mg/L 0.04 mg/L 0.1 mg/L 0.2 mg/L 0.2 mg/L 0.2 mg/L 1 mg/L	95.0 94.1 93.6 93.2 94.6 92.2 95.6 ND 95.6 94.4 98.1 94.8 94.6 94.2 88.3	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Copper, dissolved Iron, dissolved Lead, dissolved Lithium, dissolved Magnesium, dissolved	7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8 7439-89-6 7439-92-1 7439-93-2 7439-95-4	E421 E421 E421 E421 E421 E421 E421 E421	0.190 mg/L 0.188 mg/L 0.187 mg/L 0.373 mg/L 0.0946 mg/L 0.922 mg/L 0.0382 mg/L ND mg/L 0.0956 mg/L 0.377 mg/L 0.196 mg/L 0.190 mg/L 18.9 mg/L 0.188 mg/L 0.883 mg/L ND mg/L	0.2 mg/L 0.2 mg/L 0.2 mg/L 0.4 mg/L 0.1 mg/L 1 mg/L 0.04 mg/L 0.1 mg/L 0.2 mg/L 0.2 mg/L 0.2 mg/L 1 mg/L 1 mg/L	95.0 94.1 93.6 93.2 94.6 92.2 95.6 ND 95.6 94.4 98.1 94.8 94.6 94.2 88.3 ND	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Copper, dissolved Iron, dissolved Lead, dissolved Lithium, dissolved Magnesium, dissolved Manganese, dissolved	7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8 7439-89-6 7439-92-1 7439-93-2 7439-95-4 7439-96-5	E421 E421 E421 E421 E421 E421 E421 E421	0.190 mg/L 0.188 mg/L 0.187 mg/L 0.373 mg/L 0.0946 mg/L 0.922 mg/L 0.0382 mg/L ND mg/L 0.0956 mg/L 0.377 mg/L 0.196 mg/L 0.190 mg/L 18.9 mg/L 0.188 mg/L 0.883 mg/L ND mg/L 0.191 mg/L	0.2 mg/L 0.2 mg/L 0.2 mg/L 0.4 mg/L 0.1 mg/L 1 mg/L 0.04 mg/L 0.1 mg/L 0.2 mg/L 0.2 mg/L 0.2 mg/L 1 mg/L 0.2 mg/L	95.0 94.1 93.6 93.2 94.6 92.2 95.6 ND 95.6 94.4 98.1 94.8 94.6 94.2 88.3 ND 95.4	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
CG2413201-001		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Chromium, dissolved Copper, dissolved Iron, dissolved Lead, dissolved Lithium, dissolved Magnesium, dissolved Manganese, dissolved Molybdenum, dissolved	7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-43-9 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8 7439-89-6 7439-92-1 7439-93-2 7439-95-4 7439-96-5 7439-98-7	E421 E421 E421 E421 E421 E421 E421 E421	0.190 mg/L 0.188 mg/L 0.187 mg/L 0.373 mg/L 0.0946 mg/L 0.922 mg/L 0.0382 mg/L ND mg/L 0.0956 mg/L 0.196 mg/L 0.196 mg/L 0.189 mg/L 0.188 mg/L 0.188 mg/L 0.188 mg/L 0.191 mg/L 0.191 mg/L 0.191 mg/L 0.193 mg/L	0.2 mg/L 0.2 mg/L 0.2 mg/L 0.2 mg/L 0.4 mg/L 0.1 mg/L 1 mg/L 0.04 mg/L 0.1 mg/L 0.2 mg/L 0.2 mg/L 0.2 mg/L 1 mg/L 0.2 mg/L	95.0 94.1 93.6 93.2 94.6 92.2 95.6 ND 95.6 94.4 98.1 94.8 94.6 94.2 88.3 ND 95.4	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	
		Antimony, dissolved Arsenic, dissolved Barium, dissolved Beryllium, dissolved Bismuth, dissolved Boron, dissolved Cadmium, dissolved Calcium, dissolved Cesium, dissolved Chromium, dissolved Copper, dissolved Iron, dissolved Lead, dissolved Lithium, dissolved Magnesium, dissolved Manganese, dissolved	7440-36-0 7440-38-2 7440-39-3 7440-41-7 7440-69-9 7440-42-8 7440-70-2 7440-46-2 7440-47-3 7440-48-4 7440-50-8 7439-89-6 7439-92-1 7439-93-2 7439-95-4 7439-96-5	E421 E421 E421 E421 E421 E421 E421 E421	0.190 mg/L 0.188 mg/L 0.187 mg/L 0.373 mg/L 0.0946 mg/L 0.922 mg/L 0.0382 mg/L ND mg/L 0.0956 mg/L 0.377 mg/L 0.196 mg/L 0.190 mg/L 18.9 mg/L 0.188 mg/L 0.883 mg/L ND mg/L 0.191 mg/L	0.2 mg/L 0.2 mg/L 0.2 mg/L 0.4 mg/L 0.1 mg/L 1 mg/L 0.04 mg/L 0.1 mg/L 0.2 mg/L 0.2 mg/L 0.2 mg/L 1 mg/L 0.2 mg/L	95.0 94.1 93.6 93.2 94.6 92.2 95.6 ND 95.6 94.4 98.1 94.8 94.6 94.2 88.3 ND 95.4	70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	130 130 130 130 130 130 130 130 130 130	

 Page
 :
 17 of 17

 Work Order
 :
 YL2401441

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Sub-Matrix: Water					Matrix Spik	e (MS) Report				
					Spi	ke	Recovery (%)	Recovery	Limits (%)	
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Dissolved Metals	(QCLot: 1652001) - co	ntinued								
CG2413201-001	Anonymous	Rubidium, dissolved	7440-17-7	E421	0.192 mg/L	0.2 mg/L	96.2	70.0	130	
		Selenium, dissolved	7782-49-2	E421	0.376 mg/L	0.4 mg/L	94.0	70.0	130	
	Silicon, dissolved	7440-21-3	E421	86.5 mg/L	100 mg/L	86.5	70.0	130		
		Silver, dissolved	7440-22-4	E421	0.0392 mg/L	0.04 mg/L	97.9	70.0	130	
		Sodium, dissolved	7440-23-5	E421	19.3 mg/L	20 mg/L	96.3	70.0	130	
		Strontium, dissolved	7440-24-6	E421	0.188 mg/L	0.2 mg/L	93.9	70.0	130	
		Sulfur, dissolved	7704-34-9	E421	179 mg/L	200 mg/L	89.5	70.0	130	
		Tellurium, dissolved	13494-80-9	E421	0.380 mg/L	0.4 mg/L	95.0	70.0	130	
		Thallium, dissolved	7440-28-0	E421	0.0382 mg/L	0.04 mg/L	95.5	70.0	130	
		Thorium, dissolved	7440-29-1	E421	0.192 mg/L	0.2 mg/L	96.2	70.0	130	
		Tin, dissolved	7440-31-5	E421	0.190 mg/L	0.2 mg/L	94.8	70.0	130	
		Titanium, dissolved	7440-32-6	E421	0.393 mg/L	0.4 mg/L	98.2	70.0	130	
		Tungsten, dissolved	7440-33-7	E421	0.194 mg/L	0.2 mg/L	97.1	70.0	130	
		Uranium, dissolved	7440-61-1	E421	0.0382 mg/L	0.04 mg/L	95.5	70.0	130	
		Vanadium, dissolved	7440-62-2	E421	0.954 mg/L	1 mg/L	95.4	70.0	130	
		Zinc, dissolved	7440-66-6	E421	3.93 mg/L	4 mg/L	98.2	70.0	130	
		Zirconium, dissolved	7440-67-7	E421	0.381 mg/L	0.4 mg/L	95.2	70.0	130	

ENFM (29411)

		C4-E	P1-D	P1-8	P1-A	SAMPLE	ALS USE ONLY S	SPECIAL HANDLING/STORAGE OR DISPOSAL:	EMAIL REPORTS TO: jonr	SAMPLER: Jon		PURCHASE ORDER NO.:		7	CLIENT: EIgi	AL S	
Telephone: +18678735593	Environmental Division Yellowknife Work Order Reference YL2401441	m	. 0	à	Þ	Sample identification (This description will appear on the report)	SAMPLE DETAILS Solid(S) Water(W)	GE OR DISPOSAL:	jonm@jdsmining.ca	Jon Melnyk SAMPLER MOBILE:	Jon Melnyk CONTACT PH:		Lupin Mine Site		Elgin Mining Inc.	ALS Laboratory	HAIN OF CHATODY
		9-Sep-24	8-Sep-24	8-Sep-24	8-Sep-24	DATE / TIME (dd-mm-yyyy)	MATRIX:			OBILE:	1: 403-862-2994		•	(Standard TAT may be longer for some tests e.g., Ultra Trace Organics)	TURNAROUND REQUIREMENTS:		
						MATRIX	CONTAINER		EMAIL IN			ALS QU		☐ Non Standa	☐ Standard TAT (List due date):	DATE/TIME:	RELINQUISHED BY:
		Yes	Yes	Yes	Yes	TOTAL CONTAINERS	<u>S</u> #		EMAIL INVOICE TO:			ALS QUOTE NO .:		Non Standard or urgent TAT (List due date):	∧T (List due		BY:
		Yes	s Yes	s Yes	s Yes	General								TAT (List du	date):		
		ys Yes	yes Yes	38 Yes	ys Yes	Dissolved Metals			ionm@idsmining.ca					ле date):		FAISO DATE/TIME:	RECEIVED BY:
		Yes	s Yes	s Yes	s Yes	Total metals										NE SEF	D BY:
		Yes	s Yes	s Yes	s Yes	Total Mercury	ANA									SEPT 10/24 DATE/TIME:	X
		s Yes	s Yes	s Yes	s Yes	Dissolved Mercury	ANALYSIS REQUIRED		-		Othe	Ran	Free	Cus	FOI	124 DA	RE
		ŭ.	ŭ,	G.	Ġ.	Total Cyanide	UIRED				Other comments:	dom Sample	ice / frozen	Custody Seal Intact?	R LABORA	ТЕ/ТІМЕ:	RELINQUISHED BY:
												Random Sample Temperature on Receipt:	ice bricks prese	act?	TORY USE O		D BY:
												n Receipt	Free ice / frozen ice bricks present upon receipt?		FOR LABORATORY USE ONLY (Circle)		
															į		
		Dissolved Mercury and Dissolved Metals were field Filtered	Dissolved Mercury and Dissolved Metals were field Filtered	Dissolved Mercury and Dissolved Metals were field Filtered	Dissolved Mercury and Dissolved Metals were field Filtered	Comments or likely contaminant levels, dilutions, or samples requiring specific QC analysis etc.	Additional Information				70	, ,	Yes No NIA		}	рате/тіме:	RECEIVED BY:



CERTIFICATE OF ANALYSIS

Work Order : YL2401443

Client : Elgin Mining Inc.
Contact : Jon Melnyk

Address : 750 West Pender Street Suite 201

Vancouver British Columbia Canada V6C 2T7

Telephone : ---

Project : LUPIN MINE

PO : ---C-O-C number : ---Sampler : ----

Site : ---

Quote number : YL24-ELMI100-001

No. of samples received : 5
No. of samples analysed : 5

Laboratory : ALS Environmental - Calgary

Account Manager : Oliver Gregg

Date Samples Received

Address : 2559 29th Street NE

Calgary AB Canada T1Y 7B5
Telephone : 1 867 445 7143

: 10-Sep-2024 09:30

Date Analysis Commenced : 11-Sep-2024 Issue Date : 20-Sep-2024 01:10

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

General Comments

Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Eunice Cura	Lab Analyst	Inorganics, Calgary, Alberta
George Huang	Supervisor - Inorganic	Metals, Calgary, Alberta
Gurvinder Kour	Lab Assistant	Metals, Calgary, Alberta
Harpreet Chawla	Team Leader - Inorganics	Inorganics, Calgary, Alberta
Katarzyna Glinka	Analyst	Inorganics, Calgary, Alberta
Kevin Baxter	Team Leader - Inorganics	Inorganics, Calgary, Alberta
Oliver Gregg	Client Services Supervisor	External Subcontracting, Yellowknife, Northwest Territories
Parker Sgarbossa	Laboratory Analyst	Metals, Calgary, Alberta
Ruifang Zheng	Analyst	Inorganics, Calgary, Alberta
Shirley Li	Team Leader - Inorganics	Metals, Calgary, Alberta

Page: 1 of 9 alsglobal.com



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances.

LOR: Limit of Reporting (detection limit).

Unit	Description
mg/L	milligrams per litre
pH units	pH units
μS/cm	microsiemens per centimetre
CFU/100mL	colony forming units per hundred millilitres
-	no units
meq/L	milliequivalents per litre
%	percent

<: less than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report. ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Sample Comments

Sample	Client Id	Comment
YL2401443-001	LUP-14	Water sample(s) for dissolved mercury analysis was not submitted in glass or PTFE container with HCl preservative. Results may be biased low.
YL2401443-002	LUP-14 PD	Water sample(s) for dissolved mercury analysis was not submitted in glass or PTFE container with HCl preservative. Results may be biased low.
YL2401443-003	LUP-EL-01	Water sample(s) for dissolved mercury analysis was not submitted in glass or PTFE container with HCl preservative. Results may be biased low.

Page: 2 of 9 alsglobal.com

>: greater than.



YL2401443-004 LUP-LSL-01 Water sample(s) for dissolved mercury analysis was not submitted in glass or PTFE container with HCl preservative. Results may be biased low.

YL2401443-005 LUP-BL-01 Water sample(s) for dissolved mercury analysis was not submitted in glass or PTFE container with HCl preservative.

Results may be biased low.

Page: 3 of 9 alsglobal.com



Analytical Results

Sub-Matrix: Water (Matrix: Water)			Client sa	mple ID	LUP-14	LUP-14 PD	LUP-EL-01	LUP-LSL-01	LUP-BL-01
(watrix. water)		C	lient sampling date	/ time	09-Sep-2024 00:00	09-Sep-2024 00:00	08-Sep-2024 00:00	08-Sep-2024 00:00	08-Sep-2024 00:00
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	YL2401443-001	YL2401443-002	YL2401443-003	YL2401443-004	YL2401443-005
					Result	Result	Result	Result	Result
Physical Tests									
Hardness (as CaCO3), dissolved		EC100/CG	0.60	mg/L	94.8	94.3	50.1	93.6	37.2
Hardness (as CaCO3), from total Ca/Mg		EC100A/CG	0.60	mg/L	95.2	96.0	50.9	95.1	37.5
Conductivity		E100/CG	2.0	μS/cm	279	278	142	279	105
рН		E108/CG	0.10	pH units	7.18	7.31	4.81	7.24	6.29
Alkalinity, bicarbonate (as HCO3)	71-52-3	E290/CG	1.0	mg/L	27.6	28.9	<1.0	28.8	2.4
Alkalinity, carbonate (as CO3)	3812-32-6	E290/CG	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Alkalinity, hydroxide (as OH)	14280-30-9	E290/CG	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0
Alkalinity, total (as CaCO3)		E290/CG	2.0	mg/L	22.6	23.7	<2.0	23.6	2.0
Solids, total dissolved [TDS], calculated		EC103/CG	1.0	mg/L	161	161	87.5	160	61.5
Anions and Nutrients									
Kjeldahl nitrogen, total [TKN]		E318/CG	0.050	mg/L	0.411	0.431			
Phosphate, ortho-, dissolved (as P)	14265-44-2	E378-U/CG	0.0010	mg/L	<0.0010	<0.0010			
Phosphorus, total	7723-14-0	E372-U/CG	0.0020	mg/L	0.0118	0.0126			
Chloride	16887-00-6	E235.CI/CG	0.50	mg/L	18.8	18.8	1.05	18.9	1.34
Fluoride	16984-48-8	E235.F/CG	0.020	mg/L	0.075	0.074	0.098	0.076	0.057
Nitrate (as N)	14797-55-8	E235.NO3/CG	0.020	mg/L	<0.020	<0.020	0.026	<0.020	<0.020
Nitrite (as N)	14797-65-0	E235.NO2/CG	0.010	mg/L	<0.010	<0.010	<0.010	<0.010	<0.010
Sulfate (as SO4)	14808-79-8	E235.SO4/CG	0.30	mg/L	77.6	77.1	54.2	77.1	38.4
Nitrate + Nitrite (as N)		EC235.N+N/C G	0.0500	mg/L	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500
Microbiological Tests									
Coliforms, thermotolerant [fecal]		FC-MF/1Y	1.0	CFU/100 mL	<1.0	<1.0			

Page: 4 of 9 alsglobal.com



Analytical Results

Sub-Matrix: Water (Matrix: Water)			Client sar	mple ID	LUP-14	LUP-14 PD	LUP-EL-01	LUP-LSL-01	LUP-BL-01
		С	lient sampling date	/ time	09-Sep-2024 00:00	09-Sep-2024 00:00	08-Sep-2024 00:00	08-Sep-2024 00:00	08-Sep-2024 00:00
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	YL2401443-001	YL2401443-002	YL2401443-003	YL2401443-004	YL2401443-005
					Result	Result	Result	Result	Result
Ion Balance									
Anion sum		EC101/CG	0.10	meq/L	2.60	2.61	1.16	2.61	0.88
Cation sum		EC101/CG	0.10	meq/L	2.54	2.53	1.21	2.52	0.90
Ion balance (APHA)		EC101/CG	0.01	%	-1.17	-1.56	2.11	-1.75	1.12
lon balance (cations/anions)		EC101/CG	0.010	%	97.7	96.9	104	96.6	102
Total Metals									
Aluminum, total	7429-90-5	E420/CG	0.0030	mg/L	0.0300	0.0206	0.394	0.0208	0.190
Antimony, total	7440-36-0	E420/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Arsenic, total	7440-38-2	E420/CG	0.00010	mg/L	0.00723	0.00687	0.00230	0.00673	0.00088
Barium, total	7440-39-3	E420/CG	0.00010	mg/L	0.0131	0.0132	0.0307	0.0124	0.0117
Beryllium, total	7440-41-7	E420/CG	0.000100	mg/L	<0.000100	<0.000100	0.000201	<0.000100	<0.000100
Bismuth, total	7440-69-9	E420/CG	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
Boron, total	7440-42-8	E420/CG	0.010	mg/L	0.085	0.090	<0.010	0.089	<0.010
Cadmium, total	7440-43-9	E420/CG	0.0000050	mg/L	0.0000056	<0.0000050	0.000126	<0.0000050	0.0000682
Calcium, total	7440-70-2	E420/CG	0.050	mg/L	27.6	27.7	9.32	27.7	7.77
Cesium, total	7440-46-2	E420/CG	0.000010	mg/L	0.000120	0.000107	0.000080	0.000111	0.000049
Chromium, total	7440-47-3	E420/CG	0.00050	mg/L	<0.00050	<0.00050	0.00054	<0.00050	<0.00050
Cobalt, total	7440-48-4	E420/CG	0.00010	mg/L	0.00077	0.00048	0.0410	0.00040	0.0128
Copper, total	7440-50-8	E420/CG	0.00050	mg/L	0.00118	0.00113	0.00688	0.00088	0.00311
Iron, total	7439-89-6	E420/CG	0.010	mg/L	0.195	0.169	0.489	0.163	0.153
Lead, total	7439-92-1	E420/CG	0.000050	mg/L	<0.000050	0.000088	0.000076	<0.000050	<0.000050
Lithium, total	7439-93-2	E420/CG	0.0010	mg/L	0.0136	0.0146	0.0100	0.0145	0.0071

Page: 5 of 9 alsglobal.com



Analytical Results

Sub-Matrix: Water									
(Matrix: Water)			Client sar	mple ID	LUP-14	LUP-14 PD	LUP-EL-01	LUP-LSL-01	LUP-BL-01
		С	lient sampling date	/ time	09-Sep-2024 00:00	09-Sep-2024 00:00	08-Sep-2024 00:00	08-Sep-2024 00:00	08-Sep-2024 00:00
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	YL2401443-001	YL2401443-002	YL2401443-003	YL2401443-004	YL2401443-005
					Result	Result	Result	Result	Result
Total Metals									
Magnesium, total	7439-95-4	E420/CG	0.0050	mg/L	6.38	6.53	6.70	6.29	4.40
Manganese, total	7439-96-5	E420/CG	0.00010	mg/L	0.0186	0.0155	0.337	0.0111	0.111
Mercury, total	7439-97-6	E508/CG	0.0000050	mg/L	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050
Molybdenum, total	7439-98-7	E420/CG	0.000050	mg/L	0.000192	0.000202	<0.000050	0.000183	<0.000050
Nickel, total	7440-02-0	E420/CG	0.00050	mg/L	0.00628	0.00548	0.0753	0.00522	0.0309
Phosphorus, total	7723-14-0	E420/CG	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050
Potassium, total	7440-09-7	E420/CG	0.050	mg/L	3.24	3.26	0.741	3.17	1.01
Rubidium, total	7440-17-7	E420/CG	0.00020	mg/L	0.00624	0.00634	0.00216	0.00614	0.00257
Selenium, total	7782-49-2	E420/CG	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
Silicon, total	7440-21-3	E420/CG	0.10	mg/L	0.38	0.34	4.44	0.33	1.67
Silver, total	7440-22-4	E420/CG	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Sodium, total	7440-23-5	E420/CG	0.050	mg/L	13.1	13.3	2.63	13.1	2.59
Strontium, total	7440-24-6	E420/CG	0.00020	mg/L	0.183	0.177	0.0505	0.176	0.0370
Sulfur, total	7704-34-9	E420/CG	0.50	mg/L	27.6	27.2	18.5	27.1	12.9
Tellurium, total	13494-80-9	E420/CG	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
Thallium, total	7440-28-0	E420/CG	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Thorium, total	7440-29-1	E420/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Tin, total	7440-31-5	E420/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Titanium, total	7440-32-6	E420/CG	0.00030	mg/L	0.00033	0.00037	0.00133	0.00035	0.00045
Tungsten, total	7440-33-7	E420/CG	0.00010	mg/L	<0.00010	0.00013	<0.00010	<0.00010	<0.00010
Uranium, total	7440-61-1	E420/CG	0.000010	mg/L	0.000082	0.000021	0.000042	0.000021	0.000033

Page: 6 of 9 alsglobal.com



Analytical Results

Sub-Matrix: Water (Matrix: Water)		Client sa	mple ID	LUP-14	LUP-14 PD	LUP-EL-01	LUP-LSL-01	LUP-BL-01
	(Client sampling date	/ time	09-Sep-2024 00:00	09-Sep-2024 00:00	08-Sep-2024 00:00	08-Sep-2024 00:00	08-Sep-2024 00:00
Analyte CAS N	mber Method/Lab/Accreditation	LOR	Unit	YL2401443-001	YL2401443-002	YL2401443-003	YL2401443-004	YL2401443-005
				Result	Result	Result	Result	Result
Total Metals								
Vanadium, total 7440	62-2 E420/CG	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Zinc, total 7440	66-6 E420/CG	0.0030	mg/L	<0.0030	<0.0030	0.0387	<0.0030	0.0179
Zirconium, total 7440	67-7 E420/CG	0.00020	mg/L	<0.00020	<0.00020	0.00025	<0.00020	<0.00020
Dissolved Metals								
Aluminum, dissolved 7429	90-5 E421/CG	0.0010	mg/L	0.0194	0.0131	0.352	0.0121	0.134
Antimony, dissolved 7440	36-0 E421/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Arsenic, dissolved 7440	38-2 E421/CG	0.00010	mg/L	0.00586	0.00584	0.00196	0.00565	0.00094
Barium, dissolved 7440	39-3 E421/CG	0.00010	mg/L	0.0130	0.0130	0.0296	0.0127	0.0118
Beryllium, dissolved 7440	41-7 E421/CG	0.000100	mg/L	<0.000100	<0.000100	0.000206	<0.000100	<0.000100
Bismuth, dissolved 7440	69-9 E421/CG	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
Boron, dissolved 7440	42-8 E421/CG	0.010	mg/L	0.082	0.086	<0.010	0.084	<0.010
Cadmium, dissolved 7440	43-9 E421/CG	0.0000050	mg/L	<0.0000050	<0.0000050	0.000126	<0.0000050	0.0000736
Calcium, dissolved 7440	70-2 E421/CG	0.050	mg/L	27.6	27.4	9.22	27.0	7.70
Cesium, dissolved 7440	46-2 E421/CG	0.000010	mg/L	0.000117	0.000106	0.000074	0.000109	0.000048
Chromium, dissolved 7440	47-3 E421/CG	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
Cobalt, dissolved 7440	48-4 E421/CG	0.00010	mg/L	0.00055	0.00032	0.0397	0.00023	0.0125
Copper, dissolved 7440	50-8 E421/CG	0.00020	mg/L	0.00097	0.00098	0.00592	0.00076	0.00276
Iron, dissolved 7439	89-6 E421/CG	0.010	mg/L	0.120	0.108	0.269	0.088	0.077
Lead, dissolved 7439	92-1 E421/CG	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
Lithium, dissolved 7439	93-2 E421/CG	0.0010	mg/L	0.0135	0.0141	0.0099	0.0138	0.0068
Magnesium, dissolved 7439	95-4 E421/CG	0.0050	mg/L	6.29	6.28	6.57	6.36	4.36

Page: 7 of 9 alsglobal.com



Analytical Results

Sub-Matrix: Water (Matrix: Water)			Client s ar	mple ID	LUP-14	LUP-14 PD	LUP-EL-01	LUP-LSL-01	LUP-BL-01
		С	lient sampling date	/ time	09-Sep-2024 00:00	09-Sep-2024 00:00	08-Sep-2024 00:00	08-Sep-2024 00:00	08-Sep-2024 00:00
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	YL2401443-001	YL2401443-002	YL2401443-003	YL2401443-004	YL2401443-005
					Result	Result	Result	Result	Result
Dissolved Metals									
Manganese, dissolved	7439-96-5	E421/CG	0.00010	mg/L	0.0132	0.0107	0.326	0.00588	0.110
Mercury, dissolved	7439-97-6	E509/CG	0.0000050	mg/L	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050
Molybdenum, dissolved	7439-98-7	E421/CG	0.000050	mg/L	0.000186	0.000187	<0.000050	0.000184	<0.000050
Nickel, dissolved	7440-02-0	E421/CG	0.00050	mg/L	0.00602	0.00518	0.0729	0.00494	0.0302
Phosphorus, dissolved	7723-14-0	E421/CG	0.050	mg/L	<0.050	<0.050	<0.050	<0.050	<0.050
Potassium, dissolved	7440-09-7	E421/CG	0.050	mg/L	3.16	3.17	0.724	3.14	0.997
Rubidium, dissolved	7440-17-7	E421/CG	0.00020	mg/L	0.00621	0.00610	0.00218	0.00625	0.00271
Selenium, dissolved	7782-49-2	E421/CG	0.000050	mg/L	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
Silicon, dissolved	7440-21-3	E421/CG	0.050	mg/L	0.352	0.330	4.39	0.306	1.65
Silver, dissolved	7440-22-4	E421/CG	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Sodium, dissolved	7440-23-5	E421/CG	0.050	mg/L	12.9	12.8	2.61	12.9	2.62
Strontium, dissolved	7440-24-6	E421/CG	0.00020	mg/L	0.175	0.174	0.0504	0.173	0.0374
Sulfur, dissolved	7704-34-9	E421/CG	0.50	mg/L	27.7	28.1	18.6	27.2	13.2
Tellurium, dissolved	13494-80-9	E421/CG	0.00020	mg/L	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
Thallium, dissolved	7440-28-0	E421/CG	0.000010	mg/L	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
Thorium, dissolved	7440-29-1	E421/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Tin, dissolved	7440-31-5	E421/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Titanium, dissolved	7440-32-6	E421/CG	0.00030	mg/L	<0.00030	<0.00030	0.00054	<0.00030	<0.00030
Tungsten, dissolved	7440-33-7	E421/CG	0.00010	mg/L	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Uranium, dissolved	7440-61-1	E421/CG	0.000010	mg/L	0.000030	0.000018	0.000032	0.000017	0.000026
Vanadium, dissolved	7440-62-2	E421/CG	0.00050	mg/L	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050

Page: 8 of 9 alsglobal.com



Analytical Results

Sub-Matrix: Water (Matrix: Water)			Client san	nple ID	LUP-14	LUP-14 PD	LUP-EL-01	LUP-LSL-01	LUP-BL-01
		С	lient sampling date	/ time	09-Sep-2024 00:00	09-Sep-2024 00:00	08-Sep-2024 00:00	08-Sep-2024 00:00	08-Sep-2024 00:00
Analyte	CAS Number	Method/Lab/Accreditation	LOR	Unit	YL2401443-001	YL2401443-002	YL2401443-003	YL2401443-004	YL2401443-005
					Result	Result	Result	Result	Result
Dissolved Metals									
Zinc, dissolved	7440-66-6	E421/CG	0.0010	mg/L	0.0028	0.0034	0.0412	0.0024	0.0196
Zirconium, dissolved	7440-67-7	E421/CG	0.00020	mg/L	<0.00020	<0.00020	0.00025	<0.00020	<0.00020
Dissolved mercury filtration location		EP509/CG	-	-	Laboratory	Laboratory	Laboratory	Laboratory	Laboratory
Dissolved metals filtration location		EP421/CG	-	-	Laboratory	Laboratory	Laboratory	Laboratory	Laboratory
Aggregate Organics									
Biochemical oxygen demand [BOD]		BOD5/1Y	2.0	mg/L	3.0	3.0			

Please refer to the General Comments section for an explanation of any result qualifiers detected.

Please refer to the Accreditation section for an explanation of analyte accreditations.

Page: 9 of 9 alsglobal.com



QUALITY CONTROL INTERPRETIVE REPORT

Work Order : **YL2401443** Page : 1 of 16

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Jon Melnyk Account Manager : Oliver Gregg

Address : 750 West Pender Street Suite 201 Address : 314 Old Airport Road, Unit 116

Yellowknife, Northwest Territories Canada X1A 3T3

 Telephone
 :-- Telephone
 : 1 867 445 7143

 Project
 : LUPIN MINE
 Date Samples Received
 : 10-Sep-2024 09:30

PO : ---- Issue Date : 19-Sep-2024 10:27

 C-O-C number
 :--

 Sampler
 :--

 Site
 :--

Vancouver BC Canada V6C 2T7

Quote number : YL24-ELMI100-001

No. of samples received :5
No. of samples analysed :5

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers Outliers : Quality Control Samples

• No Method Blank value outliers occur.

- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

No Reference Material (RM) Sample outliers occur.

Outliers: Analysis Holding Time Compliance (Breaches) ● Analysis Holding Time Outliers exist - please see following pages for full details.

Outliers : Frequency of Quality Control Samples

No Quality Control Sample Frequency Outliers occur.

 Page
 :
 3 of 16

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and/or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Water		Evaluation: × =	Holding time exceedance ; ✓ = Within Holding Time
and the second s	 		

Analyte Group : Analytical Method	Method	Sampling Date	Exti	raction / Pi	reparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Aggregate Organics : Biochemical Oxygen Demand (BOD) 5-day										
HDPE [BOD HT-48h] LUP-14	BOD5	09-Sep-2024					11-Sep-2024	48 hrs	47 hrs	✓
Aggregate Organics : Biochemical Oxygen Demand (BOD) 5-day										
HDPE [BOD HT-48h] LUP-14 PD	BOD5	09-Sep-2024					11-Sep-2024	48 hrs	47 hrs	✓
Anions and Nutrients : Chloride in Water by IC									'	
HDPE LUP-14	E235.CI	09-Sep-2024	12-Sep-2024	28 days	3 days	✓	12-Sep-2024	28 days	3 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE LUP-14 PD	E235.CI	09-Sep-2024	12-Sep-2024	28 days	3 days	✓	12-Sep-2024	28 days	3 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE LUP-BL-01	E235.Cl	08-Sep-2024	12-Sep-2024	28 days	4 days	✓	12-Sep-2024	28 days	4 days	1
Anions and Nutrients : Chloride in Water by IC										
HDPE LUP-EL-01	E235.CI	08-Sep-2024	12-Sep-2024	28 days	4 days	✓	12-Sep-2024	28 days	4 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE LUP-LSL-01	E235.Cl	08-Sep-2024	12-Sep-2024	28 days	4 days	✓	12-Sep-2024	28 days	4 days	4

 Page
 :
 4 of 16

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE

Matrix: **Water**Evaluation: **x** = Holding time exceedance; ✓ = Within Holding Time

Matrix: water						raidation. * =	Holding time excee	suarice , .	- vviti iii i	riolaling Time
Analyte Group : Analytical Method	Method	Sampling Date	Ext	traction / Pi	reparation			Analys	sis	
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Dissolved Orthophosphate by Colourimetry (Ultra Trace L	evel 0.001 mg/L)									
HDPE										
LUP-14	E378-U	09-Sep-2024	12-Sep-2024	3 days	3 days	✓	12-Sep-2024	3 days	3 days	✓
Anions and Nutrients : Dissolved Orthophosphate by Colourimetry (Ultra Trace L	evel 0.001 mg/L)									
HDPE										
LUP-14 PD	E378-U	09-Sep-2024	12-Sep-2024	3 days	3 days	✓	12-Sep-2024	3 days	3 days	✓
Anions and Nutrients : Fluoride in Water by IC										
HDPE										
LUP-14	E235.F	09-Sep-2024	12-Sep-2024	28	3 days	✓	12-Sep-2024	28 days	3 days	✓
				days						
Anions and Nutrients : Fluoride in Water by IC										
HDPE							I			
LUP-14 PD	E235.F	09-Sep-2024	12-Sep-2024	28	3 days	√	12-Sep-2024	28 days	3 davs	✓
201 1112			.2 336 232 .	days	0 44,0		12 335 232 1	20 44,0	o aayo	
Anique and Nutriante - Fluorida in Water by IC				uayo						
Anions and Nutrients : Fluoride in Water by IC HDPE				<u> </u>	<u> </u>		I		1	
LUP-BL-01	E235.F	08-Sep-2024	12-Sep-2024	28	4 days	✓	12-Sep-2024	28 days	4 days	✓
LOI -BL-01	L200.1	00-00p-202+	12-00p-202+	days	- days		12-00p-2024	20 days	- days	•
				uays						
Anions and Nutrients : Fluoride in Water by IC HDPE					I		I			
LUP-EL-01	E235.F	08-Sep-2024	12-Sep-2024	20	4 days	√	12-Sep-2024	28 days	4 days	✓
LOF-EL-01	L200.1	00-06p-2024	12-3 6 p-2024	28 days	4 uays	, i	12-3ep-2024	20 days	4 uays	•
				uays						
Anions and Nutrients : Fluoride in Water by IC										
HDPE	E235.F	00 Con 2024	10 Can 2004	00	1 days	√	10 Con 2004	20 day:-	1 days	✓
LUP-LSL-01	E235.F	08-Sep-2024	12-Sep-2024	28	4 days	Y	12-Sep-2024	28 days	4 days	•
				days						
Anions and Nutrients : Nitrate in Water by IC										
HDPE										,
LUP-14	E235.NO3	09-Sep-2024	12-Sep-2024	3 days	3 days	✓	12-Sep-2024	3 days	3 days	✓
Anions and Nutrients : Nitrate in Water by IC										
HDPE										
LUP-14 PD	E235.NO3	09-Sep-2024	12-Sep-2024	3 days	3 days	✓	12-Sep-2024	3 days	3 days	✓

 Page
 :
 5 of 16

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE

Matrix: Water Evaluation: × = Holding time exceedance: ✓ = Within Holding Time

Matrix: Water									Holding time exceedance ; ✓ = Within Holding Ti			
Analyte Group : Analytical Method	Method	Sampling Date	Ex	traction / Pi	reparation			Analys	sis			
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval		
			Date	Rec	Actual			Rec	Actual			
Anions and Nutrients : Nitrate in Water by IC												
HDPE												
LUP-BL-01	E235.NO3	08-Sep-2024	12-Sep-2024	3 days	4 days	*	12-Sep-2024	3 days	4 days	æ		
						EHT				EHT		
Anions and Nutrients : Nitrate in Water by IC												
HDPE												
LUP-EL-01	E235.NO3	08-Sep-2024	12-Sep-2024	3 days	4 days	*	12-Sep-2024	3 days	4 days	*		
						EHT				EHT		
Anions and Nutrients : Nitrate in Water by IC												
HDPE												
LUP-LSL-01	E235.NO3	08-Sep-2024	12-Sep-2024	3 days	4 days	*	12-Sep-2024	3 days	4 days	3¢		
						EHT				EHT		
Anions and Nutrients : Nitrite in Water by IC												
HDPE												
LUP-14	E235.NO2	09-Sep-2024	12-Sep-2024	3 days	3 days	✓	12-Sep-2024	3 days	3 days	✓		
Anions and Nutrients : Nitrite in Water by IC												
HDPE												
LUP-14 PD	E235.NO2	09-Sep-2024	12-Sep-2024	3 days	3 days	✓	12-Sep-2024	3 days	3 days	✓		
Anions and Nutrients : Nitrite in Water by IC												
HDPE												
LUP-BL-01	E235.NO2	08-Sep-2024	12-Sep-2024	3 days	4 days	×	12-Sep-2024	3 days	4 days	SE .		
						EHT				EHT		
Anions and Nutrients : Nitrite in Water by IC												
HDPE				T								
LUP-EL-01	E235.NO2	08-Sep-2024	12-Sep-2024	3 days	4 days	30	12-Sep-2024	3 days	4 days	*		
						EHT				EHT		
Anions and Nutrients : Nitrite in Water by IC												
HDPE				T								
LUP-LSL-01	E235.NO2	08-Sep-2024	12-Sep-2024	3 days	4 days	*	12-Sep-2024	3 days	4 days	sc sc		
						EHT				EHT		
Anions and Nutrients : Sulfate in Water by IC												
HDPE												
LUP-14	E235.SO4	09-Sep-2024	12-Sep-2024	28	3 days	✓	12-Sep-2024	28 days	3 days	✓		
				days								
		1		1								

 Page
 :
 6 of 16

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE

Matrix: Water					Ev	/aluation: × =	Holding time excee	edance ; 🛚	= Within	Holding Tin
Analyte Group : Analytical Method	Method	Sampling Date	Ext	raction / Pi	eparation			Analys	sis	
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Sulfate in Water by IC										
HDPE LUP-14 PD	E235.SO4	09-Sep-2024	12-Sep-2024	28 days	3 days	✓	12-Sep-2024	28 days	3 days	✓
Anions and Nutrients : Sulfate in Water by IC										
HDPE LUP-BL-01	E235.SO4	08-Sep-2024	12-Sep-2024	28 days	4 days	1	12-Sep-2024	28 days	4 days	√
Anions and Nutrients : Sulfate in Water by IC				<u>'</u>						
HDPE LUP-EL-01	E235.SO4	08-Sep-2024	12-Sep-2024	28 days	4 days	✓	12-Sep-2024	28 days	4 days	✓
Anions and Nutrients : Sulfate in Water by IC										
HDPE LUP-LSL-01	E235.SO4	08-Sep-2024	12-Sep-2024	28 days	4 days	✓	12-Sep-2024	28 days	4 days	✓
Anions and Nutrients : Total Kjeldahl Nitrogen by Fluorescence (Low Level)				•						
Amber glass total (sulfuric acid) LUP-14	E318	09-Sep-2024	16-Sep-2024	28 days	7 days	✓	18-Sep-2024	28 days	9 days	✓
Anions and Nutrients : Total Kjeldahl Nitrogen by Fluorescence (Low Level)										
Amber glass total (sulfuric acid) LUP-14 PD	E318	09-Sep-2024	16-Sep-2024	28 days	7 days	✓	18-Sep-2024	28 days	9 days	✓
Anions and Nutrients : Total Phosphorus by Colourimetry (0.002 mg/L)										
Amber glass total (sulfuric acid) LUP-14	E372-U	09-Sep-2024	18-Sep-2024	28 days	9 days	✓	18-Sep-2024	28 days	9 days	✓
Anions and Nutrients : Total Phosphorus by Colourimetry (0.002 mg/L)										
Amber glass total (sulfuric acid) LUP-14 PD	E372-U	09-Sep-2024	18-Sep-2024	28 days	9 days	✓	18-Sep-2024	28 days	9 days	✓
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
Glass vial dissolved (hydrochloric acid) LUP-14	E509	09-Sep-2024	16-Sep-2024	28 days	7 days	✓	16-Sep-2024	28 days	7 days	✓

 Page
 :
 7 of 16

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE

Matrix: Water Evaluation: ▼ = Holding time exceedance ; ✓ = Within Holding Time

Matrix: Water								= Holding time exceedance ; ✓ = Within Holding Tir			
Analyte Group : Analytical Method	Method	Sampling Date	Ext	traction / Pr	eparation			Analys	sis		
Container / Client Sample ID(s)			Preparation	Holding	Times	Eval	Analysis Date	Holding	g Times	Eval	
			Date	Rec	Actual			Rec	Actual		
Dissolved Metals : Dissolved Mercury in Water by CVAAS											
Glass vial dissolved (hydrochloric acid)											
LUP-14 PD	E509	09-Sep-2024	16-Sep-2024	28	7 days	✓	16-Sep-2024	28 days	7 days	✓	
				days							
Dissolved Metals : Dissolved Mercury in Water by CVAAS											
Glass vial dissolved (hydrochloric acid)											
LUP-BL-01	E509	08-Sep-2024	16-Sep-2024	28	8 days	✓	16-Sep-2024	28 days	8 days	✓	
				days							
Dissolved Metals : Dissolved Mercury in Water by CVAAS											
Glass vial dissolved (hydrochloric acid)	I										
LUP-EL-01	E509	08-Sep-2024	16-Sep-2024	28	8 days	✓	16-Sep-2024	28 days	8 days	✓	
				days							
Dissolved Metals : Dissolved Mercury in Water by CVAAS											
Glass vial dissolved (hydrochloric acid)											
LUP-LSL-01	E509	08-Sep-2024	16-Sep-2024	28	8 days	✓	16-Sep-2024	28 days	8 days	✓	
				days							
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS											
HDPE - dissolved (lab preserved)											
LUP-14	E421	09-Sep-2024	16-Sep-2024	180	7 days	✓	17-Sep-2024	180	8 days	✓	
				days				days			
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS											
HDPE - dissolved (lab preserved)											
LUP-14 PD	E421	09-Sep-2024	16-Sep-2024	180	7 days	✓	17-Sep-2024	180	8 days	✓	
				days				days	-		
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS											
HDPE - dissolved (lab preserved)											
LUP-BL-01	E421	08-Sep-2024	16-Sep-2024	180	8 days	✓	17-Sep-2024	180	9 days	✓	
		'	•	days				days			
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS											
HDPE - dissolved (lab preserved)											
LUP-EL-01	E421	08-Sep-2024	16-Sep-2024	180	8 days	✓	17-Sep-2024	180	9 days	✓	
		·	·	days	,		·	days			
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS				,							
HDPE - dissolved (lab preserved)											
LUP-LSL-01	E421	08-Sep-2024	16-Sep-2024	180	8 days	1	17-Sep-2024	180	9 days	✓	
		·		days	, ,			days	,-		
								,-			

(ALS)

 Page
 :
 8 of 16

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE

Matrix: Water

Evaluation: × = Holding time exceedance: ✓ = Within Holding Time

Matrix: Water					E۱	/aluation: ≍ =	Holding time excee	edance ; 🕦	= Within	Holding Tim
Analyte Group : Analytical Method	Method	Sampling Date	Ext	Extraction / Preparation				Analysis		
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval
			Date	Rec	Actual			Rec	Actual	
Microbiological Tests : Fecal Coliforms in Water by MF										
Sterile HDPE (Sodium thiosulphate)										
LUP-14	FC-MF	09-Sep-2024					11-Sep-2024	30 hrs	47 hrs	*
										EHTL
Microbiological Tests : Fecal Coliforms in Water by MF										
Sterile HDPE (Sodium thiosulphate)										
LUP-14 PD	FC-MF	09-Sep-2024					11-Sep-2024	30 hrs	47 hrs	*
										EHTL
Physical Tests : Alkalinity Species by Titration										
HDPE										
LUP-14	E290	09-Sep-2024	12-Sep-2024	14	3 days	✓	12-Sep-2024	14 days	3 days	✓
				days						
Physical Tests : Alkalinity Species by Titration										
HDPE										
LUP-14 PD	E290	09-Sep-2024	12-Sep-2024	14	3 days	✓	12-Sep-2024	14 days	3 days	✓
				days						
Physical Tests : Alkalinity Species by Titration										
HDPE										
LUP-BL-01	E290	08-Sep-2024	12-Sep-2024	14	4 days	✓	12-Sep-2024	14 days	4 days	✓
				days						
Physical Tests : Alkalinity Species by Titration										
HDPE										
LUP-EL-01	E290	08-Sep-2024	12-Sep-2024	14	4 days	✓	12-Sep-2024	14 days	4 days	✓
				days						
Physical Tests : Alkalinity Species by Titration										
HDPE										
LUP-LSL-01	E290	08-Sep-2024	12-Sep-2024	14	4 days	✓	12-Sep-2024	14 days	4 days	✓
				days						
Physical Tests : Conductivity in Water					1					
HDPE										
LUP-14	E100	09-Sep-2024	12-Sep-2024	28	3 days	✓	12-Sep-2024	28 days	3 days	✓
				days						
Physical Tests : Conductivity in Water										
HDPE										
LUP-14 PD	E100	09-Sep-2024	12-Sep-2024	28	3 days	✓	12-Sep-2024	28 days	3 days	✓
				days						
							1			

 Page
 :
 9 of 16

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE

Matrix: Water Evaluation: × = Holding time exceedance: ✓ = Within Holding Time

Matrix: Water					E	valuation: ≭ =	Holding time exce	edance ; 🖠	= Withir	Holding Tim	
Analyte Group : Analytical Method	Method	Sampling Date	Ext	Extraction / Preparation				Analysis			
Container / Client Sample ID(s)			Preparation	Holdin	g Times	Eval	Analysis Date	Holding	g Times	Eval	
			Date	Rec	Actual			Rec	Actual		
Physical Tests : Conductivity in Water											
HDPE											
LUP-BL-01	E100	08-Sep-2024	12-Sep-2024	28	4 days	✓	12-Sep-2024	28 days	4 days	✓	
				days							
Physical Tests : Conductivity in Water											
HDPE											
LUP-EL-01	E100	08-Sep-2024	12-Sep-2024	28	4 days	1	12-Sep-2024	28 days	4 days	✓	
		·	· ·	days			·		_		
Physical Tests : Conductivity in Water				,							
HDPE							<u> </u>				
LUP-LSL-01	E100	08-Sep-2024	12-Sep-2024	28	4 days	✓	12-Sep-2024	28 days	4 days	✓	
			, ,	days			, ,				
Dhysical Tests yell by Mater											
Physical Tests : pH by Meter HDPE											
LUP-BL-01	E108	08-Sep-2024	12-Sep-2024	0.25	103 hrs	æ	12-Sep-2024	0.25	103 hrs	×	
LOF-DL-01	2100	00-00p-2024	12-06p-202 4	0.25 hrs	1001113	EHTR-FM	12-0ep-2024	0.25 hrs	1001113	EHTR-FM	
				1115		LITTIC-T IVI		1115		LITTICITY	
Physical Tests : pH by Meter				I		I		I			
HDPE	E108	08-Sep-2024	12-Sep-2024	0.05	103 hrs	×	12-Sep-2024	0.05	103 hrs	3 2	
LUP-EL-01	E108	08-Sep-2024	12-Sep-2024	0.25	103 nrs		12-Sep-2024	0.25	103 nrs		
				hrs		EHTR-FM		hrs		EHTR-FM	
Physical Tests : pH by Meter						ı					
HDPE											
LUP-LSL-01	E108	08-Sep-2024	12-Sep-2024	0.25	103 hrs	*	12-Sep-2024	0.25	103 hrs		
				hrs		EHTR-FM		hrs		EHTR-FM	
Physical Tests : pH by Meter											
HDPE											
LUP-14	E108	09-Sep-2024	12-Sep-2024	0.25	79 hrs	*	12-Sep-2024	0.25	79 hrs	×	
				hrs		EHTR-FM		hrs		EHTR-FM	
Physical Tests : pH by Meter											
HDPE											
LUP-14 PD	E108	09-Sep-2024	12-Sep-2024	0.25	79 hrs	*	12-Sep-2024	0.25	79 hrs	x	
				hrs		EHTR-FM		hrs		EHTR-FM	
Total Metals : Total Mercury in Water by CVAAS											
Glass vial total (hydrochloric acid)											
LUP-14	E508	09-Sep-2024	16-Sep-2024	28	7 days	✓	16-Sep-2024	28 days	7 days	✓	
				days							

 Page
 :
 10 of 16

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Matrix: Water Evaluation: **x** = Holding time exceedance; ✓ = Within Holding Time

Matrix: Water						aluation. * -	Holding time exce	euance, v	= vviti iii i	Holding Time
Analyte Group : Analytical Method	Method	Sampling Date	Extraction / Preparation			Analysis				
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
LUP-14 PD	E508	09-Sep-2024	16-Sep-2024	28	7 days	✓	16-Sep-2024	28 days	7 days	✓
				days						
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
LUP-BL-01	E508	08-Sep-2024	16-Sep-2024	28	8 days	✓	16-Sep-2024	28 days	8 days	✓
				days						
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
LUP-EL-01	E508	08-Sep-2024	16-Sep-2024	28	8 days	✓	16-Sep-2024	28 days	8 days	✓
				days						
Total Metals : Total Mercury in Water by CVAAS										
Glass vial total (hydrochloric acid)										
LUP-LSL-01	E508	08-Sep-2024	16-Sep-2024	28	8 days	1	16-Sep-2024	28 days	8 days	✓
			·	days					-	
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)							I			
LUP-14	E420	09-Sep-2024	16-Sep-2024	180	7 days	✓	17-Sep-2024	180	8 days	✓
		·	·	days				days		
Total Metals : Total Metals in Water by CRC ICPMS										
HDPE - total (lab preserved)										
LUP-14 PD	E420	09-Sep-2024	16-Sep-2024	180	7 days	✓	17-Sep-2024	180	8 days	✓
		·	·	days	,		· ·	days	,	
Total Metals : Total Metals in Water by CRC ICPMS							L	,		
HDPE - total (lab preserved)										
LUP-BL-01	E420	08-Sep-2024	16-Sep-2024	180	8 days	1	17-Sep-2024	180	9 days	✓
		' ' '	,	days	,		' '	days	,	
Total Motals : Total Motals in Water by CRC ICRMS				,-				,-		
Total Metals : Total Metals in Water by CRC ICPMS HDPE - total (lab preserved)							I			
LUP-EL-01	E420	08-Sep-2024	16-Sep-2024	180	8 days	√	17-Sep-2024	180	9 days	✓
201-22-01	2.20	00 00p 202 i	10 00p 202 1	days	o dayo		17 000 2021	days	o dayo	
TALMALE TALMALE WAS LARROUND				days			<u> </u>	days		
Total Metals : Total Metals in Water by CRC ICPMS	I						I			
HDPE - total (lab preserved) LUP-LSL-01	E420	08-Sep-2024	16-Sep-2024	180	8 days	1	17-Sep-2024	180	9 days	✓
LOI -LOL-VI	L-720	00-00p-2024	10-06p-2024		Juays	•	17-06p-2024	days	Juays	*
				days				uays		

Legend & Qualifier Definitions

 Page
 :
 11 of 16

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended

EHTL: Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.

EHT: Exceeded ALS recommended hold time prior to analysis.

Rec. HT: ALS recommended hold time (see units).

 Page
 :
 12 of 16

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Quality Control Sample Type		С	ount)		
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Laboratory Duplicates (DUP)							
Alkalinity Species by Titration	E290	1648427	1	20	5.0	5.0	1
Chloride in Water by IC	E235.CI	1648328	1	15	6.6	5.0	<u>√</u>
Conductivity in Water	E100	1648426	1	20	5.0	5.0	√
Dissolved Mercury in Water by CVAAS	E509	1651020	1	16	6.2	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1652001	1	20	5.0	5.0	1
Dissolved Orthophosphate by Colourimetry (Ultra Trace Level 0.001 mg/L)	E378-U	1648688	1	11	9.0	5.0	✓
Fluoride in Water by IC	E235.F	1648327	1	15	6.6	5.0	✓
Nitrate in Water by IC	E235.NO3	1648324	1	17	5.8	5.0	✓
Nitrite in Water by IC	E235.NO2	1648325	1	17	5.8	5.0	✓
pH by Meter	E108	1648425	1	20	5.0	5.0	✓
Sulfate in Water by IC	E235.SO4	1648326	1	15	6.6	5.0	✓
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	1651708	1	20	5.0	5.0	✓
Total Mercury in Water by CVAAS	E508	1651021	1	15	6.6	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1651999	1	20	5.0	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1656034	1	4	25.0	5.0	✓
Laboratory Control Samples (LCS)							
Alkalinity Species by Titration	E290	1648427	1	20	5.0	5.0	✓
Chloride in Water by IC	E235.CI	1648328	1	15	6.6	5.0	✓
Conductivity in Water	E100	1648426	1	20	5.0	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	1651020	1	16	6.2	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	1652001	1	20	5.0	5.0	✓
Dissolved Orthophosphate by Colourimetry (Ultra Trace Level 0.001 mg/L)	E378-U	1648688	1	11	9.0	5.0	✓
Fluoride in Water by IC	E235.F	1648327	1	15	6.6	5.0	✓
Nitrate in Water by IC	E235.NO3	1648324	1	17	5.8	5.0	✓
Nitrite in Water by IC	E235.NO2	1648325	1	17	5.8	5.0	✓
pH by Meter	E108	1648425	1	20	5.0	5.0	✓
Sulfate in Water by IC	E235.SO4	1648326	1	15	6.6	5.0	✓
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	1651708	1	20	5.0	5.0	✓
Total Mercury in Water by CVAAS	E508	1651021	1	15	6.6	5.0	✓
Total Metals in Water by CRC ICPMS	E420	1651999	1	20	5.0	5.0	✓
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1656034	1	4	25.0	5.0	✓
Method Blanks (MB)							
Alkalinity Species by Titration	E290	1648427	1	20	5.0	5.0	1
Chloride in Water by IC	E235.Cl	1648328	1	15	6.6	5.0	<u> </u>
Conductivity in Water	E100	1648426	1	20	5.0	5.0	1

 Page
 :
 13 of 16

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Matrix: Water Evaluation: × = QC frequency outside specification; ✓ = QC frequency within specification.

Matrix: Water	Evaluation: × = QC frequency outside specification; ✓ = QC frequency within specific							
Quality Control Sample Type)		
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation	
Method Blanks (MB) - Continued								
Dissolved Mercury in Water by CVAAS	E509	1651020	1	16	6.2	5.0	✓	
Dissolved Metals in Water by CRC ICPMS	E421	1652001	1	20	5.0	5.0	✓	
Dissolved Orthophosphate by Colourimetry (Ultra Trace Level 0.001 mg/L)	E378-U	1648688	1	11	9.0	5.0	✓	
Fluoride in Water by IC	E235.F	1648327	1	15	6.6	5.0	✓	
Nitrate in Water by IC	E235.NO3	1648324	1	17	5.8	5.0	✓	
Nitrite in Water by IC	E235.NO2	1648325	1	17	5.8	5.0	✓	
Sulfate in Water by IC	E235.SO4	1648326	1	15	6.6	5.0	✓	
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	1651708	1	20	5.0	5.0	✓	
Total Mercury in Water by CVAAS	E508	1651021	1	15	6.6	5.0	✓	
Total Metals in Water by CRC ICPMS	E420	1651999	1	20	5.0	5.0	✓	
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1656034	1	4	25.0	5.0	✓	
Matrix Spikes (MS)								
Chloride in Water by IC	E235.Cl	1648328	1	15	6.6	5.0	✓	
Dissolved Mercury in Water by CVAAS	E509	1651020	1	16	6.2	5.0	✓	
Dissolved Metals in Water by CRC ICPMS	E421	1652001	1	20	5.0	5.0	✓	
Dissolved Orthophosphate by Colourimetry (Ultra Trace Level 0.001 mg/L)	E378-U	1648688	1	11	9.0	5.0	✓	
Fluoride in Water by IC	E235.F	1648327	1	15	6.6	5.0	✓	
Nitrate in Water by IC	E235.NO3	1648324	1	17	5.8	5.0	✓	
Nitrite in Water by IC	E235.NO2	1648325	1	17	5.8	5.0	✓	
Sulfate in Water by IC	E235.SO4	1648326	1	15	6.6	5.0	✓	
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318	1651708	1	20	5.0	5.0	✓	
Total Mercury in Water by CVAAS	E508	1651021	1	15	6.6	5.0	✓	
Total Metals in Water by CRC ICPMS	E420	1651999	1	20	5.0	5.0	✓	
Total Phosphorus by Colourimetry (0.002 mg/L)	E372-U	1656034	1	4	25.0	5.0	✓	

 Page
 :
 14 of 16

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Biochemical Oxygen Demand (BOD) 5-day	BOD5	Water	SM5210B	Sample was diluted, seeded, and incubated at specified temperature for 5 days. Dissolved oxygen is measured initially and after incubation, and the BOD is computed
	Taiga Environmental			from the difference between initial and final DO.
	Laboratory - 4601 -			
	52nd Avenue P.O. BOX			
	1500 Yellowknife			
	Northwest Territories			
	Canada X1A 2R3			
Conductivity in Water	E100	Water	APHA 2510 (mod)	Conductivity, also known as Electrical Conductivity (EC) or Specific Conductance, is measured by immersion of a conductivity cell with platinum electrodes into a water
	ALS Environmental -			sample. Conductivity measurements are temperature-compensated to 25°C.
	Calgary			
pH by Meter	E108	Water	APHA 4500-H (mod)	pH is determined by potentiometric measurement with a pH electrode, and is conducted at ambient laboratory temperature (normally $20 \pm 5^{\circ}$ C). For high accuracy test results,
	ALS Environmental -			pH should be measured in the field within the recommended 15 minute hold time.
	Calgary			
Chloride in Water by IC	E235.CI	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
	ALS Environmental -			
	Calgary			
Fluoride in Water by IC	E235.F	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
	ALS Environmental -			
	Calgary			
Nitrite in Water by IC	E235.NO2	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Calgary			
Nitrate in Water by IC	E235.NO3	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Calgary			
Sulfate in Water by IC	E235.SO4	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	ALS Environmental -			
	Calgary			
Alkalinity Species by Titration	E290	Water	APHA 2320 B (mod)	Total alkalinity is determined by potentiometric titration to a pH 4.5 endpoint. Bicarbonate,
				carbonate and hydroxide alkalinity are calculated from phenolphthalein alkalinity and total
	ALS Environmental -			alkalinity values.
	Calgary			

 Page
 :
 15 of 16

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Total Kjeldahl Nitrogen by Fluorescence (Low Level)	E318 ALS Environmental -	Water	Method Fialab 100, 2018	TKN in water is determined by automated continuous flow analysis with membrane diffusion and fluorescence detection, after reaction with OPA (ortho-phthalaldehyde).
	Calgary			This method is approved under US EPA 40 CFR Part 136 (May 2021).
Total Phosphorus by Colourimetry (0.002	E372-U	Water	APHA 4500-P E (mod).	Total Phosphorus is determined colourimetrically using a discrete analyzer after heated
mg/L)	ALS Environmental -			persulfate digestion of the sample.
	Calgary			
Dissolved Orthophosphate by Colourimetry	E378-U	Water	APHA 4500-P F (mod)	Dissolved Orthophosphate is determined colourimetrically on a sample that has been lab
(Ultra Trace Level 0.001 mg/L)	ALS Environmental -			or field filtered through a 0.45 micron membrane filter.
	Calgary			Field filtration is recommended to ensure test results represent conditions at time of sampling.
Total Metals in Water by CRC ICPMS	E420	Water	EPA 200.2/6020B (mod)	Water samples are digested with nitric and hydrochloric acids, and analyzed by Collision/Reaction Cell ICPMS.
	ALS Environmental - Calgary			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered
	Caigary			by this method.
Dissolved Metals in Water by CRC ICPMS	E421	Water	APHA 3030B/EPA	Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by
	ALS Environmental -		6020B (mod)	Collision/Reaction Cell ICPMS.
	Calgary			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Total Mercury in Water by CVAAS	E508	Water	EPA 1631E (mod)	Water samples undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS
	ALS Environmental -			
Dissolved Mercury in Water by CVAAS	Calgary E509	Water	APHA 3030B/EPA	Water samples are filtered (0.45 um), preserved with HCl, then undergo a cold-oxidation
	2000		1631E (mod)	using bromine monochloride prior to reduction with stannous chloride, and analyzed by
	ALS Environmental -			CVAAS.
Dissolved Hardness (Calculated)	Calgary EC100	Water	APHA 2340B	"Hardness (as CaCO3), dissolved" is calculated from the sum of dissolved Calcium and
, ,	20.00			Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers
	ALS Environmental -			to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially
	Calgary			calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations.
Hardness (Calculated) from Total Ca/Mg	EC100A	Water	APHA 2340B	"Hardness (as CaCO3), from total Ca/Mg" is calculated from the sum of total Calcium and
	ALC Engire			Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers
	ALS Environmental - Calgary			to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially calculated from dissolved Calcium and Magnesium concentrations, because it is a
	Caigai y			calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations. Hardness from total Ca/Mg is
				normally comparable to Dissolved Hardness in non-turbid waters.

 Page
 :
 16 of 16

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Analytical Mathematic	Makland / Lak	Machinic	Method Reference	Halland Descriptions
Analytical Methods	Method / Lab	Matrix		Method Descriptions
Ion Balance using Dissolved Metals	EC101	Water	APHA 1030E	Cation Sum, Anion Sum, and Ion Balance are calculated based on guidance from APHA
				Standard Methods (1030E Checking Correctness of Analysis). Dissolved species are
	ALS Environmental -			used where available. Minor ions are included where data is present.
	Calgary			Ion Balance cannot be calculated accurately for waters with very low electrical
TD0: W + (0 + + ii)		144.4	4 DUI 4 4000 E (1)	conductivity (EC).
TDS in Water (Calculation)	EC103	Water	APHA 1030E (mod)	Total Dissolved Solids is calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Dissolved species are used where
	ALS Environmental -			available. Minor ions are included where data is present.
	Calgary			· ·
Nitrate and Nitrite (as N) (Calculation)	EC235.N+N	Water	EPA 300.0	Nitrate and Nitrite (as N) is a calculated parameter. Nitrate and Nitrite (as N) = Nitrite (as N) + Nitrate (as N).
	ALS Environmental -			TV) T Will alto (as TV).
	Calgary			
Fecal Coliforms in Water by MF	FC-MF	Water	APHA 9222D	See attached report.
, ,	1 0-1/11			
	Taiga Environmental			
	Laboratory - 4601 -			
	52nd Avenue P.O. BOX			
	1500 Yellowknife			
	Northwest Territories			
	Canada X1A 2R3			
Description Methods		Matrice	Mathead Defenses	Malle d Descriptions
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Digestion for TKN in water	EP318	Water	APHA 4500-Norg D	Samples are digested at high temperature using Sulfuric Acid with Copper catalyst,
			(mod)	which converts organic nitrogen sources to Ammonia, which is then quantified by the
	ALS Environmental -			analytical method as TKN. This method is unsuitable for samples containing high levels
	Calgary			of nitrate. If nitrate exceeds TKN concentration by ten times or more, results may be
				biased low.
Digestion for Total Phosphorus in water	EP372	Water	APHA 4500-P E (mod).	Samples are heated with a persulfate digestion reagent.
	ALS Environmental -			
	Calgary			
Dissolved Metals Water Filtration	EP421	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HNO3.
	ALS Environmental -			
	Calgary			
Dissolved Mercury Water Filtration	EP509	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HCI.
2.55552 Morodry Water Financia	FL 203	770101		That is a samples and missing (or to diff), and properties that their
	ALS Environmental -			
	Calgary			

ALS Canada Ltd.



QUALITY CONTROL REPORT

Work Order : **YL2401443** Page : 1 of 17

Client : Elgin Mining Inc. Laboratory : ALS Environmental - Yellowknife

Contact : Jon Melnyk Account Manager : Oliver Gregg
Address : 750 West Pender Street Suite 201 Address : 314 Old Airport I

:750 West Pender Street Suite 201 Address :314 Old Airport Road, Unit 116

Vancouver BC Canada V6C 2T7 Yellowknife, Northwest Territories Canada X1A 3T3

 Telephone
 :-- Telephone
 :1 867 445 7143

 Project
 :LUPIN MINE
 Date Samples Received
 :10-Sep-2024 09:30

PO :--- Date Analysis Commenced :11-Sep-2024

C-O-C number :---- Issue Date :19-Sep-2024 10:31
Sampler :----

Quote number : YL24-ELMI100-001

No. of samples received : 5
No. of samples analysed : 5

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

:----

Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives

- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

Site

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Eunice Cura	Lab Analyst	Calgary Inorganics, Calgary, Alberta
George Huang	Supervisor - Inorganic	Calgary Metals, Calgary, Alberta
Gurvinder Kour	Lab Assistant	Calgary Metals, Calgary, Alberta
Harpreet Chawla	Team Leader - Inorganics	Calgary Inorganics, Calgary, Alberta
Katarzyna Glinka	Analyst	Calgary Inorganics, Calgary, Alberta
Kevin Baxter	Team Leader - Inorganics	Calgary Inorganics, Calgary, Alberta
Oliver Gregg	Client Services Supervisor	Taiga Environmental Laboratory External Subcontracting, Yellowknife, Northwest Territories
Parker Sgarbossa	Laboratory Analyst	Calgary Metals, Calgary, Alberta
Ruifang Zheng	Analyst	Calgary Inorganics, Calgary, Alberta
Shirley Li	Team Leader - Inorganics	Calgary Metals, Calgary, Alberta

 Page
 :
 2 of 17

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key:

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

ALS

 Page
 :
 3 of 17

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE

Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Water	b-Matrix: Water						Labora	tory Duplicate (Dl	JP) Report		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC	Lot: 1648425)										
CG2413104-001	Anonymous	pH		E108	0.10	pH units	7.82	7.87	0.637%	4%	
Physical Tests (QC	Lot: 1648426)										
CG2413104-001	Anonymous	Conductivity		E100	2.0	μS/cm	2080	2090	0.480%	10%	
Physical Tests (QC	Lot: 1648427)										
CG2413104-001	Anonymous	Alkalinity, total (as CaCO3)		E290	1.0	mg/L	504	493	2.29%	20%	
Anions and Nutrien	ts (QC Lot: 1648324)										
YL2401440-001	Anonymous	Nitrate (as N)	14797-55-8	E235.NO3	0.020	mg/L	0.404	0.408	0.812%	20%	
Anions and Nutrient	ts (QC Lot: 1648325)										
YL2401440-001	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2	0.010	mg/L	<0.010	<0.010	0	Diff <2x LOR	
Anions and Nutrien	ts (QC Lot: 1648326)										
YL2401440-001	Anonymous	Sulfate (as SO4)	14808-79-8	E235.SO4	0.30	mg/L	178	179	0.794%	20%	
Anions and Nutrien	ts (QC Lot: 1648327)										
YL2401440-001	Anonymous	Fluoride	16984-48-8	E235.F	0.020	mg/L	0.126	0.126	0.0006	Diff <2x LOR	
Anions and Nutrient	ts (QC Lot: 1648328)										
YL2401440-001	Anonymous	Chloride	16887-00-6	E235.CI	0.50	mg/L	13.1	13.2	0.864%	20%	
Anions and Nutrien	ts (QC Lot: 1648688)										
CG2413139-001	Anonymous	Phosphate, ortho-, dissolved (as P)	14265-44-2	E378-U	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	
Anions and Nutrient	ts (QC Lot: 1651708)										
CG2413127-002	Anonymous	Kjeldahl nitrogen, total [TKN]		E318	0.050	mg/L	0.177	0.180	0.003	Diff <2x LOR	
Anions and Nutrien	ts (QC Lot: 1656034)										
VA24C4004-006	Anonymous	Phosphorus, total	7723-14-0	E372-U	0.0040	mg/L	0.131	0.131	0.122%	20%	
Total Metals (QC Lo	ot: 1651021)										
CG2413183-001	Anonymous	Mercury, total	7439-97-6	E508	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	
Total Metals (QC Lo	ot: 1651999)										
CG2413194-001	Anonymous	Aluminum, total	7429-90-5	E420	0.0030	mg/L	0.0063	0.0059	0.0004	Diff <2x LOR	
		Antimony, total	7440-36-0	E420	0.00010	mg/L	0.00023	0.00022	0.000005	Diff <2x LOR	
		Arsenic, total	7440-38-2	E420	0.00010	mg/L	0.00011	<0.00010	0.00001	Diff <2x LOR	
		Barium, total	7440-39-3	E420	0.00010	mg/L	0.0607	0.0614	1.16%	20%	
		Beryllium, total	7440-41-7	E420	0.000020	mg/L	<0.020 µg/L	<0.000020	0	Diff <2x LOR	
		Bismuth, total	7440-69-9	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	

 Page
 :
 4 of 17

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Sub-Matrix: Water						Laboratory Duplicate (DUP) Report						
aboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifie	
otal Metals (QC L	ot: 1651999) - continued											
G2413194-001	Anonymous	Boron, total	7440-42-8	E420	0.010	mg/L	0.015	0.015	0.0003	Diff <2x LOR		
		Cadmium, total	7440-43-9	E420	0.0000050	mg/L	0.0701 μg/L	0.0000704	0.370%	20%		
		Calcium, total	7440-70-2	E420	0.050	mg/L	91.6	90.3	1.35%	20%		
		Cesium, total	7440-46-2	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR		
		Chromium, total	7440-47-3	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR		
		Cobalt, total	7440-48-4	E420	0.00010	mg/L	<0.10 µg/L	<0.00010	0	Diff <2x LOR		
		Copper, total	7440-50-8	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR		
		Iron, total	7439-89-6	E420	0.010	mg/L	0.035	0.047	0.012	Diff <2x LOR		
		Lead, total	7439-92-1	E420	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR		
		Lithium, total	7439-93-2	E420	0.0010	mg/L	0.0710	0.0705	0.651%	20%		
		Magnesium, total	7439-95-4	E420	0.0050	mg/L	44.2	43.9	0.642%	20%		
		Manganese, total	7439-96-5	E420	0.00010	mg/L	0.00782	0.00768	1.70%	20%		
		Molybdenum, total	7439-98-7	E420	0.000050	mg/L	0.00332	0.00292	13.1%	20%		
		Nickel, total	7440-02-0	E420	0.00050	mg/L	0.00343	0.00338	0.00005	Diff <2x LOR		
		Phosphorus, total	7723-14-0	E420	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR		
		Potassium, total	7440-09-7	E420	0.050	mg/L	2.12	2.12	0.108%	20%		
		Rubidium, total	7440-17-7	E420	0.00020	mg/L	0.00128	0.00124	0.00003	Diff <2x LOR		
		Selenium, total	7782-49-2	E420	0.000050	mg/L	27.5 μg/L	0.0276	0.315%	20%		
		Silicon, total	7440-21-3	E420	0.10	mg/L	2.15	2.12	1.02%	20%		
		Silver, total	7440-22-4	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR		
		Sodium, total	7440-23-5	E420	0.050	mg/L	5.02	4.98	0.786%	20%		
		Strontium, total	7440-24-6	E420	0.00020	mg/L	0.161	0.162	0.662%	20%		
		Sulfur, total	7704-34-9	E420	0.50	mg/L	80.1	80.9	1.04%	20%		
		Tellurium, total	13494-80-9	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR		
		Thallium, total	7440-28-0	E420	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR		
		Thorium, total	7440-29-1	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR		
		Tin, total	7440-31-5	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR		
		Titanium, total	7440-32-6	E420	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR		
		Tungsten, total	7440-33-7	E420	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR		
		Uranium, total	7440-61-1	E420	0.000010	mg/L	0.00328	0.00335	1.91%	20%		
		Vanadium, total	7440-62-2	E420	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR		
		Zinc, total	7440-66-6	E420	0.0030	mg/L	0.0035	<0.0030	0.0005	Diff <2x LOR		
		Zirconium, total	7440-67-7	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR		

 Page
 :
 5 of 17

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Sub-Matrix: Water	Laboratory Duplicate (DUP) Report										
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Dissolved Metals (C	QC Lot: 1651020) - conti	nued									
CG2413183-001	Anonymous	Mercury, dissolved	7439-97-6	E509	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	
Dissolved Metals (C	QC Lot: 1652001)										
CG2413194-001	Anonymous	Aluminum, dissolved	7429-90-5	E421	0.0010	mg/L	0.0015	0.0013	0.0002	Diff <2x LOR	
		Antimony, dissolved	7440-36-0	E421	0.00010	mg/L	0.00023	0.00022	0.000007	Diff <2x LOR	
		Arsenic, dissolved	7440-38-2	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Barium, dissolved	7440-39-3	E421	0.00010	mg/L	0.0617	0.0609	1.38%	20%	
		Beryllium, dissolved	7440-41-7	E421	0.000020	mg/L	<0.020 µg/L	<0.000020	0	Diff <2x LOR	
		Bismuth, dissolved	7440-69-9	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	
		Boron, dissolved	7440-42-8	E421	0.010	mg/L	0.015	0.015	0.0003	Diff <2x LOR	
		Cadmium, dissolved	7440-43-9	E421	0.0000050	mg/L	0.0581 μg/L	0.0000591	1.77%	20%	
		Calcium, dissolved	7440-70-2	E421	0.050	mg/L	89.5	90.8	1.38%	20%	
		Cesium, dissolved	7440-46-2	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		Chromium, dissolved	7440-47-3	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	
		Cobalt, dissolved	7440-48-4	E421	0.00010	mg/L	<0.10 µg/L	<0.00010	0	Diff <2x LOR	
		Copper, dissolved	7440-50-8	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	
		Iron, dissolved	7439-89-6	E421	0.010	mg/L	0.021	0.021	0.0002	Diff <2x LOR	
		Lead, dissolved	7439-92-1	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR	
		Lithium, dissolved	7439-93-2	E421	0.0010	mg/L	0.0726	0.0698	3.87%	20%	
		Magnesium, dissolved	7439-95-4	E421	0.0050	mg/L	41.8	42.9	2.55%	20%	
		Manganese, dissolved	7439-96-5	E421	0.00010	mg/L	0.00681	0.00682	0.170%	20%	
		Molybdenum, dissolved	7439-98-7	E421	0.000050	mg/L	0.00303	0.00305	0.638%	20%	
		Nickel, dissolved	7440-02-0	E421	0.00050	mg/L	0.00319	0.00324	0.00004	Diff <2x LOR	
		Phosphorus, dissolved	7723-14-0	E421	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR	
		Potassium, dissolved	7440-09-7	E421	0.050	mg/L	2.06	2.08	1.12%	20%	
		Rubidium, dissolved	7440-17-7	E421	0.00020	mg/L	0.00122	0.00121	0.000003	Diff <2x LOR	
		Selenium, dissolved	7782-49-2	E421	0.000050	mg/L	31.7 μg/L	0.0323	1.86%	20%	
		Silicon, dissolved	7440-21-3	E421	0.050	mg/L	2.00	2.01	0.668%	20%	
		Silver, dissolved	7440-22-4	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		Sodium, dissolved	7440-23-5	E421	0.050	mg/L	4.70	4.83	2.78%	20%	
		Strontium, dissolved	7440-24-6	E421	0.00020	mg/L	0.160	0.161	0.396%	20%	
		Sulfur, dissolved	7704-34-9	E421	0.50	mg/L	80.3	80.9	0.732%	20%	
		Tellurium, dissolved	13494-80-9	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	
		Thallium, dissolved	7440-28-0	E421	0.000010	mg/L	<0.000010	<0.00010	0	Diff <2x LOR	
		Thorium, dissolved	7440-29-1	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	

 Page
 :
 6 of 17

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Sub-Matrix: Water							Labora	tory Duplicate (Dl	JP) Report		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Dissolved Metals (QC Lot: 1652001) - conti	nued									
CG2413194-001	Anonymous	Tin, dissolved	7440-31-5	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Titanium, dissolved	7440-32-6	E421	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR	
		Tungsten, dissolved	7440-33-7	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		Uranium, dissolved	7440-61-1	E421	0.000010	mg/L	0.00319	0.00316	1.01%	20%	
		Vanadium, dissolved	7440-62-2	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	
		Zinc, dissolved	7440-66-6	E421	0.0010	mg/L	0.0044	0.0043	0.0001	Diff <2x LOR	
		Zirconium, dissolved	7440-67-7	E421	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR	

 Page
 :
 7 of 17

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Analyte	CAS Number Metho	od	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 1648426)						
Conductivity	E100		1	μS/cm	<1.0	
Physical Tests (QCLot: 1648427)						
Alkalinity, total (as CaCO3)	E290		1	mg/L	<1.0	
Anions and Nutrients (QCLot: 1648324)						
Nitrate (as N)	14797-55-8 E235.I	NO3	0.02	mg/L	<0.020	
Anions and Nutrients (QCLot: 1648325)						
Nitrite (as N)	14797-65-0 E235.I	NO2	0.01	mg/L	<0.010	
Anions and Nutrients (QCLot: 1648326)						
Sulfate (as SO4)	14808-79-8 E235.9	SO4	0.3	mg/L	<0.30	
Anions and Nutrients (QCLot: 1648327)						
Fluoride	16984-48-8 E235.I	F	0.02	mg/L	<0.020	
Anions and Nutrients (QCLot: 1648328)						
Chloride	16887-00-6 E235.0	CI	0.5	mg/L	<0.50	
Anions and Nutrients (QCLot: 1648688)						
Phosphate, ortho-, dissolved (as P)	14265-44-2 E378-	U	0.001	mg/L	<0.0010	
Anions and Nutrients (QCLot: 1651708)						
Kjeldahl nitrogen, total [TKN]	E318		0.05	mg/L	<0.050	
Anions and Nutrients (QCLot: 1656034)						
Phosphorus, total	7723-14-0 E372-	U	0.002	mg/L	<0.0020	
otal Metals (QCLot: 1651021)						
Mercury, total	7439-97-6 E508		0.000005	mg/L	<0.000050	
Total Metals (QCLot: 1651999)						
Aluminum, total	7429-90-5 E420		0.003	mg/L	<0.0030	
Antimony, total	7440-36-0 E420		0.0001	mg/L	<0.00010	
Arsenic, total	7440-38-2 E420		0.0001	mg/L	<0.00010	
Barium, total	7440-39-3 E420		0.0001	mg/L	<0.00010	
Beryllium, total	7440-41-7 E420		0.00002	mg/L	<0.000020	
Bismuth, total	7440-69-9 E420		0.00005	mg/L	<0.000050	
Boron, total	7440-42-8 E420		0.01	mg/L	<0.010	
Cadmium, total	7440-43-9 E420		0.000005	mg/L	<0.000050	
Calcium, total	7440-70-2 E420		0.05	mg/L	<0.050	
Cesium, total	7440-46-2 E420		0.00001	mg/L	<0.000010	

 Page
 :
 8 of 17

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Total Metals (QCLot: 1651999) - continue	ed					
Chromium, total	7440-47-3	E420	0.0005	mg/L	<0.00050	
Cobalt, total	7440-48-4	E420	0.0001	mg/L	<0.00010	
Copper, total	7440-50-8	E420	0.0005	mg/L	<0.00050	
Iron, total	7439-89-6	E420	0.01	mg/L	<0.010	
Lead, total	7439-92-1	E420	0.00005	mg/L	<0.000050	
Lithium, total	7439-93-2	E420	0.001	mg/L	<0.0010	
Magnesium, total	7439-95-4	E420	0.005	mg/L	<0.0050	
Manganese, total	7439-96-5	E420	0.0001	mg/L	<0.00010	
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	<0.000050	
Nickel, total	7440-02-0	E420	0.0005	mg/L	<0.00050	
Phosphorus, total	7723-14-0	E420	0.05	mg/L	<0.050	
Potassium, total	7440-09-7	E420	0.05	mg/L	<0.050	
Rubidium, total	7440-17-7	E420	0.0002	mg/L	<0.00020	
Selenium, total	7782-49-2	E420	0.00005	mg/L	<0.000050	
Silicon, total	7440-21-3	E420	0.1	mg/L	<0.10	
Silver, total	7440-22-4	E420	0.00001	mg/L	<0.000010	
Sodium, total	7440-23-5	E420	0.05	mg/L	<0.050	
Strontium, total	7440-24-6	E420	0.0002	mg/L	<0.00020	
Sulfur, total	7704-34-9	E420	0.5	mg/L	<0.50	
Tellurium, total	13494-80-9	E420	0.0002	mg/L	<0.00020	
Thallium, total	7440-28-0	E420	0.00001	mg/L	<0.000010	
Thorium, total	7440-29-1	E420	0.0001	mg/L	<0.00010	
Tin, total	7440-31-5	E420	0.0001	mg/L	<0.00010	
Titanium, total	7440-32-6	E420	0.0003	mg/L	<0.00030	
Tungsten, total	7440-33-7	E420	0.0001	mg/L	<0.00010	
Uranium, total	7440-61-1	E420	0.00001	mg/L	<0.000010	
Vanadium, total	7440-62-2	E420	0.0005	mg/L	<0.00050	
Zinc, total	7440-66-6	E420	0.003	mg/L	<0.0030	
Zirconium, total	7440-67-7	E420	0.0002	mg/L	<0.00020	
issolved Metals (QCLot: 1651020)						
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	<0.000050	
issolved Metals (QCLot: 1652001)						
Aluminum, dissolved	7429-90-5	E421	0.001	mg/L	<0.0010	
Antimony, dissolved	7440-36-0	E421	0.0001	mg/L	<0.00010	
Arsenic, dissolved	7440-38-2	E421	0.0001	mg/L	<0.00010	

 Page
 :
 9 of 17

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Analyte	CAS Number Method	LOR	Unit	Result	Qualifier
Dissolved Metals (QCLot: 1652001)	- continued				
Barium, dissolved	7440-39-3 E421	0.0001	mg/L	<0.00010	
Beryllium, dissolved	7440-41-7	0.00002	mg/L	<0.000020	
Bismuth, dissolved	7440-69-9 E421	0.00005	mg/L	<0.000050	
Boron, dissolved	7440-42-8 E421	0.01	mg/L	<0.010	
Cadmium, dissolved	7440-43-9 E421	0.000005	mg/L	<0.0000050	
Calcium, dissolved	7440-70-2 E421	0.05	mg/L	<0.050	
Cesium, dissolved	7440-46-2 E421	0.00001	mg/L	<0.000010	
Chromium, dissolved	7440-47-3 E421	0.0005	mg/L	<0.00050	
Cobalt, dissolved	7440-48-4 E421	0.0001	mg/L	<0.00010	
Copper, dissolved	7440-50-8 E421	0.0002	mg/L	<0.00020	
Iron, dissolved	7439-89-6 E421	0.01	mg/L	<0.010	
Lead, dissolved	7439-92-1 E421	0.00005	mg/L	<0.000050	
Lithium, dissolved	7439-93-2 E421	0.001	mg/L	<0.0010	
Magnesium, dissolved	7439-95-4 E421	0.005	mg/L	<0.0050	
Manganese, dissolved	7439-96-5 E421	0.0001	mg/L	<0.00010	
Molybdenum, dissolved	7439-98-7 E421	0.00005	mg/L	<0.000050	
Nickel, dissolved	7440-02-0 E421	0.0005	mg/L	<0.00050	
Phosphorus, dissolved	7723-14-0 E421	0.05	mg/L	<0.050	
Potassium, dissolved	7440-09-7 E421	0.05	mg/L	<0.050	
Rubidium, dissolved	7440-17-7 E421	0.0002	mg/L	<0.00020	
Selenium, dissolved	7782-49-2 E421	0.00005	mg/L	<0.000050	
Silicon, dissolved	7440-21-3 E421	0.05	mg/L	<0.050	
Silver, dissolved	7440-22-4 E421	0.00001	mg/L	<0.000010	
Sodium, dissolved	7440-23-5 E421	0.05	mg/L	<0.050	
Strontium, dissolved	7440-24-6 E421	0.0002	mg/L	<0.00020	
Sulfur, dissolved	7704-34-9 E421	0.5	mg/L	<0.50	
Tellurium, dissolved	13494-80-9 E421	0.0002	mg/L	<0.00020	
Thallium, dissolved	7440-28-0 E421	0.00001	mg/L	<0.000010	
Thorium, dissolved	7440-29-1 E421	0.0001	mg/L	<0.00010	
Tin, dissolved	7440-31-5 E421	0.0001	mg/L	<0.00010	
Titanium, dissolved	7440-32-6 E421	0.0003	mg/L	<0.00030	
Tungsten, dissolved	7440-33-7 E421	0.0001	mg/L	<0.00010	
Uranium, dissolved	7440-61-1 E421	0.00001	mg/L	<0.000010	
Vanadium, dissolved	7440-62-2 E421	0.0005	mg/L	<0.00050	
Zinc, dissolved	7440-66-6 E421	0.001	mg/L	<0.0010	

 Page
 :
 10 of 17

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



4	Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
C	Dissolved Metals (QCLot: 1652001) - continued						
	Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	<0.00020	

 Page
 :
 11 of 17

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Water					Laboratory Control Sample (LCS) Report						
					Spike	Recovery (%)	Recovery	Limits (%)			
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier		
Physical Tests (QCLot: 1648425)											
H		E108		pH units	7 pH units	101	98.0	102			
Physical Tests (QCLot: 1648426)											
Conductivity		E100	1	μS/cm	147 μS/cm	101	90.0	110			
Physical Tests (QCLot: 1648427)											
Alkalinity, total (as CaCO3)		E290	1	mg/L	500 mg/L	99.6	85.0	115			
Anions and Nutrients (QCLot: 1648324)											
Nitrate (as N)	14797-55-8	E235.NO3	0.02	mg/L	2.5 mg/L	96.1	90.0	110			
Anions and Nutrients (QCLot: 1648325)											
Nitrite (as N)	14797-65-0	E235.NO2	0.01	mg/L	0.5 mg/L	97.8	90.0	110			
Anions and Nutrients (QCLot: 1648326)											
Sulfate (as SO4)	14808-79-8	E235.SO4	0.3	mg/L	100 mg/L	98.9	90.0	110			
Anions and Nutrients (QCLot: 1648327)											
Fluoride	16984-48-8	E235.F	0.02	mg/L	1 mg/L	99.5	90.0	110			
Anions and Nutrients (QCLot: 1648328)						,					
Chloride	16887-00-6	E235.CI	0.5	mg/L	100 mg/L	97.2	90.0	110			
Anions and Nutrients (QCLot: 1648688)											
Phosphate, ortho-, dissolved (as P)	14265-44-2	E378-U	0.001	mg/L	0.03 mg/L	100	80.0	120			
Anions and Nutrients (QCLot: 1651708)											
Kjeldahl nitrogen, total [TKN]		E318	0.05	mg/L	4 mg/L	97.6	75.0	125			
Anions and Nutrients (QCLot: 1656034)									1		
Phosphorus, total	7723-14-0	E372-U	0.002	mg/L	0.03 mg/L	103	80.0	120			
Total Metals (QCLot: 1651021)	7439-97-6	E500	0.000005		0 //	400	00.0	400	1		
Mercury, total	7439-97-6	E508	0.000005	mg/L	0 mg/L	103	80.0	120			
Total Metals (QCLot: 1651999)	7420.00.5	E420	0.002	m a/l	2 mg/l	102	90.0	120	ı		
Numinum, total	7429-90-5		0.003	mg/L	2 mg/L	103	80.0 80.0	120 120			
Antimony, total	7440-36-0		0.0001	mg/L	1 mg/L	95.9					
Arsenic, total	7440-38-2		0.0001	mg/L	1 mg/L	98.0	80.0	120			
Barium, total	7440-39-3		0.0001	mg/L	0.25 mg/L	97.2	80.0	120			
Beryllium, total	7440-41-7		0.00002	mg/L	0.1 mg/L	95.3	80.0	120			
Bismuth, total	7440-69-9	E420	0.00005	mg/L	1 mg/L	90.9	80.0	120			

 Page
 :
 12 of 17

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Sub-Matrix: Water						Laboratory Co.	ntrol Sample (LCS)	Report	
					Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier
Total Metals (QCLot: 1651999) - continued									
Boron, total	7440-42-8	E420	0.01	mg/L	1 mg/L	96.8	80.0	120	
Cadmium, total	7440-43-9	E420	0.000005	mg/L	0.1 mg/L	92.6	80.0	120	
Calcium, total	7440-70-2	E420	0.05	mg/L	50 mg/L	95.2	80.0	120	
Cesium, total	7440-46-2	E420	0.00001	mg/L	0.05 mg/L	96.6	80.0	120	
Chromium, total	7440-47-3	E420	0.0005	mg/L	0.25 mg/L	97.6	80.0	120	
Cobalt, total	7440-48-4	E420	0.0001	mg/L	0.25 mg/L	97.0	80.0	120	
Copper, total	7440-50-8	E420	0.0005	mg/L	0.25 mg/L	94.1	80.0	120	
Iron, total	7439-89-6	E420	0.01	mg/L	1 mg/L	115	80.0	120	
Lead, total	7439-92-1	E420	0.00005	mg/L	0.5 mg/L	92.0	80.0	120	
Lithium, total	7439-93-2	E420	0.001	mg/L	0.25 mg/L	92.5	80.0	120	
Magnesium, total	7439-95-4	E420	0.005	mg/L	50 mg/L	101	80.0	120	
Manganese, total	7439-96-5	E420	0.0001	mg/L	0.25 mg/L	96.4	80.0	120	
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	0.25 mg/L	97.0	80.0	120	
Nickel, total	7440-02-0	E420	0.0005	mg/L	0.5 mg/L	95.4	80.0	120	
Phosphorus, total	7723-14-0	E420	0.05	mg/L	10 mg/L	106	70.0	130	
Potassium, total	7440-09-7	E420	0.05	mg/L	50 mg/L	99.9	80.0	120	
Rubidium, total	7440-17-7	E420	0.0002	mg/L	0.1 mg/L	96.3	80.0	120	
Selenium, total	7782-49-2	E420	0.00005	mg/L	1 mg/L	90.2	80.0	120	
Silicon, total	7440-21-3	E420	0.1	mg/L	10 mg/L	104	60.0	140	
Silver, total	7440-22-4	E420	0.00001	mg/L	0.1 mg/L	92.3	80.0	120	
Sodium, total	7440-23-5	E420	0.05	mg/L	50 mg/L	97.2	80.0	120	
Strontium, total	7440-24-6	E420	0.0002	mg/L	0.25 mg/L	98.6	80.0	120	
Sulfur, total	7704-34-9	E420	0.5	mg/L	50 mg/L	97.0	80.0	120	
Tellurium, total	13494-80-9	E420	0.0002	mg/L	0.1 mg/L	88.7	80.0	120	
Thallium, total	7440-28-0	E420	0.00001	mg/L	1 mg/L	92.3	80.0	120	
Thorium, total	7440-29-1	E420	0.0001	mg/L	0.1 mg/L	94.3	80.0	120	
Tin, total	7440-31-5	E420	0.0001	mg/L	0.5 mg/L	95.9	80.0	120	
Titanium, total	7440-32-6	E420	0.0003	mg/L	0.25 mg/L	99.1	80.0	120	
Tungsten, total	7440-33-7	E420	0.0001	mg/L	0.1 mg/L	97.4	80.0	120	
Uranium, total	7440-61-1	E420	0.00001	mg/L	0.005 mg/L	96.5	80.0	120	
Vanadium, total	7440-62-2	E420	0.0005	mg/L	0.5 mg/L	99.1	80.0	120	
Zinc, total	7440-66-6	E420	0.003	mg/L	0.5 mg/L	91.4	80.0	120	
Zirconium, total	7440-67-7	E420	0.0002	mg/L	0.1 mg/L	97.9	80.0	120	
Mercury, dissolved	7439-97-6	E509	0.000005	mg/L	0 mg/L	103	80.0	120	
Dissolved Metals (QCLot: 1652001)									

 Page
 :
 13 of 17

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Analyte CAS Number Method LOR Dissolved Metals (QCLot: 1652001) - continued Aluminum, dissolved 7429-90-5 E421 0.001 Antimony, dissolved 7440-36-0 E421 0.0001 Arsenic, dissolved 7440-38-2 E421 0.0001 Barium, dissolved 7440-39-3 E421 0.0001 Beryllium, dissolved 7440-41-7 E421 0.00002 Bismuth, dissolved 7440-69-9 E421 0.00005	mg/L mg/L mg/L mg/L	Spike Target Concentration 2 mg/L 1 mg/L	Recovery (%) LCS	Recovery Low	Limits (%) High	Qualifier
Dissolved Metals (QCLot: 1652001) - continued Aluminum, dissolved 7429-90-5 E421 0.001 Antimony, dissolved 7440-36-0 E421 0.0001 Arsenic, dissolved 7440-38-2 E421 0.0001 Barium, dissolved 7440-39-3 E421 0.0001 Beryllium, dissolved 7440-41-7 E421 0.00002 Bismuth, dissolved 7440-69-9 E421 0.00005	mg/L mg/L mg/L	2 mg/L		Low	High	Qualifier
Aluminum, dissolved 7429-90-5 E421 0.001 Antimony, dissolved 7440-36-0 E421 0.0001 Arsenic, dissolved 7440-38-2 E421 0.0001 Barium, dissolved 7440-39-3 E421 0.0001 Beryllium, dissolved 7440-41-7 E421 0.00002 Bismuth, dissolved 7440-69-9 E421 0.00005	mg/L mg/L	_	104			
Antimony, dissolved 7440-36-0 E421 0.0001 Arsenic, dissolved 7440-38-2 E421 0.0001 Barium, dissolved 7440-39-3 E421 0.0001 Beryllium, dissolved 7440-41-7 E421 0.00002 Bismuth, dissolved 7440-69-9 E421 0.00005	mg/L mg/L	_	104			
Arsenic, dissolved 7440-38-2 E421 0.0001 Barium, dissolved 7440-39-3 E421 0.0001 Beryllium, dissolved 7440-41-7 E421 0.00002 Bismuth, dissolved 7440-69-9 E421 0.00005	mg/L	1 mg/L		80.0	120	
Barium, dissolved 7440-39-3 E421 0.0001 Beryllium, dissolved 7440-41-7 E421 0.00002 Bismuth, dissolved 7440-69-9 E421 0.00005	-	-	98.7	80.0	120	
Beryllium, dissolved 7440-41-7 E421 0.00002 Bismuth, dissolved 7440-69-9 E421 0.00005	ma/L	1 mg/L	99.3	80.0	120	
Bismuth, dissolved 7440-69-9 E421 0.00005	3. =	0.25 mg/L	100	80.0	120	
	mg/L	0.1 mg/L	101	80.0	120	
	mg/L	1 mg/L	94.2	80.0	120	
Boron, dissolved 7440-42-8 E421 0.01	mg/L	1 mg/L	99.4	80.0	120	
Cadmium, dissolved 7440-43-9 E421 0.000005	mg/L	0.1 mg/L	95.6	80.0	120	
Calcium, dissolved 7440-70-2 E421 0.05	mg/L	50 mg/L	99.7	80.0	120	
Cesium, dissolved 7440-46-2 E421 0.00001	mg/L	0.05 mg/L	101	80.0	120	
Chromium, dissolved 7440-47-3 E421 0.0005	mg/L	0.25 mg/L	98.2	80.0	120	
Cobalt, dissolved 7440-48-4 E421 0.0001	mg/L	0.25 mg/L	98.8	80.0	120	
Copper, dissolved 7440-50-8 E421 0.0002	mg/L	0.25 mg/L	96.2	80.0	120	
Iron, dissolved 7439-89-6 E421 0.01	mg/L	1 mg/L	116	80.0	120	
Lead, dissolved 7439-92-1 E421 0.00005	mg/L	0.5 mg/L	96.8	80.0	120	
Lithium, dissolved 7439-93-2 E421 0.001	mg/L	0.25 mg/L	97.6	80.0	120	
Magnesium, dissolved 7439-95-4 E421 0.005	mg/L	50 mg/L	100	80.0	120	
Manganese, dissolved 7439-96-5 E421 0.0001	mg/L	0.25 mg/L	98.1	80.0	120	
Molybdenum, dissolved 7439-98-7 E421 0.00005	mg/L	0.25 mg/L	104	80.0	120	
Nickel, dissolved 7440-02-0 E421 0.0005	mg/L	0.5 mg/L	97.6	80.0	120	
Phosphorus, dissolved 7723-14-0 E421 0.05	mg/L	10 mg/L	104	70.0	130	
Potassium, dissolved 7440-09-7 E421 0.05	mg/L	50 mg/L	101	80.0	120	
Rubidium, dissolved 7440-17-7 E421 0.0002	mg/L	0.1 mg/L	97.5	80.0	120	
Selenium, dissolved 7782-49-2 E421 0.00005	mg/L	1 mg/L	93.6	80.0	120	
Silicon, dissolved 7440-21-3 E421 0.05	mg/L	10 mg/L	105	60.0	140	
Silver, dissolved 7440-22-4 E421 0.00001	mg/L	0.1 mg/L	96.8	80.0	120	
Sodium, dissolved 7440-23-5 E421 0.05	mg/L	50 mg/L	97.9	80.0	120	
Strontium, dissolved 7440-24-6 E421 0.0002	mg/L	0.25 mg/L	102	80.0	120	
Sulfur, dissolved 7704-34-9 E421 0.5	mg/L	50 mg/L	100	80.0	120	
Tellurium, dissolved 13494-80-9 E421 0.0002	mg/L	0.1 mg/L	95.5	80.0	120	
Thallium, dissolved 7440-28-0 E421 0.00001	mg/L	1 mg/L	96.0	80.0	120	
Thorium, dissolved 7440-29-1 E421 0.0001	mg/L	0.1 mg/L	99.2	80.0	120	
Tin, dissolved 7440-31-5 E421 0.0001	mg/L	0.5 mg/L	99.2	80.0	120	
Titanium, dissolved 7440-32-6 E421 0.0003	mg/L	0.25 mg/L	98.6	80.0	120	
Tungsten, dissolved 7440-33-7 E421 0.0001	mg/L	0.1 mg/L	101	80.0	120	
Uranium, dissolved 7440-61-1 E421 0.00001	mg/L	0.005 mg/L	99.6	80.0	120	

 Page
 :
 14 of 17

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Sub-Matrix: Water					Laboratory Control Sample (LCS) Report						
		Spike	Recovery (%) Recovery Limits (%)		Limits (%)						
Analyte	CAS Number	Method	LOR	Unit	Target Concentration	LCS	Low	High	Qualifier		
Dissolved Metals (QCLot: 1652001) - cor	ntinued										
Vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	0.5 mg/L	100	80.0	120			
Zinc, dissolved	7440-66-6	E421	0.001	mg/L	0.5 mg/L	96.5	80.0	120			
Zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	0.1 mg/L	102	80.0	120			

 Page
 :
 15 of 17

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Water							-	e (MS) Report		
					Spil	ke	Recovery (%)	Recovery	Limits (%)	
Laboratory sample IL	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Anions and Nutr	ients (QCLot: 164832	4)								
YL2401440-002	Anonymous	Nitrate (as N)	14797-55-8	E235.NO3	2.42 mg/L	2.5 mg/L	96.6	75.0	125	
Anions and Nutr	ients (QCLot: 164832	5)								
YL2401440-002	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2	0.498 mg/L	0.5 mg/L	99.6	75.0	125	
Anions and Nutr	ients (QCLot: 164832	6)								
YL2401440-002	Anonymous	Sulfate (as SO4)	14808-79-8	E235.SO4	ND mg/L		ND	75.0	125	
Anions and Nutr	ients (QCLot: 164832	7)								
YL2401440-002	Anonymous	Fluoride	16984-48-8	E235.F	0.996 mg/L	1 mg/L	99.6	75.0	125	
Anions and Nutr	ients (QCLot: 164832	8)								
YL2401440-002	Anonymous	Chloride	16887-00-6	E235.CI	97.8 mg/L	100 mg/L	97.8	75.0	125	
Anions and Nutr	ients (QCLot: 164868	8)								
CG2413139-002	Anonymous	Phosphate, ortho-, dissolved (as P)	14265-44-2	E378-U	0.0512 mg/L	0.05 mg/L	102	70.0	130	
Anions and Nutr	ients (QCLot: 165170	8)								
CG2413131-001	Anonymous	Kjeldahl nitrogen, total [TKN]		E318	2.66 mg/L	2.5 mg/L	106	70.0	130	
Anions and Nutr	ients (QCLot: 165603	4)								
VA24C4004-007	Anonymous	Phosphorus, total	7723-14-0	E372-U	ND mg/L		ND	70.0	130	
Total Metals (QC	CLot: 1651021)									
CG2413183-002	Anonymous	Mercury, total	7439-97-6	E508	0.0000964 mg/L	0 mg/L	96.4	70.0	130	
Total Metals (QC	CLot: 1651999)									
CG2413201-001	Anonymous	Aluminum, total	7429-90-5	E420	1.95 mg/L	2 mg/L	97.6	70.0	130	
		Antimony, total	7440-36-0	E420	0.194 mg/L	0.2 mg/L	97.3	70.0	130	
		Arsenic, total	7440-38-2	E420	0.189 mg/L	0.2 mg/L	94.4	70.0	130	
		Barium, total	7440-39-3	E420	0.192 mg/L	0.2 mg/L	95.9	70.0	130	
		Beryllium, total	7440-41-7	E420	0.389 mg/L	0.4 mg/L	97.3	70.0	130	
		Bismuth, total	7440-69-9	E420	0.0980 mg/L	0.1 mg/L	98.0	70.0	130	
		Boron, total	7440-42-8	E420	0.953 mg/L	1 mg/L	95.3	70.0	130	
		Cadmium, total	7440-43-9	E420	0.0378 mg/L	0.04 mg/L	94.5	70.0	130	
		Calcium, total	7440-70-2	E420	ND mg/L		ND	70.0	130	
		Cesium, total	7440-46-2	E420	0.0987 mg/L	0.1 mg/L	98.7	70.0	130	
		Chromium, total	7440-47-3	E420	0.372 mg/L	0.4 mg/L	93.0	70.0	130	
		Cobalt, total	7440-47-3	E420		0			130	
					0.193 mg/L	0.2 mg/L	96.7	70.0		
		Copper, total	7440-50-8	E420	0.190 mg/L	0.2 mg/L	94.9	70.0	130	
		Iron, total	7439-89-6	E420	19.0 mg/L	20 mg/L	95.2	70.0	130	
		Lead, total	7439-92-1	E420	0.190 mg/L	0.2 mg/L	94.9	70.0	130	
		Lithium, total	7439-93-2	E420	0.908 mg/L	1 mg/L	90.8	70.0	130	

 Page
 :
 16 of 17

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



ub-Matrix: Water				Matrix Spike	e (MS) Report					
					Spi	ke	Recovery (%)	Recovery	/ Limits (%)	
aboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifie
otal Metals (QC	Lot: 1651999) - con	tinued								
CG2413201-001	Anonymous	Magnesium, total	7439-95-4	E420	ND mg/L		ND	70.0	130	
		Manganese, total	7439-96-5	E420	0.190 mg/L	0.2 mg/L	95.2	70.0	130	
		Molybdenum, total	7439-98-7	E420	0.194 mg/L	0.2 mg/L	97.1	70.0	130	
		Nickel, total	7440-02-0	E420	0.386 mg/L	0.4 mg/L	96.5	70.0	130	
		Phosphorus, total	7723-14-0	E420	98.8 mg/L	100 mg/L	98.8	70.0	130	
		Potassium, total	7440-09-7	E420	38.9 mg/L	40 mg/L	97.2	70.0	130	
		Rubidium, total	7440-17-7	E420	0.194 mg/L	0.2 mg/L	96.9	70.0	130	
		Selenium, total	7782-49-2	E420	0.377 mg/L	0.4 mg/L	94.3	70.0	130	
		Silicon, total	7440-21-3	E420	88.9 mg/L	100 mg/L	88.9	70.0	130	
		Silver, total	7440-22-4	E420	0.0403 mg/L	0.04 mg/L	101	70.0	130	
		Sodium, total	7440-23-5	E420	19.4 mg/L	20 mg/L	97.2	70.0	130	
		Strontium, total	7440-24-6	E420	0.181 mg/L	0.2 mg/L	90.7	70.0	130	
		Sulfur, total	7704-34-9	E420	183 mg/L	200 mg/L	91.4	70.0	130	
		Tellurium, total	13494-80-9	E420	0.380 mg/L	0.4 mg/L	94.9	70.0	130	
		Thallium, total	7440-28-0	E420	0.0387 mg/L	0.04 mg/L	96.8	70.0	130	
		Thorium, total	7440-29-1	E420	0.193 mg/L	0.2 mg/L	96.5	70.0	130	
		Tin, total	7440-31-5	E420	0.194 mg/L	0.2 mg/L	96.9	70.0	130	
		Titanium, total	7440-32-6	E420	0.376 mg/L	0.4 mg/L	94.0	70.0	130	
		Tungsten, total	7440-33-7	E420	0.194 mg/L	0.2 mg/L	97.1	70.0	130	
		Uranium, total	7440-61-1	E420	0.0393 mg/L	0.04 mg/L	98.2	70.0	130	
		Vanadium, total	7440-62-2	E420	0.958 mg/L	1 mg/L	95.8	70.0	130	
		Zinc, total	7440-66-6	E420	3.80 mg/L	4 mg/L	94.9	70.0	130	
		Zirconium, total	7440-67-7	E420	0.390 mg/L	0.4 mg/L	97.6	70.0	130	
ssolved Metals	(QCLot: 1651020)									
G2413183-002	Anonymous	Mercury, dissolved	7439-97-6	E509	0.000111 mg/L	0 mg/L	111	70.0	130	
ssolved Metals	(QCLot: 1652001)									
G2413201-001	Anonymous	Aluminum, dissolved	7429-90-5	E421	1.92 mg/L	2 mg/L	96.0	70.0	130	
		Antimony, dissolved	7440-36-0	E421	0.190 mg/L	0.2 mg/L	95.0	70.0	130	
		Arsenic, dissolved	7440-38-2	E421	0.188 mg/L	0.2 mg/L	94.1	70.0	130	
		Barium, dissolved	7440-39-3	E421	0.187 mg/L	0.2 mg/L	93.6	70.0	130	
		Beryllium, dissolved	7440-41-7	E421	0.373 mg/L	0.4 mg/L	93.2	70.0	130	
		Bismuth, dissolved	7440-69-9	E421	0.0946 mg/L	0.1 mg/L	94.6	70.0	130	
		Boron, dissolved	7440-42-8	E421	0.922 mg/L	1 mg/L	92.2	70.0	130	
		Cadmium, dissolved	7440-43-9	E421	0.0382 mg/L	0.04 mg/L	95.6	70.0	130	
		Calcium, dissolved	7440-70-2	E421	ND mg/L		ND	70.0	130	
		Cesium, dissolved	7440-46-2	E421	0.0956 mg/L	0.1 mg/L	95.6	70.0	130	
		Chromium, dissolved	7440-47-3	E421	0.377 mg/L	0.4 mg/L	94.4	70.0	130	
		Cobalt, dissolved	7440-48-4	E421	0.196 mg/L	0.2 mg/L	98.1	70.0	130	
		Copper, dissolved	7440-50-8	E421	0.190 mg/L	0.2 mg/L	94.8	70.0	130	
		Iron, dissolved	7439-89-6	E421	18.9 mg/L	20 mg/L	94.6	70.0	130	
		Lead, dissolved	7439-92-1	E421	0.188 mg/L	0.2 mg/L	94.2	70.0	130	
		Lithium, dissolved	7439-93-2	E421	0.883 mg/L	1 mg/L	88.3	70.0	130	
	T.	Magnesium, dissolved	7439-95-4	E421	ND mg/L		ND	70.0	130	

 Page
 :
 17 of 17

 Work Order
 :
 YL2401443

 Client
 :
 Elgin Mining Inc.

 Project
 :
 LUPIN MINE



Sub-Matrix: Water	Matrix: Water						Matrix Spik	re (MS) Report		
					Spi	ike	Recovery (%)	Recovery	Limits (%)	
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Dissolved Metals	(QCLot: 1652001) -	continued								
CG2413201-001	Anonymous	Manganese, dissolved	7439-96-5	E421	0.191 mg/L	0.2 mg/L	95.4	70.0	130	
		Molybdenum, dissolved	7439-98-7	E421	0.193 mg/L	0.2 mg/L	96.4	70.0	130	
		Nickel, dissolved	7440-02-0	E421	0.389 mg/L	0.4 mg/L	97.4	70.0	130	
		Phosphorus, dissolved	7723-14-0	E421	97.4 mg/L	100 mg/L	97.4	70.0	130	
		Potassium, dissolved	7440-09-7	E421	39.0 mg/L	40 mg/L	97.6	70.0	130	
		Rubidium, dissolved	7440-17-7	E421	0.192 mg/L	0.2 mg/L	96.2	70.0	130	
		Selenium, dissolved	7782-49-2	E421	0.376 mg/L	0.4 mg/L	94.0	70.0	130	
		Silicon, dissolved	7440-21-3	E421	86.5 mg/L	100 mg/L	86.5	70.0	130	
		Silver, dissolved	7440-22-4	E421	0.0392 mg/L	0.04 mg/L	97.9	70.0	130	
		Sodium, dissolved	7440-23-5	E421	19.3 mg/L	20 mg/L	96.3	70.0	130	
		Strontium, dissolved	7440-24-6	E421	0.188 mg/L	0.2 mg/L	93.9	70.0	130	
		Sulfur, dissolved	7704-34-9	E421	179 mg/L	200 mg/L	89.5	70.0	130	
		Tellurium, dissolved	13494-80-9	E421	0.380 mg/L	0.4 mg/L	95.0	70.0	130	
		Thallium, dissolved	7440-28-0	E421	0.0382 mg/L	0.04 mg/L	95.5	70.0	130	
		Thorium, dissolved	7440-29-1	E421	0.192 mg/L	0.2 mg/L	96.2	70.0	130	
		Tin, dissolved	7440-31-5	E421	0.190 mg/L	0.2 mg/L	94.8	70.0	130	
		Titanium, dissolved	7440-32-6	E421	0.393 mg/L	0.4 mg/L	98.2	70.0	130	
		Tungsten, dissolved	7440-33-7	E421	0.194 mg/L	0.2 mg/L	97.1	70.0	130	
		Uranium, dissolved	7440-61-1	E421	0.0382 mg/L	0.04 mg/L	95.5	70.0	130	
		Vanadium, dissolved	7440-62-2	E421	0.954 mg/L	1 mg/L	95.4	70.0	130	
		Zinc, dissolved	7440-66-6	E421	3.93 mg/L	4 mg/L	98.2	70.0	130	
		Zirconium, dissolved	7440-67-7	E421	0.381 mg/L	0.4 mg/L	95.2	70.0	130	

b								SAMPLE	ALS USE ONLY	SPECIAL HANDLING/ST	EMAIL REPORTS TO:	SAMPLER:	PROJECT MANAGER:	PURCHASE ORDER NO.:	SITE	PROJECT:	CLIENT:	ALS	>
	Telephone: +1 867 873 5593	Yellowknife Work Order Reference YL2401443	LUP-BL-01	LUP-LSL-01	LUP-EL-01	LUP-14 PD	LUP-14	Sample identification (This description will appear on the report)	SAMPLE DETAILS Solid(S) Water(W)	SPECIAL HANDLING/STORAGE OR DISPOSAL:	ionm@idsmining.ca	Jon Melnyk SAMPLER MOBILE:	Jon Melnyk CONTACT PH:	E.	Lupin Mine Site	Lupin Mine	Elgin Mining Inc.	ALS Laboratory	CHAIN OF CUSTODY
		ω :	8-Sep-24	8-Sep-24	8-Sep-24	9-Sep-24	9-Sep-24	DATE / TIME (dd-mm-yyyy)	MATRIX:			MOBILE:	PH: 403-862-2994			(Standard TAT may be longer for some tests e.g., Ultra Trace Organics)	TURNAROUND REQUIREMENTS:		
тота								MATRIX	CONTAINER		EMAIL			ALS Q			Standard	DATE/TIME:	RELINQUISHED BY:
								TOTAL CONTAINERS	NER		EMAIL INVOICE TO:			ALS QUOTE NO .:		idard or urge	Standard TAT (List due date):		ED BY:
			Yes	Yes	Yes	Yes	Yes	Routine): jonm@jdsmining.ca					Non Standard or urgent TAT (List due date):	ue date):		
			Yes	Yes	Yes	Yes	Yes	Total metals + Hg			vining.ca					date):		DATE/TIME: ^	RECEIVED BY:
						Yes	Yes	Fecal Coliforms									1	CPT 1/2/2 DATE/TIME:	X
						Yes	Yes	BOD	ANALYSIS								100	1.100	
						Yes	Yes	Total Phosphorus	ANALYSIS REQUIRED				Other comments:	Random Sa	Free ice / fro	Custody Seal Intact?	FOR LAB	DATE/TIM	RELINQU
						Yes	Yes	Total OrthoPhosphorus					ents:	Random Sample Temperature on Receipt:	Free ice / frozen ice bricks present upon receipt?	al Intact?	FOR LABORATORY USE ONLY (Circle)	m	RELINQUISHED BY:
						Yes	Yes	Total Kjeldahi Nitrogen (TKN)						ature on Rece	present upor		JSE ONLY		
			Yes	Yes	Yes	Yes	Yes	Mercury						ijot	receipt?	(on the)	(Circla)		
								Comments on likely contaminant levels, dilutions, or samples requiring specific QG analysis etc.	Additional Information			17,0	5	o i	Yes No Nie	Yes And The		DATE/TIME:	RECEIVED BY:



APPENDIX C. Schedule B.2 Summary of Measures for Post Closure Monitoring ("Table 14")

		Preparatory Work			Post-Closure Phase							
Component	Description	2018	2019-2022	2022-2023	2024	2025	2026	2027	2028	2029	2030	203
		2010	Active Stage	2022-2023	C&M	2023	Active	2021		assive Stage		20.
	Backfilling of shafts to prevent animal or human entrance		Active Stage	X			ACTIVE	$\overline{}$		Issive Otage	\neg	
	Blasting down crown pillars where required for stability or disposal – to be carried out under approved care and maintenance plan						$\overline{}$				\rightarrow	
	blasting down crown plants where required for stability of disposal to be defined out under approved date and maintenance plant		Х				, !	1				
	Disposing of contaminated soil, waste rock and demolition rubble into open crown pillars - to be carried out under approved care and						_				\rightarrow	
Inderground Mine	maintenance plan				Х		, !					
	Backfilling of crown pillars with rock fill (to 1.5 m above surface to allow for settlement) – to be carried out under approved care and											
	maintenance plan						Х					
	Capping rock fill in crown pillars with 1.0 m of esker material						Х					
/aste Rock	Excavate waste rock from perimeter areas and dispose in the open crown pillars, landfill(s) or central waste rock area (a) - to be carried out											
	under approved						Х	1				
	care and maintenance plan						, "					
	Excavate waste rock containing high levels(b) of As, CN or PbNO3 and dispose in shafts or crown pillars to be carried out under approved care and maintenance plan			Х								
	Contouring remaining waste rock and capping with 1.0 m of esker material						Х	-			\rightarrow	_
	Place a 10 m long plug of rock fill in the adit and portal area			Х			_^_	-			\rightarrow	_
	Removal of tailings pipeline; bury in landfill		Х					-			\rightarrow	
	Remove any tailings from emergency dump and dispose in crown pillar		^	X				-			\rightarrow	
	Covering of remaining tailings area with 1.0 m of esker material – to be carried out under approved Final TCA Closure Plan		Х		Х		Х				\rightarrow	
ailings Containment Area	Demolish treatment plant; dispose in landfill(s)		^		_^		X				\rightarrow	
	Installation of permanent monitoring instrumentation – to be carried out under approved Final TCA Closure Plan	X									\rightarrow	_
	Regrading granular slopes on M Dam	^		Х			Х				\rightarrow	_
	Removal of asbestos containing materials, disposal in landfill(s)		Х								\rightarrow	_
	Remove salvageable materials; consolidate for shipment off-site		X				Х				-	
	Removal of above-ground mechanical and electrical equipment		X				X				\rightarrow	_
	Demolition of ancillary buildings (shops, storage, camp); disposal of rubble in landfill(s)		X				X				-	
	Demolition of mine and mill buildings; disposal of rubble in landfill(s)		X								-	
	Hoe ram concrete foundation slabs; leave in place and cover		X				Х					
Buildings and Equipment	Removal of freshwater supply system pumphouse; remove pipeline and dispose in the landfill(s)		X									
3	Placement of 0.3 m granular fill over slabs (except in central area where they will be covered by waste rock and esker cover)											
	,, ,, ,, ,, ,, ,, ,, ,, ,, ,,						Х	1				
	Dismantling and removal of sewage pipeline, lagoon shack and pumping facilities		Х									
	Disposal of unsalvageable / un-recyclable non-hazardous waste in landfill(s) - to be carried out under existing approved management		.,									
	plan		Х				Х	1				
	Burn combustible material – to be carried out under existing approved licence/permit						Х					
forrow and Quarry Areas	Contouring esker area and placement of erosion protection in drainage paths						Х					
•	Decontaminate: oil, fuel and glycol systems		Х									
	Drum paints, solvents, chemicals, glycols, and hazardous materials for shipment to off-site disposal		Х		Х	Х	Х					
	Remove ashes from burn pit and bury in landfill(s) > 2m below final grade – to be carried out under existing approved licence/permit		Х									
			^				, !					
	Burn waste oil – to be carried out under existing approved licence/permit		X				Х					
hemicals	Consume most of diesel fuel for closure operations			X	Х	Χ	Х					
	Burn excess fuel at end of closure activities – to be carried out under existing approved licence/permit								Х			
	Empty and purge fuel tanks and dispose in accordance with the Canadian Environmental Protection Act Regulation	Х	Х	X	Х		Х		Х			
	Remove liner from Temporary Fuel Farm and dispose in landfill											Х
	Excavation of hydrocarbon contaminated soils, bury in open crown pillars including landfarm soils		Х	Х	X		Х					
	Flatten bunds around TFF and grade to prevent ponding											Х
lachinery and Mobile Equipment	Drain fluid from equipment to be left on-site and dispose equipment in landfill(s)			Х			Х					
	Drain fluid from equipment used for long-term maintenance (e.g., excavators) (c) and dispose equipment in landfill(s) or off-site						, 1					Х
andfill	Place wastes into existing landfill(s) - to be carried out under existing approved management plan		Х				Х	$\overline{}$			\rightarrow	
	Use waste rock to infill voids and create a stable contoured surface which drains freely		X				X	$\overline{}$			-	
	Cover contoured landfill(s) with 1 m of esker material		X				X	$\overline{}$			-	
ite Roads	Scarify all-weather roads: remove culverts						X	-			\rightarrow	
/ater Management Facilities	Treat water inventory with lime and release to lower water level – to be carried out under existing approved licence/permit		Х	X			X	-	Х		\rightarrow	
agomon r aomico	Construction of spillways in Dam 1A and J Dam; place geotextile and rip rap to 2 m depth			, ,				-			Х	
	Excavation of spillways in Daint in and 3 begins place getexate and 19 1ap to 2 in deput						Х	$\overline{}$				
			1					$\overline{}$		_	\rightarrow	
lob/Demob	Mobilize Winter Ice Road maintenance equipment						X	X				

a) The waste rock from the perimeter of the Mill Site Area (shown in Figure 10) will be removed and disposed into the open crown pillars, shafts, landfill(s) or the central waste rock area. Waste rock which will stay on place will be contoured to drain freely and then capped with



APPENDIX D. Lupin Mine Dam Safety Review and Dam Safety Inspection Recommendation Management Plan



September 27, 2024

Re: Summary of Lupin Mine Dam Safety Review and Dam Safety Inspection Recommendation Management Plan

Stantec, the Engineer of Record for the Tailings Containment Area (TCA) conducts Dam Safety Inspections (DSIs) on an annual basis. Mandalay also commissioned a third-party Dam Safety Review (DSR) in 2023, conducted by SLR Consulting.

Table 1, attached to this letter represents a compilation of the 2023 recommendations from the DSI and the DSR conducted that year. The table also presents Mandalay Resources' ongoing actions or commitments to upcoming work related to the recommendations. A target date for when the recommendation can be considered for "closed-out" based on the committed actions is presented.

Mandalay will further update this management plan when the 2024 DSR report is received from Stantec.
Sincerely,
Frazer Bourchier



Table 1 - Summary of Lupin Mine Dam Safety Review and Dam Safety Inspection Recommendation Management Plan. March 2025 Update

Tracking Number	Recommendation	Commitment/Action	Tracking Date
DSR-2024-001	Assess the liquefaction potential for the tailings. As there is potential for the frozen deposited tailings to thaw and it is known that at least M Dam is founded on tailings, the liquefaction potential should be assessed to understand whether the tailings could flow in a dam breach scenario.	Mandalay will undertake a liquefaction assessment of the tailings in M Dam by the end of 2025.	September 2025
DSR-2024-002	Perform dam stability analysis of M Dam considering thawed conditions and verify whether the dam is underlain by tailings. If tailings are present under the dam, consider an Undrained Strength Analysis of thawed tailings.	Mandalay will undertake a stability analysis of M Dam by early 2025.	May 2025
DSR-2024-003	Conduct a dam breach analysis for the TCA. Presently the highest consequence would be a perimeter dam breach releasing contact water into the downstream environment. In the long-term and depending on the findings of the liquefaction potential assessment, a dam breach could release liquefiable tailings into the downstream environment.	Following the 2025 construction season, the need for a dam breach assessment will be determined by the EoR and the Lupin technical team as the site moves to passive closure, and with the benefit of insights gained from additional and ongoing geotechnical assessments currently planned or underway at the Lupin site, including the liquefaction assessment, stability assessment, and risk assessment.	December 2025
DSR-2024-004	Construct a temporary emergency spillway to reduce the risk of dam overtopping before the closure spillway is constructed. The closure spillway could make use parts of the temporary emergency spillway (e.g., the outlet channel). In effect, parts of the closure spillway would be constructed now and later the spillway invert would be lowered to the closure elevation.	This is planned to be completed in 2026	October 2026
DSR-2024-005	Design erosion resistant slopes or drainage features for the dams to ensure long term physical stability of the TCA.	This design work will be completed in 2024 and 2025 and the resulting activities will be executed in 2026	October 2026
DSR-2024-006	Adopt large magnitude events (in exceedance of those required according to the HPC) for seismic and flood design criteria for closure.	These will be incorporated into final closure designs for 2026 work	June 2026
DSR-2024-007	Perform a formal risk assessment for the TCA and document with a risk register. This risk assessment must recognize both the physical and interconnected geochemical risks and cover the transition from active closure to passive closure.	This is planned to be completed in 2025	December 2025
DSR-2024-008	Update or develop a new OMS Manual for the TCA that reflects the current status of the site and is updated regularly as site conditions change and the site transitions to a state of passive closure.	This will be updated for use during the 2025 construction season. It will likely be required to be updated again when the site enters passive closure.	September 2025
DSR-2024-009	Update the Emergency Response Plan to provide clarity and direction for dam safety emergencies.	This will be updated for use during the 2025 construction season.	September 2025
DSR-2024-010	Develop a dam safety corporate policy and identify a responsible tailings facility engineer and accountable executive.	Mandalay has dam safety policies at each of its operations and will develop one for Lupin. Mandalay will identify a responsible tailings facility engineer for the 2025 construction season. Mandalay will identify a accountable executive for the 2025 construction season; name to be confirmed in 2025, but it will likely be the CEO or COO.	September 2025
DSI-2023-001	[Dam 1A] Continue to monitor erosional features for progressive deterioration. If no deterioration is observed, make repairs during final spillway construction. Repair the centre siphon if additional dewatering capacity is anticipated. Monitor for increased animal activity and consider backfilling burrows.	Ongoing: Dam 1A was monitored daily from June 24 to August 5, 2024, and will continue to be monitored during active reclamation activities. Siphons were not operated in 2024.	Final Spillway Construction - TBD
DSI-2023-002	[Dam 1B] Monitor for increased animal activity and consider backfilling burrows.	Ongoing: Dam 1B was monitored daily from June 24 to August 5 and August 28 to September 8, 2024, and will continue to be monitored during active reclamation activities.	October 2025



Tracking Number	Recommendation	Commitment/Action	Tracking Date
DSI-2023-003	[Dam 1C] Continue to monitor erosional features for progressive deterioration. Consider backfilling and compacting erosional features with well-graded esker sand and gravels and consider removing windrows from dam crest.	Ongoing: Dam 1C was monitored daily from June 24 to August 5 and August 28 to September 8, 2024, and will continue to be monitored during active reclamation activities. Windrows removed from Dam Crest in 2024	October 2025
DSI-2023-004	[Dam 2] Continue to monitor erosional features for progressive deterioration. Consider backfilling and compacting erosional features with well- graded esker sand and gravels and consider removing windrows from dam crest. Pump water from seepage collection system back to Pond 2 (or other suitable location in the TCA).	Ongoing: Dam 2 was monitored daily from June 24 to August 5 and August 28 to September 8, 2024, and will continue to be monitored during active reclamation activities. New thermistor installed in 2024. During the 2024 Dam Safety Inspection, it was determined that the ponding located near Dam 2 was runoff, and not seepage.	October 2025
DSI-2023-005	[Dam 3] Monitor tension cracks and erosional features for progressive deterioration. Consider backfilling and compacting features and regrade if features persist. Monitor for increased animal activity and consider backfilling burrows.	Ongoing: Dam C was monitored daily from June 24 to August 5 and August 28 to September 8, 2024, and will continue to be monitored during active reclamation activities. Tension cracks will be monitored in 2025, a plan will be developed in 2025 to address deterioration issues.	October 2025
DSI-2023-006	[Dam 4] Consider backfilling and compacting erosional features and consider removing windrows from dam crest. Repair the thermistor if practicable.	Ongoing: Dam 4 was monitored daily from June 24 to August 5 and August 28 to September 8, 2024, and will continue to be monitored during active reclamation activities. Windrows removed in 2024. Thermistor was repaired in 2024.	October 2025
DSI-2023-007	[Dam 5] Continue to monitor erosional features for progressive deterioration.	Ongoing: Dam 5 was monitored daily from June 24 to August 5 and August 28 to September 8, 2024, and will continue to be monitored during active reclamation activities.	October 2025
DSI-2023-008	[Dam 6] Continue to monitor erosional features for progressive deterioration. Consider backfilling and compacting features and removing windrows from dam crest.	Ongoing: Dam 6 was monitored daily from June 24 to August 5 and August 28 to September 8, 2024, and will continue to be monitored during active reclamation activities. Repaired erosional feature and removed windrows on July 31 2024	October 2025
DSI-2023-009	[Dam 3D] Continue to monitor the historical wave-action erosion and erosional features for any progressive deterioration.	Ongoing: Dam 3D was monitored daily from June 24 to August 5 and August 28 to September 8, 2024, and will continue to be monitored during active reclamation activities.	October 2025
DSI-2023-010	[Dam J] Continue to monitor the historical wave-action erosion for progressive deterioration. Update the Pond 1 closure elevation listed on the detailed design drawings to reflect recent discussions and design changes.	Ongoing: Dam J was monitored daily from June 24 to August 5 and August 28 to September 8, 2024, and will continue to be monitored during active reclamation activities. The crest of Dam J was resurfaced with Grader in 2024. Pond 1 closure elevation will be confirmed and/or updated in 2025	October 2025
DSI-2023-011	[Dam K] Continue to monitor these rills and the re- sloped embankment for progressive deterioration. Complete repairs to the damaged thermistor.	Ongoing: Dam K was monitored daily from June 24 to August 5 and August 28 to September 8, 2024, and will continue to be monitored during active reclamation activities. Thermistor was repaired. New thermistor installed.	October 2025
DSI-2023-012	[Dam L] Monitor erosional features for progressive deterioration. Consider backfilling and compacting features and removing windrows from dam crest. Continue to monitor the outfall structure for deformation and/or performance issues. Work with the EoR and DSR Engineer to develop a long-term strategy to mitigate freshet-related erosion at the Cell 3 drainage swale.	Ongoing: Dam L was monitored daily from June 24 to August 5, 2024 and August 28 to September 8, 2024 and will continue to be monitored during active reclamation activities. A long-term strategy to mitigate freshet-related erosion at the Cell 3 drainage swale is in the progress of development.	October 2025



Tracking Number	Recommendation	Commitment/Action	Tracking Date
DSI-2023-013	[Dam M] Continue to monitor the Cell 5 outfall structure for deformation and/or	Ongoing: Dam M was monitored daily from June 24 to August 5 and August 28 to	October 2025
	performance issues. Complete resloping of the downstream embankment to the design	September 8, 2024, and will continue to be monitored during active reclamation	
	2.1H:1V. Continue to monitor fresh and historical erosional features for progressive	activities.	
	deterioration. If no progressive deterioration is observed, complete repairs to these		
	features during re-sloping activities. Consider updating the stability model and designs	Dam M resloping and tailings cover installation is scheduled to be executed during the	
	to reflect the in-situ conditions at M Dam. Add 1 m of clean fill on the exposed tailings	2026 construction season.	
	between the Pond 2 closure shoreline and the M Dam design toe. Update the Pond 2		
	closure elevation in the detailed design to reflect changes.	Pond 2 Closure elevation will be confirmed and/or updated in 2025.	
DSI-2023-014	[Dam N] Consider having a water quality specialist interpret the laboratory and field	Ongoing: Dam N was monitored daily from June 24 to August 5 and August 28 to	October 2025
	parameter results and identify potential improvements. Continue to monitor cell cover, N	September 8, 2024, and will continue to be monitored during active reclamation	
	Dam, and the added diversion ditch for progressive deterioration.	activities.	
DSI-2023-015	[Divider Dykes] Continue to monitor the spillway for deformation and/or performance	Ongoing: The Divider Dyke was monitored daily from June 24 to August 5 and August 28 to	October 2025
	issues.	September 8, 2024, and will continue to be monitored during active reclamation	
		activities.	



APPENDIX E. Lupin Mine Waste Management Plan (2025)



Lupin Mine Waste Management Plan (2025)

This plan will be submitted under separate cover at a later date.



APPENDIX F. Temporary Fuel Farm (TFF) 2024 As-Built Design Plan



TECHNICAL MEMORANDUM

DATE September 25, 2024 **Reference No.** CA0031158.8527-001-TM-Rev0-6000

TO Frazier Bourchier, President & CEO

Mandalay Resources Corporation

CC Nicole McLaren, Jon Melnyk, Daniel Jenkins and Jacob Chan

FROM Ray Kennedy and Ken Bocking EMAIL ken.bocking@wsp.com

DESIGN AND CONSTRUCTION AS-BUILT FOR TEMPORARY FUEL FARM, LUPIN MINE, NUNAVUT

1.0 INTRODUCTION

The former Lupin Gold Mine in Nunavut is currently undergoing Final Closure and Reclamation. Closure construction activities are expected to be completed in 2025. As part of final closure, it is necessary to dismantle the existing Main Tank Farm (MTF), which stored fuel to support the operation of the former mine. It will also be necessary to test the soil underlying the MTF for potential hydrocarbon contamination and to remediate the soil if necessary. To allow this work to proceed, it was necessary to establish as smaller Temporary Fuel Farm (TFF) to store enough fuel to support the final closure construction activities. Fuel remaining in the MTF will be transferred from the MTF to the TFF in the summer of 2024.

WSP Canada Inc. (WSP) designed the TFF, and it was constructed in late summer of 2023. WSP provided construction quality assurance (CQA) inspection during the construction. An "as-built" survey of the TFF was completed in June 2024. This technical memorandum documents the design and CQA inspection of the TFF.

2.0 DESIGN

2.1 TFF Siting

The design drawing for the Temporary Fuel Farm (Dwg. 21503000-0001-MC-0001-1) is attached. It was issued for construction (as Rev. 0) on June 27, 2022.

The location chosen for the TFF is about 150 m north of the north end of the MTF. It is in an area that will not be involved in future demolition or construction of the waste rock "dome" for closure. It is also in an area where there is no known soil contamination.

The subgrade at the TFF site consists of a thin layer of waste rock overlying native soils. In Field Communication FC-GOL-040, WSP confirmed that the existing waste rock layer was a suitable subgrade and could be left in place. It was understood that esker sand spread above the subgrade would infill any voids in the existing surface.

Field Communication FC-GOL-040 also described how the TFF was to be decommissioned as follows:

Once the temporary fuel is redundant, any remaining fuel is to be removed from the tanks and burned in the incinerator. The tanks are then to be cleaned and demolished. The liner is to be uncovered and picked up. The debris is to be placed in the onsite landfill. It is anticipated that a small opening will be left in the landfill to receive this debris along with any debris from the maintenance shop. The esker fill should be tested, and once it is shown to be free from hydrocarbon contamination, it can be used in the landfill to infill the debris and/or to cover the opening. Waste rock in the subgrade of the temporary fuel storage area should be picked up and placed in the landfill to infill the debris or to form the 1 m layer of waste rock to cover the waste. This procedure is in keeping with the objectives of the final closure and reclamation plan.

2.2 Fuel Storage

The TFF was designed to house six vertical above ground fuel storage tanks. Each tank is of steel construction and has a diameter of 3.7 m and a height of 6.1 m. The nominal storage capacity of a single tank is 65,555 L. The aggregate storage capacity of the six tanks is 393,000 L. A minimum of 1.5 m of space is provided between adjacent tanks to allow access.

The tanks are enclosed in a lined earthen bund structure that can contain a spill volume greater than the contents of a single tank without allowing any discharge to the environment.

2.3 Liner System and Earthworks

2.3.1 Liner System

The watertight element of the liner system comprises a 30 mil HAZGUARD 635FR geomembrane. It is commonly used for secondary containment in fuel tank farms because it is resistant to hydrocarbons and has fire retardant properties. A specification sheet for the liner is attached.

The geomembrane was fabricated to its full specified dimensions (34 m x 29 m) by Layfield Geosynthetics in their factory, so no field connections were required. The pre-assembled geomembrane was folded and shipped by truck to Yellowknife. It was then flown from Yellowknife to the Lupin site in early July of 2022.

One layer of LP6 non-woven geotextile was placed below the HAZGUARD liner, and a second layer was placed above the liner. A minimum overlap of 0.6 m was specified between geotextile panels. The construction supervisor, JDS Mining (JDS), reported that a minimum 0.3 m thick layer of compacted esker sand was placed below the liner system to serve as a bedding layer and graded towards the northwest and southwest corners. JDS reported a layer of esker sand at least 0.3 m thick was placed above the liner system to serve as a protection layer.

The perimeter of the liner system (comprising the liner itself plus the two layers of geotextile) was anchored into a 0.4 m to 0.6 m deep anchor trench on the crest of the berm surrounding the TFF.

2.3.2 Earthworks

As shown on the drawing, the six tanks are placed on a rectangular central pad of compacted esker sand fill. The TFF is surrounded by a rectangular berm structure which rises between 1.1 and 1.7 m above the elevation of the central pad. This provides a lined storage containment volume of well over 200,000 L.



The berms have a crest width of approximately 2.2 to 3.4 m. The upstream sideslopes vary from 1.4H:1V to 2H:1V (Horizontal:Vertical), steeper than the IFC design grading of 3H:1V. On-site visual inspections should check the upstream slope of the perimeter berms for movement after periods of heavy rain. The downstream sideslopes are 1.9H:1V to 3.1H:1V. Between the toe of the central pad and the toe of the perimeter berms, there is a narrow swale that is approximately flat. The underlying liner foundation grading remains as intended to facilitate the pumping out of runoff in the spring thaw. The northwest and southwest corners could also be used to collect fuel in the event of a tank leak.

3.0 TFF CONSTRUCTION

3.1 Construction

The TFF was constructed between August 30 and September 23, 2023. The construction was carried out by Discovery Mining Services using onsite equipment. JDS acted as the construction supervisor.

The fill material used to construct the base and perimeter berms of the TFF was "esker sand", which was obtained from the existing esker borrow pit on the Lupin Mine Site.

The base and perimeter berm geometry constructed by JDS Mining differed from the Issued for Construction (IFC) Drawing. The modifications to the geometry within the liner footprint in Table 1 were identified by WSP during the September 2023 inspection and confirmed to still meet the design intent.

Table 1: Summary of Temporary Fuel Farm Modifications

Component	Modification					
TFF	The access ramp is on the east perimeter berm rather than the south berm					
Liner Sideslopes Geometry (perimeter	Approximate measurements by JDS and WSP on September 16 indicated the perimeter berm sideslopes are between 1.4 and 1.9 m from toe to crest					
berms prior to liner placement)	The inclination of the liner sideslopes is approximately 1.4H:1V to 2H:1V					
Liner Foundation	The grading of the liner foundation (base of TFF) was field-fit by JDS to drain to the northwest and southwest corners at varying inclinations					
Liner Anchor Trench	The anchor trench depth varies from approximately 0.4 to 0.6 m					
	The distance from the upstream crest of the liner sideslopes to the anchor trench varies from approximately 0.4 to 1.1 m					
Surface Ditch Grading	The ditches constructed in the esker sand at the toe of the perimeter berms do not appear to be graded to the sump locations; the ditch inverts are approximately flat					
Perimeter Berm Geometry (esker sand, above liner)	The upstream sideslopes vary from approximately 1.4H:1V to 2H:1V and downstream slopes vary from approximately 1.9H:1V to 3.1H:1V The perimeter berms rise between 1.1 and 1.7 m above the elevation of the central pad					

TFF: Temporary Fuel Farm; H: Horizontal; V:Vertical.



3.2 Inspection

Mr. Ray Kennedy, P.Eng. of WSP provided onsite CQA inspection services between September 13, 2023 and September 16, 2023. Most of the inspection focussed on establishing correct grading of the liner foundation of the TFF to promote drainage and on sloping the perimeter berms. The inspection did not include the eastern sideslopes and perimeter berm of the TFF or the placement of cover materials over the liner as these components were completed after September 16.

On September 16, a small puncture (about 2 mm diameter) was noted in the liner near the southeast corner of the TFF base. This was photographed and documented. Arrangements were made to obtain a patch kit from the liner manufacturer. It is understood that the patch was applied on September 28, after Mr. Kennedy left the site.

Wrinkles in the liner were noted along the upstream slope at the northwest and southwest corners of the TFF. It is understood from communications with JDS that these wrinkles were removed by reorienting the liner prior to placement of the cover material, after Mr. Kennedy left the site.

The edges of the liner were attached to construction equipment by JDS in order to relocate it for earthworks regrading. This resulted in damage to the outer 0.3 to 0.6 m of the liner footprint but these areas are within the liner anchor trench and will not affect the containment of the TFF.

A rubber tire-equipped loader was placed directly on the liner by JDS on September 13 to hold the liner in place during high winds on-site. No subgrade movement or liner issues were identified by WSP in the area of loader trafficking.

WSP's inspection services related to the earthworks construction and the installation of the liner system. Our services did not include inspection of the fuel storage tanks or the piping system to connect them, which were assembled after Mr. Kennedy left the site. It is understood that the inspection of the tanks and the piping has been completed by others.

3.3 As-built Survey

An "as-built" survey of the completed TFF was carried out by Stantec on June 3, 2024. The survey was referenced to UTM coordinates and to geodetic datum. A construction record revision of the TFF drawing is attached as Figure 1.



PERMIT TO PRACTIC

PERMIT NUMBER: P407 NT/NU Association of Professional Engineers and Geoscientists

4.0 SUMMARY

The reader is referred to the Study Limitations section, which follows the text and forms an integral part of this memorandum.

The TFF has been designed to safely store the fuel required for the completion of the closure construction at the former Lupin Mine. The construction modifications noted in Table 1 will not affect the capability of the TFF to safely store the fuel.

The on-site inspection and the "as-built" survey have confirmed that the TFF was constructed in accordance with the design intent.

The TFF can be brought into service.

WSP Canada Inc.

Ken Bocking, P.Eng.

Fellow, Senior Mine Waste Engineer

Ray Kennedy, P.Eng L Geotechnical Engineer

KAB/RK/ar

Distribution:

Frazier Bourchier, Nicole McLaren, Jon Melnyk, Daniel Jenkins

Attachments:

IFC Drawing, Construction Record Drawing (Figure 1), Liner Specification Sheet

https://wsponlinecan.sharepoint.com/sites/ca-ca00117762668/shared documents/06. deliverables/02 issued/ca0031158.8527-001-tm-6000-rev0-mandalay_temporary fuel farm-as-built report/ca0031158.8527-001-tm-rev0-6000-mandalay-lupin-temporary fuel farm-as-built report 25sep_24.docx



Study Limitations

WSP Canada Inc. ("WSP") prepared this report solely for the use of the intended recipient, Mandalay Resources Corporation, in accordance with the professional services agreement between the parties. In the event a contract has not been executed, the parties agree that the WSP General Terms for Consultant shall govern their business relationship which was provided to you prior to the preparation of this report.

The report is intended to be used in its entirety. No excerpts may be taken to be representative of the findings in the assessment.

The conclusions presented in this report are based on work performed by trained, professional and technical staff, in accordance with their reasonable interpretation of current and accepted engineering and scientific practices at the time the work was performed.

The content and opinions contained in the present report are based on the observations and/or information available to WSP at the time of preparation, using investigation techniques and engineering analysis methods consistent with those ordinarily exercised by WSP and other engineering/scientific practitioners working under similar conditions, and subject to the same time, financial and physical constraints applicable to this project.

WSP disclaims any obligation to update this report if, after the date of this report, any conditions appear to differ significantly from those presented in this report; however, WSP reserves the right to amend or supplement this report based on additional information, documentation or evidence.

WSP makes no other representations whatsoever concerning the legal significance of its findings.

The intended recipient is solely responsible for the disclosure of any information contained in this report. If a third party makes use of, relies on, or makes decisions in accordance with this report, said third party is solely responsible for such use, reliance or decisions. WSP does not accept responsibility for damages, if any, suffered by any third party as a result of decisions made or actions taken by said third party based on this report.

WSP has provided services to the intended recipient in accordance with the professional services agreement between the parties and in a manner consistent with that degree of care, skill and diligence normally provided by members of the same profession performing the same or comparable services in respect of projects of a similar nature in similar circumstances. It is understood and agreed by WSP and the recipient of this report that WSP provides no warranty, express or implied, of any kind. Without limiting the generality of the foregoing, it is agreed and understood by WSP and the recipient of this report that WSP makes no representation or warranty whatsoever as to the sufficiency of its scope of work for the purpose sought by the recipient of this report.

In preparing this report, WSP has relied in good faith on information provided by others, as noted in the report. WSP has reasonably assumed that the information provided is correct and WSP is not responsible for the accuracy or completeness of such information.

Benchmark and elevations used in this report are primarily to establish relative elevation differences between the specific testing and/or sampling locations and should not be used for other purposes, such as grading, excavating, construction, planning, development, etc.




The original of this digital file will be kept by WSP for a period of not less than 10 years. As the digital file transmitted to the intended recipient is no longer under the control of WSP, its integrity cannot be assured. As such, WSP does not guarantee any modifications made to this digital file subsequent to its transmission to the intended recipient.


This limitations statement is considered an integral part of this report.



Issued For Construction Drawing



Construction Record Drawing



Liner Specification Sheet





HAZGARD® 635FR — SECONDARY CONTAINMENT LINER

A HAZGARD® 635FR geomembrane provides the strength and durability required for secondary spill containment. Uniquely resistant to a wide range of chemicals, including hydrocarbons, solvents, acids, bases, and salts, HAZGARD® 635FR geomembranes are some of the most chemically-resistant materials available today.

This unique fire retardant secondary containment geomembrane is an excellent lining material for the containment of flammable and combustible liquids, including; gasoline and alcohol-blended gasoline, diesel and biodiesel-blended diesel, jet fuels, oils, and lubricants.

	April 2023	HAZGARI	O [®] 635FR
	Rev	ASTM	HAZGARD® 635FR
	ULC/S668	ULC S668	Yes
	28 day Permeance to Test Fluids*	ULC S668	<10 g/m²/hr
Properties	30 day Compatibility to Test Fluids*	ULC S668	<10% Wt Change
bel	30 day Soil Burial	ULC S668	Pass
al Pro	Thickness	ASTM D5199	35 mil 0.88 mm
Materia	Tensile Strength	ASTM D751 Grab Method	300 lbs 1330 N
	Tensile Strength	ASTM D638 Strip Method	130 lbs/in 22.7 N/mm
	Elongation	ASTM D751 Grab Method	700%
	Puncture Strength	ASTM D4833	49 lbs 218 N
	Low Temperature	ASTM D1790	-40°F -40°C

^{*}Test Fluids include 16 different flammable, combustible, and oxygenated liquids as defined by the ULC S668

Disclaimer: Layfield disclaims any and all express, implied, or statutory standards, warranties or guarantees, including without limitation any implied warranty as to merchantability or fitness for a particular purpose or arising from a course of dealing or usage of trade as to any equipment, materials, or information furnished herewith. This document should not be construed as engineering advice.

For up-to-date technical information, be sure to visit us online at www.LayfieldGroup.com





April 2023	HAZGARD® 635FR Minimum Shop Seam Strengths						
Style	ASTM	HAZGARD® 635FR					
ULC S668 Seam Strength Requirement	D7749	112 lbs					
	Grab Method	500 N					
Heat Bonded Seam Strength	D6392	55 lbs					
	25.4 mm (1") Strip	9.6 N/mm					
Heat Bonded Peel Adhesion Strength	D6392	45 lbs					
	25.4 mm (1") Strip	7.9 N/mm					

April 2023	HAZGARD® 635FR Minimum Field Seam Strengths	
Style	ASTM	HAZGARD® 635FR
ULC S668 Seam Strength Requirement	D7747	112 lbs
	Grab Method	500 N
Heat Bonded Seam Strength	D6392	55 lbs
	25.4 mm (1") Strip	9.6 N/mm
Heat Bonded Peel Adhesion Strength	D6392	45 lbs
	25.4 mm (1") Strip	7.9 N/mm

INSTALLATION

HAZGARD® 635FR liner materials are flexible enough to be prefabricated into large panels. The prefabricated panel is accordion folded, rolled onto a core, and then delivered to the job site secured to a pallet. Prefabricated panels can often cover a small project with a single panel. Often local labor forces can be used to unroll and unfold the panel, while on larger projects trained installation technicians should be brought out to join panels. If field welds are required, then HAZGARD® 635FR materials are welded with wedge welders for production seaming and extrusion welders for repair.

Each liner panel will have a label that will indicate the unrolling and the unfolding direction. Placement of the panel in the correct location prior to unrolling will greatly ease installation. Once the liner material is placed then it should be attached to any required walls and piping and then carefully backfilled.

Disclaimer: Layfield disclaims any and all express, implied, or statutory standards, warranties or guarantees, including without limitation any implied warranty as to merchantability or fitness for a particular purpose or arising from a course of dealing or usage of trade as to any equipment, materials, or information furnished herewith. This document should not be construed as engineering advice.

For up-to-date technical information, be sure to visit us online at www.LayfieldGroup.com



141111



APPENDIX G. 2021-2023 Annual Report Additional Requests



SUMMARY OF OUTSTANDING INFORMATION FROM PREVIOUS ANNUAL REPORTS

Mandalay Resources conducted a review of the response dated July 22, 2024, conducted by Crown Indigenous Relations and Northern Affairs (CIRNAC), Environment and Climate Change Canada (ECCC) and the Nunavut Water Board (NWB) for Annual Reports submitted summarizing the technical review of the Lupin Mine 2021, 2022, 2023 Annual Reports and 2023 Geotechnical Inspection Report related to the Type A Water License No: 2AM-LUP2032, issued to Lupin Mines Incorporated, a wholly owned, indirect subsidiary of Mandalay Resources Corporation. This response was provided on September 27, 2024, and included the commitment to provide additional information as requested in the 2024 Annual Report.

The table below summarizes Regulator responses to any outstanding commitments or information requests resulting from this regulatory review. This table details the incorporation of these requests into the 2024 Annual Report.

-1able.1 Outstanding Information Clarification from 2AM-LUP2032 2021-2023 Annual Reports

Regulator Request Reference	Request	Response/Reference to Content in 2024 Annual Report		
ECCC. Nov.4 Letter	 Water Quality Monitoring Data Clarify which monitoring locations were sampled in 2023 Provide a summary of all water quality monitoring data from the 2023 sampling period and the laboratory result data sheets. 	1&2. Clarification regarding the 2023 sampling locations and a summary of the 2023 data will be included as a separate submission from the 2024 Annual report.		
		Future annual report submissions, including 2024, will ensure that Section Item 1(g) of the Annual Report includes a general summary of water quality monitoring data.		
ECCC. Nov.4 Letter	Water Quality Sampling ECCC recommends that that consideration be given to inclusion of all sampling results, and included targeted monitoring, in future annual reports.	For future annual report submissions, including 2024, Mandalay will ensure that a summary or interpretation of the monitoring results are provided as part of the submission. Appendix B. compares sample results to CCME Water Quality Guidelines for Freshwater Aquatic Life and are clearly flagged either as an "exceedance" or within the acceptable limits.		
Outstanding for 2024 AR, from Sept.27 Letter				

30 March 2025 Page | 1



Regulator Request Reference	Request	Response/Reference to Content in 2024 Annual Report
CIRNAC R-01	CIRNAC recommends LMI provide an approximate timeframe for addressing the outstanding recommendations from the 2022 and 2023 Annual Inspection Reports to the Board: a. Re-slope Dam M in accordance with the closure design. b. Design and execute remediation for the NW corner of Cell 4. c. Explore potential improvements for managing the acid seep(s) at Cell N. d. Assess onsite conditions and develop final spillway designs for Dam 1A, J Dam, and the two sewage lagoons. e. Assess the Cell 3/Dam L drainage swale erosion issue for potential to worsen over time and complete needed remediation.	LMI submits the following timeline for upcoming works: a. Planned for 2026 construction season. b. Was substantially completed in 2024, will be finished in 2026. c. The acidic seep at Cell N was not observed to be present in 2024. d. Final designs will be completed in 2025. e. Further assessment to be completed in 2025. This information is detailed in Section 1. (I) of 2024 report.
CIRNAC R-02	An approximate date as to when the survey of the TFF will be completed and submitted to the Board for review.	2024 AR section reference: Schedule B. Table 14 regarding closure of Temporary Fuel Farm: removal and disposal of liner and re-grading of TFF bunds.
ECCC 1.	Wastes, including food waste, domestic waste and cardboard are disposed of via the incinerator. The incinerator is located SE of the main camp.	Food waste and cardboard are disposed of via the incinerator. The incinerator is located SE of the main camp. 2024 AR section reference: 1(j)
ECCC 2.	ECCC recommends that the Proponent clarify what the annual temperature averages were in 2023 at site and update the 2023 Geotechnical Inspection Report and 2023 Dam Safety Review with these changes.	Previous calculation of the annual average temperature was based upon historic and perhaps incomplete data. The 2023 Dam Safety Review annual average temperature of -10.9c is based upon well documented data in the Final Reclamation and Closure Plan and is considered to be reliable. LMI will use the -10.9c temperature in future DSIs.
ECCC 6	ECCC recommends that the Proponent include rows in the table in Item 1 (f) of the Annual Reports for noncontaminated diesel and jet fuel, and include information regarding quantities of each material, and their method of storage.	Updated in Table 1(f) 2024 report.

30 March 2025 Page | 2



Regulator Request Reference	Request	Response/Reference to Content in 2024 Annual Report
ECCC 9	ECCC recommends that the Proponent include fuels and lubricants in the inventory of chemicals used at the Lupin site, and update their supporting plans, including the Waste Management Plan, with this information.	Addressed under section 6.5 of updated Waste Management Plan (Appendix E, 2025)
ECCC 10	ECCC recommends that the Proponent update the Waste Management Plan to include information on the storage methods for batteries on the Lupin site.	Addressed in section 4.3.1 of updated Waste Management Plan (Appendix E, 2025)
ECCC 11	ECCC recommends that the Proponent clarify the intended method of disposal of metal drums in the Waste Management Plan. Furthermore, ECCC recommends that the Proponent add information to the plan, detailing any cleaning procedures that will be used to remove residual material in metal drums, prior to their disposal.	Addressed in section 4.3.3. of updated Waste Management Plan (Appendix E, 2025)
ECCC 12	ECCC recommends that the Proponent revise the Waste Management Plan, and any other relevant plans and reports, to include a section on the management of sewage and greywater at the Lupin site, including references to other plans where information on sewage and greywater management can be found.	Addressed in section 7 of updated Waste Management Plan (Appendix E, 2025). Incorporated the Disposal Options in table 7-1 for Camp Grey water.

30 March 2025 Page | 3



APPENDIX H. Passive Limestone Drainage System Design

