

Google Groups

140402 1AR-NAN0914 Renewal-Amendment Follow-up Correspondence - Nanisivik Mine Site

me <robin.ikkutisluk@nwb-oen.ca>

Apr 2, 2014 2:48 PM

Posted in group: **Licensing Department**

Hello,

Please find the attached Nunavut Water Board's Correspondence regarding the submitted Information Request for the Nanisivik Mine Site Renewal-Amendment application. The proponent is requested to provide a response to IR's on or before **April 15, 2014**.

Regards,
Robin Ikkutisluk



Robin Ikkutisluk- ᑭᐱᑦ ᐃᑖᑎᓴᑭᑦ

Licence Administrator Assistant- Administratrice des permis

СДН-С⁹⁶Д ДБ⁹⁶Н- Laisalginiqmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᓂᓪ ᐱᓕᓂᓪ ᓅᓄᓕᓪᓴᓪ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆-၁၇ ၁၁၉
 ၂၀၁၆-၁၇, ၁၁၉ X0B 1J0

Titigaqavua 119
Uqhuqtunq, NU, X0B 1J0

Toll Free / Sans Frais / ᐱᕈᕐᕐᕐᕐᕐᕐ / Akiittuq: 1-855-521-3745

Tel / Téléphone / ᐱᐸᐅᐸᐸ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐸᐸᐸᐸ / Fax-kut: (867) 360-6369

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email