

## 1AR-NAN1419 Canzinco Response to Commitments

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Tue, Oct 15, 2019 at 9:00 AM

To: "Skoglund, Johan" < Johan. Skoglund@nyrstar.com>

Bcc: Distro Nanisivik <distro-1ar-nan@nwb-oen.ca>, Distro Qikiqtani <distro-qikiqtani@nwb-oen.ca>

Good morning,

The Nunvaut Water Board acknowledges receipt October 14, 2019 of Canzino's Response to Commitments, they've been saved to the public registry and uploaded to the ftp site at the link below:

ftp://ftp.nwb-oen.ca/registry/1%20INDUSTRIAL/1A/1AR%20-%20Remediation/1AR-NAN1419/2% 20ADMIN/4%20HEARINGS/2%20HEARING/2019%20Amendment%20Renewal/

Regards,

## Richard



## 

Manager of Licensing - Responsable des Permis <>CO> CASCOCOS Maniyauyuq Laisaliginigmun

## NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT ϼϭϧͼ ΔϹϤϧͼ ΡυΓϧϧυ- NUNAVUT IMALIRIAIN KATIMAYINGI

P.O. Box 119 Gjoa Haven, NU X0B 1J0

C.P. 119 Gjoa Haven, NU X0B 1J0

MM5 96 8 96 Day 30,000 100 X013 110

Titigaqaqvia 119 Ughighing, NU, X0B 1J0

Tel / Téléphone / パペトレく / Hivayauta: (867) 360-6338 | Fax / Télécopieur / パープ・プ・プ・ク・ Fax-kut: (867) 360-6369 

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer Pexpéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



🚅 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email