

Refrigerant Data Sheet

Date:

Aug 31/04

Type of Refrigerant:

R-22

Amount of Refrigerant:

241 kg

Location Recovered:

MINK Cooling

Technician: John F. Singleton, Tundra Site Services

Certificate Number:

NF-2920

Contractor: SNC Lavalin Engineers and Constructors
/Tundra Site Services

Refrigerant Data Sheet

Date:

25/08/04

Type of Refrigerant:

R-22

Amount of Refrigerant:

179 kg

Location Recovered:

Mine cooling
units & Accommodation's

Technician: John F. Singleton, Tundra Site Services units

Certificate Number:

NF-2920

Contractor: **SNC Lavalin Engineers and Constructors**
/Tundra Site Services

Refrigerant Data Sheet

Date:

25/08/04

Type of Refrigerant:

R-22

Amount of Refrigerant:

313 lbs

Location Recovered:

Mine Cooling

Technician: John F. Singleton, Tundra Site Services

Certificate Number:

NF-2920

Contractor: SNC Lavalin Engineers and Constructors
/Tundra Site Services

Refrigerant Data Sheet

Date:

25/08/04

Type of Refrigerant:

R-22

Amount of Refrigerant:

179 kg

Location Recovered:

Mine cooling

Technician: John F. Singleton, Tundra Site Services

Certificate Number:

NF-2920

Contractor: SNC Lavalin Engineers and Constructors
/Tundra Site Services

**Cominco Polaris Minesite Demolition and Reclamation Project
Daily Activity Log and Disposal Record**

\\freezy\snc\insert directory and file name here.xls

**Cominco Polaris Minesite Demolition and Reclamation Project
Daily Activity Log and Disposal Record**

```
/freezy/snc/insen directory and file name here xds
```

**Cominco Polarís Minesite Demolition and Reclamation Project
Daily Activity Log and Disposal Record**

SNC-LAVALIN
Engineers & Constructors

[illegible]

**Cominco Polaris Minesite Demolition and Reclamation Project
Daily Activity Log and Disposal Record**

\\freezy\snc\insert directory and file name here.xls

EQUIPEMENTS INDUSTRIELS ROBERT LTEE
POLARIS MINE

DRAINING REPORT

The goal of this procedure is to remove most of the oil and other liquid from the unit before it goes to scrap to reduce fire and explosion hazard and eliminate environmental contamination.

UNIT #: 659

UNIT DESCRIPTION: TOYOTA

	OK	N/A
Battery	✓	
Cooler liquid	✓	
Differentiel housing oil	✓	
Extinguisher	✓	
Fuel tank	✓	
Glycol	✓	
Hydraulic hose oil		✓
Hydraulic brake oil	✓	
Hydraulic clutch oil	✓	
Hydraulic control oil		✓
Hydraulic cylinder oil		✓
Hydraulic oil (tank)		✓
Motor oil	✓	
Planetary gear drive oil		✓
Power steering oil	✓	
Transfer case oil	✓	
Transmission oil	✓	
Windshield washer	✓	

List the parts removed from unit.

ENGINE, TRANSMISSION, FUEL TANK, BRAKE & CLUTCH MASTER CYL.

DISPOSED OF IN L.R.D.

Claude Bullayem
Sgt: Jean Halle
General Foreman

P. McPherson
Mechanic



PNB

EQUIPEMENTS INDUSTRIELS ROBERT LTEE POLARIS MINE

DRAINING REPORT

The goal of this procedure is to remove most of the oil and other liquid from the unit before it goes to scrap to reduce fire and explosion hazard and eliminate environmental contamination

UNIT #: 258

DATE OF DRAINING: 16-09-03

UNIT DESCRIPTION: TRUCK

	OK	N/A
Battery	✓	
Cooler liquid		✓
Differentiel housing oil	✓	
Extinguisher		✓
Fuel tank	✓	
Glycol	✓	
Hydraulic hose oil		✓
Hydraulic brake oil		✓
Hydraulic clutch oil		✓
Hydraulic control oil		
Hydraulic cylinder oil		
Hydraulic oil (tank)	✓	
Motor oil	✓	✓
Planetary gear drive oil		✓
Power steering oil		
Transfer case oil	✓	
Transmission oil	✓	
Windshield washer		✓

UNIT STRIPPED
W/OF ALL MOTOR,
DRIVE RELATED
PARTS AND
DISPOSED OF

List the parts removed from unit.

UNITS STILL BEING SCAVENGED FOR PARTS - OCT 1.03

DATE OF PLACEMENT:

MARCH 15, 04

DISPOSAL LOCATION:

L.R.P.

BENCH LEVEL:

BENCH 5

U/G DRIFT LEVEL:

SECTION:

Jean Halle
General Foreman

Mechanic

EQUIPEMENTS INDUSTRIELS ROBERT LTEE
POLARIS MINE

DRAINING REPORT

The goal of this procedure is to remove most of the oil and other liquid from the unit before it goes to scrap to reduce fire and explosion hazard and eliminate environmental contamination

UNIT #: 250

DATE OF DRAINING: 16-17/09/03

UNIT DESCRIPTION: TRUCK

	OK	N/A
Battery	✓	
Cooler liquid		✓
Differentiel housing oil		
Extinguisher		
Fuel tank	✓	
Glycol		✓
Hydraulic hose oil		
Hydraulic brake oil		
Hydraulic clutch oil		
Hydraulic control oil		
Hydraulic cylinder oil		
Hydraulic oil (tank)	✓	
Motor oil		✓
Planetary gear drive oil		
Power steering oil		
Transfer case oil	✓	
Transmission oil	✓	
Windshield washer		

List the parts removed from unit:

UNIT STILL BEING SCAVENGED FOR PARTS - OCT 1, 03 

DATE OF PLACEMENT:

MARCH 15, 04

DISPOSAL LOCATION:

L.R.D.

* RELOCATED

BENCH LEVEL:

BENCH 5

@ BALL FIELD

U/G DRIFT LEVEL:

MIN JUNE 03, 04

SECTION:


Jean Halle
General Foreman

Mechanic

Scanned
June 23, 04


Fnt

EQUIPEMENTS INDUSTRIELS ROBERT LTEE
POLARIS MINE

DRAINING REPORT

The goal of this procedure is to remove most of the oil and other liquid from the unit before it goes to scrap to reduce fire and explosion hazard and eliminate environmental contamination.

UNIT # 258

DATE OF DRAINING: 16-07-03

UNIT DESCRIPTION: TRUCK

	OK	N/A
Battery	✓	
Cooler liquid		✓
Differentiel housing oil	✓	
Extinguisher		✓
Fuel tank	✓	
Glycol		✓
Hydraulic hose oil		✓
Hydraulic brake oil		✓
Hydraulic clutch oil		✓
Hydraulic control oil		
Hydraulic cylinder oil		
Hydraulic oil (tank)	✓	
Motor oil	✓	✓
Planetary gear drive oil		✓
Power steering oil		
Transfer case oil	✓	
Transmission oil	✓	
Windshield washer		✓

List the parts removed from unit

UNITS STILL BEING SCAVENGED FOR PARTS — OCT 1.03 *[Signature]*

DATE OF PLACEMENT: MARCH 15, 04

DISPOSAL LOCATION: L.R.P.

BENCH LEVEL: BENCH 5

U/G DRIFT LEVEL: _____

SECTION: _____

* RELOCATED
@ BALL FIELD

16 JUNE 03, 04

[Signature]
Jean Halle
General Foreman

Mechanic

EQUIPEMENTS INDUSTRIELS ROBERT LTEE

POLARIS MINE

DRAINING REPORT

The goal of this procedure is to remove most of the oil and other liquid from the unit before it goes to scrap to reduce fire and explosion hazard and eliminate environmental contamination.

UNIT #: 196

DATE OF DRAINING: APRIL 28, 04

UNIT DESCRIPTION: COMPRESSOR

	OK	N/A
Battery		✓
Cooler liquid	✓	
Differentiel housing oil		✓
Extinguisher	✓	
Fuel tank	✓	
Glycol	✓	
Hydraulic hose oil		✓
Hydraulic brake oil		✓
Hydraulic clutch oil		✓
Hydraulic control oil		✓
Hydraulic cylinder oil		✓
Hydraulic oil (tank)		✓
Motor oil	✓	
Planetary gear drive oil		✓
Power steering oil		✓
Transfer case oil		✓
Transmission oil		✓
Windshield washer		✓

List the parts removed from unit:

compressor oil

(OK)

DATE OF PLACEMENT: APRIL 28, 04

DISPOSAL LOCATION: L.R.D.

BENCH LEVEL: 6

U/G DRIFT LEVEL: _____

SECTION: _____

Claude Boulanger
Jean Halle / CLAUDE BOULANGER
General Foreman

FREDERIC ST-HILAIRE
Mechanic

EQUIPEMENTS INDUSTRIELS ROBERT LTEE

POLARIS MINE

DRAINING REPORT

The goal of this procedure is to remove most of the oil and other liquid from the unit before it goes to scrap to reduce fire and explosion hazard and eliminate environmental contamination.

UNIT #: 964

DATE OF DRAINING: APRIL 28, 04

UNIT DESCRIPTION: WELDER MACHINE

	OK	N/A
Battery	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cooler liquid	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Differentiel housing oil	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Extinguisher	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Fuel tank	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Glycol	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Hydraulic hose oil	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Hydraulic brake oil	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Hydraulic clutch oil	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Hydraulic control oil	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Hydraulic cylinder oil	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Hydraulic oil (tank)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Motor oil	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Planetary gear drive oil	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Power steering oil	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Transfer case oil	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Transmission oil	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Windshield washer	<input type="checkbox"/>	<input checked="" type="checkbox"/>

List the parts removed from unit:


DATE OF PLACEMENT: APRIL 29, 04

DISPOSAL LOCATION: L.R.O.

BENCH LEVEL: 5

U/G DRIFT LEVEL: _____

SECTION: _____


Jean Halle
General Foreman

FREDERIC ST-HILAIRE
Mechanic

Scanned.
June 23/04
BPD

EQUIPEMENTS INDUSTRIELS ROBERT LTEE

POLARIS MINE

DRAINING REPORT

The goal of this procedure is to remove most of the oil and other liquid from the unit before it goes to scrap to reduce fire and explosion hazard and eliminate environmental contamination.

UNIT #: TOYOTA BRUI 653 DATE OF DRAINING: 01/05/2004
 UNIT DESCRIPTION: 7040M Muck

	OK	N/A
Battery	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cooler liquid	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Differential housing oil <u>AV OK AB OK</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Extinguisher	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel tank	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Glycol	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hydraulic hose oil	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hydraulic brake oil	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hydraulic clutch oil	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hydraulic control oil	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hydraulic cylinder oil	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hydraulic oil (tank)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Motor oil	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Planetary gear drive oil	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power steering oil	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Transfer case oil	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Transmission oil	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Windshield washer	<input checked="" type="checkbox"/>	<input type="checkbox"/>

List the parts removed from unit:

DATE OF PLACEMENT: MAY 03, 2004
 DISPOSAL LOCATION: LR2
 BENCH LEVEL: 6
 U/G DRIFT LEVEL: _____
 SECTION: _____

Claude Baillargeon
 Jean Halle
 General Foreman

JERRY
 Mechanic

Scanned:
 June 23/04
APD

EQUIPEMENTS INDUSTRIELS ROBERT LTEE
POLARIS MINE

DRAINING REPORT

The goal of this procedure is to remove most of the oil and other liquid from the unit before it goes to scrap to reduce fire and explosion hazard and eliminate environmental contamination.

UNIT #: 740

DATE OF DRAINING: 2/05/2004

UNIT DESCRIPTION: TOYOTA nua

	OK	N/A
Battery		
Cooler liquid	✓	
Differential housing oil	✓	
Extinguisher		✓
Fuel tank	✓	
Glycol	✓	
Hydraulic hose oil	✓	
Hydraulic brake oil	✓	
Hydraulic clutch oil	✓	
Hydraulic control oil	✓	
Hydraulic cylinder oil	✓	
Hydraulic oil (tank)	✓	
Motor oil	✓	
Planetary gear drive oil	✓	
Power steering oil	✓	
Transfer case oil	✓	
Transmission oil	✓	
Windshield washer	✓	

List the parts removed from unit:

DATE OF PLACEMENT:
DISPOSAL LOCATION:
BENCH LEVEL:
U/G DRIFT LEVEL:
SECTION:

MAY 3RD, 2004
LRD
6

Claude Billinger
Jean Halle
General Foreman

JERRY
Mechanic

*Scanned
Jan 23/04
BPD*

EQUIPEMENTS INDUSTRIELS ROBERT LTEE

POLARIS MINE

DRAINING REPORT

The goal of this procedure is to remove most of the oil and other liquid from the unit before it goes to scrap to reduce fire and explosion hazard and eliminate environmental contamination.

UNIT #: 1059

UNIT DESCRIPTION: TOYOTA

	OK	N/A
Battery	✓	
Cooler liquid	✓	
Differentiel housing oil	✓	
Extinguisher	✓	
Fuel tank	✓	
Glycol	✓	
Hydraulic hose oil		✓
Hydraulic brake oil	✓	
Hydraulic clutch oil	✓	
Hydraulic control oil		✓
Hydraulic cylinder oil		✓
Hydraulic oil (tank)		✓
Motor oil	✓	
Planetary gear drive oil		✓
Power steering oil	✓	
Transfer case oil	✓	
Transmission oil	✓	
Windshield washer	✓	

List the parts removed from unit:

ENGINE, TRANSMISSION, FUEL TANK, BRAKE & CLUTCH MASTER CYL.

Jean Halle
General Foreman

P. Chapman
Mechanic

Scanned
June 23/04
BH

EQUIPEMENTS INDUSTRIELS ROBERT LTEE

POLARIS MINE

DRAINING REPORT

The goal of this procedure is to remove most of the oil and other liquid from the unit before it goes to scrap to reduce fire and explosion hazard and eliminate environmental contamination.

UNIT #: 111

DATE OF DRAINING: June 3, 04


UNIT DESCRIPTION: Scoop

	OK	N/A
Battery	x	
Cooler liquid	x	
Differentiel housing oil	x	
Extinguisher	x	
Fuel tank	x	
Glycol		x
Hydraulic hose oil	x	
Hydraulic brake oil	x	
Hydraulic clutch oil		x
Hydraulic control oil	x	
Hydraulic cylinder oil	x	
Hydraulic oil (tank)	x	
Motor oil	x	
Planetary gear drive oil	x	
Power steering oil	x	
Transfer case oil	x	
Transmission oil	x	
Windshield washer		x

List the parts removed from unit:

DATE OF PLACEMENT: June 4, 04
DISPOSAL LOCATION: L-R-D
BENCH LEVEL: 6
U/G DRIFT LEVEL: _____
SECTION: _____


Jean Hallé
General Foreman


Frédéric St-Hilaire
Mechanic

MACHINE # 763 Toyota DATE: June 4, 2004 DRAINAGE OF MACHINES
 MODEL # Toyota Landcruiser

	DRAINED	NONE	OUT
MOT OIL	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
ANTIFREEZ	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
HYD OIL	<u>steering</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
DIFF OIL	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
BRAKE OIL	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
BATTREY	<u>Removed</u>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
HOSES	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
FUEL TANK	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
NITROGEN	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
TRANNY	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

TRANSFER CASE ☒
 Remove clutch ☒

REMARKS

MECH: Robert Paulosie

Removed front driveshaft, Radiator, steering reservoir, master
 brake cylinder, clutch reservoir, alternator, front grill, Heater
 Blower housing, alternator bracket

DRAINED Transmission and Transfer Case

7

Scanned
June 23/04
B. Paulosie

MACHINE # 746
MODEL #

DATE: June 7, 2004

DRAINAGE OF MACHINES

	DRAINED	NONE	OUT
MOT OIL	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
ANTIFREEZ	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
HYD OIL	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
DIFF OIL	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
BRAKE OIL	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
BATTREY	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
HOSES	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
FUEL TANK	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
NITROGEN	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
TRANNY	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
RADIATOR	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
CASE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

REMARKS

MECH:

Paul (Siakulak) Okadlak

Remove: Engine with transmission
: Brake master cylinder
: clutch master cylinders
: Radiator and reservoir
: steering pump and reservoir
:
:
:

Scanned.
June 23/04
BH