



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Re: Arviat New Water Treatment Plant

Karén Kharatyan <karen.kharatyan@nwb-oen.ca>

Thu, Apr 12, 2018 at 9:16 AM

To: Peter Scholz <pscholz@nunavut.ca>, Richard Dwyer <richard.dwyer@nwb-oen.ca>

Cc: Paul Anderson <paula@bipurewater.com>, Licensing Department <licensing@nwb-oen.ca>, Goump Djalogue <gdjalogue@nunavut.ca>, Doug Thompson <dthompson@towergroup.ca>

Thanks Peter for confirmation.

Sent from my BlackBerry 10 smartphone on the Bell network.

From: Peter Scholz**Sent:** Thursday, April 12, 2018 11:14 AM**To:** Karén Kharatyan; Richard Dwyer**Cc:** Paul Anderson; Licensing Department; Goump Djalogue; Doug Thompson**Subject:** RE: Arviat New Water Treatment Plant

Good morning. I spoke to Doug and Richard this morning.

A hydrostatic test is essentially running water through the new water plant after it is finished, to see if it leaks.

This would be normal functioning and operation of a water plant that has already been determined to be consistent with the Keewatin Regional Land Use Plan. NPC conformity is not required for normal functioning and testing of approved infrastructure.

Conformity 148827 should be retracted please as it is a duplicate of 148586.

Thank you.

Peter Scholz, MA MCIP PMP

Senior Planner

Nunavut Planning Commission

P.O. Box 419 Arviat, NU X0C 0E0

Ph: (867) 857-2242

Cel: (587) 876-1663

Fax: (867) 857-2380

www.nunavut.ca

From: Karén Kharatyan [mailto:karen.kharatyan@nwb-oen.ca]
Sent: Wednesday, April 11, 2018 1:09 PM
To: Peter Scholz <pscholz@nunavut.ca>
Cc: Paul Anderson <paula@bipurewater.com>; Licensing Department <licensing@nwb-oen.ca>
Subject: Re: Arviat New Water Treatment Plant

Peter from my understanding this is a separate project involving just hydrostatic testing. However, I may be wrong as I don't know what is the exact scope of project proposal being submitted to NPC compared to the previous project proposal.

Sent from my BlackBerry 10 smartphone on the Bell network.

From: Peter Scholz
Sent: Wednesday, April 11, 2018 12:51 PM
To: Karén Kharatyan; Ida Porter
Cc: Paul Anderson; Licensing Department
Subject: RE: Arviat New Water Treatment Plant

So the application made today, is it an amendment to an existing conformity?

Peter Scholz, MA MCIP PMP

Senior Planner

Nunavut Planning Commission

P.O. Box 419 Arviat, NU X0C 0E0

Ph: (867) 857-2242

Cel: (587) 876-1663

Fax: (867) 857-2380

www.nunavut.ca

From: Karén Kharatyan [mailto:karen.kharatyan@nwb-oen.ca]
Sent: Wednesday, April 11, 2018 11:26 AM
To: Peter Scholz <pscholz@nunavut.ca>; Ida Porter <ida.porter@nwb-oen.ca>
Cc: Paul Anderson <paula@bipurewater.com>; Licensing Department <licensing@nwb-oen.ca>
Subject: Re: Arviat New Water Treatment Plant

Hi Peter,

5/8/2018

Nunavut Water Board Mail - Re: Arviat New Water Treatment Plant

We were told by GN a few months ago that their application for Arviat Type A licence will likely be updated, and we are waiting for the new application package. Once we receive it we'll look at the scope to see whether this determination is still applicable, we may potentially need NPC confirmation.

Regards,

Sent from my BlackBerry 10 smartphone on the Bell network.

From: Peter Scholz

Sent: Wednesday, April 11, 2018 11:47 AM

To: Karén Kharatyan; Ida Porter

Cc: Paul Anderson; Licensing Department; Raymond Quqshuun

Subject: RE: Arviat New Water Treatment Plant

Good morning,

An application was submitted this morning for the project we have been discussing.

As a background check, I found this conformity issued May 18 2017:

<http://lupit.nunavut.ca/portal/project-dashboard.php?appid=148586&sessionid=>

It is effective to the year 2038.

Is this the same project as we have been discussing? If so a conformity has already been issued. I also checked with NIRB and they have already completed a screening for 17WN058.

And my apologies, Type A water licenses are not exempt from conformity determination. I was incorrect in my earlier email.

Regards,

Peter Scholz, MA MCIP PMP

Senior Planner

Nunavut Planning Commission

P.O. Box 419 Arviat, NU X0C 0E0

Ph: (867) 857-2242

Cel: (587) 876-1663

Fax: (867) 857-2380

www.nunavut.ca

From: Karén Kharatyan [<mailto:karen.kharatyan@nwb-oen.ca>]

Sent: Tuesday, April 10, 2018 4:43 PM

To: Peter Scholz <pscholz@nunavut.ca>; Ida Porter <ida.porter@nwb-oen.ca>

Cc: Paul Anderson <paula@bipurewater.com>; Licensing Department <licensing@nwb-oen.ca>; Raymond Quqshuun <raymond.quqshuun@nwb-oen.ca>

Subject: Re: Arviat New Water Treatment Plant

Peter,

Saying many months I meant the NWB licensing process for Arviat municipal licence.

Regards,

Sent from my BlackBerry 10 smartphone on the Bell network.

From: Peter Scholz

Sent: Tuesday, April 10, 2018 5:35 PM

To: Karén Kharatyan; Ida Porter

Cc: Paul Anderson; Licensing Department; Raymond Quqshuun

Subject: RE: Arviat New Water Treatment Plant

Thank you for your clarification. NPC has to process conformities within 40 days so not sure why you think it would take us many months.

If this is a separate project, it will likely still be exempt under Schedule 12-1. But if the application comes in, I will be happy to process it of course.

Peter Scholz, MA MCIP PMP

Senior Planner

Nunavut Planning Commission

P.O. Box 419 Arviat, NU X0C 0E0

Ph: (867) 857-2242

Cel: (587) 876-1663

Fax: (867) 857-2380

www.nunavut.ca

From: Karén Kharatyan [<mailto:karen.kharatyan@nwb-oen.ca>]

Sent: Tuesday, April 10, 2018 4:32 PM

To: Peter Scholz <pscholz@nunavut.ca>; Ida Porter <ida.porter@nwb-oen.ca>

Cc: Paul Anderson <paula@bipurewater.com>; Licensing Department <licensing@nwb-oen.ca>; Raymond Quqshuun <raymond.quqshuun@nwb-oen.ca>

Subject: Re: Arviat New Water Treatment Plant

Hi Peter,

The question isn't the Arviat municipal licence, but an hydrostatic test project related to Hamlets infrastructure update that need to go through regulatory process.

The hamlet consultant was advised about this project as this is outside of Hamlet's municipal licence which is currently expired. Also, for your info the Arviat municipal licence is a Type A Water Licence, so it's renewal will be many months process.

I though I should clarify this for you.

Regards,

Sent from my BlackBerry 10 smartphone on the Bell network.

From: Peter Scholz

Sent: Tuesday, April 10, 2018 4:10 PM

To: Karén Kharatyan; Ida Porter

Cc: Paul Anderson; Licensing Department; Raymond Quqshuun

Subject: RE: Arviat New Water Treatment Plant

Hello, I believe NWB may elect to renew municipal water licenses without going through conformity reviews as they are grandfathered; also, municipal water license renewals would typically be caught under Point 3 of Schedule 12-1 of the Nunavut Agreement.

So in all likelihood, if we received an application, we would issue a letter saying the proposed project is exempt.

Peter Scholz, MA MCIP PMP

Senior Planner

Nunavut Planning Commission

P.O. Box 419 Arviat, NU X0C 0E0

Ph: (867) 857-2242

Cel: (587) 876-1663

Fax: (867) 857-2380

www.nunavut.ca

From: Peter Scholz

Sent: Monday, April 9, 2018 9:48 AM

To: 'Karén Kharatyan' <karen.kharatyan@nwb-oen.ca>; Ida Porter <ida.porter@nwb-oen.ca>

Cc: Paul Anderson <paula@bipurewater.com>; Licensing Department <licensing@nwb-oen.ca>; Raymond Quqshuun <raymond.quqshuun@nwb-oen.ca>

Subject: RE: Arviat New Water Treatment Plant

Hello, we accept all applications through <http://lupit.nunavut.ca/portal/>

As this is probably a renewal, please include the dates and files numbers, as available, of previous NIRB and NPC licenses. Thanks.

Peter Scholz, MA MCIP PMP

Senior Planner

Nunavut Planning Commission

P.O. Box 419 Arviat, NU X0C 0E0

Ph: (867) 857-2242

Cel: (587) 876-1663

Fax: (867) 857-2380

www.nunavut.ca

From: Karén Kharatyan [<mailto:karen.kharatyan@nwb-oen.ca>]

Sent: Monday, April 9, 2018 9:38 AM

To: Ida Porter <ida.porter@nwb-oen.ca>
Cc: Paul Anderson <paula@bipurewater.com>; Licensing Department <licensing@nwb-oen.ca>; Raymond Quqshuun <raymond.quqshuun@nwb-oen.ca>; Peter Scholz <pscholz@nunavut.ca>
Subject: Re: Arviat New Water Treatment Plant

Hi Paul,

For your information Hamlet of Arviat's water licence is expired currently. So while we recognize that the community still need to use water, however, of coarse you will not be encouraged to get water under a licence that is not currently valid.

You should apply for a short term licence, and this is the general practice for hydrostatic testing projects. However, you should first contact the Nunavut Planning Commission as the Commission is the regulatory gate-keeper now for all project proposals in Territory.

I am cc-ing Peter from NPC for your information.

Regards,



Karén Kharatyan, Ph. D- ԵՂՁ ԵՏՈՅՁ

Technical Advisor- Conseiller Technique

ᐱᓗᑦᓇ ᓂᓕᓚᓂᓄጋᑦ ᐃᑲᓂ- Piluaqnaqtuliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑦ ᐃᒪᓕᓂᑦ ᓅᓂᐤᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆-၁၇ ၁၁၉
၂၀၁၆-၁၇ ၁၁၉

Titigacaqvia 119
Uqhuqtunq, NU, X013 110

Tel / Téléphone : ᐱᑦᓴᑦᓴᑦ / Hivayauta: (867) 360-6338 | Fax / Télécopieur : ᐱᑦᓴᑦᓴᑦ / Fax-kut: (867) 360-6369
Toll Free / Sans Frais : ᐱᑦᓴᑦᓴᑦᓴᑦᓴᑦ / Akiittug : 1-855-521-3745

WARNING: This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et tout(e) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courriel électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Mon, Apr 9, 2018 at 8:25 AM, Ida Porter <ida.porter@nwb-oen.ca> wrote:

Hi Paul,

Thank you for the email in regards to Arvati's New Water Treatment Plant. Please note your request is now being reviewed you should get a email respond very soon.

Regards,



Ida Porter- ᐃᐃᐅ ᐅᐃᐅ

Licence Administrator- Administratrice des permis
ᐱᐃᐅᐅᐅ ᐃᐅᐅᐅᐅ- Laisalignimun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᐃᐅᐅᐅ ᐃᐅᐅᐅᐅ ᐅᐅᐅᐅᐅ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

ᐅᐅᐅᐅᐅᐅ 119
ᐅᐅᐅᐅᐅ, ᐃᐅᐅᐅ X0B 1J0

Titigaqavvia 119
Uqhuqhniq, NU, X0B 1J0

Tel / Téléphone / ᐅᐅᐅᐅᐅ / Hivayaut: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅᐅ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐃᐅᐅᐅᐅᐅᐅᐅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Mon, Apr 9, 2018 at 8:15 AM, Paul Anderson <paula@bipurewater.com> wrote:

Hi Raymond,

We are working with Tower Arctic to provide a new 800 m3 potable water storage tank along with a new Water Treatment Plant for the community of Arviat. As part of the quality control process we will need to fill the tank for hydrostatic testing and disinfection. We would like to draw water from one of the two existing reservoirs for this testing. Will it be possible to drawing this volume of water under the Hamlet's existing water license?

Are there any forms that need to be completed for this?

Thanks,

Paul Anderson, P.Eng., FEC | Engineering Manager

T 604.882.6650 local 207 | **TF** 888.901.3111



BI Pure Water Inc.

Custom engineered treatment systems | www.bipurewater.com
2, 9790 - 190th Street, Surrey, BC V4N 3M9. **Fax** 604.882.6659

E-MAIL DISCLAIMER:

E-mail communication including any information transmitted with it is intended only for the use of the addressee(s) and is confidential. If you are not an intended recipient or responsible for delivering the message to an intended recipient, any review, disclosure, conversion to hard copy, dissemination, reproduction or other use of any part of this communication is strictly prohibited, as is the taking or omitting of any action in reliance upon this communication. If you receive this E-mail communication in error, or without authorization, please notify us immediately by return e-mail and permanently delete the entire communication from any computer, disk drive, or other storage medium. *Your cooperation is most appreciated.*

Thank you

Please consider the environment before printing this e-mail

5/8/2018

Nunavut Water Board Mail - Re: Arviat New Water Treatment Plant

|