

#### Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

### 1BH-BLT---- Status

1 message

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

To: "Marc Losier (marc@mosher.ca)" <marc@mosher.ca>

Cc: Karen Kharatyan <karen.kharatyan@nwb-oen.ca>

Thu, Aug 21, 2014 at 2:37 PM

### Hi Marc,

I got a phone msg from you but it cut off before I could get your phone number. I know you're pretty anxious to get the licence for the above. This file is Karen's and he's not back from annual vacation until Monday the 25th. I'm sure he'll be making this a priority once he's back in the office, Regards,



# Phyllis Beaulieu- & C > C >

Manager of Licensing- Responsable des Permis ⟨□⟩ C□⟩ C□⟩ C□⟩ C□⟩ Maniyauyuq Laisaliginiqmun

## NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT ውඛ<sup>\$</sup>ና ልL ር ሲት ና bበLት ዣ - NUNAVUT IMALIRIYIN KATIMAYINGI

### www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU, X0B 1J0

C.P. 119 Gjoa Haven (Nunaviit), X0B 1J0 በበናዔዔልሢ 119 ك ( XOB 1J0 € موم ( XOB 1J0

Titigaqaqvia 119 Ughiqting, NU, X0B 1J0

Tel / Téléphone / ぺぺ⊁ÞĆ / Hivayauta: (867) 360-6338 | Fax / Téléopieur / ぺЬ⊀⁰ d° / Fax-kut; (867) 360-6369 

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

