



NWB Tools

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

RE: 1BH-PSC 1516 amendment application

1 message

Marc Losier <marc@mosher.ca>

Tue, Apr 28, 2015 at 5:31 AM

To: Sonia Aredes <sonia.aredes@nwb-oen.ca>

Cc: Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>, Dave Mosher <dave@mosher.ca>, Licensing Department <licensing@nwb-oen.ca>

Hi Sonia,

Please see attached.

Again, anything wrong let me know and I will fix it right away.

Thank you for your patience.

Marc Losier, G.S.C.

Project Manager

Mosher Engineering Limited/Inukshuk Construction Limited

Tel: (902) 429-0272

Fax: (902) 429-7762

From: Sonia Aredes [mailto:sonia.aredes@nwb-oen.ca]**Sent:** Monday, April 27, 2015 4:36 PM**To:** Marc Losier**Cc:** Phyllis Beaulieu; Dave Mosher; Licensing Department**Subject:** Re: 1BH-PSC 1516 amendment application

Hi Marc,

Please, see attached, and complete it according to comments.

An Inuktituk Summary of the Application should be submitted.

Please, don't miss Block #25, you have a Water Licence, therefore you are not applying for a Renewal, unless you are referring to a different Project.

I have attached the 1BH-PSC 1516 WL for your information.

Regards

Sonia



Sonia Aredes, P.Eng. - ᓂᓄᓐ ᐱᓕᓂᓐ

Technical Advisor - Conseillère Technique
ᐱᓂᓐᐱᓂᓐ ᐱᓂᓐᐱᓂᓐ ᐱᓂᓐᐱᓂᓐ ᐱᓂᓐᐱᓂᓐ

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓂᓄᓐ ᐱᓂᓐᐱᓂᓐ ᐱᓂᓐᐱᓂᓐ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

ᐱᓂᓐᐱᓂᓐ 119
ᐱᓂᓐᐱᓂᓐ X0B 1J0

Tinigagaqvia 119
Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᓂᓄᓐᐱᓂᓐ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓂᓄᓐᐱᓂᓐ / Fax-kut: (867) 360-6369
Toll Free / Sans Free / ᐱᓂᓐᐱᓂᓐ / Akiittuq : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(s) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Mon, Apr 27, 2015 at 3:06 PM, Marc Losier <marc@mosher.ca> wrote:

Hi Sonia,

Please find attached revised application.

If there is something wrong, don't hesitate to send it back to be and I will fix it immediately.

Thank you,

Marc Losier, G.S.C.

Project Manager

Mosher Engineering Limited/Inukshuk Construction Limited

Tel: (902) 429-0272

Fax: (902) 429-7762

From: Sonia Aredes [mailto:sonia.aredes@nwb-oen.ca]
Sent: Monday, April 27, 2015 12:01 PM
To: Marc Losier
Cc: Phyllis Beaulieu
Subject: 1BH-PSC 1516 amendment application

Good morning Mr. Losier

The following blocks of the Amendment Application need to be completed in order to proceed with the Licence Amendment process.

Block 13,

Does the proposed amendment change the overall quantity of water to be used?

*Provide the overall estimated quantity to be used. Identify proposed changes. : _____
m3/day*

Block 15 type of waste generated for the Project

Block 27 - review block 27 and check according to the information applicable to the Project. And present English and Inuktitut summary of the Amendment Application

Regards

Sonia



Technical Advisor- Conseillère Technique

ᐱᓗᑦᓇᓄᓚᑐᕋᕆᓂᓄᓚᑭ ᐃᔪᓄᓚᑭ- Piliuaqnaqtuliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᑭᓂᐱᕐ ᐃᒪᕋᕐ ᑲᑎᒪᔨᖅ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Cijon Haven, 1

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

በበኤግላግ 119

▷(13)ᶜ, ᶜᶜ X013 1J0

Titigachayia 119

Uchuu-tsunagi, NU, X013 110

Tel / Téléphone / ᐅᑦᓴᐃᑦ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᑦᓴᐃᑦ / Fax-kut: (867) 360-6369

Toll Free / Sans Free / ᐱᓕᓂᓯᑦᐸᓄᓂᑦ / Akiittuq : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courriel électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



2015-04-27 -Application_for_Water_Licence_Amendment-OEDE-edited130401 Coral Harbour
Amendment No. 2 Filled (2) .pdf
805K