

$\Delta \times \nabla^b b$ $\nabla^b \nabla^c \delta^c$, $\sigma_{\mu\nu} \nabla^\mu \delta^\nu \delta^c \nabla^c \omega^L$

ᐃᐱᑦᓂᕈᑦᒋᐸᑦ ᐃᐅᐃᑦ ᑲᓗᓖᑦᑲᑎᑦᓴᑦᑦ _____ ᐃ ᐊ ᐃᑲ ᐃᑲᑲᐅᐃᑦ, ᑭᑎᐅᓴᐃᑦᓴᐃᑦ ᐅᑦᓗᓴ _____

ᑲᑦᓴᐁ _____ ᐃ ᐊ ᐃᑲ ᐃᑲᑲᐅᐃᑦ, ᑭᑎᐅᓴᐃᑦᓴᐃᑦ ᐅᑦᓗᓴ _____

ΔΨ²ΓΨ²Ψ

— Δ — Δ^{bb} Δ^{bb}Δ^c, σ_{Δ^{bb}Δ^c} Δ^cΔ^{bb} —

[illegible][illegible]

ᐱᖃᓄᑦ ᐱᓗᐃᓐᓇᓂᖅᕐᕈᑦᕐᕈᑦᕐᕈᑦ, 1358 Queen Street, Hᐸᑦᑦᑦᑦ, ᓄᑦ ᓯᓴᓲ, B3J 2H ᐃᖅᑦᑦᑦᑦ: (902) 429-0272, ᓯᖅᑦᑦᑦᑦᑦᑦ: (902) 429-7762

ኖልሊፕላዲታዊ ኖጋ ልብጎር፡ ርልል ጋ ድደኛው ሪ ኃይል

▷^a ρ ρ ρ ρ ρ

ᐃᐅᐱᐅᐅᐅᐅᐅᐅ

[illegible]

_____ Δ _____ Δ^{bb} Δ^{bb}Δ^{ac}, σ_hΔ^hΔ^hΔ^c Δ^cΔ^h Δ^{ac}Δ^hΔ^h

၎င်းတို့သည် (၁၉၉၃-၉၄) ခုနှစ်၊ ဇူလိုင်လ ၁၀ ရက်နေ့တွင်

ለኢኮኖሚክስ ምክር ቤት: ጋረቢ 30, 2007

[illegible][illegible]

2- $\Delta L^{\text{ካል}} \triangleright C \triangleright \sigma \triangleleft^{\text{ካል}} \supset^{\text{ካል}} \alpha \dot{\sigma} \text{ } ^{\text{ካል}} \dot{\iota} \text{ } ^{\text{ካል}} \text{.}$
 $\triangleleft^{\text{ካል}} d \cap \triangleright^{\text{ካል}} \text{ ካል } \sigma \triangleleft \sigma \Delta L^{\text{ካል}} \triangleright \cap^{\text{ካል}} \text{ካል}^{\text{ካል}} \text{.}$

[illegible][illegible][illegible][illegible]

ርዕዲ ካዲፕረፕላኖቹ 6 ልዩገጥ ላሊጋ 6 ልዩገጥ ሥጋረብላኖቹናጋኖቹ ስብኝታዊጋኖቹ 1000-ኢሞቶፕላኖቹ ስርዐቱ ርዕሮቹ ወደሩ ላሊጋጋሪቶቹና ላሊጋ 500 ስርዐቱ ወደሩ ኔግሊጋታዊ. ከሰርቲፊኬት ልግና ላሊጋጋሪቶቹና ስር 40,000 ስርዐቱጋኖቹናጋኖቹ.

ርክፈላ ላኛዎቹ ርዕሰ ሚኒስትር ለራሳቸው ከበባ ርዕሰ ሚኒስትሮች 11 ድምዳሜ ላይ ለሚገኝ ርዕሰ ሚኒስትሮች ልማት ሚኒስትሩን ለማሳደግ ይረዳል። ይህም ለሚኒስትሩ ለሚገኝ 1000 ሺህ ስራ ለማድረግ ይረዳል። በሆኖም 10,000 ሺህ ስራ ለማድረግ ይረዳል።

[illegible]

[illegible]

[illegible]

7.5 ወደ ሚኒስቴር ልማት ሥራ ጋር ይደረጋል፡፡
ርዕሰ ልማት ሥራ ጋር ይደረጋል፡፡ 'A'-ጉ፡፡

7.6 $\rho^b d\dot{C}^c \wedge \rho^L \triangleright \rho^c$

7.6.1 $\Delta^{\epsilon b} b \Delta^{\epsilon d} d \Delta^{\epsilon c} c \Delta^{\epsilon a} a \Delta^{\epsilon b} b \Delta^{\epsilon c} c$

- $\Delta^{5b}b\Delta\Delta^{5b}\dot{b}^c$
- $\langle L\Delta C \rangle \langle L\Delta \Delta \Gamma^c \rangle \Gamma^c \Delta d\dot{C}^c \Gamma^c \Delta \Delta \dot{P}\dot{b}^c$
- $q\dot{b}^c \Gamma^c \Delta \Delta \Delta \Delta \Delta^c, \Delta^c \Delta \dot{C}^c, \Delta^c \Delta \dot{P}\dot{b}^c.$

CL^aQ Δ^aq⁺rc⁺q^b, dΔ^aq⁺bb^cc^aσ⁺q^b<^c ካሁኒኛህልኝበርቲር ልኛበዉልኝልኛቸበርጋረኛ.

[illegible]

ርኅዕሉ ለታሪካዊ ምርመራ ለሚገባው ሰነድ ቁጥር 11 ይገኛል።

[illegible]

CLJLσ Δ^{5b}b₀Δ^{5c}δΓσΔ^{5b}CCΠ⁰σ ρ^{5b}ρLϚΓ^b ΔΓ⁵ϳ⁰σ^{5b} ΛC^{5b}σΔΓρ⁰ϳ⁰ρCJL.

[illegible]

11- CL^bdΔ bL^bΔσΔ^cσ^aΓ^c Δ^bΔσ^cb^cσΔ^cb^cΔ^c L^aa ΔΓ^cσ^b Δ^cΔ^bΔσ^b Δ^cΔ^cΔ^aσ^c Δ^bC^cΔ^aσ^b?

Δ^bb.

▷ΔJ^oL A

ካዲንጋሽታል ስርዓት በስተቀር

D-3219-400	Title Page, Keyplan
D-3219-401	Distribution Plan, Customers/Use Sites
D-3219-402	Distribution Plan & Profile, No. 1
D-3219-403	Distribution Plan & Profile, No. 2
D-3219-404	Distribution Plan & Profile, No. 3
D-3219-405	Distribution Plan & Profile, No. 4
D-3219-406	Distribution Plan & Profile, No. 5
D-3219-407	Distribution Plan & Profile, No. 6
D-3219-408	Distribution Plan & Profile, No. 7
D-3219-409	Distribution Plan & Profile, No. 8
D-3219-410	Building Schematics
D-3219-411	Typical Details, No. 1
D-3219-412	Typical Details, No. 2
D-3219-413	Typical Details, No. 3




**NORTHWEST TERRITORIES
POWER
CORPORATION**

CONSULTANT



SET NO: _____



PILING SECTION DESCRIPTION	
(A)	130 SPINNAPE PILING AROUND GROUND SUPPORTED ON HANGERS
(B)	150135 EUROPEAN PILING UNDERGROUND
(C)	150 100 50 STANDARD STEEL PILING INSULATED UNDER BUILDING SUPPORTED ON HANGERS
(D)	150135 EUROPEAN PILING UNDERGROUND
(E)	130 SPINNAPE PILING AROUND GROUND SUPPORTED ON HANGERS
(F)	150135 EUROPEAN PILING UNDERGROUND
(G)	150 80 STANDARD STEEL PILING INSULATED UNDER BUILDING SUPPORTED ON TIES
(H)	150135 EUROPEAN PILING UNDERGROUND
(I)	100235 EUROPEAN PILING UNDERGROUND
(J)	100 80 50 STANDARD STEEL PILING INSULATED UNDER BUILDING SUPPORTED ON HANGERS
(L)	100235 EUROPEAN PILING UNDERGROUND
(K)	100235 EUROPEAN PILING UNDERGROUND
(M)	100 80 50 STANDARD STEEL PILING INSULATED UNDER BUILDING SUPPORTED ON HANGERS

REFERENCE:
SPINNAPE BY UNICOR
OR SIMILAR APPROVED

[illegible]

▷ΔJ%L ‘B’

dA⁺b⁺σ⁺Γ^b ▷σ^bb▷r⁺b⁺σ⁺Δ⁺σ CCΠ_hΔ⁺σ^c



NUNAVUT SPILL REPORT

(Oil, Gas, Hazardous Chemicals or other Materials)

24-Hour Report Line

ᓄᓇᓂᓂᓐ ᓄᓂᓂᓐ ᓂᓂᓂᓐ (ᓂᓂᓂᓂᓐ, ᓂᓂᓂᓐ, ᓂᓂᓂᓐ, ᓂᓂᓂᓐ ᓂᓂᓂᓐ)

24 - ᓄᓂ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ

Phone / ᓂᓂᓂᓐ (867)920-8130


Fax / ᓂᓂᓂᓐ (867)873-6924

A Report Date and Time ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ		B Date and Time of Spill (if known) ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ		C ☐ Original Report ᓂᓂᓂᓐ ᓂᓂᓂᓐ ☐ Update No. _____ ᓂᓂᓂᓐ ᓂᓂᓂᓐ		Spill Number ᓂᓂᓂᓐ	
D Location and Map Coordinates (if known) and Direction (if moving) ᓄᓂ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ							
E Party Responsible for Spill (Full Name and Address) ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ							
F Product(s) Spilled and Estimated Quantities (provide metric volumes/weights if possible) ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ							
G Cause of Spill ᓂᓂᓂᓐ							
H Is Spill Terminated? ᓂᓂᓂᓐ ᓂᓂᓂᓐ ☐ Yes/ᓂ ☐ No/ᓂ		I If Spill is Continuing, give Estimated Rate ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ		J Is Further Spillage Possible? ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ☐ Yes/ᓂ ☐ No/ᓂ		K Extent of Contaminated Area (in square metres if possible) ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ	
L Factors Affecting Spill or Recovery (weather conditions, terrain, snow cover, etc.) ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ				M Containment (natural depression, dykes, etc.) ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ			
N Action, if any, taken or Proposed to Contain, Recover, Clean up or Dispose of Product(s) and Contaminated Materials ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ							
O Do You Require Assistance? ☐ No ☐ Yes, describe: ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ				P Possible Hazards to Persons, Property or Environment e.g. fire, drinking water, fish or wildlife ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ			
Q Comments and/or Recommendations ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ						FOR SPILL LINE USE ONLY ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ Lead Agency ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ Spill Significance ᓂᓂᓂᓐ ᓂᓂᓂᓐ Lead Agency Contact and Time ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ Is this file now closed? ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ	
Reported By ᓂᓂᓂᓐ		Position, Employer, Location ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ				Telephone ᓂᓂᓂᓐ	
Reported To ᓂᓂᓂᓐ ᓂᓂᓂᓐ		Position, Employer, Location ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ ᓂᓂᓂᓐ				Telephone ᓂᓂᓂᓐ	

▶ልጋላ 'ር'

በበረከት 4: ልጋላ ነገርጋልጋል ልጋላጋልጋል ልጋላጋልጋል

SKETCH #4



TEST WATER SOLID PARTICLE COLLECTOR