

File No.: 1BR-BYR0712/TR/B1

September 17, 2013

Eva Schulz, P.Ag. Senior Environmental Scientist AECOM Canada Ltd. 200 – 6807 Railway Street SE Calgary, AB, Canada T2H 2V6

Email: Eva.Schulz@aecom.com

Tamara. Van Dyck@dcc-cdc.gc.ca

RE: <u>Licence No. 1BR-BYR1012 or 1BR-BYR1320 – Submission of 2011 and 2012 Annual Reports for the Byron Bay (PIN-4) Distant Early Warning (DEW) Line Site Project</u>

Dear Ms. Schulz:

The Nunavut Water Board ("NWB" or "Board") has reviewed the 2011 and 2012 Annual Reports received on March 29, 2012 and March 18, 2013, respectively, from AECOM Canada Ltd., on behalf of Defence Construction Canada (DCC) for the Byron Bay (PIN-4) Distant Early Warning (DEW) Line Site Project, located approximately 150 kilometres (km) west of the Hamlet of Cambridge Bay, within the Kitikmeot Region of Nunavut. The review determined that the reports are generally acceptable and consistent with the reporting requirements under Part B, Item 1 in Licence 1BR-BYR0712.

Copies of the above-mentioned reports as well as other information related to the file can be accessed through the NWB's FTP site using the following link (Username: **public** and Password: **registry**): <a href="mailto:ftp://nunavutwaterboard.org/1%20PRUC/1%20INDUSTRIAL/1B/1BR%20-%20Remediation/1BR-BYR0712%20PIN%204/">http://nunavutwaterboard.org/1%20PRUC/1%20INDUSTRIAL/1B/1BR%20-%20Remediation/1BR-BYR0712%20PIN%204/</a>.

Should you have any question, please do contact the undersigned at 604-321-8185 or by email to sjoseph@nunavutwaterboard.org.

Yours truly,

*Original signed by:* 

Sean Joseph Technical Advisor

Cc: Distribution List - Kitikmeot Region