



Fwd: Requirement for Tech Advisors

Sean Joseph <sean.joseph@nwb-oen.ca>

Tue, Jul 15, 2014 at 11:23 AM

To: Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>, Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>

----- Forwarded message -----

From: **Sean Joseph** <sean.joseph@nwb-oen.ca>

Date: Tue, Jul 8, 2014 at 4:45 PM

Subject: Re: Requirement for Tech Advisors

To: Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Hi Phyllis,

The preliminary technical review conducted for the above-mentioned application (IBR-CAP0914) has determined that the following information should be submitted before the application could proceed to the next stage(s) of the Licensing process:

- Annual Report for 2013 as required under Part B, Item 1 in the Licence
- Sewage Disposal Facility Design as required 60 days following issuance under Part H, Item 1
- As-built drawings required within 90 days of completion of construction under Part H, Item 2

Regards,
Sean

On Tue, Jul 8, 2014 at 1:10 PM, Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca> wrote:

thanks Sean, will do and how is the ptr going for 1BR-CAP0914 Renewal. I'm still waiting for the go ahead to have it distributed for review.



Phyllis Beaulieu- 625 525-1111

Manager of Licensing- Responsable des Permis

ᐃᑦᓴᓂᐅ ᓴᐱᓕᓚᓂ^{ᑭᑦ}ᑯ- Maniyauyuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᓂᓪ ᐃᐱᓕᓂᓪ ᐆᐱᐱᓪᓴᓂ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjoa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

ՈՐԳԱՆՈՒԹՅՈՒՆ 119

▷(19)9, 999 X0B 1J0

Titigaqavua 119

Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᐅᐸᐅᐸᐸ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐸᐸᐸᐸ / Fax-kut: (867) 360-6369
Toll Free / 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Tue, Jul 8, 2014 at 1:05 PM, Sean Joseph <sean.joseph@nwb-oen.ca> wrote:

Hi Phyllis,

Could you please assign the files as follows:

Karen

2BE-SCH0712 Renewal and
2BE-COP New Application.

Sean

2BE-PCD0812 Cancellation
3BM-RES9699 Renewal.

Please provide as soon as possible.
Thanks.



NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑦ ᐃᒪᓕᓂᐱᓕ ᑲᑎᒪᐱᓯᓐ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.nwb-oen.ca

Titigaqavua 119
Uqhuqtuuq, NU, X0B 1J0



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email