



P.O. Box 119
Gjoa Haven, NU X0B 1J0
Tel: (867) 360-6338
Fax: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᓂᓕᓂᓪ
NUNAVUT IMALIRIYIN KATIMAYINGI
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT

File: 1BR-CAP0406/B1

February 10, 2009

Eva Schultz
Environmental Officer
AECOM
2540 Kensington Road NW
Calgary, Alberta T2N 3S3
Email: Eva.Schultz@aecom.com

Subject: Submitted 2004 Annual Report as per Part B, Item 1 of Licence 1BR-CAP0406

Dear Ms. Schultz,

The Nunavut Water Board ("NWB") would like to acknowledge receipt on April 6, 2005 of the above Report submitted under Part B, Item 1 of Licence 1BR-CAP0406. After an internal technical review of the Annual Report, the document was found to meet the requirements set out in the Licence and is hereby accepted. Comments on the Report were submitted by the Kitikmeot Inuit Association (KIA) and should be reviewed by the Licensee.

During the review it was also noted that the NWB has not yet received the 2005 or 2006 annual reports. These Reports shall be submitted to the NWB within thirty (30) days of the date of this letter.

The NWB would also like to know the current status of the remediation of the PIN-2 Cape Young DEW Line site. The 1BR-CAP0406 Licence was for the site investigation and camp mobilization, it did not cover the remediation of the site. The 1BR-CAP0409 Licence expired on May 31, 2006 and was not renewed.

Should you have any further questions, please feel free to contact the undersigned at 867-360-6338 or by email: dbridge@nunavutwaterboard.org

Yours truly,

Deon Bridge
Technical Advisor