

From: [Schulz, Eva](#)
To: [Deon Bridge](#)
Cc: [Richard Dwyer](#); douglas.craig@dcc-cdc.gc.ca; [Phyllis Beaulieu](#)
Subject: FW: 1BR-CAP0406 2004 Annual Report
Date: Wednesday, February 11, 2009 10:18:46 AM
Attachments: [090210 1BR-CAP0406 2004 Annual Report Review Letter-OTAE.pdf](#)

As stated in the 2004 Annual Report, all of the work under the existing license was completed, and no work occurred in 2005, 2006, 2007, or 2007, therefore no annual reports were filed. The remediation work has not started, as the contract for the work has not yet been awarded. It is anticipated that the contract will be awarded this spring and that the contractor will mobilize to site in late summer or early fall. A water use license application for the remediation work at the PIN-2, Cape Young DEW Line site was submitted to the NWB in December 2008.

Please feel free to contact myself or Douglas Craig with Defence Construction Canada (613-998-7288) if you have any further questions or comments.

Regards,
Eva

Eva Schulz, P.Ag.
Senior Environmental Scientist
E-Mail: Eva.Schulz@aecom.com
Direct: 403-270-9220

AECOM
2540 Kensington Road NW
Calgary, Alberta T2N 3S3
(T) 403-270-9200; (F) 403-270-0399
www.aecom.com

My email has changed to eva.schulz@aecom.com. Please update your address books accordingly. Effective October 2008, EarthTech, Gartner Lee, TSH, and UMA are known collectively as AECOM. AECOM provides a blend of global reach, local knowledge, innovation and technical excellence in delivering solutions that enhance and sustain the world's built, natural, and social environments.

This communication is intended for the sole use of the person(s) to whom it is addressed and may contain information that is privileged, confidential or subject to copyright. Any unauthorized use, disclosure or copying of this communication is strictly prohibited. If you have received this communication in error, please contact the sender immediately. Any communication received in error should be deleted and all copies destroyed.

Please consider the environment before printing this email.

From: Richard Dwyer [<mailto:licensingadmin@nunavutwaterboard.org>]
Sent: February 10, 2009 4:43 PM
To: Schulz, Eva
Cc: 'Deon Bridge'
Subject: 1BR-CAP0406 2004 Annual Report

Good afternoon;

Please see attached in regard to 1BR-CAP0406 2004 Annual Report.

Regards

Richard Dwyer
Licensing Administrator
Nunavut Water Board
PH: 867-360-6338 ext.29
FX: 867-360-6369