



150812 1BR-CLI0914 Distribution Review - Amendment Renewal Water Licence Application - PIN-B Clifton Point Project - Kitikmeot Region

Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>

Wed, Aug 12, 2015 at 2:56 PM

To: lilianne.arsenault@aandc-aadnc.gc.ca

Cc: Licensing Department <licensing@nwb-oen.ca>

Bcc: Distro Kitikmeot <distro-kitikmeot@nwb-oen.ca>

NOTICE TO ALL PARTIES:

DEADLINE FOR COMMENTS IS ON SEPTEMBER 12, 2015

The attached acknowledges receipt, on July 22, 2014, of an Amendment Renewal application for a Type "B" water licence for water use and waste disposal associated with activities in the Kitikmeot region of Nunavut. The application consists of the following documents:

- Amendment Renewal Application
- Amendment Renewal Application Cover Letter
- English Summary
- Inuinnaqtun Summary
- Inuktitut Summary
- NIRB Screening Decision Report dated January 15, 2009
- 2011, 2012, 2013 Annual Reports Cover Letter
- 2011 PIN-B Long Term Monitoring Report (part 1 of 3)
- PIN-B LTM 2011 Annual Report
- PIN-B LTM 2012 Annual Report
- PIN-B LTM 2013 Annual Report
- Additional Information (email)
- PIN-B NHWL Water Sampling 2010
- Dew Line Site Project Closure Report

The application can be obtained from our ftp site at the following link:

<ftp://ftp.nwb-oen.ca/1%20PRUC%20PUBLIC%20REGISTRY/1%20INDUSTRIAL/1B/1BR%20-%20Remediation/1BR-CLI0914%20PIN%20B/>

The NWB undertook a preliminary review of your application and concluded that it meets the requirements of section 48(1) of the Nunavut Waters and Nunavut Surface Rights Tribunal Act ("Act"). However, the NWB retains the right to request additional information and studies pursuant to sections 48(2) of the Act or to issue guidelines for the provision of information pursuant to section 48(3) of the Act. A NWB Technical Advisor may be in touch with you to clarify any technical details related to your application.

In accordance with S.11.5.10 of the Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada ("NLCA"), prior to the application being fully processed by the NWB the project proposal shall be reviewed by the Nunavut Planning Commission ("NPC"), to determine whether the project proposal is in conformity with an approved land use plan. By copy of this letter, the NWB requests the NPC provide its determination and recommendations to the NWB pursuant to Sections 13.4.2 through 13.4.5 of the NLCA, or written confirmation that the project proposal falls outside the boundaries of an approved land use plan. Also, by copy of this letter to the Nunavut Impact Review Board ("NIRB"), the NWB requests that if the project proposal requires screening, the NIRB provide the NWB with a determination pursuant to Section 13.5.1 of the NLCA. If the project is exempt from screening pursuant to Schedule 12-1 of the NLCA, the NWB requests written confirmation from the NIRB that the project proposal is in fact exempt from screening.

To ensure this application is dealt with in a timely fashion, the NWB forwards notice of all documentation to regulators and council of the municipality(ies) most affected by the project, inviting interested parties to make representation directly to the NWB within 30 days from the date of this letter. The NWB may provide additional procedural instructions once the application has been reviewed by interested parties.

Subject to Sections 12.10.2 and 13.5.5 of the NLCA, where a review is required pursuant to Article 12, the NWB shall not approve any water application that forms part of that review until Article 12 has been complied with.

Sincerely,
Robin



Robin Ikkutisluk- ᑭᐱᑦ ᐃᑖᑎᑦᑭᑦ

Licence Administrator- Administratrice des permis
ᑕᐃᑦᑕᑎᐱᑦ ᐃᑖᑕᑎᐱᑦ- Laisaligniniqmun Ikayugti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᑕᑦᑕᑎᐱᑦ ᑲᑎᑕᑎᐱᑦ- NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

ᑎᑎᑭᑭᑦᐱᑦ 119
ᑭᑭᑭᑭᑦ, ᓄᓇᑭᑦ X0B 1J0

Titigaqavua 119
Uqhuqhnuq, NU, X0B 1J0

Tel / Téléphone / ᑭᑭᑭᑭᑭᑭ / Hivayaula: (867) 360-6338 | Fax / Télécopieur / ᑭᑭᑭᑭᑭᑭ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐃᑭᑭᑭᑭᑭᑭᑭᑭ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

4 attachments



150812 1BR-CLI0914 Distribution Review-OLAE.pdf
144K



150812 1BR-CLI0914 notice local Cam Bay-OLAE.pdf
110K



150812 1BR-CLI0914 notice-OLAE.pdf
35K



150810 1BR-CLI0914 notice-OBSS.pdf
79K