



1BR-CLR1419 - Cancellation

Mon, May 29, 2017 at 2:12 PM

To: erika.solski@aandc.gc.ca, Erika.solski@aadnc-aandc.gc.ca, Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>

Good Afternoon,

On May 8, 2017, the Water Resources Division of Indigenous and Northern Affairs Canada submitted the attached comments. They recommended that a decision to cancel licence 1BR-CLR1419 be made after the NWB receive confirmation whether there are long-term monitoring requirements as per the recommendations in the Final Remediation Report.

Please refer to the attached, and provide a response at your earliest convenience.

Sincere regards,



Technical Advisor- Conseillère Technique

Aᓄᐱᑦᑐᒃᕈᒃᕋᑦ ᐸᓂᓇᑦ- Piluaqnaqtuliginigmun Ikayuqi

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑦ ᐱᓕᓂᐱᑦ ᑲᓂᓕᓴᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆-၁၇ ၁၁၉
၂၀၁၆-၁၇ ၁၁၉

Titigagaqvia 119
Uqhuqtuq, NU, X0B 1J0

Tel / Téléphone / ᐱᑦᓴᐅᑕ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᑦᓴᐅᑕ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓕᑭᑦᑐᓂᓄᓐ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



98K