



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Coral Harbour Site Remediation Project Application for New Water Licence 1BR-COR----

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Fri, Apr 14, 2023 at 1:44 PM

To: "Lamontagne, Charlotte" <Charlotte.lamontagne@rcaanc-cirnac.gc.ca>

Bcc: Distro Kivalliq <distro-kivalliq@nwb-oen.ca>

Good afternoon,

The Nunavut Water Board ("NWB") acknowledges receipt on April 06, 2023 of new water licence application, attached, for the Coral Harbour Site Remediation Project. This application has been assigned file number 1BR-COR----. Please refer to this number in future submissions. Application documents received are as follows:

- Application for Water Licence
- Coral Harbour Project Proposal Report (PPR) FINAL Report
- 221006-22KN046-Screening Decision Report
- Coral Harbour Remediation Project Archeological Assessment Report (Final
- ESA and HHERA E-mail
- Fuel and Hazardous Material Spill Contingency Plan
- Nunavut Planning Commission (NPC) Letter of Conformity (149576)
- Site Maps
- Coral Harbour Remedial Action Plan Update FINAL 20220331

Please be advised that under the Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada (Nunavut Agreement) Article 11, Section 11.5.9 and s. 76 (1) of Nunavut Planning and Project Assessment Act (NuPPAA), the proponent of a project governed by NuPPAA is also required to submit a project proposal document directly to the Nunavut Planning Commission (NPC or Commission) for the NPC's determination regarding the applicable land use planning requirements and/or directions regarding whether the project is subject to screening by the Nunavut Impact Review Board. In particular, please note that as established under Articles 11, 12 and 13 of the Nunavut Agreement, NuPPAA and Part 3 of the Nunavut Waters and Nunavut Surface Rights Tribunal Act, until the project has completed the applicable land use planning and assessment process required by the NPC and the NIRB, the NWB cannot issue a water licence/approval.

The NWB confirms receipt of NPC conformity under NuPPAA on June 21, 2022 and NIRB determination through NPC under NuPPAA on October 26, 2022. This application is now ready for review and comments. **Deadline for submissions is May 12, 2023.**

The application documents can also be found at the link below:

<ftp://ftp.nwb-oen.ca/registry/1%20INDUSTRIAL/1B/1BR%20-%20Remediation/1BR-COR----%20Coral%20Harbour%20Landfarm/1%20APPLICATION>

The Nunavut Water board is aware that a number of web browsers are no longer supporting File Transfer Protocol (ftp). If you are having difficulty accessing our FTP site you may need to download an FTP application. We have been recommending the FileZilla Client below to access the files, which is a free and open source application. A link can be found below:

<https://filezilla-project.org/>



Richard Dwyer - ㄹㄱㄱㄱ ㄷㄹㄹㄱ - he\him\his

Manager of Licensing- Responsable des permis

ᐃᑦᓴᓂᐅ ᐱᐸᓕᓂᐅ^{ᔭᑦ} Manivauyug Laisaliginiumun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᓂᓪᓗ ᐱᓚᓂᓪᓗ ᐆᓂᓚᓪᓴ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjøa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

00566A 119

▷^c▷^a▷^a $\mathbf{XOIB} \perp \mathbf{JO}$

'Litigaciovia 119

Udmaning, NU, X013 110

Tel / Téléphone / ᐱᐸᐅᐸᐸ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐸᐸᐸᐸ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓕᓴᓂᑦ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

11 attachments



230406 1BR-COR---- 221006-22KN046-Screening Decision Report-OMAE.pdf
557K



230406 1BR-COR---- ESA and HHERA E-mail-IMLE.pdf
112K



230406 1BR-COR---- Application for Water Licence-IMLE.pdf
936K



230406 1BR-COR---- Nunavut Planning Commission (NPC) Letter of Cobformity(149576)-IMLE.pdf
262K



230406 1BR-COR---- Fuel and Hazardous Material Spill Contingency Plan-IMLE.pdf
531K



230406 1BR-COR---- Site Maps-IMLE.pdf
601K



230406 1BR-COR---- Coral Harbour Remediation Project Archeological Assessment Report (Final)-IMLE.pdf
2911K



230406 1BR-COR---- Coral Harbour Remedial Action Plan Update FINAL 20220331-IMLE.pdf
4052K



230406 1BR-COR---- Coral Harbour Project Proposal Report (PPR) FINAL Report-IMLE.pdf
8290K



230414 1BR-COR---- Application New Water Licence Notice-OMLE.pdf
162K



230414 1BR-COR---- Application New Water Licence Notice-OBAS.pdf
158K