

## Cullaton Lake Gold Mine, Nunavut, 2020 Tailings Facility Examination, Barrick Gold Corporation water licence 1BR-CUL1828

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Fri, Oct 30, 2020 at 3:20 PM

To: "Brugger, Paul (Consultant)" <pbrugger@barrick.com>, allisonbrown@barrick.com

Bcc: Distro Kivalliq < distro-kivalliq@nwb-oen.ca>

Good afternoon,

The Nunavut Water Board acknowledges receipt October 30, 2020 of 2020 Tailings Facility Examination, for Barrick Gold Corporation water licence 1BR-CUL1828, it can be found at the link below:

ftp://ftp.nwb-oen.ca/registry/1%20INDUSTRIAL/1B/1BR%20-%20Remediation/1BR-CUL1828% 20Barrick%20Gold%20Inc/3%20TECH/E%20WASTE%20DISP/

This submission is distributed for information only.

Regards,

## Richard



## 

## 

P.O. Box 119 Gjoa Haven, NU X0B 1J0 C.P. 119 Gjoa Haven, NU X0B 1J0

011 80X 30,000 E XOB 130

Titigaqaqvia 119 Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ぱぺౢゝ் / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ぺゟ ぱ / Fax-kut: (867) 360-6369 Toll Free / Sans / ◁Рˤ७° \ Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



斉 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email