



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
Fax: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᑎᓕᓪᓴᓪ
NUNAVUT IMALIRIYIN KATIMAYINGI
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT

File No: 1BR-DYE0409/TR/A3

April 17, 2008

By email

Douglas Craig, Environment Manager
Defence Construction Canada Ltd.
Constitution Square, Suite 1720
350 Albert Street
Ottawa, Ontario K1A 0K3
Email: Douglas.craig@dcc-cdc.gc.ca

Subject: Submission of INAC Inspection Report - 2007

Dear Mr. Craig:

The Nunavut Water Board ("NWB") acknowledges receipt of a submission from Indian and Northern Affairs Canada entitled INAC Inspection Report - 2007, received on November 29, 2007 as a requirement of Part A, Item 3 of water license 1BR-DYE0409. This submission has been placed on the NWB public registry and is available from the NWB ftp site at the following link:

<http://nunavutwaterboard.org/ftp/>

Please refer to the folder entitled 1BR - REMEDIATION / 1BR-DYE/Technical Review/Scope Enforcement.

This report is forwarded to the distribution list for information only. Anyone wishing to provide comments can do so by return mail to the Manager of Licensing at the address indicated below.

Please forward all comments to licensing@nunavutwaterboard.org

Sincerely,

Original signed by:

Doreen Porter
Administrative Clerk

cc. Qikiqtani Distribution List