



P.O. Box 119  
GJOA HAVEN, NU X0B 1J0  
TEL: (867) 360-6338  
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᓂᓕᓪ  
NUNAVUT WATER BOARD  
NUNAVUT IMALIRIYIN KATIMAYIT  
OFFICE DES EAUX DU NUNAVUT

**File: 1BR-DYE0914/TR/B1**

June 10, 2011

Eva Schulz, P.Ag.  
AECOM  
2540 Kensington Road NW  
Calgary, AB Canada T2N 3S3  
Email: [Eva.Schulz@aecom.com](mailto:Eva.Schulz@aecom.com)  
[douglas.craig@dcc-cdc.gc.ca](mailto:douglas.craig@dcc-cdc.gc.ca)

**Subject: Licence No. 1BR-DYE0914 “DYE-M, Cape Dyer Dew Line Site”, Qikiqtani Region, Nunavut; Submission of 2010 Annual Report**

Dear Ms. Schulz:

The Nunavut Water Board (“NWB”) has completed a technical review of the 2010 Annual Report, which was received on April 18, 2011. The submission was distributed for information.

The following documents were included with the annual report:

- DYE-M, Cape Dyer Tender Drawings;
- NT-NU Spill Report;
- June and August 2010 Monthly Report; and
- June, July and August 2010 Wastewater Analytical Results.

The report indicates that during the 2010 season, the work completed at the DYE-M site was comprised of care and maintenance work. The submission is found to be meeting the reporting requirements of licence. In addition, the NWB appreciates the inclusion of photographs to help aid in the understanding of the activities that have taken place.

Should you have any questions, please feel free to contact the undersigned at (867) 360-6338 Ext. 30 or [k.kharatyan@nunavutwaterboard.org](mailto:k.kharatyan@nunavutwaterboard.org), at your earliest convenience.

Yours truly,

*Original signed by:*

Karén Kharatyan  
Technical Advisor

cc: Distribution List – Qikiqtani