



Ministère de l'Environnement

Mrs. Phyllis Beaulieu
Manager of Licensing
Nunavut Water Board
P.O. Box 119
Gjoa Haven, NU
X0E 1J0

via Email to:
licensing@nwb.nunavut.ca

Dear Mrs. Beaulieu:

**Re: SPILL CONTINGENCY PLAN
FOX-C Intermediate Dew Line Site Clean-up**

The Department of Environment (DOE), Government of Nunavut has reviewed the Spill Contingency Plan for the FOX-C Dew Line Clean-up, Indian and Northern Affairs Canada (INAC), Nunavut". These reports were submitted by Indian and Northern Affairs Canada as required under their current water license, Part F, Item 1.

Comments/Recommendations:

Spill Contingency Plan

- 1) INAC should provide a description of the facility including the location (UTM or GPS Coordinates), size, and storage capacity. This is important if persons are unfamiliar with the facility or area.
- 2) The proponent should provide a list of all fuels and chemicals that will be stored on site, and also provide the storage location of the fuels and chemicals.
- 3) MSDS for all fuels and chemicals stored on site should be placed in a central location for easy access in the event of a spill.
- 4) Spill kits should be placed in locations where fuels and chemicals are stored, and should be large enough to handle minor spills.
- 5) A list of emergency contact names and numbers should be included in the Spill Contingency Plan (i.e. hospital, fire, police, and clean-up specialist).

We thank the NWB for giving us the opportunity to review the spill contingency plan for FOX-C Dew Line Clean-up, Indian and Northern Affairs Canada. Please contact me if you have any further questions or comments.

Sincerely,

□ □ □ □ □ □ □ □ □

Avatiligiyiit

Department of Environment

Ministère de l'Environnement

Original signed by

Ian Rumbolt
Coordinator, Environmental Assessment
Environmental Protection
Department of Environment
Government of Nunavut
Box 1000, Str. 1360
Iqaluit, NU, X0A 0H0
Phone: (867) 975-5924
Fax: (867) 975-5981
Email: irumbolt@gov.nu.ca