



Remediation Files Pending

Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>

Tue, Dec 1, 2015 at 10:19 AM

To: David Hohnstein <david.hohnstein@nwb-oen.ca>

Cc: Sean Joseph <sean.joseph@nwb-oen.ca>, Licensing Department <licensing@nwb-oen.ca>

Hi Dave,

I have three remediation files that have been pending Final Review for awhile, could you please provide an status update on the following:

1BR-CAP0914, 1BR-DYE0914, and 1BR-FOX1118. Once these files have been marked off your list I believe they are ready for issuance.

Thanks,
Robin



Robin Ikkutisluk- ᑭᑭᑦᑦᑦᑦ ᑕᑦᑦᑦᑦᑦ

Licence Administrator- Administratrice des permis

ᑕᑦᑦᑦᑦᑦ ᑕᑦᑦᑦᑦᑦ- Laisaligniqmun Ikayugti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᑕᑦᑦᑦᑦ ᑕᑦᑦᑦᑦᑦ ᑕᑦᑦᑦᑦᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjoa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

ᑕᑦᑦᑦᑦᑦ 119

ᑕᑦᑦᑦᑦᑦ, ᑕᑦᑦᑦᑦ X0B 1J0

Titigaqavvia 119

Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᑕᑦᑦᑦᑦ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᑕᑦᑦᑦᑦ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᑕᑦᑦᑦᑦᑦᑦ / Akittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email