



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᑎᓕᓂᓪ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI

NWB File No: NWB5FRA

May 7, 2001

Ms. Eva Schulz, P.Ag., Environmental Scientist
UMA Engineering Ltd.
2540 Kensington Road NW
Calgary, AB T2N 3S3

Re: Application Acknowledgement and for PIN-3 Lady Franklin Point

Dear Ms. Schulz:

The Nunavut Water Board acknowledges receipt on May 3, 2001 of your letter of the same date giving information about a temporary small camp at the Lady Franklin Point DEW Line Site. This letter was submitted upon my request to Natalie Plato for more information, when she requested if such a small camp would need permitting. The Nunavut Water Board does not have a threshold for camps that needs permitting. Article 13 of the Nunavut Land Claims Agreement states that excepting domestic or emergency use, no person may use water or dispose of waste into water without the approval of the NWB. In light of this, the camp for this DEW Line Site does need a permit. However, due to the size and time involved with this project, the one-page letter will suffice as an application at this time, unless further information is requested at a latter time. Please submit the application fee of \$30 payable to the Receiver General of Canada. A receipt will be issued when this fee is received by our office.

This project is subject to screening by the Nunavut Impact Review Board and has been sent for their determination as to whether they require further review, or if it can be processed by the Nunavut Water Board.

Further information with regards to the posting of a notice will be forwarded to your office within the next week.

Please call the undersigned at (867)360-6338 or rbecker@polarnet.ca if you have any questions.

Sincerely,

Original signed by:

Rita Becker
Licensing Administrator

cc. Natalie Plato, UMA Engineering Ltd.
Paul Smith, DIAND
Paula Pacholek, EC
Gladys Joudrey, NIRB
Chris Nichols, DSD