



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓐ ᐃᓕᓕᓂᓐᓐ ᑲᓂᓕᓐᓂᓐ
NUNAVUT IMALIRIYIN KATIMAYINGI
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT

NWB: 1BR-FRA0209
NIRB: 09DN024

July 8, 2009

Douglas Craig, M.Sc.
Environmental Officer-DEW Line Clean Up Project
Defence Construction Canada
Constitution Square, Suite 1720
350 Albert Street Ottawa, ON K1A 0K3
E-mail: Douglas.Craig@dcc-cdc.gc.ca

Re: Renewal Application Acknowledgement for the Lady Franklin Point Project PIN-3

Dear Mr. Craig:

The Nunavut Water Board ("NWB") acknowledges receipt on July 8, 2009 of your renewal water license application for the Lady Franklin Point Project PIN-3, file number 1BR-FRA0209

We undertook a preliminary administrative review of your application and conclude that, in accordance with approved legislation under the *Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada* ("NLCA"), it does not contain sufficient information for the NWB to commence processing the file at this time. Specifically, we are asking you to provide the following:

- NIRB Screening Decision (or confirmation in writing from NIRB that a screening is not required)
- NPC Conformity (or confirmation in writing from NPC that a Conformity is not required)

Processing of the application will resume once requested information has been received.

Please call the undersigned at (867) 360-6338 or email at licensingadmin@nunavutwaterboard.org if you have any questions.

Sincerely,

Original signed by:

Richard Dwyer
Licensing Administrator

Copy: Leslie Payette, NIRB
Brian Aglukark, NPC