

From: [Don Carr](#)
To: info@nirb.ca
Cc: [Phyllis Beaulieu](#)
Subject: FW: 1BR-FRA0209 DCC PIN-3 Lady Franklin Point
Date: Wednesday, June 23, 2010 4:35:40 PM
Attachments: [090511 1BR-FRA0209 09DN024-Notice of Indication.pdf](#)
[090511 1BR-FRA0209 09DN024-Screening Decision Report-OT6E.pdf](#)

Good Afternoon Tara,

I have had the opportunity to review your June 11 response to the email below. In the email, you provided a May 2009 Screening Decision (see attached). From what I can tell from the Screening Decision, the scope covered the Lady Franklin Point (PIN-3) Radar Reconstruction. Although applicable to a separate NWB application for reconstruction, the application in question for which the NWB needs confirmation of NIRB Screening/Exemption on is for the Long Term Landfill Monitoring Plan. Could you confirm whether the Landfill Monitoring is exempt or if it needs to be screened?

The application can be obtained from our ftp site, Username: public, Password: registry at the following link: <ftp://nunavutwaterboard.org/1%20PRUC/1%20INDUSTRIAL/1B/1BR%20-%20Remediation/1BR-FRA0209%20PIN%203%20DCC/1%20APPLICATION/2009%20Renewal/>

Thanks Tara, I am available by the below phone number or return emails if needed.

Don

Don Carr, B.Sc.
Technical Advisor
Nunavut Water Board

(Ph.) 867-360-6338 ext. 30
(Fx.) 867-360-6369
dcarr@nunavutwaterboard.org

From: Phyllis Beaulieu
Sent: Friday, June 11, 2010 11:31 AM
To: info@nirb.ca
Cc: Don Carr
Subject: 1BR-FRA0209 DCC PIN-3 Lady Franklin Point

Previous NIRB file: 01DN100 dated December 18, 2001

On November 17, 2009 the above file was forwarded to NIRB requesting a screening decision or notification in writing of an exemption. Our office, to date, has not received written correspondence relating to this file. Please advise.

Regards,

Phyllis Beaulieu
Manager of Licensing
Nunavut Water Board

P.O. Box 119

Gjoa Haven, NU X0B 1J0

Phone: (867) 360-6338, Ext. 26

Fax: (867) 360-6369

Email: licensing@nunavutwaterboard.org