

Environmental Working Group Summary of Recommendations

Site: PIN-3 (Lady Franklin Point)

Date: February 26, 2009

Report: “*The Collection of Landfill Monitoring Data at the PIN-3 Lady Franklin Point Site – 2008*”, prepared by AECOM Canada Ltd.

Recommendations:

(please refer to the Teleconference Meeting Minutes for further explanation of these recommendations)

General:

1. Throughout the report, it is stated that the next soil sampling and download of thermistor data will not occur until 2011. This should be re-confirmed, as EWG notes that 2008 was Year 4 of monitoring for the PIN-3 site. Soil sampling and thermal monitoring are required in Year 5 (2009) according to the *Landfill Monitoring Plan, Part B: Nunavut Settlement Area*.

South Landfills – East and West:

2. Seepage with a visible sheen was observed to be flowing at the southeast corner of the East cell. In order to evaluate how the seepage and staining evolves with time, the EWG recommends that the surface areas of the stains be measured and that this information be reported in the checklist as well as on the maps.

DCC Tier II Soil Disposal Facility:

3. The site plan does not include values on the topographic contours. These should be included to assist in the evaluation of upgradient and downgradient monitoring wells.

Respectfully Submitted,



David Harding, M.Sc. P.Eng.
On behalf of the Environmental Working Group