



PARAMETER & ANALYTICAL RESULT (mg/L)		CCME STANDARD (mg/L)
IRON	2.6	0.3 (LONG TERM FRESHWATER)
URANIUM	0.02	0.015 (LONG TERM FRESHWATER)
CHLORIDE	1300	640 (SHORT TERM FRESHWATER)
PHENOLS	0.041	0.004 (LONG TERM FRESHWATER)

PARAMETER & ANALYTICAL RESULT (mg/L)		CCME STANDARD (mg/L)
BORON	4	1.5 (LONG TERM FRESHWATER)
URANIUM	0.063	0.015 (LONG TERM FRESHWATER)
PHENOLS	0.02	0.004 (LONG TERM FRESHWATER)
CHLORIDE	2700	640 (SHORT TERM FRESHWATER)

PARAMETER & ANALYTICAL RESULT (mg/L)		CCME STANDARD (mg/L)
IRON	0.46	0.3 (LONG TERM FRESHWATER)
CHLORIDE	160	120 (SHORT TERM FRESHWATER)
PHENOLS	0.0078	0.004 (LONG TERM FRESHWATER)

LEGEND:

- LTU Extent (approximate)
- MONITORING WELL
- SUMP

DATE **JANUARY 2015**

PROJECT
**CAMBRIDGE BAY AIRPORT LTU
VICTORIA ISLAND, NU**

TITLE
**SITE PLAN SHOWING MONITORING WELL
LOCATIONS & RESULTS EXCEEDING CCME STANDARDS**

PROJECT NO.
14-9364

FIGURE NO.
7

File Name: g:\cad\149364_standards\cad\149364_fig 5 & 7.dwg