



NWB Tools

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

---

## [Licensing] RE: 150326 1BR-GLA0815 Distribution Review - Type "B" Renewal Application - Gladman Point Project - Kitikmeot Region

1 message

---

Luigi Torretti <ltorretti@qiniq.com>

Mon, Apr 27, 2015 at 3:41 PM

To: Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>, Licensing Department <licensing@nwb-oen.ca>

Cc: "Van Dyck, Tamara" <Tamara.VanDyck@dcc-cdc.gc.ca>, Wynter Kuliktana <landsofficerkia@qiniq.com>,

Tannis Bolt <projofficerkia@qiniq.com>, Geoff Clark <geoff@qiniq.com>, CLO Kugluktuk

<clougluktuk@qiniq.com>, CLO Cambridge Bay <cambayclo@qiniq.com>, CLO Gjoa Haven

<clogjoahaven@qiniq.com>, "CLO Kugaaruk (Joyce Nartok)" <kugaarukclo@qiniq.com>, JAYKO

NEEVEACHEAK <jayko@qiniq.com>

Hello Robin,

The KIA have reviewed this renewal application and we have no comment at this time. Thank you for the opportunity to provide input on this file.

Luigi Torretti, M.Sc., B.Comm.

Senior Environment Officer

**Kitikmeot Inuit Association**

(867) 982-3310

[www.kitia.ca](http://www.kitia.ca)

**From:** Robin Ikkutisluk [mailto:[robin.ikkutisluk@nwb-oen.ca](mailto:robin.ikkutisluk@nwb-oen.ca)]

**Sent:** Thursday, March 26, 2015 5:12 PM

**To:** Van Dyck, Tamara

**Cc:** Licensing Department

**Subject:** 150326 1BR-GLA0815 Distribution Review - Type "B" Renewal Application - Gladman Point Project - Kitikmeot Region

**NOTICE TO ALL PARTIES:**

**DEADLINE FOR COMMENTS IS ON APRIL 27, 2015**

The attached acknowledges receipt, on January 19, 2015, of a renewal application for a Type "B" water license for water use and waste disposal associated with activities in the Kitikmeot region of Nunavut. The application consists of the following documents:

- Renewal Application Form
- CAM-2 2008 Monitoring Report
- C209 2009 Monitoring Final Report
- C210 2010 Monitoring Report
- CAM-M Final Monitoring Report 2012

The application can be obtained from our ftp site under PRUC with Username: public, Password: registry.

<ftp://ftp.nwboen.ca/1%20PRUC%20PUBLIC%20REGISTRY/1%20INDUSTRIAL/1B/1BR%20-%20Remediation/1BR-GLA0815%20CAM%202/>

The NWB undertook a preliminary review of your application and concluded that it meets the requirements of section 48(1) of the Nunavut Waters and Nunavut Surface Rights Tribunal Act ("Act"). However, the NWB retains the right to request additional information and studies pursuant to sections 48(2) of the Act or to issue guidelines for the provision of information pursuant to section 48(3) of the Act. A NWB Technical Advisor may be in touch with you to clarify any technical details related to your application.

In accordance with S.11.5.10 of the Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada ("NLCA"), prior to the application being fully processed by the NWB the project proposal shall be reviewed by the Nunavut Planning Commission ("NPC"), to determine whether the project proposal is in conformity with an approved land use plan. By copy of this letter, the NWB requests the NPC provide its determination and recommendations to the NWB pursuant to Sections 13.4.2 through 13.4.5 of the NLCA, or written confirmation that the project proposal falls outside the boundaries of an approved land use plan. Also, by copy of this letter to the Nunavut Impact Review Board ("NIRB"), the NWB requests that if the project proposal requires screening, the NIRB provide the NWB with a determination pursuant to Section 13.5.1 of the NLCA. If the project is exempt from screening pursuant to Schedule 12-1 of the NLCA, the NWB requests written confirmation from the NIRB that the project proposal is in fact exempt from screening.

To ensure this application is dealt with in a timely fashion, the NWB forwards notice of all documentation to regulators and council of the municipality(ies) most affected by the project, inviting interested parties to make representation directly to the NWB within 30 days from the date of this letter. The NWB may provide additional procedural instructions once the application has been reviewed by interested parties.

Subject to Sections 12.10.2 and 13.5.5 of the NLCA, where a review is required pursuant to Article 12, the NWB shall not approve any water application that forms part of that review until Article 12 has been complied with.

Sincerely,

Robin Ikkutisluk

Licensing Administrator Assistant

Enclosure: Notice of Application

Cc: NPC Conformity

NIRB

Distribution List – Kitikmeot



Image  
removed by  
sender.



To unsubscribe from this group and stop receiving emails from it, send an email to [distro-kitikmeot+unsubscribe@nwb-oen.ca](mailto:distro-kitikmeot+unsubscribe@nwb-oen.ca).