




Nunavut Water Board Response to Request for Modification of the Post-Construction Monitoring Programs for Water Licences for DND DEW Line Sites

Fri, Dec 13, 2019 at 9:38 AM

Bcc: Distro Kitikmeot <distro-kitikmeot@nwb-oen.ca>, Distro Kivalliq <distro-kivalliq@nwb-oen.ca>, Distro Qikiqtani <distro-qikiqtani@nwb-oen.ca>

Please see attached Nunavut Water Board Response to Request for Modification of the Post-Construction Monitoring Programs for Water Licences for DND DEW Line Sites.

Richard



Manager of Licensing - Responsable des Permis ᐃᑦᓴᓂᓄᔭ ᐅᑲᓱᓇᕈᓗᒃ Maniyaayuq
Laisaliginimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᑭᓪ ᐃᐱᓕᓂᓯᓪ ᑲᑎᐱᓯᓪ- NUNAVUT IMALIRIYIN

KATIMAYINGI

P.O. Box 119
Gjøa Haven, NU X0B 1J0

C.P. 119
Gioia Haven, NJ X013 130

በበና ምር ልጄ
ፊት ለፊት ምርጥ ምርጥ X013 110

Titigaqavua 119
Uqhuqtuq, NU, X0B 1J0

Tel / Téléphone / ᐱᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 **191212 DND DEW Line Monitoring Modifications-OSKE.pdf**
364K