



Environmental Division

Certificate of Analysis

GARTNER LEE LTD. **ATTN:** KEN BOLDT

300 TOWN CENTRE BOULVARD

SUITE 300

MARKHAM ON L3R 5Z6

Reported On: 15-SEP-08 02:06 PM

Revision: 4

Lab Work Order #: L673725 Date Received: 25-AUG-08

Project P.O. #: KSL-00627 Job Reference: 80297

Legal Site Desc:

CofC Numbers: C065118, C065119

Other Information:

Comments: Please note: this revision of the report contains lower detection limits for Lead in soil for all samples.

MATASHA MARKOVIC-MIROVIC

Account Manager

THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN AUTHORITY OF THE LABORATORY. ALL SAMPLES WILL BE DISPOSED OF AFTER 30 DAYS FOLLOWING ANALYSIS. PLEASE CONTACT THE LAB IF YOU REQUIRE ADDITIONAL SAMPLE STORAGE TIME.

	Sample ID Description	L673725-1	L673725-2	L673725-3	L673725-4	L673725-5
	Sampled Date Sampled Time	19-AUG-08	19-AUG-08	19-AUG-08	19-AUG-08	19-AUG-08
	Client ID	C2-MW-1A	C2-MW-1B	C2-MW-2A	C2-MW-2B	C2-MW-3A
Grouping	Analyte					
SOIL						
Physical Tests	% Moisture (%)	5.05	8.28	4.62	3.89	11.6
	pH (pH)	8.02	7.84	8.43	8.47	8.34
Metals	Arsenic (As) (mg/kg)	<5.0	<5.0	<5.0	<5.0	<5.0
	Cadmium (Cd) (mg/kg)	<0.50	<0.50	<0.50	<0.50	<0.50
	Chromium (Cr) (mg/kg)	3.8	2.9	3.8	3.0	4.0
	Cobalt (Co) (mg/kg)	<2.0	<2.0	<2.0	<2.0	<2.0
	Copper (Cu) (mg/kg)	2.9	2.8	2.3	2.9	8.2
	Lead (Pb) (mg/kg)	4.7	3.2	3.9	2.8	6.0
	Mercury (Hg) (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	Nickel (Ni) (mg/kg)	<5.0	<5.0	<5.0	<5.0	<5.0
	Zinc (Zn) (mg/kg)	6.8	5.0	5.4	4.1	9.2
Volatile Organic Compounds	Benzene (mg/kg)	<0.040	<0.040	<0.040	<0.040	<0.040
	Ethylbenzene (mg/kg)	< 0.050	<0.050	<0.050	<0.050	<0.050
	Methyl t-butyl ether (MTBE) (mg/kg)	<0.20	<0.20	<0.20	<0.20	<0.20
	Styrene (mg/kg)	< 0.050	<0.050	<0.050	<0.050	<0.050
	Toluene (mg/kg)	< 0.050	<0.050	<0.050	<0.050	<0.050
	ortho-Xylene (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	meta- & para-Xylene (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	Xylenes (mg/kg)	<0.10	<0.10	<0.10	<0.10	<0.10
	Surrogate: 4-Bromofluorobenzene (SS) (%)	93	101	99	97	100
	Surrogate: Fluorobenzene (SS) (%)	95	104	107	101	104
Hydrocarbons	F2 (C10-C16) (mg/kg)	<30	<30	<30	<30	<30
	F3 (C16-C34) (mg/kg)	<50	<50	<50	<50	<50
	F1-BTEX (mg/kg)	<10	<10	<10	<10	<10
	F1 (C6-C10) (mg/kg)	<10	<10	<10	<10	<10
	Surrogate: 2,4-Dichlorotoluene (SS) (%)	88	88	93	91	89
Polychlorinated Biphenyls	PCB-1016 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1221 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1232 (mg/kg)	< 0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1242 (mg/kg)	< 0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1248 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1254 (mg/kg)	0.125	<0.050	<0.050	<0.050	<0.050
	PCB-1260 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1262 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1268 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	Total Polychlorinated Biphenyls (mg/kg)	0.125	<0.050	<0.050	<0.050	<0.050

^{*} Please refer to the Reference Information section for an explanation of any qualifiers detected.

	Sample ID Description	L673725-6	L673725-7	L673725-8	L673725-9	L673725-10
	Sampled Date Sampled Time	19-AUG-08	19-AUG-08	19-AUG-08	19-AUG-08	19-AUG-08
	Client ID	C2-MW-3B	C2-MW-4A	C2-MW-4B	C2-MW-5A	C2-MW-5B
Grouping	Analyte					
SOIL						
Physical Tests	% Moisture (%)	4.03	5.80	4.84	3.42	8.20
	рН (рН)	8.21	8.12	8.13	8.16	8.01
Metals	Arsenic (As) (mg/kg)	<5.0	<5.0	<5.0	<5.0	<5.0
	Cadmium (Cd) (mg/kg)	<0.50	<0.50	<0.50	<0.50	<0.50
	Chromium (Cr) (mg/kg)	2.8	3.0	4.6	2.5	3.7
	Cobalt (Co) (mg/kg)	<2.0	<2.0	<2.0	<2.0	<2.0
	Copper (Cu) (mg/kg)	2.4	4.0	2.2	1.8	2.5
	Lead (Pb) (mg/kg)	5.3	4.4	2.6	2.0	2.7
	Mercury (Hg) (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	Nickel (Ni) (mg/kg)	<5.0	<5.0	<5.0	<5.0	<5.0
	Zinc (Zn) (mg/kg)	3.6	7.9	5.2	3.3	7.1
Volatile Organic Compounds	Benzene (mg/kg)	<0.040	<0.040	<0.040	<0.040	<0.040
	Ethylbenzene (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	Methyl t-butyl ether (MTBE) (mg/kg)	<0.20	<0.20	<0.20	<0.20	<0.20
	Styrene (mg/kg)	< 0.050	<0.050	<0.050	<0.050	<0.050
	Toluene (mg/kg)	< 0.050	<0.050	<0.050	<0.050	<0.050
	ortho-Xylene (mg/kg)	< 0.050	<0.050	<0.050	<0.050	<0.050
	meta- & para-Xylene (mg/kg)	< 0.050	<0.050	<0.050	<0.050	<0.050
	Xylenes (mg/kg)	<0.10	<0.10	<0.10	<0.10	<0.10
	Surrogate: 4-Bromofluorobenzene (SS) (%)	110	98	115	98	98
	Surrogate: Fluorobenzene (SS) (%)	106	101	119	104	99
Hydrocarbons	F2 (C10-C16) (mg/kg)	<30	<30	<30	<30	<30
	F3 (C16-C34) (mg/kg)	<50	<50	<50	<50	<50
	F1-BTEX (mg/kg)	<10	<10	<10	<10	<10
	F1 (C6-C10) (mg/kg)	<10	<10	<10	<10	<10
	Surrogate: 2,4-Dichlorotoluene (SS) (%)	90	89	91	101	85
Polychlorinated Biphenyls	PCB-1016 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1221 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1232 (mg/kg)	< 0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1242 (mg/kg)	< 0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1248 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1254 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1260 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1262 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1268 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	Total Polychlorinated Biphenyls (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050

^{*} Please refer to the Reference Information section for an explanation of any qualifiers detected.

	Sample ID Description	L673725-11	L673725-12	L673725-13	L673725-14	L673725-15
	Sampled Date Sampled Time	19-AUG-08	19-AUG-08	19-AUG-08	19-AUG-08	19-AUG-08
	Client ID	C2-MW-6A	C2-MW-6B	C2-MW-7A	C2-MW-7B	C2-MW-8A
Brouping	Analyte					
SOIL						
Physical Tests	% Moisture (%)	14.1	7.48	7.50	8.20	9.94
	рН (рН)	7.72	7.96	8.26	8.33	8.01
Metals	Arsenic (As) (mg/kg)	<5.0	<5.0	<5.0	<5.0	<5.0
	Cadmium (Cd) (mg/kg)	<0.50	<0.50	<0.50	<0.50	<0.50
	Chromium (Cr) (mg/kg)	3.1	6.3	8.2	8.2	4.5
	Cobalt (Co) (mg/kg)	<2.0	2.1	2.4	2.6	<2.0
	Copper (Cu) (mg/kg)	2.6	4.0	6.2	5.8	2.0
	Lead (Pb) (mg/kg)	<2.0	5.8	7.5	8.0	3.4
	Mercury (Hg) (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	Nickel (Ni) (mg/kg)	<5.0	<5.0	<5.0	<5.0	<5.0
	Zinc (Zn) (mg/kg)	5.5	6.3	9.3	8.9	6.3
Volatile Organic Compounds	Benzene (mg/kg)	<0.040	<0.040	<0.040	<0.040	<0.040
	Ethylbenzene (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	Methyl t-butyl ether (MTBE) (mg/kg)	<0.20	<0.20	<0.20	<0.20	<0.20
	Styrene (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	Toluene (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	ortho-Xylene (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	meta- & para-Xylene (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	Xylenes (mg/kg)	<0.10	<0.10	<0.10	<0.10	<0.10
	Surrogate: 4-Bromofluorobenzene (SS) (%)	98	105	95	108	116
	Surrogate: Fluorobenzene (SS) (%)	99	96	106	100	96
Hydrocarbons	F2 (C10-C16) (mg/kg)	<30	<30	<30	<30	<30
	F3 (C16-C34) (mg/kg)	<50	<50	<50	<50	<50
	F1-BTEX (mg/kg)	<10	<10	<10	<10	<10
	F1 (C6-C10) (mg/kg)	<10	<10	<10	<10	<10
	Surrogate: 2,4-Dichlorotoluene (SS) (%)	90	83	86	94	90
Polychlorinated Biphenyls	PCB-1016 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1221 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1232 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1242 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1248 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1254 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1260 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1262 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1268 (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050
	Total Polychlorinated Biphenyls (mg/kg)	<0.050	<0.050	<0.050	<0.050	<0.050

^{*} Please refer to the Reference Information section for an explanation of any qualifiers detected.

	Sample ID Description	L673725-16	L673725-17	L673725-18
	Sampled Date Sampled Time	19-AUG-08	19-AUG-08	19-AUG-08
	Client ID	C2-MW-8B	C2-MW-9A	C2-MW-10A
Grouping	Analyte			
SOIL				
Physical Tests	% Moisture (%)	11.5	4.31	3.14
	рН (рН)	7.88	8.48	8.53
Metals	Arsenic (As) (mg/kg)	<5.0	<5.0	<5.0
	Cadmium (Cd) (mg/kg)	<0.50	<0.50	<0.50
	Chromium (Cr) (mg/kg)	3.5	4.0	2.9
	Cobalt (Co) (mg/kg)	<2.0	<2.0	<2.0
	Copper (Cu) (mg/kg)	1.4	2.5	1.9
	Lead (Pb) (mg/kg)	2.4	11.6	2.1
	Mercury (Hg) (mg/kg)	<0.050	<0.050	<0.050
	Nickel (Ni) (mg/kg)	<5.0	<5.0	<5.0
	Zinc (Zn) (mg/kg)	3.9	6.0	4.3
Volatile Organic Compounds	Benzene (mg/kg)	<0.040	<0.040	<0.040
	Ethylbenzene (mg/kg)	<0.050	<0.050	<0.050
	Methyl t-butyl ether (MTBE) (mg/kg)	<0.20	<0.20	<0.20
	Styrene (mg/kg)	<0.050	<0.050	<0.050
	Toluene (mg/kg)	<0.050	<0.050	<0.050
	ortho-Xylene (mg/kg)	<0.050	<0.050	<0.050
	meta- & para-Xylene (mg/kg)	<0.050	<0.050	<0.050
	Xylenes (mg/kg)	<0.10	<0.10	<0.10
	Surrogate: 4-Bromofluorobenzene (SS) (%)	96	103	105
	Surrogate: Fluorobenzene (SS) (%)	97	106	103
Hydrocarbons	F2 (C10-C16) (mg/kg)	<30	<30	<30
	F3 (C16-C34) (mg/kg)	<50	<50	<50
	F1-BTEX (mg/kg)	<10	<10	<10
	F1 (C6-C10) (mg/kg)	<10	<10	<10
	Surrogate: 2,4-Dichlorotoluene (SS) (%)	85	93	95
Polychlorinated Biphenyls	PCB-1016 (mg/kg)	<0.050	<0.050	<0.050
	PCB-1221 (mg/kg)	<0.050	<0.050	<0.050
	PCB-1232 (mg/kg)	<0.050	<0.050	<0.050
	PCB-1242 (mg/kg)	<0.050	<0.050	<0.050
	PCB-1248 (mg/kg)	<0.050	<0.050	<0.050
	PCB-1254 (mg/kg)	<0.050	<0.050	<0.050
	PCB-1260 (mg/kg)	<0.050	<0.050	<0.050
	PCB-1262 (mg/kg)	<0.050	<0.050	<0.050
	PCB-1268 (mg/kg)	<0.050	<0.050	<0.050
	Total Polychlorinated Biphenyls (mg/kg)	<0.050	<0.050	<0.050

^{*} Please refer to the Reference Information section for an explanation of any qualifiers detected.

L673725 CONTD.... PAGE 6 of 8 15-SEP-08 14:06

Reference Information

Methods Listed (if applicable):

ALS Test Code Matrix Test Description Analytical Method Reference(Based On)

F1-BTX-CALC-VA

Soil F1-Total BTX

CCME CWS PHC TIER 1 (2001)

This analysis is carried out in accordance with the "Reference Method for the Canada-Wide Standard for Petroleum Hydrocarbons in Soil - Tier 1 Method, Canadian Council of Ministers of the Environment, December 2000." For F1 (C6-C10) and F1-BTEX, a subsample of the sediment/soil is extracted with methanol and analysed by purge & trap GC/FID. The F1-BTEX result is then calculated as follows:

F1-BTEX: F1 (C6-C10) minus benzene, toluene, ethylbenzene and xylenes (BTEX).

F1-MET-PT-FID-VA

Soil

CCME by Purge and Trap with GCMS

EPA 8260B & 524.2

This analysis is carried out in accordance with the "Reference Method for the Canada-Wide Standard for Petroleum Hydrocarbons in Soil - Tier 1 Method, Canadian Council of Ministers of the Environment, December 2000." For F1 (C6-C10), a subsample of the sediment/soil is extracted with methanol and analysed by purge & trap GC/FID.

Notes:

- 1. F1 (C6-C10): Sum of all hydrocarbons that elute between nC6 and nC10.
- Reported results are expressed as milligrams per dry kilogram.
- 3. This method is validated for use.
- 4. Data from analysis of quality control samples is available upon request.

F2F3-TUMB-H/A-FID-VA Soil

Petroleum Hydrocarbon by Tumbler GCFID

CCME

This analysis is carried out in accordance with the "Reference Method for the Canada-Wide Standard for Petroleum Hydrocarbons in Soil - Tier 1 Method, Canadian Council of Ministers of the Environment, December 2000." For C10 to C34 hydrocarbons (F2 & F3) a subsample of the sediment/soil is extracted with 1:1 hexane:acetone using a rotary extractor. The extract undergoes a silica-gel clean-up to remove polar compounds and is analyzed by on-column GC/FID.

Notes:

- 1. F2 (C10-C16): Sum of all hydrocarbons that elute between nC10 and nC16.
- 2. F3 (C16-C34): Sum of all hydrocarbons that elute between nC16 and nC34.
- 3. This method is validated for use.
- 4. Data from analysis of quality control samples is available upon request.
- 5. Reported results are expressed as milligrams per dry kilogram.

HG-CSR-CVAFS-VA

Soil

CVAFS Hg in Soil by CSR SALM

BCMELP CSR SALM Method 8

This analysis is carried out using procedures from CSR Analytical Method 8 "Strong Acid Leachable Metals (SALM) in Soil", BC Ministry of Environment, Lands and Parks, 26 June 2001, and procedures adapted from "Test Methods for Evaluating Solid Waste", SW-846 Method 3050B United States Environmental Protection Agency (EPA). The sample is manually homogenized, dried at 60 degrees Celsius, sieved through a 2 mm (10 mesh) sieve, and a representative subsample of the dry material is weighed. The sample is then digested at 90 degrees Celsius for 2 hours by block digester using a 1:1 ratio of concentrated nitric and hydrochloric acids. Instrumental analysis is by atomic fluorescence spectrophotometry (EPA Method 7000 series).

Method Limitation: This method is not a total digestion technique. It is a very strong acid digestion that is intended to dissolve those metals that may be environmentally available. By design, elements bound in silicate structures are not normally dissolved by this procedure as they are not usually mobile in the environment.

MET-CSR-FULL-ICP-VA Soil

Metals in Soil by ICPOES (CSR SALM)

BCMELP CSR SALM METHOD 8

This analysis is carried out using procedures from CSR Analytical Method 8 "Strong Acid Leachable Metals (SALM) in Soil", BC Ministry of Environment, Lands and Parks, 26 June 2001, and procedures adapted from "Test Methods for Evaluating Solid Waste", SW-846 Method 3050B United States Environmental Protection Agency (EPA). The sample is manually homogenized, dried at 60 degrees Celsius, sieved through a 2 mm (10 mesh) sieve, and a representative subsample of the dry material is weighed. The sample is then digested at 90 degrees Celsius for 2 hours by block digester using a 1:1 ratio of concentrated nitric and hydrochloric acids. Instrumental analysis is by inductively coupled plasma - optical emission spectrophotometry (EPA Method 6010B).

Method Limitation: This method is not a total digestion technique. It is a very strong acid digestion that is intended to dissolve those metals that may be environmentally available. By design, elements bound in silicate structures are not normally dissolved by this procedure as they are not usually mobile in the environment.

MET-CSR-MS-VA

Soil

Metals in Soil by ICPMS (CSR SALM)

BCMELP CSR SALM Method 8

This analysis is carried out using procedures from CSR Analytical Method 8 "Strong Acid Leachable Metals (SALM) in Soil", BC Ministry of Environment, Lands and Parks, 26 June 2001, and procedures adapted from "Test Methods for Evaluating Solid Waste", SW-846 Method 3050B United States Environmental Protection Agency (EPA). The sample is manually homogenized, dried at 60 degrees Celsius, sieved through a 2 mm (10 mesh) sieve, and a representative subsample of the dry material is weighed. The sample is then digested at 90 degrees Celsius for 2 hours by either hotplate or block digester using a 1:1 ratio of concentrated nitric and hydrochloric acids. Instrumental analysis is by inductively coupled plasma -

Reference Information

Methods Listed (if applicable):

ALS Test Code Matrix Test Description Analytical Method Reference(Based On)

mass spectrometry (EPA Method 6020A).

Method Limitation: This method is not a total digestion technique. It is a very strong acid digestion that is intended to dissolve those metals that may be environmentally available. By design, elements bound in silicate structures are not normally dissolved by this procedure as they are not usually mobile in the environment.

MOISTURE-VA Soil Moisture content ASTM METHOD D2794-00

This analysis is carried out gravimetrically by drying the sample at 105 C for a minimum of six hours.

MOISTURE-VA Soil ASTM METHOD D2794-00

This analysis is carried out gravimetrically by drying the sample at 105 C for a minimum of six hours.

PCB-SE-ECD-VA Soil PCB by Extraction with GCECD EPA 3630/8082 GCECD

This analysis is carried out using procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846, Methods 3500, 3620, 3630, 3660, 3665 & 8082, published by the United States Environmental Protection Agency (EPA). The procedure involves a solid-liquid extraction of a subsample of the sediment/soil using a mixture of hexane and acetone. Water is added to the extract and the resulting hexane extract undergoes one or more of the following clean-up procedures (if required): florisil clean-up, silica gel clean-up, sulphur clean-up and/or sulphuric acid clean-up. The final extract is analysed by capillary column gas chromatography with electron capture detection (GC/ECD).

PH-1:2-VA Soil CSR pH by 1:2 Water Leach BC WLAP METHOD: PH, ELECTROMETRIC, SOIL

This analysis is carried out in accordance with procedures described in the pH, Electrometric in Soil and Sediment method - Section B Physical/Inorganic and Misc. Constituents, BC Environmental Laboratory Manual 2007. The procedure involves mixing the dried (at <60°C) and sieved (10 mesh /2mm) sample with deionized/distilled water at a 1:2 ratio of sediment to water. The pH of the solution is then measured using a standard pH probe.

VOC7-MET-PT-MS-VA Soil BTEX by MeOH with Purge and Trap GCMS EPA 8260B & 524.2

Volatile Organic Compounds (VOC) are extracted from sediment or soil with methanol, following a procedure from the British Columbia Ministry of Water Land and Air Protection (BCWLAP) Analytical Method for Contaminated Sites "Volatile Hydrocarbons in Solids by GC/FID" (Version 2.1 July 1999). Aliquots of the extract are analyzed by Purge and Trap by gas hromatography with mass spectrometric detection (GC/MS), using procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846, Method 8260B, published by the United States Environmental Protection Agency (EPA). Surrogate recoveries may not be reported in cases where interferences from the sample matrix prevent accurate quantitation.

XYLENES-CALC-VA Soil CSR VOC7 by MeOH with DI GCMS EPA 8260B & 524.2

Calculation of Total Xylenes

Total Xylenes is the sum of the concentrations of the ortho, meta, and para Xylene isomers. Results below detection limit (DL) are treated as zero. The DL for Total Xylenes is set to a value no less than the square root of the sum of the squares of the DLs of the individual Xylenes.

** Laboratory Methods employed follow in-house procedures, which are generally based on nationally or internationally accepted methodologies.

The last two letters of the above ALS Test Code column indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location	Laboratory Definition Code	Laboratory Location
VA	ALS LABORATORY GROUP - VANCOUVER, BC, CANADA		

L673725 CONTD.... PAGE 8 of 8

Reference Information

Methods Listed (if applicable):

ALS Test Code Matrix Test Description Analytical Method Reference(Based On)

GLOSSARY OF REPORT TERMS

Surr - A surrogate is an organic compound that is similar to the target analyte(s) in chemical composition and behavior but not normally detected in environmental samples. Prior to sample processing, samples are fortified with one or more surrogate compounds.

The reported surrogate recovery value provides a measure of method efficiency.

mg/kg (units) - unit of concentration based on mass, parts per million

mg/L (units) - unit of concentration based on volume, parts per million

N/A - Result not available. Refer to qualifier code and definition for explanation

Test results reported relate only to the samples as received by the laboratory. UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Although test results are generated under strict QA/QC protocols, any unsigned test reports, faxes, or emails are considered preliminary.

ALS Laboratory Group has an extensive QA/QC program where all analytical data reported is analyzed using approved referenced procedures followed by checks and reviews by senior managers and quality assurance personnel. However, since the results are obtained from chemical measurements and thus cannot be guaranteed, ALS Laboratory Group assumes no liability for the use or interpretation of the results.

ALS Laboratory Group

a

ANALYTICAL CHEMISTRY & TESTING SERVICES

ALS

CHAIN OF CUSTODY / ANALYTICAL REQUEST FORM CANADA TOLL FREE 1-800-668-9878

www.alsenviro.com

coc#C065118

Page 1 of 2

Environmental Division

Sample PHONE: 867-983-7508FAX: 867-983-7501 ADDRESS: PO Box 92, Combidge Bay, Nu CONTACT: Pere-COMPANY Kithuna PHONE: 905 477 8400 FAX: 905 477 1456 ADDRESS: 300 -300 10-CONTACT: Ken Bold COMPANY: Gather Lee REPORT TO: NVOICE TO: SAME AS REPORT ? YES INO Markheum XOB OCO (lab use only) By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the reverse page of the white report copy CZ-MW-18 (This description will appear on the report) **GUIDELINES / REGULATIONS** 42-MW MWYHA MW-3A MWYZB 20 スソームの W-3B SAMPLE IDENTIFICATION SCHSED Armstone Property 3R 526 170 Contre Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY. 126 Blud QUOTE #: PO /AFE EMAIL 1: PDF CLIENT / PROJECT INFORMATION: STANDARD Legal Site Description: JOB #: INDICATE BOTTLES: FILTERED / PRESERVED (F/P) EMAIL 2: REPORT FORMAT / DISTRIBUTION EXCEL 4 6208 k boldt @ pertner lee, com 4 L S E R O 8 - 4 DATE 2 = OTHER_ Doote CUSTOM SAMPLER TIME (Initials) SPECIAL INSTRUCTIONS / HAZARDOUS DETAILS SAMPLE TYPE 3 ++ REGULAR SERVICE (DEFAULT) EMERGENCY SERVICE (<1 DAY / WEEKEND) - CONTACT ALS RUSH SERVICE (2-3 DAYS) SERVICE REQUESTED PRIORITY SERVICE (1 DAY or ASAP) ANALYSIS REQUEST HAZARDOUS? CONTAMINATED? 6 2 1 NUMBER OF CONTAINERS

DATE & TIME

RECEIVED BY:

DATE & TIME:

RECEIVED BY:

RELINQUISHED BY:

RELINQUISHED

Ken Belch

TEMPERATURE

SAMPLE CONDITION (lab use only)

SAMPLES RECEIVED IN GOOD CONDITION? YES / NO (If no provide details)

ALS Laboratory Group

0

ANALYTICAL CHEMISTRY & TESTING SERVICES

CONTACT: Ken Bold COMPANY: Gartner

Lee

こかしたの

PDF

EXCEL

STANDARD

OTHER CUSTOM

REGULAR SERVICE (DEFAULT)

RUSH SERVICE (2-3 DAYS)

SERVICE REQUESTED

REPORT FORMAT / DISTRIBUTION

REPORT TO:

Environmental Division

CHAIN OF CUSTODY / ANALYTICAL REQUEST FORM

ccc# C065119

Page 2 of C

CANADA TOLL FREE: 1-300-668-9878 www.alsenvirc.com

RELINQUISHED BY RELINQUIS PHONE: 867-183-7500 AX: 867-983-DHONE: 605-477-8400HAX: 905-477-1456 Sample CONTACT: COMPANY: INVOICE TO: ADDRESS: 300-300-Town Countre B ADDRESS: POBOX 92, Combridge Bay, No Markhow, Out, (lab use only) XOB OCO By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the reverse page of the white report copy. in (This description will appear on the report) SAME AS REPORT ? YES /NO 18 nores **GUIDELINES / REGULATIONS** SAMPLE IDENTIFICATION SEES +9 Armstone Projects 13R 576 DA Failure to complete all portions of this form may delay analysis. DATE & TIME DATE & TIME: ってつ 186 2 QUOTE # ALSEQOS-PO /AFE: EMAIL 2: EMAIL 1: Kboldtle gartner les , com RECEIVED BY: CLIENT / PROJECT INFORMATION INDICATE BOTTLES: FILTERED / PRESERVED (F/P) _egal Site Description 108# BOZ97 DATE DO 14 SAMPLER TIME (Initials); VUOTE SPECIAL INSTRUCTIONS / HAZARDOUS DETAILS DATE & TIME: 12.44 SAMPLE TYPE ANA 25/108 So ļ Please fill in this form LEGIBLY. TEMPERATURE PRIORITY SERVICE (1 DAY or ASAP) EMERGENCY SERVICE (<1 DAY / WEEKEND) - CONTACT ALS SAMPLE CONDITION (lab use only) (If no provide details) SAMPLES RECEIVED IN GOOD CONDITION ? YES / NO ANALYSIS REQUEST HAZARDOUS ? HIGHLY CONTAMUNIATED ? 2 2 N 2 2 4 NUMBER OF CONTAINERS