

Attachment A (drawings)



1	REPAIR/REPLACE EXISTING
2	REPAIR/REPLACE EXISTING
3	REPAIR/REPLACE EXISTING
4	REPAIR/REPLACE EXISTING
5	REPAIR/REPLACE EXISTING
6	REPAIR/REPLACE EXISTING
7	REPAIR/REPLACE EXISTING
8	REPAIR/REPLACE EXISTING
9	REPAIR/REPLACE EXISTING
10	REPAIR/REPLACE EXISTING

IONALUIT, NUNAVUT
RE-OPENING OF TAXI "A" &
REHABILITATION OF APRON 1

AS NOTED
05/06/17

APRON 1
REHABILITATION PLAN

CON 4 or 10



- NOTES:**
1. FINAL LOCATION OF TAXIWAY AND APRON 1 TO BE APPROVED BY THE CHAIRMAN.
 2. APRON 1 TO BE CONSTRUCTED TO THE STANDARD OF 1500mm (50") MINIMUM.
 3. APRON 1 TO BE CONSTRUCTED TO THE STANDARD OF 1500mm (50") MINIMUM.
 4. APRON 1 TO BE CONSTRUCTED TO THE STANDARD OF 1500mm (50") MINIMUM.
 5. APRON 1 TO BE CONSTRUCTED TO THE STANDARD OF 1500mm (50") MINIMUM.
 6. APRON 1 TO BE CONSTRUCTED TO THE STANDARD OF 1500mm (50") MINIMUM.
 7. APRON 1 TO BE CONSTRUCTED TO THE STANDARD OF 1500mm (50") MINIMUM.
 8. APRON 1 TO BE CONSTRUCTED TO THE STANDARD OF 1500mm (50") MINIMUM.
 9. APRON 1 TO BE CONSTRUCTED TO THE STANDARD OF 1500mm (50") MINIMUM.
 10. APRON 1 TO BE CONSTRUCTED TO THE STANDARD OF 1500mm (50") MINIMUM.

NO.	DESCRIPTION	REMARKS
1	APRON 1	REPAIR/REPLACE EXISTING
2	TAXIWAY A	REPAIR/REPLACE EXISTING
3	APRON 1	REPAIR/REPLACE EXISTING
4	TAXIWAY A	REPAIR/REPLACE EXISTING
5	APRON 1	REPAIR/REPLACE EXISTING
6	TAXIWAY A	REPAIR/REPLACE EXISTING
7	APRON 1	REPAIR/REPLACE EXISTING
8	TAXIWAY A	REPAIR/REPLACE EXISTING
9	APRON 1	REPAIR/REPLACE EXISTING
10	TAXIWAY A	REPAIR/REPLACE EXISTING

- LEGEND:**
- EXISTING BALANCE
 - NEW APRON 1 SURFACE
 - EXISTING TAXIWAY SURFACE
 - NEW TAXIWAY SURFACE
 - EXISTING GRADE
 - NEW GRADE
 - EXISTING 40% SLOPE
 - NEW 40% SLOPE
 - UNDERGROUND UTILITIES

1. ALL WORK IS TO BE COMPLETED BY THE CHAIRMAN.



Google earth

feet
meters

2000

700

