

General Notes:

1. ALL COORDINATES ARE REFERENCED TO UTM ZONE 14N, NAD83 (CSRS).
2. ALL DIMENSIONS ARE IN METRES UNLESS NOTED OTHERWISE.
3. TYPE 6 INTERMEDIATE FILL ONLY REQUIRED FOR LANDFILLING OF ORGANIC OR WEI SOLS, AS DIRECTED BY THE ENGINEER.
4. KEY TRENCH TO EXTEND 1.25m MIN. BELOW EXISTING GROUND, EXCAVATION DEPTH TO BE FIELD CONFIRMED BY THE SITE ENGINEER BASED ON THE PRESENCE OF SOUND BEDROCK OR SATURATED GROUND.
5. PROTECT GEOMEMBRANE LINERS DURING CONSTRUCTION.
6. TYPE 2 GRANULAR FILL PLACED OUTSIDE OF THE TYPE 4 GRANULAR FILL BERMS TO BE PLACED SIMULTANEOUSLY WITH THE TYPE 4 FILL TO PROVIDE STABILITY AND PROTECTION DURING CONSTRUCTION.

Legend:

|     |      |          |          |       |
|-----|------|----------|----------|-------|
| NO. | DATE | REVISION | REVISION | APPR. |
|     |      |          |          |       |

DRAFT

LIMA | AECOM | 

SCALE - GRAPHIC AS SHOWN

PROJECT - PROJECT  
CAM-1 JENNY LIND ISLAND

DEW LINE CLEAN UP

© COPYRIGHT  
HER MAJESTY THE QUEEN IN RIGHT OF  
CANADA 2006, AS REPRESENTED BY  
THE MINISTER OF NATIONAL DEFENCE

|               |        |            |
|---------------|--------|------------|
| THICK - METRE | SITING | DATE       |
|               |        | 2006-02-28 |

SUBJECT - SUBJECT

TIER II DISPOSAL FACILITY  
CROSS SECTION AND DETAIL

PRODUCTION

CONFORMANCE - ASSIGNMENT

DESIGNED  
ETUDE, AMP / RRM


DRAWN  
LIV

CHECKED  
KMS

VERIFIED  
SMS

REVIEWED - REVU

DWG. NO. - DESIGN NO.  
H-J44/1-9101-114




SECTION

D 113




NOTE:  
PROTECT GEOMEMBRANE LINERS  
DURING INTERIM CONSTRUCTION.

NOTE:  
LINERS TO BE IN CONTACT WITH  
EACH OTHER OVER THE TOP OF  
THE BERM AND PERIMETER WELDED.



DETAIL

1 114



WASTE PLACEMENT DETAIL

N.T.S.