



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᑎᓚᓪᓴᓯ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI

NWB File No: NWB5JEN

April 3, 2001

Ms. Eva Schulz, P.Ag., Environmental Scientist
UMA Engineering Ltd.
2540 Kensington Road NW
Calgary, AB T2N 3S3

Re: Application Acknowledgement and Requirement for Notice of the application for Cam-1,
Jenny Lind Island

Dear Ms. Schulz:

The Nunavut Water Board acknowledges receipt on April 2, 2001 of the following application documents:

- cover letter dated March 23, 2001
- summaries in English and Inuktitut
- application form
- Supplementary Questionnaire
- Appendix A: Figures
- Appendix B: Site Investigation Activities
- Appendix C: Environmental Impact Summary Table
- Appendix D: Contingency Plans
- Appendix E: Project Description for Nunavut Impact Review Board , Clean Up of 15 Dew Lines Sites in the Nunavut Settlement Area
- Application fee.

Receipt C116805 is attached for your records.

This project is subject to screening by the Nunavut Impact Review Board and has been sent for their determination as to whether they require further review, or if it can be processed by the Nunavut Water Board.

I have been asked by the Board to inform you that a notice of your application is required. This notice of requirement is based on Article 13.3.14 of the Nunavut Land Claims Agreement (NLCA), which states that the Board should take "...all steps necessary by way of notice...to provide and promote public awareness [of hearings]."

Accordingly, please have the enclosed notice in both English and Innuinaqtun published in a two-column width format in the **News North** as per enclosed "Instructions for Publication of Notice in Newspaper." The Applicant is responsible for payment of the publication.

Upon request from the public, we ask you to make available, free of charge, copies of all documents pertaining to this application. Any person who is affected by this application or concerned with it, may submit a letter of concern, which must be submitted to the Board within the period of time shown on the public notice.

Please note that the confirmation of notice posting, must be submitted to our office before your application process will be completed.

Please call the undersigned at (867)360-6338 or rbecker@polarnet.ca if you have any questions.

Sincerely,

Original signed by:

Rita Becker

Licensing Administrator

Enclosures

cc. Greg Cook, DIAND
Paul Smith, DIAND
Paula Pacholek, EC
Gladys Joudrey, NIRB
Chris Nichols, DSD