

INVOICE INFORMATION:		REPORT INFORMATION (if differs from invoice):		PROJECT INFORMATION:		Laboratory Use Only:	
Company Name:	#4781 SILA REMEDIATION	Company Name:	#25854 EGE ENGINEERING LTD.	Quotation #:	A90192	MAXXAM JOB #:	BOTTLE ORDER #:
Contact Name:	ACCOUNTS PAYABLE	Contact Name:	ANDREW PASSALIS	P.O. #:	2012 KITIKMEOT	<i>6274602</i>	
Address:	4495 WILFRID-HAMEL BLVD, SUITE 200, QUEBEC QUEBEC PQ G1P 2T7	Address:	511 PEPPERLOAF CRESCENT WINNIPEG MB R3R 1E6	Project #:	DLCU/Landfill Monitoring	CHAIN OF CUSTODY #:	PROJECT MANAGER:
Phone:	(418)653-4422 x5485 Fax:	Phone:	(204)791-4938 Fax: (204)837-6473	Project Name:	CAM-1 JENNY LIND ISLAND		Tanya Eugine
Email:		Email:	apassalis@mts.net; avallieres@biogenie-env.com	Site #:	<i>A.P</i>	C#324000-01-01	

REGULATORY CRITERIA			SPECIAL INSTRUCTIONS			ANALYSIS REQUESTED (Please be specific):						TURNAROUND TIME (TAT) REQUIRED:	
☐ ATI ☐ CCME ☐ OTHER						Metals Field Filtered? (Y/N) <i>(Y)</i> BTEX F1-F4 REGULATED METALS PKG - SOIL ATT-BTEX and P1-P4 in water TLEH (C6-C32) Total Metals and Total Mercury - WATER PCB						PLEASE PROVIDE ADVANCE NOTICE FOR RUSH PROJECTS Regular (Standard) TAT: (will be applied if Rush TAT is not specified): Standard TAT = 5-7 Working days for most tests. Please note: Standard TAT for certain tests are > 5 days - contact your Project Manager for details. ☒	
SAMPLES MUST BE KEPT COOL (< 10°C) FROM TIME OF SAMPLING UNTIL DELIVERY TO MAXXAM											Job Specific Rush TAT (if applies to entire submission) Date Required: ☐ Rush Confirmation Number: <i>(call lab for #)</i>		
Sample Barcode Label	Sample (Location) Identification	Date Sampled	Time Sampled	Matrix	Metals Field Filtered? (Y/N)	BTEX F1-F4	REGULATED METALS PKG - SOIL	ATT-BTEX and P1-P4 in water TLEH (C6-C32)	Total Metals and Total Mercury - WATER	PCB	# of Bottles	Comments	
1				<i>solid</i>				<i>SA</i>					
2	<i>C112-2W</i>			<i>(W)</i>				<i>SA</i>		<i>X</i>			
3	<i>C112-3W</i>							<i>X</i>	<i>X</i>	<i>X</i>			
4	<i>C112-4W</i>							<i>X</i>	<i>X</i>	<i>X</i>			
5	<i>C112-BDWI</i>							<i>X</i>	<i>X</i>	<i>X</i>			
6	<i>C112-FB</i>							<i>X</i>	<i>X</i>	<i>X</i>			
7	<i>TRIP BLANK</i>							<i>X</i>	<i>X</i>	<i>X</i>			
8													
9													
10													

*RELINQUISHING BY: (Signature/Print)		Date: (YY/MM/DD)		Time:		RECEIVED BY: (Signature/Print)		Date: (YY/MM/DD)		Time:		# Jars Used and		Laboratory Use Only	
<i>AKL</i>		<i>12/8/18</i>		<i>11:00</i>		<i>Subit Linc...</i>		<i>2018/08/21</i>		<i>1655</i>		Not Submitted		Time Sensitive ☐ Temperature (°C) on Receipt Custody Seal Intact on Cooler? ☐ Yes ☐ No	

MAXXAM ANALYTICS
4000 19st N.E
Calgary, Alberta, T2E 6P8
Phone: (403) 291-3077
Fax: (403) 291-9468



Page #: 1

SILA REMEDIATION - 4495 BL.
WILFRED-HAMEL BUR 100
Maxxam PM Ioana Stoica

To: Maxxam Vancouver

Job# B274602

☐ Yes ☐ No International Sample/BioHazard (if yes, add copy of Movement Cert., heat treat is required prior to disposal)
☐ Yes ☐ No Special Protocol (if yes, Protocol _____)

Sample ID	Matrix	Test(s) Required	Container	Date Sampled	Date Required
EG5821-01R \ C112-3W	WATER	Mercury (Total-LowLevel) by CVAf	1(M)	2012/08/17	2012/08/28
EG5870-01R \ C112-4W	WATER	Mercury (Total-LowLevel) by CVAf	1(M)	2012/08/17	2012/08/28
EG5871-01R \ C112-BDW1	WATER	Mercury (Total-LowLevel) by CVAf	1(M)	2012/08/17	2012/08/28
EG5872-01R \ C112-FB	WATER	Mercury (Total-LowLevel) by CVAf	1(M)	2012/08/17	2012/08/28
EG5873-01R \ TRIP BLANK	WATER	Mercury (Total-LowLevel) by CVAf	2(M)	2012/08/17	2012/08/28

7/2 AUG 28/12

	Temp. 1	Temp. 2	Temp. 3			
Cooler #1	4	4	5	Custody Seal Present	YES	NO
				Custody Seal Intact	YES	NO
				Ice Present Upon Receipt	YES	NO
Cooler #2				Custody Seal Present	YES	NO
				Custody Seal Intact	YES	NO
				Ice Present Upon Receipt	YES	NO
Cooler #3				Custody Seal Present	YES	NO
				Custody Seal Intact	YES	NO
				Ice Present Upon Receipt	YES	NO

Receiving Maxxam Location: Maxxam Vancouver

JOB #

B274602

Relinquished by (Sign)

(Print)

J. K. Vance

Date and Time

2012/08/27

Received by (Sign)

(Print)

Laurel Berthier

Date and Time

2012/08/28

NOTES:

- 1) Please call us if due date cannot be met. Please reference Sample ID on your report.
- 2) Include copy of this completed form, Client COC & signed final report to calgarycustomerservice@maxxamanalytics.com

Reporting Requirements:

National:

Regional:



B274602

MAXXAM ANALYTICS
4000 19st N.E
Calgary, Alberta, T2E 6P8
Phone: (403) 291-3077
Fax: (403) 291-9468



Page #: 2

SILA REMEDIATION - 4495 BL.
WILFRED-HAMEL BUR 100
Maxxam PM Ioana Stoica



B274602

SHIPPING INSTRUCTIONS

- | | |
|--|---|
| ☐ Ship Immediately (highlight Yellow) | ☐ Ship Cold |
| ☐ Requires 9am | ☐ Ship Room Temp |
| ☐ Requires Sat. Delivery | ☐ Ship Frozen |
| ☐ Regular Ship next available day | ☐ COC Must be Attached |
| Sender (Print) _____ Initial _____ | |

SHIPPING DEPARTMENT CHECKLIST

- | |
|--|
| ☐ Correct Shipping location |
| ☐ Correct Sample Ids (Paperwork vs Bottles) |
| ☐ Yes ☐ No Special-Cooler, Ice, Tape-custody seal, Date&Sign |
| Date Shipped _____ Number of coolers _____ |
| Shipper (Print) _____ Initial _____ |

INVOICE INFORMATION:		REPORT INFORMATION (if differs from invoice):		PROJECT INFORMATION:		Laboratory Use Only:	
Company Name:	#4781 SILA REMEDIATION	Company Name:	#25854 EGE ENGINEERING LTD.	Quotation #:	AG0192	MAXXAM JOB #:	BOTTLE ORDER #:
Contact Name:	ACCOUNTS PAYABLE	Contact Name:	ANDREW PASSALIS	P.O. #:	2012 KITIKMEOT		
Address:	4455 WILFRID-PAMEL BLVD, SUITE 200, QUEBEC QUEBEC PQ G1P 2T7	Address:	511 PEPPERLOAF CRESCENT WINNIPEG MB R3R 1E6	Project #:	DUCUL Landfill Monitoring		
Phone:	(418) 653-4422 x5485	Phone:	(204) 791-4938	Project Name:		CHAIN OF CUSTODY #:	PROJECT MANAGER:
Fax:		Fax:	(204) 837-8473	Site #:	CAM-1 JENNY LIND ISLAND		
Email:		Email:	apassalis@mts.net, avalleres@biogonie-env.com	Sampled By:	A.P.		

REGULATORY CRITERIA	SPECIAL INSTRUCTIONS	ANALYSIS REQUESTED (Please be specific)	TURNAROUND TIME (TAT) REQUIRED:
☐ AT1 ☐ COME ☐ OTHER		ANALYSIS REQUESTED (Please be specific) REGULATED METALS PKG - SOIL AFT-BTEX and TPH in Water-TEH (C6-C13) Total Metals and Total Mercury - WATER PCB	PLEASE PROVIDE ADVANCE NOTICE FOR RUSH PROJECTS Regular (Standard) TAT: (will be applied if Rush TAT is not specified) Standard TAT = 5-7 Working days for most tests Please note: Standard TAT for certain tests are > 5 days - contact your Project Manager for details Job Specific Rush TAT (if applies to entire submission) Date Required: ☐ Rush Confirmation Number: ☐ (call for #)

SAMPLES MUST BE KEPT COOL (< 19C) FROM TIME OF SAMPLING UNTIL DELIVERY TO MAXXAM					BTEX F1-F4		REGULATED METALS PKG - SOIL		AFT-BTEX and TPH in Water-TEH (C6-C13)		Total Metals and Total Mercury - WATER		PCB		# of Bottles		Comments	
Sample Barcode Label	Sample (Location) Identification	Date Sampled	Time Sampled	Matrix														
1																		
2	C112-2W																	
3	C112-3W																	
4	C112-4W																	
5	C112-BDW1																	
6	C112-FB																	
7	TRIP BLANK																	
8																		
9																		
10																		

RELINQUISHING BY: (Signature/Print)	Date: (YYMMDD)	Time:	RECEIVED BY: (Signature/Print)	Date: (YYMMDD)	Time:	# Jars Used and	Laboratory Use Only
	12/8/18	11:00		12/8/18	16:55	Not Submitted	Time Sealed: ☐ Temperature (°C) on Receipt: ☐ Cooling Seal Intact on Receipt: ☐ Yes ☐ No