

Richard Dwyer <richard.dwyer@nwb-oen.ca>

## Fwd: CAM-E Keith Bay Water Licence 1BR-KEI1722 - Berms around landfarm and 2017 Annual Report

Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca> To: Richard Dwyer <richard.dwyer@nwb-oen.ca>

Mon, Jun 25, 2018 at 9:21 AM

Good morning Richard,

Could you please save the clarification below?

Thank you,



## Assol Kubeisinova- つらっ d へ d へ d へ d へ

Technical Advisor - Conseiller technique ΛΔΦΦΦΦΦΟ ΔΟ ΔΟΚΦΛ-Piluagnagtuliginigmun Ikayugti

## NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT DOS OLCOPO PULLA OL NUNAVUT IMALIRIYIN KATIMAYINGI

## www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU X0B 1J0 C.P. 119 Gjoa Haven, NU X0B 1J0 MAS SE ASL Day a ja, Dapt XOB 1JO Titigaqaqvia 119 Ughiighnig, NU, X0B 1J0

Tel / Téléphone / y?/s]b / Hivayauta: (867) 360-6338 | Fax / Télécopieur / hvJ4f5 / Fax-kut: (867) 360-6369 

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

---- Forwarded message ------

From: Morakinyo, Dele (AADNC/AANDC) <dele.morakinyo@canada.ca>

Date: Fri, Jun 22, 2018 at 10:00 AM

Subject: RE: CAM-E Keith Bay Water Licence 1BR-KEI1722 - Berms around landfarm and 2017 Annual Report

To: Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>

Hi Assol.

I am sorry I dropped the ball on this your email. Please see my responses to your 2 questions as follows:

- 1. All reasonable attempts will be made to avoid the berms being breached during the landfarming activities. In other words, the berms will be in place until all the contaminated soils have been confirmed clean.
- 2. I am working on the 2017 Annual Report for CAM-E and a couple of other projects. I will get most of them to you next month (July). We have being having capacity challenges for quite some time. We hope to be up to date on these

Subject: Re: Modification to CAM-E Keith Bay Water Licence 1BR-KEI1722 - Request for Liner to be left in place

Good morning Dele,

As per our email on June, 13 -

Could you please confirm whether the berms around the low (northwest) corners of the landfarm cells will be breached not earlier than when soil remediation is complete.

Could you please provide the 2017 annual report?

Than you,

Assol

all reasonable attempts will be made to avoid the berms being breached during landfarming activities.

On Thu, Jun 21, 2018 at 12:23 PM, Morakinyo, Dele (AADNC/AANDC) <a href="mailto:dele.morakinyo@canada.ca">dele.morakinyo@canada.ca</a> wrote:

Hi Assol / Licencing Department,

With this e-mail and the attached Memo, INAC (CIRNAC) is requesting a modification to leave the liner used under the landfarm in place rather than taking it out of the site after the completion of soil treatment. This will enable our contractor to have sufficient time to treat the PHC soil on site and to the required standards in 2018.

Thanks for your usual cooperation.

Dele Morakinyo, P. Eng., PMP.,

Project Manager, Contaminated Sites/

Chef de Projet, Sites Contaminés

Indigenous and Northern Affairs Canada/

Affairs Autochtones et du Nord Canada

25 Eddy Street, 10th floor,

Gatineau, Quebec K1A 0H4

Email: dele.morakinyo@canada.ca