



1BR-KEI1722 Sewage Treatment Facility, Non-Hazardous Waste Landfill, Landfarm Facility, and Tier II Landfill O&M Plans and Remedial Action Plan

Morakinyo, Dele (AADNC/AANDC) <dele.morakinyo@canada.ca>

Thu, Mar 28, 2019 at 3:03 PM

To: Richard Dwyer <richard.dwyer@nwb-oen.ca>

Cc: Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>

Hi Richard,

I do not know how this manage to fall through the cracks but I will respond to all the issues raised in the letter and send our comments back to you.

Thanks

Dele

From: Richard Dwyer [mailto:richard.dwyer@nwb-oen.ca]

Sent: Tuesday, March 26, 2019 6:43 PM

To: Morakinyo, Dele (AADNC/AANDC)

Cc: Assol Kubeisinova

Subject: Fwd: 1BR-KEI1722 Sewage Treatment Facility, Non-Hazardous Waste Landfill, Landfarm Facility, and Tier II Landfill O&M Plans and Remedial Action Plan

Good afternoon Dele,

The Nunavut Water Board has no record of receiving response to the attached comments please submit as soon as possible.

Regards,

Richard

[]

----- Forwarded message -----

From: **Richard Dwyer** <richard.dwyer@nwb-oen.ca>

Date: Wed, Oct 31, 2018 at 8:39 AM

Subject: 1BR-KEI1722 Sewage Treatment Facility, Non-Hazardous Waste Landfill, Landfarm Facility, and Tier II Landfill O&M Plans and Remedial Action Plan

To: Morakinyo, Dele (AADNC/AANDC) <dele.morakinyo@canada.ca>

Cc: Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>

Good morning,

The Nunavut Water Board requests response to the attached comments by November 14, 2018.

Regards,

Richard

[]