



Re: 1BR-KIV---- Water Licence Application

Sean Joseph <sean.joseph@nwb-oen.ca>

Fri, Feb 5, 2016 at 1:49 PM

To: Michael Westlake <Michael.Westlake@aadnc-aandc.gc.ca>

Cc: Erika Solski <Erika.Solski@aadnc-aandc.gc.ca>, Mark Yetman <Mark.Yetman@aadnc-aandc.gc.ca>, Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>

Hi Michael,

Thanks for the quick turn-around regarding the Spill Contingency Plan (SCP) for the FOX D Project.

A preliminary review of the Plan determined that the following items should be addressed / included:

- The effective date of the Plan;
- A site location map depicting camp infrastructure, surrounding water bodies, spill response equipment, hazardous material location, and other relevant details, if currently known;
- An inventory of hazardous materials stored onsite;
- Specific spill response measures for potential spills on land, water, and snow/ice;
- A copy of the NWT - NU spill report form;
- Material Safety Data Sheet for hazardous materials stored onsite or details related to where they can be found;
- Storage of equipment or hazardous material should be at minimum of thirty-one (31) metres from the ordinary High Water Mark instead of the thirty (30) metres mentioned in the Plan;

Notwithstanding changes requested above, if you would like for the NWB to distribute the Plan in its current form, please confirm as your earliest convenience.

Have a great weekend.

Regards,
Sean

On Fri, Feb 5, 2016 at 12:49 PM, Michael Westlake <Michael.Westlake@aadnc-aandc.gc.ca> wrote:

Hi Sean,

Thanks for speaking with me the other day.

I got the FOX-D Interim Spill Contingency Plan done as quickly as I could for you!

I trust this satisfies your requirements for our Water Licence.

I hope that you have a good weekend! Weather in Vancouver looks to be sunny next week which will be a nice break from the normal.

Michael

>>> Sean Joseph <sean.joseph@nwb-oen.ca> 2/4/2016 10:27 AM >>>

Hi Michael,

I can contact you between 9 and 10 a.m., MST, today if that fits your schedule.

Regards,
Sean

On Thu, Feb 4, 2016 at 8:15 AM, Michael Westlake <Michael.Westlake@aadnc-aandc.gc.ca> wrote:

Hi Sean,

Do you have a few moments today for a quick phone call? Please let me know what your schedule is like.

Thanks,
Michael

>>> Sean Joseph <sean.joseph@nwb-oen.ca> 2/2/2016 1:39 PM >>>

Hi Michael,

While the NWB is well aware that the contractor(s) will be contributing the bulk of the content for the Spill Contingency Plan, the onus remains with the proponent of the project to provide the Spill Contingency Plan.

It would be rather difficult for the NWB to issue a licence for the project in the absence of a Spill Contingency Plan; therefore, submission of the plan, which will require a minimum of thirty (30) days public review, should occur sooner rather than later.

Regards,
Sean

On Tue, Feb 2, 2016 at 9:37 AM, Michael Westlake <Michael.Westlake@aadnc-aandc.gc.ca> wrote:

Hello Sean,

Thanks for your email.

The Spill Contingency Plan will be developed for Fox-D once a contractor is hired for the remediation of the site. We feel that such a plan must be developed by this individual and is obviously a requirement of INAC before the contractor gets on site.

The procurement process for the hiring of this contractor was started a few weeks back and we hope to have this done in a few months. Once this contractor is in place we will be able to confirm a date for you.

Please let me know if you have any further questions. I have cc'd Erika Solski who is the project manager on this project. She will be able to provide further details on date once this company is in place.

Thanking you in advance,
Michael

Michael Westlake
Contaminated Sites | Sites Contaminés
Northern Affairs | Affaires du Nord

Aboriginal Affairs and Northern Development Canada (AANDC) | Affaires Autochtones et Développement du Nord Canada (AADNC)

Tel: (819) 639-7344

Fax: (819) 953-2590

michael.westlake@aadnc-aandc.gc.ca

>>> Siobhan Sutherland <Siobhan.Sutherland@aadnc-aandc.gc.ca> 02/02/2016 10:56 AM >>>

Hello Sean,

I am forwarding on this request to my colleague Michael Westlake, who has been involved in this permit application.

Michael - could you provide an answer?

Regards,
Siobhan

From: Sean Joseph
Sent: Tuesday, February 2, 2016 10:49 AM
To: Siobhan Sutherland
Subject: Fwd: 1BR-KIV--- Water Licence Application

Hi Siobhan:

The message below was sent to Mark; however, the auto-response for his email address indicates that he is be out of office until February 8, 2016 and that you may be contact in his absence.

I am wondering whether or not you could provide confirmation on the submission date for the Spill Contingency Plan for the Project (FOX-D Site Remediation Project).

Regards,
Sean


----- Forwarded message -----

From: **Sean Joseph** <sean.joseph@nwb-oen.ca>
Date: Tue, Feb 2, 2016 at 8:38 AM
Subject: 1BR-KIV--- Water Licence Application
To: mark.yetman@aadnc.gc.ca
Cc: Licensing Department <licensing@nwb-oen.ca>

Hi Mark,

Could you please confirm at your earliest convenience when AANDC or INAC will be able to provide the Spill Contingency Plan for the Project.

Regards,
Sean

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email