



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᓂᓕᓂᓪ
NUNAVUT IMALIRIYIN KATIMAYINGI
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT

File No: 1BR-LON0308

September 26, 2007

Ms. Eva Schulz, P.Ag.
UMA Engineering Ltd.
2540 Kensington Road NW
Calgary, AB T2N 3S3
Email: eva.schulz@uma.aeco.com

Subject: Defence Construction Canada – FOX-2 Longstaff Bluff Project - Amendment– Type “B”

Dear Ms. Schulz:

The Nunavut Water Board (“NWB”) acknowledges receipt of an amendment application for a Type “B” water license on September 6, 2007, for water use and waste disposal associated with remediation activities for the FOX-2 Longstaff Bluff Project, in the Qikiqtani region of Nunavut. The application can be obtained from our ftp site at the following link: <http://nunavutwaterboard.org/ftp/> or by contacting our office. The application includes the following documents:

- Executive summary, English and Inuktitut
- 2005 NTI Technical Representative Report
- DND/NTI Cooperation Agreements
- Historical Ocean Document
- NIRB Application Summary
- Project Description
- Remote camp questionnaire
- Response to Landfarm Questionnaire
- Consolidated drawing package
- Photos
- Water License Application

We undertook a preliminary review of your application and conclude that it meets the requirements of section 48(1) of the *Nunavut Waters and Nunavut Surface Rights Tribunal Act* (“Act”). This said, I must inform you that the NWB reserves the right to request additional information and studies pursuant to sections 48(2) of the Act or, alternatively, issue guidelines for the provision of information pursuant to section 48(3) of the Act.

A NWB Technical Advisor may be in touch with you to clarify any technical details related to your application.

This application is within an area where there is no land use plan approved in accordance with Part 5 of Article 11 of the NLCA, and is therefore not subject to the requirements of Section 38 (1) to 38 (5) of the Act.

Finally, by copy of this letter to the distribution list and the enclosed notice of application sent to the council of the municipality or municipalities most affected by your application, we invite interested persons to make representation directly to the NWB **within 30 days from the date of this letter.** Take note that included in the application is a Spill Response Plan as well as an Abandonment and Restoration Plan which require review and comment. The NWB may provide additional procedural instructions once the application has been reviewed by interested parties.

Sincerely,

Original signed by:

Phyllis Beaulieu
Manager of Licensing

/pab

Enclosure: Notice of Application

Cc: Distribution List – Qikqiktani
Douglas Craig - DND