



NWB Tools

Megan Porter <megan.porter@nwb-oen.ca>

Re: Request for conformity determination

1 message

Cory Zyla <cory.zyla@nwb-oen.ca>

Tue, Mar 4, 2014 at 3:14 PM

To: Megan Porter <megan.porter@nwb-oen.ca>

FYI - Correspondence with NPC for file no. **1BR-LON1422**. Confirmation that the project does not require further review on part of the NPC.

On Tue, Mar 4, 2014 at 1:24 PM, Christopher Tickner <ctickner@nunavut.ca> wrote:

Good afternoon Cory,

RE: Fox-2 Longstaff Bluff Post-Construction Monitoring

Thank you for your email.

The Nunavut Planning Commission (NPC) has reviewed the attached documents and has determined that the project proposal as described is located outside the boundaries of the two approved land use plans currently administered by the NPC.

No further review is required by the NPC at this time.

Please ensure that any change in scope of the proposed project is forwarded to the NPC so as a determination can be made as to whether a conformity review is required.

Please contact me should you have any questions.

Sincerely,

Christopher Tickner MCIP, RPP

Senior Planner

Nunavut Planning Commission

P.O. Box 2101 Cambridge Bay, NU X0B 0C0

Phone: (867) 983-4634

Fax: (867) 983-4626

Website: www.nunavut.ca

From: Cory Zyla [mailto:cory.zyla@nwb-oen.ca]

Sent: March-04-14 9:51 AM

To: Christopher Tickner

Subject: Request for conformity determination

Hi Chris,

Could you or someone in your group provide us with a conformity determination for the attached application? It is for a DND long-term monitoring program for a remediated DEW line site in the Qikiqtani Region, which is generally located at:

Latitude: 68° 53' 49" N Longitude: 75° 09' 37" W

I've attached the Project Description and Monitoring Program Report. Please let me know if you require further details to make a determination.

Please feel free to contact me directly to discuss this request at cory.zyla@nwb-oen.ca or (867) 360-6338 (x36).

Thanks for any assistance you can provide!



Cory Zyla- d4n 7Δc

Technical Advisor- Conseiller technique

ᐱᓗᑦᑲᑯᑦ ᑶᑲᑐᕋᐅᑦᑲᑦ ᐃᑲᑦᑲᑳ- Piliuqnaqtuliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᓂᓪ ᐱᓪᓕᓂᓪ ᓅᓂᓪᓴᓪ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆-၁၇ ၁၁၉
၂၀၁၆-၁၇, ၁၁၉ X0B 1J0

Titigaqavua 119
Uqhuqtuuq, NU, X0B 1J0

Toll Free / Sans Frais / ᐱᕈᖅᕐᕐᕐ / Akiittuq: 1-855-521-3745

Tel / Téléphone / ᐅᓕᐅᑦ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᓕᐅᑦᐅᑦ / Fax-kut: (867) 360-6369

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du (s) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email