



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᑎᓕᓂᓪ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI
OFFICE DES EAUX DU NUNAVUT

File: 1BR-LON0813/B1

February 2, 2010

Eva Schulz, P.Ag.
Environmental Scientist
AECOM
2540 Kensington Road NW
Calgary, AB T2N 3S3
Email: eva.schulz@aecom.com

Subject: Submission of a 2008 Annual Report under Licence No. 1BR-LON0813

Dear Ms. Schulz;

The Nunavut Water Board ("NWB") has completed a technical review of the 2008 Annual Report submitted under Part B, Item 1 of Licence 1BR- LON0813. The report was distributed for information on April 16, 2009. Comments have been received from Indian and Northern Affairs Canada on April 21, 2009. The Annual Report was found to be complete and has been accepted as no work occurred in 2008. Included with the Annual Report were the following documents:

- Updated Spill Contingency Plan;
- Monitoring Plan;
- Post Closure Monitoring Plan;
- QA/QC Plans (2); and
- Operation and Maintenance Plan.

Please note that the Updated Spill Contingency Plan, Post Closure Monitoring Plan and Operation and Maintenance Plan all require Board approval under Part H, Item 1; Part J, Item 16 and Part E, Item 2 respectively. The NWB will distribute the above 3 files for comment and review under separate cover.

Should you have any further questions, please feel free to contact the undersigned at (867) 360-6338 or by email to dcarr@nunavutwaterboard.org at your earliest convenience.

Yours truly,

Original Signed By:

Don Carr
Technical Advisor

cc. Douglas Craig – douglas.craig@dcc-cdc.gc.ca
Qikiqtani Dist. List