



NWB Tools

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

151127 1BR-LOR0813

1 message

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Fri, Nov 27, 2015 at 10:03 AM

To: Charlotte.lamontagne@aandc-aadnc.gc.ca, Lilianne Kydd <lilianne.kydd@aandc-aadnc.gc.ca>

Cc: Cynthia Ene <cynthia.ene@nwb-oen.ca>

Please provide status on requirement of AANDC to submit project proposal to NPC for conformity under NuPPA. See attached

Regards,



Phyllis Beaulieu- ᐱᕐᕐᕐ ᐸᕐᕐ

Manager of Licensing- Responsable des Permis

ᐱᕐᕐᕐ ᕐᕐᕐ ᕐᕐᕐ ᕐᕐᕐ - Maniayuyuk Laisaliginimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᕐᕐᕐ ᕐᕐᕐ ᕐᕐᕐ ᕐᕐᕐ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjoa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

ᕐᕐᕐᕐᕐᕐ 119

ᕐᕐᕐᕐᕐᕐ, ᕐᕐᕐᕐᕐᕐ X0B 1J0

Titigaqavvia 119

Uqhuqhnuq, NU, X0B 1J0

Tel / Téléphone / ᕐᕐᕐᕐᕐᕐ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᕐᕐᕐᕐᕐᕐ / Fax-kut: (867) 360-6369

Toll Free / Sans Free / ᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐ / Akiittuq : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

**151020 1BR-LOR0813 Submit PP to Nuppa-OCEE.pdf**

196K