



P.O. Box 119  
GJOA HAVEN, NU X0B 1J0  
TEL: (867) 360-6338  
FAX: (867) 360-6369

ᓄᓇᓂᓪᓴ ᐃᓚᓕᓂᓪᓴᓪᓴ ᑲᓂᓚᓪᓴᓴ  
NUNAVUT IMALIRIYIN KATIMAYINGI  
NUNAVUT WATER BOARD  
OFFICE DES EAUX DU NUNAVUT

---

**File: 1BR-LOR0813/TR/I2**

October 13, 2010

Dele Morakinyo, Project Manager  
Indian & Northern Affairs Canada  
Contaminated Sites Program  
25 Eddy Street, 10<sup>th</sup> Floor  
Gatineau QC K1A 0H4  
E-mail: [Dele.Morakinyo@inac-ainc.gc.ca](mailto:Dele.Morakinyo@inac-ainc.gc.ca)

Subject: Requirement for I2 Site Specific Spill Plan

Dear Mr. Morakinyo:

This is a reminder that under the terms and conditions of License Number 1BR-LOR0813, Part I, Item 2 you were required to submit, for Board Review, a Site Specific Spill Plan. This spill plan is due 30 days prior to project commencement.

We look forward to receiving your report. Should you have any questions or concerns, please do not hesitate to contact our office.

Sincerely,

***Original signed by:***

Richard Dwyer  
Licensing Administrator

Cc: Sean Joseph, NWB Tech Advisor  
Lou-Ann Cornacchio, INAC Water Resources