



Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

140710 1BR-LTU1419 Receipt of Revised OM Plan-IMLE

1 message

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>
To: "Molinski, Michael" <Michael.Molinski@tc.gc.ca>
Cc: Karen Kharatyan <karen.kharatyan@nwb-oen.ca>

Thu, Jul 10, 2014 at 9:30 AM

The Nunavut Water Board acknowledges receipt on June 17, 2014 of a revised O and M Plan for the above file. This submission is forwarded to the Tech Advisor assigned to the file for any necessary action.

Regards,



Phyllis Beaulieu- ᐱᕐᕐᕐ ᐸᕐᕐ

Manager of Licensing- Responsable des Permis

ᐱᕐᕐᕐ ᐸᕐᕐ ᐸᕐᕐ ᐸᕐᕐ- Maniyauyuq Laisaliginimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᐱᕐᕐᕐ ᐸᕐᕐ ᐸᕐᕐ ᐸᕐᕐ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

ᐱᕐᕐᕐᕐᕐᕐ 119
ᐸᕐᕐᕐᕐᕐ, ᐱᕐᕐᕐᕐ X0B 1J0

Titigaqavua 119
Uquqtuuq, NU, X0B 1J0

Tel / Téléphone / ᐸᕐᕐᕐᕐᕐ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐸᕐᕐᕐᕐᕐ / Fax-kut: (867) 360-6369
Toll Free / 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email