



CAM-5 Mackar Inlet 2018 Annual Monitoring Report for DND Water Licence 1BR-MAC1323

Thu, Nov 5, 2020 at 10:46 AM

Good morning,


The Nunavut Water Board acknowledges receipt June 10, 2019 of CAM-5 Mackar Inlet 2018 Annual Monitoring Report for DND Water Licence 1BR-MAC1323, it has been saved at the link below:

<ftp://ftp.nwb-oen.ca/registry/1%20INDUSTRIAL/1B/1BR%20-%20Remediation/1BR-MAC1323%20CAM%205/3%20TECH/I%20MONITORING/190610%201BR-MAC1323%202018%20Monitoring%20Report/>

This report is distributed for information purposes only.

Regards,

Richard



Manager of Licensing - Responsable des Permis ᐃᑭᓕᓴᓂᓄᓐ ᐅᐱᓕᓴᓂᓄᓐ Maniyaauyuq
Laisaliginigmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓴᑦ ᑲᑎᓕᓴᑦ- NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjøa Haven, NU X0B 1J0

C.P. 119
Gioia Haven, NU X013 110

በበና ሞት ልጄ
ጌዳሪ ሞጋጌ፣ ሞጋጋ፣ X013 110

Titigaqavua 119
Uqhuqtinaq, NU, X0B 1J0

Tel / Téléphone / ᐱᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email