


WATER LICENCE INSPECTION FORM

☑ Original☑ Follow-Up Report

Licensee				isee Representat				
CIRNAC Contaminat	ed Sites	S				Roy/Ken Gauth	ier	
Licence No. / Expiry			Repr	esentative's Title	!			
1BR-MTH1722								
Land / Other Authorizations			Land	/ Other Authoriz	ations			
LUP N2017U0002								
Date of Inspection			•	ector				
27 July 2018			Bak	oa Pedersen	<u> </u>			
Activities Inspected Camp	Drilling		Mining	Construction		Reclamation		age
Roads/Hauling	Other:			Other:				
0 1:::								
	ceptable			cceptable	NA –	Not Applicable	NI – Not Ir	-
Water Use	Condition	Comment	Site Conditions	Condition	Comment	Haz/Mat Manage	ement Conditio	
Intake/Screen	Α	7	Water Management Struct	ures A		Storage	Α	3 & 6
Flow Measure. Device	Α	1	Culverts / Bridges			Spills		
Source:	Α		Drainage	Α		Spill Plan	Α	
Water Use:	Α		Erosion / Sediment					
Recirculation (y /n)			Mitigation Measures			Administrative		
.,,			Reclamation Activities	A		Records	А	
			Materials Storage	A	1	Reports	A	
Waste Disposal			Signage	A & C	4 & 7	Plans	A	
	Λ	2	Jigilage	AAC	70/	Notifications		
Waste Water	Α	2	Maniharina		<u> </u>		A	
Solid Waste	Α	5	Monitoring			Other		
Hazardous Waste	Α	10	Sample Collection / Anal	lysis		Quarrying	А	8
*Th	ne numbe	er in the c	omments field will corresp	ond with spec	ific com	nents provided belo	w.	
Samples taken by Inspec	ctor:		Location(s): No Samples	taken on this	Inspectio	on		
			1					
I I I VAC I X I NIA								
Yes No								
	Commo	ants (s)	Non Complian	oco with Act o	r Licones		tion Poquired	(c)
SECTION 1		ents (s)					tion Required	
SECTION 1 X	M-C Mat	theson Po	int Remediation Project u	nder WL 1BR-I				
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie	M-C Mat	theson Po Lefebvre	int Remediation Project un e, Dany Roy and Ken Gauth	nder WL 1BR-I nier.	MTH1722	2 and LUP N2017U0	002 on Friday	
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie	M-C Mat	theson Po Lefebvre	int Remediation Project u	nder WL 1BR-I nier.	MTH1722	2 and LUP N2017U0		
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2	M-C Mated by Ber	theson Po Lefebvre	int Remediation Project un e, Dany Roy and Ken Gauth	nder WL 1BR-I nier. nce with Act o	MTH1722	2 and LUP N2017U0	002 on Friday	July 27,
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit	M-C Mated by Ber Comme h the Ray	theson Po Lefebvre ents w Water S	vint Remediation Project un e, Dany Roy and Ken Gauth Non-Complian	nder WL 1BR-I nier. nce with Act o	MTH1722 r Licence	2 and LUP N2017U0	002 on Friday tion Required . The Grey/Bla	July 27,
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3	M-C Mated by Ber Comme h the Ray	theson Po n Lefebvre ents w Water S e Sewage	vint Remediation Project un e, Dany Roy and Ken Gauth Non-Complian Storage Tanks (Photo 1) an	nder WL 1BR-I nier. nce with Act o nd the Raw Wa s. The Drumme	r Licence ater Flow ed Fuel S	2 and LUP N2017U0 Meter (Photo 2), 2 torage Area (Photo	tion Required The Grey/Bla S), 4. The Lab	July 27, ck Water els on
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Pho	M-C Mated by Ber Comme h the Ray and the	theson Po n Lefebvre ents w Water S e Sewage	int Remediation Project under Dany Roy and Ken Gauth Non-Complian Storage Tanks (Photo 1) an Lagoon/Sump (Photo 4), 3	nder WL 1BR-I nier. nce with Act o nd the Raw Wa nd the Drumme nea (Photo 7), 5	r Licence ater Flow ed Fuel S	and LUP N2017U0 Meter (Photo 2), 2. torage Area (Photo 8),	tion Required The Grey/Bla 5), 4. The Lab	July 27, ck Water els on Walled
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Photo Fuel Tank and Camp Ger	M-C Mated by Ber Comme h the Rav and the to 6) and	theson Po n Lefebvre ents w Water S e Sewage d the Signa Photo 9),	Non-Complian Storage Tanks (Photo 1) an Lagoon/Sump (Photo 4), 3 age at the Fuel Storage Are 7. The Raw Water Intake H	nder WL 1BR-I nier. nce with Act o nd the Raw Wa s. The Drumme ea (Photo 7), 5 Hose and Area	r Licence iter Flow ed Fuel S . The Inc with NO	Active (Photo 2), 2. torage Area (Photo 8), 0 SIGNAGE (Photo 10)	tion Required The Grey/Bla S), 4. The Lab Control The Double O), 8. Borrow	July 27, ck Water els on Walled
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Pho Fuel Tank and Camp Ger (Photos 11 & 12), 9. The	M-C Mated by Ber Comme h the Ray to 6) and the to 6) and nerator (theson Po n Lefebyre ents w Water S e Sewage d the Signa Photo 9), rm Treatr	Non-Complian Non-Complian Storage Tanks (Photo 1) an Lagoon/Sump (Photo 4), 3 age at the Fuel Storage Are 7. The Raw Water Intake Henent Area (Photo 13) and 2	nder WL 1BR-I nier. nce with Act o nd the Raw Wa s. The Drumme ea (Photo 7), 5 Hose and Area 10. The Barrel	r Licence oter Flow ed Fuel S of The Incomplete NO Processi	Active Ac	tion Required The Grey/Bla 5), 4. The Lab 6. The Double 0), 8. Borrow	July 27, ck Water els on Walled
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Photo Fuel Tank and Camp Ger (Photos 11 & 12), 9. The SECTION 3	M-C Mated by Bern Comme (a) and the to 6) and the to 6) and the to 6) the comme Comme	theson Po n Lefebvre ents w Water S e Sewage d the Signa Photo 9), rm Treatr	Non-Complian The Raw Water Intake Henent Area (Photo 13) and Interest of the Raw Water Intake Henent Area (Photo 13) and Inter	nder WL 1BR-I nier. nce with Act o d the Raw Wa d. The Drumme ea (Photo 7), 5 Hose and Area 10. The Barrel	r Licence ater Flow ed Fuel S . The Inc with NO Processi r Licence	Action Action (Photo 2), 2. torage Area (Photo 8), 2. SIGNAGE (Photo 14), 2. Marea (Photo 14), 2. Action Action (Photo 14), 2. Action (Photo 14), 2. Action (Photo 14), 3. Action (Photo 14), 3. Action (Photo 14), 4.	tion Required The Grey/Bla S), 4. The Lab Control The Double O), 8. Borrow A	ck Water els on Walled Area 15
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Photo Fuel Tank and Camp Ger (Photos 11 & 12), 9. The SECTION 3 This was a very easy Inspection.	M-C Mated by Ber Comme h the Ray to 6) and the to 6) and nerator (Land Fa Comme	theson Poor Lefebyre ents w Water See Sewage 1 the Signary Photo 9), rm Treatrents ents	Non-Complian The Raw Water Intake French Area (Photo 13) and Storage Tanks (Photo 4), 3 age at the Fuel Storage Area (Photo 13) and 3 and	nder WL 1BR-Inier. Ince with Act on the Raw Wast. The Drummer (Photo 7), 5 Hose and Area 10. The Barrel Ince with Act on the wery well run and the same of the sa	r Licence ater Flow ed Fuel S The Inc with NC Processi r Licence	Act	tion Required The Grey/Bla 5), 4. The Lab 6. The Double 0), 8. Borrow A	ck Water els on Walled Area 15
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Pho Fuel Tank and Camp Ger (Photos 11 & 12), 9. The SECTION 3 This was a very easy Inspected the Water License in the Section 1 in the Section 1 in the Section 3 in the Section	M-C Mated by Ber Comme h the Ray (a) and the to 6) and the Land Fa Comme pection, and the I	theson Poor Lefebyre ents w Water See Sewage of the Signary Photo 9), rm Treatrents the entire than Use	Non-Complian The Raw Water Intake Fement Area (Photo 13) and Section 19 and 19	nder WL 1BR-Inier. nce with Act on the Raw Wast. The Drumme and (Photo 7), 5 Hose and Area 10. The Barrel nce with Act on was 7. There	r Licence ater Flow ed Fuel S a. The Inc with NO Processi r Licence and mee	Active Meter (Photo 2), 2. torage Area (Photo 6), 2. SIGNAGE (Photo 14). The Meter (Photo 8), 2. torage Area (Photo 14). The Meter (Photo 14).	tion Required The Grey/Bla 5), 4. The Lab 6. The Double 0), 8. Borrow tion Required ms and Condit g where the R	ck Water els on Walled Area 15
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Photo Fuel Tank and Camp Ger (Photos 11 & 12), 9. The SECTION 3 This was a very easy Inspect the Water License Water Intake Area was.	M-C Mated by Ber Comme h the Ray (a) and the to 6) and the Land Fa Comme pection, and the I	theson Poor Lefebyre ents w Water See Sewage of the Signary Photo 9), rm Treatrents the entire than Use	Non-Complian The Raw Water Intake French Area (Photo 13) and Storage Tanks (Photo 4), 3 age at the Fuel Storage Area (Photo 13) and 3 and	nder WL 1BR-Inier. nce with Act on the Raw Wast. The Drumme and (Photo 7), 5 Hose and Area 10. The Barrel nce with Act on was 7. There	r Licence eter Flow ed Fuel S . The Inc with NO Processi r Licence and mee	Active Meter (Photo 2), 2. torage Area (Photo 6), 2. SIGNAGE (Photo 14). The Meter (Photo 8), 2. torage Area (Photo 14). The Meter (Photo 14).	tion Required The Grey/Bla 5), 4. The Lab 6. The Double 0), 8. Borrow tion Required ms and Condit g where the R	ck Water els on Walled Area 15
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Pho Fuel Tank and Camp Ger (Photos 11 & 12), 9. The SECTION 3 This was a very easy Inspected the Water License in the Section 1 in the Section 1 in the Section 3 in the Section	M-C Mated by Ber Comme h the Ray (a) and the to 6) and the Land Fa Comme pection, and the I	theson Poor Lefebyre ents w Water See Sewage of the Signary Photo 9), rm Treatrents the entire than Use	Non-Complian The Raw Water Intake Fement Area (Photo 13) and Section 19 and 19	nder WL 1BR-Inier. nce with Act on the Raw Wast. The Drumme and (Photo 7), 5 Hose and Area 10. The Barrel nce with Act on was 7. There	r Licence eter Flow ed Fuel S . The Inc with NO Processi r Licence and mee	Active Meter (Photo 2), 2. torage Area (Photo 6), 2. SIGNAGE (Photo 14). The Meter (Photo 8), 2. torage Area (Photo 14). The Meter (Photo 14).	tion Required The Grey/Bla 5), 4. The Lab 6. The Double 0), 8. Borrow tion Required ms and Condit g where the R	ck Water els on Walled Area 15
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Photo Fuel Tank and Camp Ger (Photos 11 & 12), 9. The SECTION 3 This was a very easy Inspect the Water License Water Intake Area was.	M-C Mated by Ber Comme h the Ray (a) and the to 6) and the Land Fa Comme pection, and the I	theson Poor Lefebyre ents w Water See Sewage of the Signary Photo 9), rm Treatrents the entire than Use	Non-Complian Storage Tanks (Photo 1) an Lagoon/Sump (Photo 4), 3 age at the Fuel Storage Are 7. The Raw Water Intake Fuent Area (Photo 13) and 3 Non-Complian e Camp and Operation are Permit. The only exception age must be placed and a feature.	nder WL 1BR-Inier. nce with Act on the Raw Waster (Photo 7), 5 Hose and Area 10. The Barrel nce with Act on was 7. There Photo of such	r Licence ater Flow ed Fuel S a. The Inc with NC Processi r Licence and mee e was NO must be	Active Meter (Photo 2), 2. torage Area (Photo 6), 2. SIGNAGE (Photo 14). The Meter (Photo 8), 2. torage Area (Photo 14). The Meter (Photo 14).	tion Required The Grey/Bla 5), 4. The Lab 6. The Double 0), 8. Borrow tion Required ms and Condit g where the R	ck Water els on Walled Area 15
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Photo Fuel Tank and Camp Ger (Photos 11 & 12), 9. The SECTION 3 This was a very easy Inspect the Water License Water Intake Area was.	M-C Mated by Ber Comme h the Ray (a) and the to 6) and the Land Fa Comme pection, and the I	theson Poor Lefebyre ents w Water See Sewage of the Signary Photo 9), rm Treatrents the entire than Use	Non-Complian Storage Tanks (Photo 1) an Lagoon/Sump (Photo 4), 3 age at the Fuel Storage Are 7. The Raw Water Intake Fement Area (Photo 13) and 2 Non-Complian e Camp and Operation are Permit. The only exception age must be placed and a fement area (Photo 13) and 2	nder WL 1BR-Inier. nce with Act on the Raw Waster (Photo 7), 5 Hose and Area 10. The Barrel nce with Act on the Waster (Photo of such Inspector's Name	r Licence ater Flow ed Fuel S The Inc with NC Processi r Licence and mee was NC must be	Active Meter (Photo 2), 2. torage Area (Photo 6), 2. SIGNAGE (Photo 14). The Meter (Photo 8), 2. torage Area (Photo 14). The Meter (Photo 14).	tion Required The Grey/Bla 5), 4. The Lab 6. The Double 0), 8. Borrow tion Required ms and Condit g where the R	ck Water els on Walled Area 15
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Photo Fuel Tank and Camp Ger (Photos 11 & 12), 9. The SECTION 3 This was a very easy Inspect the Water License Water Intake Area was. complete.	M-C Mated by Ber Comme h the Ray (a) and the to 6) and the Land Fa Comme pection, and the I	theson Poor Lefebyre ents w Water See Sewage of the Signary Photo 9), rm Treatrents the entire than Use	Non-Complian Storage Tanks (Photo 1) an Lagoon/Sump (Photo 4), 3 age at the Fuel Storage Are 7. The Raw Water Intake H ment Area (Photo 13) and 2 Non-Complian Permit. The only exception age must be placed and a f	nder WL 1BR-Inier. nce with Act on the Raw Wast. The Drumme ea (Photo 7), 5 Hose and Area 10. The Barrel nce with Act on was 7. There Photo of such	r Licence ater Flow ed Fuel S The Inc with NC Processi r Licence and mee was NC must be	Active Meter (Photo 2), 2. torage Area (Photo 6), 2. SIGNAGE (Photo 14). The Meter (Photo 8), 2. torage Area (Photo 14). The Meter (Photo 14).	tion Required The Grey/Bla 5), 4. The Lab 6. The Double 0), 8. Borrow tion Required ms and Condit g where the R	ck Water els on Walled Area 15
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Photo Fuel Tank and Camp Ger (Photos 11 & 12), 9. The SECTION 3 This was a very easy Inspect the Water License Water Intake Area was. complete.	M-C Mated by Ber Comme h the Ray (a) and the to 6) and the Land Fa Comme pection, and the I	theson Poor Lefebyre ents w Water See Sewage of the Signary Photo 9), rm Treatrents the entire than Use	Non-Complian Storage Tanks (Photo 1) an Lagoon/Sump (Photo 4), 3 age at the Fuel Storage Are 7. The Raw Water Intake I ment Area (Photo 13) and 2 Non-Complian Permit. The only exception age must be placed and a fee	nder WL 1BR-Inier. nce with Act on the Raw Wast. The Drumme ea (Photo 7), 5 Hose and Area 10. The Barrel nce with Act on was 7. There Photo of such Inspector's Name Baba Peder. Signature	r Licence ater Flow ed Fuel S The Inc with NO Processi r Licence and mee was NO must be	and LUP N2017U0 Meter (Photo 2), 2 torage Area (Photo 6), 2 SIGNAGE (Photo 14). Material (Photo 14). SIGNAGE indicating emailed to the Insp	tion Required The Grey/Bla 5), 4. The Lab 6. The Double 0), 8. Borrow tion Required ms and Condit g where the R	ck Water els on Walled Area 15
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Photo Fuel Tank and Camp Ger (Photos 11 & 12), 9. The SECTION 3 This was a very easy Inspect to the Water License Water Intake Area was. complete. Licensee or Representative Signature	M-C Mated by Ber Comme h the Ray (a) and the to 6) and the Land Fa Comme pection, and the I	theson Poor Lefebyre ents w Water See Sewage of the Signary Photo 9), rm Treatrents the entire than Use	Non-Complian Storage Tanks (Photo 1) an Lagoon/Sump (Photo 4), 3 age at the Fuel Storage Are 7. The Raw Water Intake H ment Area (Photo 13) and 2 Non-Complian e Camp and Operation are Permit. The only exception age must be placed and a F	nder WL 1BR-Inier. nce with Act or id the Raw Wast. The Drummer ea (Photo 7), 5 Hose and Area 10. The Barrel nce with Act or very well run ar n was 7. There Photo of such Inspector's Name Baba Peder Signature Signed Orig	r Licence ater Flow ed Fuel S The Inc with NO Processi r Licence and mee was NO must be	and LUP N2017U0 Meter (Photo 2), 2 torage Area (Photo 6), 2 SIGNAGE (Photo 14). Material (Photo 14). SIGNAGE indicating emailed to the Insp	tion Required The Grey/Bla 5), 4. The Lab 6. The Double 0), 8. Borrow tion Required ms and Condit g where the R	ck Water els on Walled Area 15
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Pho Fuel Tank and Camp Ger (Photos 11 & 12), 9. The SECTION 3 This was a very easy Inspect the Water License Water Intake Area was. complete.	M-C Mated by Ber Comme h the Ray (a) and the to 6) and the Land Fa Comme pection, and the I	theson Poor Lefebyre ents w Water See Sewage of the Signary Photo 9), rm Treatrents the entire than Use	Non-Complian Storage Tanks (Photo 1) an Lagoon/Sump (Photo 4), 3 age at the Fuel Storage Are 7. The Raw Water Intake Fement Area (Photo 13) and 3 Non-Complian e Camp and Operation are Permit. The only exception age must be placed and a fement are a fement are a fement are and a fement are a fement are and a fement are a feme	nder WL 1BR-Inier. nce with Act or id the Raw Wast. The Drummer ica (Photo 7), 5 Hose and Area 10. The Barrel ince with Act or very well run ar in was 7. There Photo of such Inspector's Name Baba Peder Signed Orig Date	r Licence oter Flow ed Fuel S i. The Inc with NC Processi r Licence and mee e was NO must be esen	and LUP N2017U0 Meter (Photo 2), 2 torage Area (Photo 6), 2 SIGNAGE (Photo 14). Material (Photo 14). SIGNAGE indicating emailed to the Insp	tion Required The Grey/Bla 5), 4. The Lab 6. The Double 0), 8. Borrow tion Required ms and Condit g where the R	ck Water els on Walled Area 15
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Photo Fuel Tank and Camp Ger (Photos 11 & 12), 9. The SECTION 3 This was a very easy Inspect to the Water License Water Intake Area was. complete. Licensee or Representative Signature	M-C Mated by Ber Comme h the Ray (a) and the to 6) and the Land Fa Comme pection, and the I	theson Poor Lefebyre ents w Water See Sewage of the Signary Photo 9), rm Treatrents the entire than Use	Non-Complian Storage Tanks (Photo 1) an Lagoon/Sump (Photo 4), 3 age at the Fuel Storage Are 7. The Raw Water Intake Fement Area (Photo 13) and 3 Non-Complian e Camp and Operation are Permit. The only exception age must be placed and a fement are a fement are a fement are and a fement are a fement are and a fement are a feme	nder WL 1BR-Inier. nce with Act or id the Raw Wast. The Drummer ea (Photo 7), 5 Hose and Area 10. The Barrel nce with Act or very well run ar n was 7. There Photo of such Inspector's Name Baba Peder Signature Signed Orig	r Licence oter Flow ed Fuel S i. The Inc with NC Processi r Licence and mee e was NO must be esen	and LUP N2017U0 Meter (Photo 2), 2 torage Area (Photo 6), 2 SIGNAGE (Photo 14). Material (Photo 14). SIGNAGE indicating emailed to the Insp	tion Required The Grey/Bla 5), 4. The Lab 6. The Double 0), 8. Borrow tion Required ms and Condit g where the R	ck Water els on Walled Area 15
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Photo Fuel Tank and Camp Ger (Photos 11 & 12), 9. The SECTION 3 This was a very easy Inspect to the Water License Water Intake Area was. complete. Licensee or Representative Signature	M-C Mated by Ber Comme h the Ray (a) and the to 6) and the Land Fa Comme pection, and the I	theson Poor Lefebyre ents w Water See Sewage of the Signary Photo 9), rm Treatrents the entire than Use	Non-Complian Storage Tanks (Photo 1) an Lagoon/Sump (Photo 4), 3 age at the Fuel Storage Are 7. The Raw Water Intake Fement Area (Photo 13) and 3 Non-Complian e Camp and Operation are Permit. The only exception age must be placed and a fement are a fement are a fement are and a fement are a fement are and a fement are a feme	nder WL 1BR-Inier. nce with Act or id the Raw Wast. The Drummer ica (Photo 7), 5 Hose and Area 10. The Barrel ince with Act or very well run ar in was 7. There Photo of such Inspector's Name Baba Peder Signed Orig Date	r Licence oter Flow ed Fuel S i. The Inc with NC Processi r Licence and mee e was NO must be esen	and LUP N2017U0 Meter (Photo 2), 2 torage Area (Photo 6), 2 SIGNAGE (Photo 14). Material (Photo 14). SIGNAGE indicating emailed to the Insp	tion Required The Grey/Bla 5), 4. The Lab 6. The Double 0), 8. Borrow tion Required ms and Condit g where the R	ck Water els on Walled Area 15
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Photo Fuel Tank and Camp Ger (Photos 11 & 12), 9. The SECTION 3 This was a very easy Inspect the Water License Water Intake Area was. complete. Licensee or Representative Date	M-C Mated by Ber h the Ray h and the Land Fall Comme pection, and the I Appropri	theson Poor Lefebyre ents w Water See Sewage of the Signary Photo 9), rm Treatrents the entire than Use	Non-Complian Storage Tanks (Photo 1) and Lagoon/Sump (Photo 4), 3 age at the Fuel Storage Are 7. The Raw Water Intake H ment Area (Photo 13) and 3 Non-Complian e Camp and Operation are Permit. The only exception age must be placed and a f	nder WL 1BR-Inier. nce with Act or id the Raw Wast. The Drummer ica (Photo 7), 5 Hose and Area 10. The Barrel ince with Act or very well run ar in was 7. There Photo of such Inspector's Name Baba Peder Signed Orig Date	r Licence oter Flow ed Fuel S The Inc with NO Processi r Licence and mee e was NO must be esen inal on	and LUP N2017U0 Meter (Photo 2), 2 torage Area (Photo 6), 2 SIGNAGE (Photo 14). Material (Photo 14). SIGNAGE indicating emailed to the Insp	tion Required The Grey/Bla 5), 4. The Lab 6. The Double 0), 8. Borrow tion Required ms and Condit g where the R	ck Water els on Walled Area 15
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Photo Fuel Tank and Camp Ger (Photos 11 & 12), 9. The SECTION 3 This was a very easy Inspect to the Water License Water Intake Area was. complete. Licensee or Representative Signature Date Office Use Only: Follow-up	M-C Mated by Ber Comme h the Ray of and the to 6) and herator (Land Fa Comme pection, and the I Appropri	theson Pon Lefebvre ents w Water Ste Sewage di the Signa Photo 9), rm Treatre ents the entire Land Use riate Signa de be issued b	Non-Complian Storage Tanks (Photo 1) an Lagoon/Sump (Photo 4), 3 age at the Fuel Storage Are 7. The Raw Water Intake F ment Area (Photo 13) and 3 Camp and Operation are Permit. The only exception age must be placed and a F	nder WL 1BR-Inier. nce with Act or and the Raw Wast. The Drummer ea (Photo 7), 5 Hose and Area 10. The Barrel nce with Act or very well run and n was 7. There Photo of such Inspector's Name Baba Peder Signature Signed Orig Date 27 July 2018	r Licence oter Flow ed Fuel S The Inc with NO Processi r Licence and mee e was NO must be esen inal on	and LUP N2017U0 Meter (Photo 2), 2. torage Area (Photo 8), 2. SIGNAGE (Photo 14). SIGNAGE indicating emailed to the Inspection	tion Required The Grey/Bla 5), 4. The Lab 6. The Double 0), 8. Borrow tion Required ms and Condit g where the R	ck Water els on Walled Area 15
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Photo Fuel Tank and Camp Ger (Photos 11 & 12), 9. The SECTION 3 This was a very easy Inspect to the Water License Water Intake Area was. complete. Licensee or Representative Signature Date Office Use Only: Follow-up	M-C Mated by Ber Comme h the Ray of and the to 6) and herator (Land Fa Comme pection, and the I Appropri	theson Pon Lefebvre ents w Water Ste Sewage di the Signa Photo 9), rm Treatre ents the entire Land Use riate Signa de be issued b	Non-Complian Storage Tanks (Photo 1) and Lagoon/Sump (Photo 4), 3 age at the Fuel Storage Are 7. The Raw Water Intake H ment Area (Photo 13) and 3 Non-Complian e Camp and Operation are Permit. The only exception age must be placed and a f	nder WL 1BR-Inier. nce with Act or and the Raw Wast. The Drummer ea (Photo 7), 5 Hose and Area 10. The Barrel nce with Act or very well run and n was 7. There Photo of such Inspector's Name Baba Peder Signature Signed Orig Date 27 July 2018	r Licence oter Flow ed Fuel S The Inc with NO Processi r Licence and mee e was NO must be esen inal on	and LUP N2017U0 Meter (Photo 2), 2. torage Area (Photo 8), 2. SIGNAGE (Photo 14). SIGNAGE indicating emailed to the Inspection	tion Required The Grey/Bla 5), 4. The Lab 6. The Double 0), 8. Borrow tion Required ms and Condit g where the R	ck Water els on Walled Area 15
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Photo Fuel Tank and Camp Ger (Photos 11 & 12), 9. The SECTION 3 This was a very easy Inspect the Water Intake Area was. complete. Licensee or Representative Signature Office Use Only: Follow-up cc. CIRNAC	M-C Mated by Ber Comme h the Ray 3) and the to 6) and nerator (Land Fa Comme pection, and the I Appropri	theson Poon Lefebyre ents w Water See Sewage of the Signal Photo 9), rm Treatments the entire Land Use riate Signal Photo	Non-Complian Storage Tanks (Photo 1) an Lagoon/Sump (Photo 4), 3 age at the Fuel Storage Are 7. The Raw Water Intake I ment Area (Photo 13) and 2 Non-Complian Permit. The only exception age must be placed and a Fuel Storage Are age must be placed and a Fuel Storage Are age must be placed and a Fuel Storage Are age must be placed and a Fuel Storage Are age must be placed and a Fuel Storage Are age must be placed and a Fuel Storage Are age must be placed and a Fuel Storage Area age must be placed and a Fuel Storage Area age must be placed and a Fuel Storage Area age age must be placed and a Fuel Storage Area age	nder WL 1BR-Inier. nce with Act or and the Raw Wast. The Drummer and (Photo 7), 5 Hose and Area 10. The Barrel nce with Act or very well run and was 7. There Photo of such Inspector's Name Baba Peder Signature Signature Signed Orig Date 27 July 2018	r Licence ater Flow ed Fuel S The Inc with NO Processi r Licence and mee e was NO must be esen inal on	and LUP N2017U0 Meter (Photo 2), 2 torage Area (Photo 6), 2 SIGNAGE (Photo 14). Active Marca (Photo 14). SIGNAGE indicating emailed to the Inspection of	tion Required The Grey/Bla 5), 4. The Lab 6. The Double 0), 8. Borrow tion Required ms and Condit g where the R	ck Water els on Walled Area 15
SECTION 1 I Inspected CIRNAC's CA 2018. I was accompanie SECTION 2 I saw 1. The Sea Can wit Pump/Mulcher (Photo 3 the Drummed Fuel (Photo Fuel Tank and Camp Ger (Photos 11 & 12), 9. The SECTION 3 This was a very easy Inspect the Water Intake Area was. complete. Licensee or Representative Signature Office Use Only: Follow-up cc. CIRNAC	M-C Mated by Ber Comme h the Ray 3) and the to 6) and nerator (Land Fa Comme pection, and the I Appropri	theson Poon Lefebyre ents w Water See Sewage of the Signal Photo 9), rm Treatments the entire Land Use riate Signal Photo	Non-Complian Storage Tanks (Photo 1) an Lagoon/Sump (Photo 4), 3 age at the Fuel Storage Are 7. The Raw Water Intake F ment Area (Photo 13) and 3 Camp and Operation are Permit. The only exception age must be placed and a F	nder WL 1BR-Inier. nce with Act or and the Raw Wast. The Drummer and (Photo 7), 5 Hose and Area 10. The Barrel nce with Act or very well run and was 7. There Photo of such Inspector's Name Baba Peder Signature Signature Signed Orig Date 27 July 2018	r Licence ater Flow ed Fuel S The Inc with NO Processi r Licence and mee e was NO must be esen inal on	and LUP N2017U0 Meter (Photo 2), 2 torage Area (Photo 6), 2 SIGNAGE (Photo 14). Active Marca (Photo 14). SIGNAGE indicating emailed to the Inspection of	tion Required The Grey/Bla 5), 4. The Lab 6. The Double 0), 8. Borrow tion Required ms and Condit g where the R	ck Water els on Walled Area 15



PHOTO LOG















Description: Drummed Fuel Storage Area - Lined



Description: LUP # Affixed to Every Drum of Fuel- Very Nice













Description: Double Walled Fuel Tank and Camp Generator





Description: Raw Water Intake Hose at Water Lake – NO SIGNAGE











Photo Log # DSC03204 Photo 14



Description: Barrel Processing Area – Lined and Bermed

