



NWB Tools

Ida Porter <ida.porter@nwb-oen.ca>

Surface Water Monitoring Plan - Part K, Item 2 Requirement of Water Licence No. 1BR-NIR1419

Sonia Aredes <sonia.aredes@nwb-oen.ca>
To: Licensing Department <licensing@nwb-oen.ca>

Mon, Jan 4, 2016 at 1:31 PM

Hi

Please, send the Surface Water Monitoring Plan to reviewer for comments, as per requirement under Part K, Item 2 of Water Licence No. 1BR-NIR1419.

Cheers

Sonia

----- Forwarded message -----

From: **Ida Porter** <ida.porter@nwb-oen.ca>

Date: Tue, Dec 15, 2015 at 12:56 PM

Subject: Fwd: Surface Water Monitoring Plan - Part K, Item 2 Requirement of Water Licence No. 1BR-NIR1419

To: Licensing Department <licensing@nwb-oen.ca>, Sonia Aredes <sonia.aredes@nwb-oen.ca>

Complete Central Mail log Ftp -Filed to Tech Monitoring Folder K2 SWMP

Pass to AC to file in Green Folder



Ida Porter- <IDC >IDC

Licence Administrator- Administratrice des permis

ᑕᐱᑦᑕᐱᑦ ᐱᐅᑕᑦᑕᐱᑦ - Laisaligniqmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᑕᐱᑦᑕᐱᑦ ᐱᐅᑕᑦᑕᐱᑦ ᑕᐱᑦᑕᐱᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

ᑕᐱᑦᑕᐱᑦ 119
ᐱᐅᑕᑦᑕᐱᑦ, ᑕᐱᑦᑕᐱᑦ X0B 1J0

Titigagaqvia 119
Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᐱᐅᑕᑦᑕᐱᑦ / Hivayaula: (867) 360-6338 | Fax / Télécopieur / ᐱᐅᑕᑦᑕᐱᑦ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᐅᑕᑦᑕᐱᑦ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

----- Forwarded message -----

From: **Dele Morakinyo** <Dele.Morakinyo@aandc-aadnc.gc.ca>

Date: Mon, Dec 14, 2015 at 10:07 AM

Subject: RE: Surface Water Monitoring Plan - Part K, Item 2 Requirement of Water Licence No. 1BR-NIR1419

To: licensing@nwb-oen.ca

Dear Ms Beaulieu,

In response to the AANDC Water Resources letter, dated and sent to your office on September 24, 2015, please find attached to this mail, the **Surface Water Monitoring Plan** for Nottingham Island. This plan fulfils Part K, Item 2 Requirement of Water Licence No. 1BR-NIR1419 issued for the remediation of the Nottingham Island Former

weather/radio station site.

Please distribute the plan as you consider appropriate.

In case you require additional details, please do not hesitate to get back to me.

Best regards

Dele Morakinyo, PhD., P.Eng., PMP
Project Manager, Contaminated Sites Program (NRO);
Department of Aboriginal Affairs and Northern Development Canada (AANDC),
Government of Canada

25 Eddy Street, 10th floorGatineau, Quebec K1A 0H4
Tel: (819) 934 9224; Cell: (867) 222 1908;
Fax: (819) 934 9229



**IQALUIT-#1009019-v1-NOTTINGHAM_ISLAND_(WL_#__1BR-NIR1419)_-SURFACE_WATER_
MONITORING_PLAN_(SWMP)_PDF**

547K