From:	Melissa Joy
To:	Nunatta Environmental
Cc:	Phyllis Beaulieu
Subject:	Fwd: Nunatta Environmental wishes to discharge water into environment (1BR-NUN)
Date:	Thursday, May 24, 2012 12:53:50 PM
Attachments:	1220208_FINAL_23 May 12 1655.PDF 1220208_FINAL_REGS_23 May 12 1655.xls

---

Hi Jim,

Notice has been received; I have no issues with discharge from the green and black tanks based on your results.

Melissa

Melissa Joy, B. Env Sc.
Water Resource Officer
Aboriginal Affairs & Northern Development Canada
P.O. Box 100, Iqaluit, NU, X0A 0H0
PH: (867) 975-4288
FAX: (867) 979-6445
email: melissa.joy@aandc.gc.ca

This transmission is confidential. Any unauthorized disclosure, distribution, or other use is strictly prohibited. If you have received this message in error, please contact sender immediately and delete this transmission and any attachments.
>>> Nunatta Environmental <nunatta@northwestel.net> 5/24/2012 8:49 AM >>>

Good Morning Melissa

Here are the results of the water samples I took for the tanks and the bulk water in cell #4. If you use the Excel copy and enable macro's then click on the yellow bar you will see a drop down arrow to the right. Click on this and select the standards you wish to use and it will highlight any problem values.
The values are in PPB not PPM.
It appears even the water in cell 4 can be discharged.....? correct as it is below CCME for fresh water aquatic.
I do not at this time plan to discharge cell 4. Instead I would like to discharge the black tank, the green tanks then I will fill them from cell #4.
I am worried this year might be dry and we will be needing water to keep soil moist.
I do have too much on hand and should I decide to pump off will notify you of this decision in advance of doing so.

I am asking permission to discharge the water from black and green tanks

Thank you

JIM

Your sample results are included in the attached certified report.

In an effort to improve efficiency and reduce waste, this electronic final report will not be followed by a mailed hard copy report. An electronic invoice will also follow by email to your attention unless an alternate address has been previously provided.

If you are experiencing any difficulties with our electronic reports, or have any other comments or questions about us going paperless, please let us know now so that we can resolve any issues.

Thank you for using Paracel.

**

Mark Foto

Lab Manager, Environmental

2319 St.Laurent Blvd., Suite 300

Ottawa, Ontario, K1G 4J8

p: (613) 731-9577

t: 1-800-749-1947

mfoto@paracellabs.com <mailto:%20mfoto@paracellabs.com>

www.paracellabs.com <http://www.paracellabs.com/>

//

/Check Out the Latest News from Paracel!/

*/Ask us about Element Web!
<http://www.paracellabs.com/about/news/2012/04/26/53>/*

*/Paracel's Ottawa East Location is Now Open Saturdays
<http://www.paracellabs.com/about/news/2012/04/25/52>/*

//

Information contained in this email and any of its attachments is confidential and intended solely for the use of the individual(s) or entity that it is addressed or otherwise directed to. If you are not the intended recipient, you are hereby notified that any dissemination, distribution, copying or other use of the information is strictly prohibited. If you have received this communication in error, please notify the sender by reply email and delete the message