



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᑭᓪ ᐃᓕᓕᓂᓪᓴᓪ ᑲᑎᓕᓂᓪᓴᓪ
NUNAVUT IMALIRIYIN KATIMAYINGI
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT

File No: 1BR-PEE----

March 29, 2011

Ms. Natalie Plato
Director, Contaminated Sites
Indian and Northern Affairs Canada
PO Box 2200
Iqaluit, NU X0A OHO
E-mail: Natalie.Plato@inac-ainc.gc.ca

Subject: Indian and Northern Affairs Canada – Cape Peel Project – New – Type “B”

Dear Ms. Plato:

The Nunavut Water Board (“NWB”) acknowledges receipt, on March 23, 2011, of *Site Specific Health and Safety Plan* (Plan) as additional information. The Plan consists of the following:

- **Appendix A: Hazardous Materials Audit**
- **Appendix B: Fire Safety Plan**
- **Appendix C: Medical Emergency Response**
- **Appendix D: Use and Maintenance of an AED**
- **Appendix E: Wildlife Response Plan**
- **Appendix F: Spill Contingency Plan/Grey Water and Effluent**
- **Appendix G: Land Use Permit (When Available)**
- **Appendix H: Water License (When Available)**
- **Appendix I: Safe Work Practice for Asbestos Abatement**

This additional information can be obtained from our ftp site, Username: **public**, Password: **registry**.

Due to this new additional information received on this file, the NWB is extending the review period. Please provide comments prior to April 12, 2011. Subject to Sections 12.10.2 and 13.5.5 of the NLCA, where a review is required pursuant to Article 12, the NWB shall not approve any water application that forms part of that review until Article 12 has been complied with.

Sincerely,

Original Signed By:

Richard Dwyer
Licensing Administrator

Cc: Distribution List – Kitikmeot