



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

1BR-PEL1016 Renewal Application: Clarification

Karén Kharatyan <karen.kharatyan@nwb-oen.ca>
To: Licensing Department <licensing@nwb-oen.ca>

Fri, May 18, 2018 at 10:31 AM

FYI



Karén Kharatyan, Ph. D- ԵՂԶ ԵՏՈՂԶ

Director Technical Services - Directeur des services technique ལྷ་ཁྱེད་ཀྱི་

A^bd^ce^fg^hi^jk^lmⁿo^p- Hiyuliqti Piluagnaqtulinut

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᑭᓪ ᐃᒐᓕᓴᓯᓪ ᑲᑎᒐᓯᓪ- NUNAVUT IMALIRIYIN

KATIMAYINGI

P.O. Box 119
Gjøa Haven, NU X0B 1J0

C.P. 119
Gioa Haven, NU X0B 1J0

በበና ምር ልዲ
ጋ ምር ምር ልዲ X0B 1J0

Titigaqavua 119
Uqhuqtuq, NU, X0B 1J0

Tel / Téléphone / ᐅᐅᐅᐅᐅᐅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅᐅᐅᐅ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓯᑦᔭᓴᓂᕈᓄᓐ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(s) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courriel électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

----- Forwarded message -----

From: <Laura.D'Costa@forces.gc.ca>

Date: Fri, May 18, 2018 at 10:07 AM

Subject: RE: 1BR-PEL1016 Renewal Application: Clarification

To: slines@tlaconsultants.ca

Cc: ktunaley@tlaconsultants.ca, ALISON.STREET@forces.gc.ca, karen.kharatyan@nwb-oen.ca

Hello Mr. Lines,

Thank you for the call as well.

As part of our discussion I am asking our Environmental Working Group to provide a technical summary with more details regarding why they disagree with the Consultant's conclusions/recommendations in the 2016 CAM-4 Monitoring Report. I am doing this under contract through a change order (multiple steps involved with the Contract Authority), and at the moment the earliest possible date that the EWG have told me they can get this to me as a draft is June 22, 2018. I have also discussed this with our Consultant Arcadis, and will give them an opportunity to respond (which may also require a contract amendment – tbd).

With this in mind I don't anticipate having this sorted until the end of July/early August. At this point in time, based on the EWG's review we had not intended on returning to CAM-4 this year; however I can plan for a return to CAM-4 in 2019 if it is deemed to be technically necessary.

I will work on a summary of key issues and recommendations that I can also provide. This cannot be fully completed until the difference in technical opinion is sorted on the 2016 monitoring program between the EWG and the Consultant. I will add it in to the summary as soon as solved, and will send you the complete summary as soon as possible.

Sincerely, Laura

From: Steve Lines [mailto:slines@tlaconsultants.ca]
Sent: April-17-18 11:00 AM
To: D'Costa LN@ADM(IE) DCLSPD@Ottawa-Hull <Laura.D'Costa@forces.gc.ca>
Cc: ktunaley@tlaconsultants.ca; Street AM@ADM(IE) DCLSPD@Ottawa-Hull <ALISON.STREET@forces.gc.ca>
Subject: Re: 1BR-PEL1016 Renewal Application: Clarification

Hi Laura

Thank you for the call yesterday to discuss CAM-4.

I advised Karen that you plan to double check with INAC if there are any inspection reports outstanding and that you will respond to his email below to indicate a timeframe for providing the information we discussed (summary of key issues encountered at CAM4 and recommendations made by the site contractors during phase I and initial phase II monitoring based on the reports and how those were addressed with some additional discussion for each).

If you have any questions please let me know and we can have another call.

Regards

Steve

Sent from my iPhone

On Apr 16, 2018, at 11:24 AM, <Laura.D'Costa@forces.gc.ca> <Laura.D'Costa@forces.gc.ca> wrote:

Hello Mr. Lines,

We are available today at your convenience anytime between 12:00 and 16:00 EST. Please advise of the best timing for you. I will book a boardroom on my end and can either call you (please provide a number) or provide teleconference details. Please advise,

Sincerely, Laura

From: TLA Consultants [<mailto:slines@tlaconsultants.ca>]
Sent: April-15-18 11:13 PM
To: D'Costa LN@ADM(IE) DCLSPD@Ottawa-Hull <Laura.D'Costa@forces.gc.ca>
Cc: 'Karlette Tunaley' <ktunaley@tlaconsultants.ca>
Subject: FW: 1BR-PEL1016 Renewal Application: Clarification

Hi Laura,

I'm working on behalf of the NWB during a transition period as they bring on new staff. Your CAM-4 renewal application has been assigned to me to process and I'd like to set up a call with you to obtain some clarification on the file background.

I'm available at 1200 or 1700 Monday (tomorrow), or 0930 Tuesday. Shouldn't take more than about 30 minutes.

Thank you,

Steve

Stephen Lines M.Sc.

TUNALEY, LINES & ASSOCIATES

Environment, Regulatory and Community

From: ktunaley@tlaconsultants.ca [<mailto:ktunaley@tlaconsultants.ca>]
Sent: April 3, 2018 9:32 PM
To: slines@tlaconsultants.ca
Subject: FW: 1BR-PEL1016 Renewal Application: Clarification

From: Laura.D'Costa@forces.gc.ca [<mailto:Laura.D'Costa@forces.gc.ca>]

[Quoted text hidden]

[Quoted text hidden]

Sincerely, Laura

Laura D'Costa, P.Eng., M.Sc.

Senior Project Manager, Directorate of Contaminated Sites

Department of National Defence / Government of Canada

Laura.DCosta@forces.gc.ca / Office: 613-943-7852 / Mobile: 613-898-2686

Gestionnaire principale de projets, Direction des sites contaminés

Ministère de la Défense nationale / Gouvernement du Canada

Laura.DCosta@forces.gc.ca / Bureau: 613-943-7852 / Portable: 613-898-2686

From: Karén Kharatyan [<mailto:karen.kharatyan@nwb-oen.ca>]

Sent: March-29-18 1:43 PM

To: D'Costa LN@ADM(IE) DCLSPD@Ottawa-Hull <Laura.D'Costa@forces.gc.ca>

Cc: Street AM@ADM(IE) DCLSPD@Ottawa-Hull <ALISON.STREET@forces.gc.ca>; Karlette Tunaley <ktunaley@tlaconsultants.ca>; Licensing Department <licensing@nwb-oen.ca>

Subject: 1BR-PEL1016 Renewal Application: Clarification

Dear Ms. D'Costa,

Please find attached the NWB Correspondence regarding the renewal application for water licence 1BR-PEL1016.

Regards,

<image001.jpg>