



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪᓴ ᐃᓕᓕᓂᓪᓴ ᑲᑎᓚᓪᓴᓯ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI

NWB File No: NWB5CAM

March 23, 2001

Ms. Eva Schulz, P.Ag.
Environmental Scientist
UMA Engineering Ltd.
2540 Kensington Road NW
Calgary, AB T2N 3S3

Re: Application Acknowledgement and Request for Distribution of the application for CAM-4
DEW Line Site

Dear Ms. Schulz:

The Nunavut Water Board acknowledges receipt on March 22, 2001 of three copies of a 3-inch binder titled "Water Use License Application for the Clean Up of the Cam-4, Pelly Bay Dew Line Site. Among other things, the binder includes the following specific licence documents:

- cover letter dated March 5, 2001
- summary in both English and Inuktitut
- application form
- supplementary questionnaire
- application fee

Receipt C116804 is attached for your records.

This project is subject to screening by the Nunavut Impact Review Board (NIRB) and has been sent for their determination as to whether they require further review, or if it can be processed by the Nunavut Water Board. We are waiting to hear back from NIRB (due to the fact that they may already be screening/reviewing this project with regards to the land-use permits) prior to setting a deadline for submissions with regards to this application. Once we hear back from NIRB, I will be sending your instructions and information about our requirement to post a notice of the application.

-2-

In the meantime, I would like to request that you distribute the application package directly to our attached distribution list in order to speed up the distribution process. Please send verification to our office of whom the package has been sent to. Thank you.

Sincerely,

Rita Becker
Licensing Administrator

Enclosure: (distribution list)

cc. Greg Cook, DIAND
Paul Smith, DIAND
Paula Pacholek, EC
Gladys Joudrey, NIRB
Chris Nichols, DSD