



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪᓃ ᐃᓕᓕᓂᓪᓃ ᑲᓂᓕᓂᓪᓃ
NUNAVUT IMALIRIYIN KATIMAYINGI
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT

File No: 1BR-PEL0510

June 1, 2010

Eva Schulz
AECOM
2540 Kensington Road NW
Calgary, Alberta T2N 3S3
E-mail: Eva.Schulz@aecom.com

Subject: Defence Construction Canada – Pelly Bay Dew Line Site – Renewal – Type “B”

Dear Ms. Schulz:

The Nunavut Water Board (“NWB”) acknowledges receipt, on April 27, 2010, of a new application for a Type “B” water license for water use and waste disposal associated with activities in the Kitikmeot region of Nunavut. The application consists of the following documents:

- Water Licence Application received April 27, 2010
- Inuktitut Summary received April 27, 2010
- As built for the Tier II Soil Disposal Facility and Non-Hazardous Waste Landfill received May 31, 2010
- Updated Spill Plan received May 31, 2010

The application can be obtained from our ftp site under PRUC with Username: public, Password: registry.

The NWB undertook a preliminary review of your application and concluded that it meets the requirements of section 48(1) of the *Nunavut Waters and Nunavut Surface Rights Tribunal Act* (“Act”). However, the NWB retains the right to request additional information and studies pursuant to sections 48(2) of the Act or to issue guidelines for the provision of information pursuant to section 48(3) of the Act. A NWB Technical Advisor may be in touch with you to clarify any technical details related to your application.

In accordance with S.11.5.10 of the *Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada* (“NLCA”), prior to the application being fully processed by the NWB the project proposal shall be reviewed by the Nunavut Planning Commission (“NPC”), to determine whether the project proposal is in conformity with an approved land use plan. By copy of this letter, the NWB requests the NPC provide its determination and recommendations to the NWB pursuant to Sections 13.4.2 through 13.4.5 of the NLCA, or written confirmation that the

project proposal falls outside the boundaries of an approved land use plan. Also, by copy of this letter to the Nunavut Impact Review Board (“NIRB”), the NWB requests that if the project proposal requires screening, the NIRB provide the NWB with a determination pursuant to Section 13.5.1 of the NLCA. If the project is exempt from screening pursuant to Schedule 12-1 of the NLCA, the NWB requests written confirmation from the NIRB that the project proposal is in fact exempt from screening.

To ensure this application is dealt with in a timely fashion, the NWB forwards notice of all documentation to regulators and council of the municipality(ies) most affected by the project, inviting interested parties to make representation directly to the NWB *within 30 days from the date of this letter.* The NWB may provide additional procedural instructions once the application has been reviewed by interested parties.

Subject to Sections 12.10.2 and 13.5.5 of the NLCA, where a review is required pursuant to Article 12, the NWB shall not approve any water application that forms part of that review until Article 12 has been complied with.

Sincerely,

Original signed by:

Richard Dwyer
Licensing Administrator

Enclosure: Notice of Application

Cc: NPC Conformity
NIRB
Distribution List – Kitikmeot