

Defence Construction Canada

The Collection of Landfill Monitoring Data at the CAM-4 Kugaaruk Site – 2008 DRAFT Report

Prepared by:

Gartner Lee Limited doing business as AECOM

300 – 300 Town Centre Boulevard, Markham, ON, Canada L3R 5Z6
T 905.477.8400 F 905.477.1456 www.aecom.com

In association with:

Kitnuna Projects Inc.

Date:

October, 2008

Statement of Qualifications and Limitations

© 2008 GARTNER LEE LIMITED ALL RIGHTS RESERVED THIS DOCUMENT IS PROTECTED BY COPYRIGHT AND TRADE SECRET LAW AND MAY NOT BE REPRODUCED IN ANY MANNER, OR FOR ANY PURPOSE, EXCEPT BY WRITTEN PERMISSION OF GARTNER LEE LIMITED."

The attached Report (the "Report") has been prepared by Gartner Lee Limited doing business as AECOM ("AECOM") for the benefit of Defence Construction Canada ("Client") in accordance with the agreement between AECOM and Client (the "Agreement").

The information, data, recommendations and conclusions contained in the Report:

- are subject to the budgetary, time and other constraints and limitations in the Agreement and the qualifications contained in the Report (the "Limitations")
- represent AECOM's professional judgement in light of the Limitations and industry standards for the preparation of similar reports
- may be based on information provided to AECOM which has not been independently verified
- have not been updated
- must be read as a whole and sections thereof should not be read out of such context
- were prepared for the specific purposes described in the Report and the Agreement and must not be used for any other purpose whatsoever

Unless expressly stated to the contrary in the Report or the Agreement, AECOM:

- shall not be responsible for any events or circumstances that may have occurred since the date on which the Report was prepared or for any inaccuracies contained in information that was provided to AECOM
- makes no guarantees or warranties whatsoever, whether express or implied, with respect to the Report or any part thereof, other than that the Report represents AECOM's professional judgement as described above
- shall not be deemed to have represented that the Report or any part thereof is exhaustive or applicable to any specific use other than that described in the Report and the Agreement

Except as required by law or otherwise agreed by AECOM and Client, the Report:

- is to be treated as confidential
- may not be used or relied upon by third parties

Except as described above, AECOM denies any liability in respect of the Report or parts thereof and shall not be responsible for any damages arising from use of the Report or parts thereof.

This Disclaimer is attached to and forms part of the Report.

AECOM

2 – 512 Woolwich Street, Guelph, ON, Canada N1H 3X7
T 519.763.7783 F 519.763.1668 www.aecom.com

October 16, 2008

Project Number: 80-297-4

draft for discussion

Ms. Janis Hamacher
Contract Coordinator
Defence Construction Canada
Constitution Square, Suite 1720
350 Albert Street
Ottawa, ON K1A 0K3

Dear Ms. Hamacher:

Re: DRAFT Report for the 2008 Collection of Landfill Monitoring Data at the CAM-4 Dew Line Site, Kugaaruk, Nunavut

Gartner Lee Limited is pleased to submit two hard copies of the 2008 Draft Report on collection of Landfill Monitoring Data at the CAM-4 DEW Line Site at Kugaaruk (formerly Pelly Bay), Nunavut. This report documents the data collected from the site visit to the CAM-4 Site between August 14 and 17, 2008. In addition to the hard copy reports, also attached is one digital data disc to the report which contains:

- a) all numeric data files including analytical results, thermistor data and associated graphs, submitted in MS Excel 2003;
- b) all text files submitted in MS Word 2003;
- c) all Drawings submitted in AutoCAD Version 2008;
- d) all photographic records of the soil samples collected at each landfill. These have been provided as an attachment to the main report and include an index of the photo numbers and the locations;
- e) all photographic records of the condition of the thermistor casings and dataloggers, along with maintenance report forms;
- f) all photographic records of the condition of the monitoring wells. These have been provided as attachments to the main report and include an index of the photo numbers and the locations; and,
- g) all field notes have been attached to each specific landfill investigation report.

The digital information contained on the CD/DVD disc has also been uploaded to the DCC FTP server.

Visual inspections were completed at the following landfills: Station Area Non-hazardous Waste Landfill, DCC Tier II Soil Disposal Facility, Upper Site Landfill, Lower Site Non-hazardous Waste Landfill, and the Lower Site Landfill. The CAM-4 landfills all appear to be in stable physical condition and overall landfill performance is rated as "acceptable". No erosion or issues of concern requiring immediate attention were identified. The observed conditions are documented in the attached appendices and photographs.

Soil samples were collected at two depths from test pits at the following landfills: DCC Tier II Soil Disposal Facility, Upper Site Landfill, and the Lower Site Landfill. Sample results are located within each specific landfill report. DCC should compare the laboratory results to their internal DEW Line Site Guidelines to confirm whether the analytical results are in compliance.

Fourteen of the fifteen monitoring wells monitored in 2008 contained sufficient water to collect a sample for analysis. Monitor MW-10 (Upper Site Landfill) was dry, thus no sample was collected at that location. Sample results are located within each specific landfill report. DCC should compare the laboratory results to their internal DEW Line Site Guidelines to confirm whether the analytical results are in compliance.

All thermistors were downloaded successfully. Data loggers were reset in accordance with the instructions provided by other consultants representing DCC.

If you have any questions or comments concerning this report, please do not hesitate to call me.

Sincerely,

Gartner Lee Limited doing business as AECOM

Darrin C. Johnson, M.Sc., P.Eng.
Geotechnical Engineer

DCJ:mm
Encl.

Signature Page

Report Prepared By:	Report Prepared By:
Darrin Johnson, P.Eng. Senior Geotechnical Engineer	Ken Boldt, E.I.T. Environmental Engineer-in-Training

Report Prepared By:	Report Reviewed By:
Timothy Boc, B.E.S. Environmental Technician	Jim Theriault, P.Eng. Senior Geological Engineer

Table of Contents

1. Introduction	1
2. Background	1
2.1 Project Objectives	5
2.2 2008 Monitoring Event	5
3. Landfill Monitoring	6
4. Quality Assurance/Quality Control.....	7
5. Conclusions	8
6. Limitations	8

List of Figures

Figure 2-1 DEW Line Clean Up Monitoring Plan – CAM-4 Kugaaruk, Nu	2
Figure 2-2 Upper Site Layout.....	3
Figure 2-3 Lower Site Layout.....	4
Figure A-1 Station Area Non-hazardous Waste Landfill	App A
Figure B-1 DCC Tier II Soil Disposal Facility.....	App B
Figure C-1 Upper Site Landfill	App C
Figure D-1 Lower Site Non-hazardous Waste Landfill	App D
Figure E-1 Lower Site Landfill	App E

List of Tables

Table 1. Summary of Landfill Monitoring Requirements for 2008	5
Table 2. Blind Duplicates	7
Table B-1 Summary of 2008 Soil Analysis – Tier II	App B
Table B-2 Summary of 2008 Groundwater Analysis – Tier II.....	App B
Table C-1 Summary of 2008 Soil Analysis – Upper Site Landfill	App C
Table C-2 Summary of 2008 Groundwater Analysis – Upper Site Landfill	App C
Table E-1 Summary of 2008 Soil Analysis – Lower Site Landfill	App E
Table E-2 Summary of 2008 Groundwater Analysis – Lower Site Landfill	App E

List of Graphs

Graph B-1	Ground Temperature Profile – VT-5	App B6
Graph B-2	Ground Temperature Profile – VT-6	App B6
Graph B-3	Ground Temperature Profile – VT-7	App B6
Graph B-4	Ground Temperature Profile – VT-8	App B6
Graph C-1	Ground Temperature Profile – VT-1	App C6
Graph C-2	Ground Temperature Profile – VT-2	App C6
Graph C-3	Ground Temperature Profile – VT-3	App C6
Graph C-4	Ground Temperature Profile – VT-4	App C6
Graph E-1	Ground Temperature Profile – VT-9	App E6
Graph E-2	Ground Temperature Profile – VT-10	App E6
Graph E-3	Ground Temperature Profile – VT-11	App E6
Graph E-4	Ground Temperature Profile – VT-12	App E6

Appendices

- A. Station Area Non-hazardous Landfill
- B. DCC Tier II Soil Disposal Facility
- C. Upper Site Landfill
- D. Lower Site Non-hazardous Waste Landfill
- E. Lower Site Landfill
- F. Laboratory Reports
- G. Quality Assurance/Quality Control

1. Introduction

The Department of National Defence (DND) in co-operation with Nunavut Tunngavik Incorporated (NTI) has developed a Landfill Monitoring Plan to address post closure monitoring requirements for the landfills at the DEW Line sites. Defence Construction Canada (DCC) is managing the clean-up monitoring programs on behalf of DND. Kitnuna Projects Inc. (Kitnuna) and Gartner Lee Limited (GLL), in a joint venture, were awarded the contract for the purposes of providing services for the collection of landfill monitoring data at the CAM-4 Kugaaruk (formerly Pelly Bay) Site in the Nunavut Settlement Area for 2008. This report will provide the procedures and the results for interpretation on the monitoring completed in 2008.

2. Background


The CAM-4 Kugaaruk DEW Line site is located on the Simpson Peninsula at 68° 27' north latitude and 89° 45' west longitude, and is approximately 340 kilometres southwest of the community of Hall Beach, and 640 kilometres east of Cambridge Bay. The station is located inland about 14 kilometres southeast of the community of Kugaaruk (formerly Pelly Bay).

CAM-4 was converted to a Short Range Radar (SRR) site in the early 1990s. The environmental cleanup and demolition of facilities not required for the operation of the SRR site commenced in 2001 and was completed in 2006. The cleanup included the closure and remediation of four existing landfills as well as the construction of two landfills for the disposal of non-hazardous wastes generated from demolition, and collection of site debris, at the upper and lower sites. Additionally, a DCC Tier II soil disposal facility was constructed at this site. A total of 5 landfills exist at the CAM-4 site today:

- Upper Site Landfill
- Lower Site Landfill
- Lower Site Non-Hazardous Waste Landfill
- Station Area Non-Hazardous Waste Landfill
- DCC Tier II Soil Disposal Facility

The locations of the various landfills are shown on Figure 2-1. Access to the landfills was gained through on-site roads. The baseline monitoring of the landfills commenced in 2007. 2008 was the first year of monitoring by external consultant.

Date Plotted: October 16, 2006 Path: N:\Projects\2008\60297\2008\WorkInProgress\Drawings\Interpretation\CAD\CAM-4\C4-RD01.dwg



- Legend**
- CM1 SURVEY CONTROL MONUMENT
 - BM-2 PERMANENT BENCHMARK LOCATION

Map Sources / Notes:
Source drawing from UMA; C4-RD01.dwg



1 : 20,000

UTM Zone 16W, NAD83

File Name: C4-RD01.dwg
Reviewed by: DCJ
Date Issued: October, 2008
Prepared by: KAB
Project Number: 80-297


Defence Construction Canada

2008 CAM-4 DEW Line Monitoring Program
CAM-4 Kugaaruk
Nunavut Territory

**Dew Line Clean Up
Monitoring Plan**

AECOM

Figure 2-1
Version 1



Legend

CM20



TEMPORARY BENCHMARK

BM-1



PERMANENT BENCHMARK



THERMISTOR LOCATION



MONITORING SOIL SAMPLE LOCATION



MONITORING WELL LOCATION

RECORD DRAWING
NOT FOR CONSTRUCTION

Map Sources / Notes:

Source drawing from UMA: C4-RD01A.dwg



1 : 2500

UTM Zone 16W, NAD83

File Name: C4-RD01A.dwg
Reviewed by: DCJ
Date Issued: October, 2008

Prepared by: KAB
Project Number: 80-297


Defence Construction Canada

2008 CAM-4 DEW Line Monitoring Program
CAM-4 Kugaaruk
Nunavut Territory

Upper Site Layout

AECOM


Figure 2-2
Version 1



- Legend**
- CM20 TEMPORARY BENCHMARK
 - BM-1 PERMANENT BENCHMARK
 - THERMISTOR LOCATION
 - MONITORING WELL LOCATION

RECORD DRAWING
NOT FOR CONSTRUCTION

Map Sources / Notes:
Source drawing from UMA: C4-RD01B.dwg


0 5 10 20 30 40 50 m
1 : 1250
UTM Zone 16W, NAD83

File Name:	C4-RD01B.dwg	Prepared by:	KAB
Reviewed by:	DCJ	Project Number:	80-297
Date Issued:	October, 2008		

Defence Construction Canada
2008 CAM-4 DEW Line Monitoring Program
CAM-4 Kugaaruk
Nunavut Territory

Lower Site Layout




Figure 2-3
Version 1

2.1 Project Objectives

The objective of the landfill monitoring program is to collect sufficient information to assess the performance of the landfill from a geotechnical and environmental perspective. The Landfill Monitoring Plan specified the requirements for the visual inspection as well as the chemical and thermal monitoring of the landfills. The long term monitoring plan consists of visual monitoring for signs of settlement, erosion and/or slope instability, collection of soil and groundwater samples to evaluate the effectiveness of the leachate containment systems, and monitoring of the sub-surface ground temperatures along the toe of and within the main body of specific landfills.

2.2 2008 Monitoring Event

Between August 14 and 17, 2008 field data collection was conducted at the CAM-4 DEW Line site. The monitoring event consisted of visual inspections of all landfill locations, as well as soil and groundwater sampling, and thermal monitoring. The landfill monitoring requirements as outlined in the Terms of Reference (TOR) are displayed in Table 1 below.

Table 1. Summary of Landfill Monitoring Requirements for 2008

Landfill Designation	Visual Inspection	Soil Sampling	Groundwater Sampling	Thermal Monitoring
YEAR 2008				
CAM-4 Kugaaruk (Pelly Bay)				
Station Area Non-Hazardous Waste Landfill	✓			
DCC Tier II Disposal Facility	✓	✓	✓	✓
Upper Site Landfill	✓	✓	✓	✓
Lower Site Non-Hazardous Waste Landfill	✓			
Lower Site Landfill	✓	✓	✓	✓

At each of the landfill locations, a field inspection was conducted to observe whether there were any visual signs of impact (such as seepage or stressed vegetation caused by the landfill) and for physical stability. Photographic records were taken to show the condition of the landfill and any area of concern that was observed. The observations and the photographic record for each of the landfills are discussed individually in the landfill reports presented in Appendices A through E.

Soil sampling was conducted at the Upper Site Landfill, the DCC Tier II Soil Disposal Facility, and the Lower Site Landfill for 2008. Generally, soil samples were collected at depths of approximately 0.10 m to 0.15 m and approximately 0.25 m to 0.50 m although there were some variations in sample depths dependent on the ground conditions. The soil samples were analyzed for Polychlorinated Biphenyls (PCBs) analyzed for Total Aroclors, Total Petroleum Hydrocarbons (TPHs) as defined by the Canadian Council of Ministers of the Environment (CCME) Canada Wide Standards (CWS) Fraction 1 to Fraction 3 and inorganic elements analyzed for total metals using low level detection limits. The analytical results for each sampled landfill are discussed individually in the landfill reports presented in Appendices B, C and E.

Where possible, groundwater elevations were measured using an interface meter at each observation well at the Upper Site Landfill, the DCC Tier II Soil Disposal Facility, and the Lower Site Landfill. The monitoring conditions and field measurements were documented and collected at each monitoring well. The field measurements included the following: presence and thickness of free product (if present), depth to bottom of well, stick up height and visual condition of the observation well. Prior to sampling, wells were purged to remove at least one well volume of water, and field chemistry was monitored using a flow-through cell and a digital probe for stability of the following parameters: Temperature, pH, conductivity, and turbidity. Following purging, groundwater samples were collected from observation wells that had sufficient water volumes to obtain samples. The groundwater samples were analyzed for PCBs, TPH, and inorganic elements. Both purging and collection of water samples were conducted using a peristaltic pump for low flow extraction with disposable tubing used for each well. Further discussion regarding the field measurements, the field chemistry and the analytical results are discussed in the landfill reports presented in Appendices B, C, and E. The well sampling records are appended to the relevant sections in Appendices B, C, and E.

Thermal Monitoring was conducted at the Upper Site Landfill, the DCC Tier II Soil Disposal Facility, and the Lower Site Landfill in 2008. The data was downloaded from the system using the Lakewoods Systems Ltd. Software *Prolog*. The information downloaded is further discussed in the individual landfill reports presented in Appendices B, C, and E.

3. Landfill Monitoring

As requested by DCC, Gartner Lee has presented the landfill monitoring reports as individual reports under the cover of this main report. The Landfill Monitoring Reports for each locality are presented in the appendices of this main report as follows:

Appendix A	Station Area Non-hazardous Waste Landfill;
Appendix B	DCC Tier II Soil Disposal Facility;
Appendix C	Upper Site Landfill;
Appendix D	Lower Site Non-hazardous Waste Landfill; and,
Appendix E	Lower Site Landfill.

All information collected that is relevant to these individual areas is presented in these sections or as attachments at the end of the respective appendices.

4. Quality Assurance/Quality Control

For the soil and groundwater samples collected, a blind duplicate was collected with a frequency of approximately one in ten samples collected. Tables used for the calculation of RSDs are located in Appendix G.

A total of three blind duplicate soil samples and two blind duplicate groundwater samples were collected for submission. All duplicate samples were submitted to both ALS Environmental and Cantest Ltd. for analysis. As well, duplicate soil samples were sent to the Environmental Services Group for archival purposes. The soil and water samples submitted and the corresponding sample locations are documented in Table 2.

Table 2. Blind Duplicates

Sample Identification	Duplicate of Sample	Sample Location	Depth (m)	Matrix (soil/water)	Landfill
BMW-30-40	BMW-3-40	BMW-3	0.40	Soil	Tier II
MW-140-A-30	MW-14-A-30	MW-14-A	0.30	Soil	Tier II
MW-200-35	MW-20-35	MW-20	0.35	Soil	Lower
MW-150	MW-15	MW-15	-	Water	Tier II
MW-200	MW-20	MW-20	-	Water	Lower

Each soil sample was analyzed for fourteen (14) parameters yielding a total of forty two (42) sets of numbers to be calculated for relative standard deviation (RSD). Of the 42 RSDs calculated, twenty four (24) returned a value of “n/a” due to one or more concentrations being below the detection limit. Seventeen (17) sets returned an acceptable RSD of below 20% for inorganics. It should be noted that one (1) set returned an RSD of 20% for copper. The duplicate soil sample collected at monitoring location BMW-3 at a depth of 0.40 meters returned an RSD value of 20% for copper although this does not exceed the acceptable RSD value of 20%.

Each groundwater sample was analyzed for 12 parameters yielding a total of twenty four (24) sets of numbers to be calculated for RSD. Of the 24 RSDs calculated, seventeen (17) returned a value of “n/a” due to one or more concentrations being below the detection limit. Four (4) sets returned acceptable RSD values of below 20% for inorganics and two (2) sets returned acceptable RSD values of below 30% for inorganics. One set returned an unacceptable RSD value of 31.5% for F2 (C10-C16).

The duplicate groundwater sample collected at MW-20 returned an RSD value of 31.5% for F2 (C10-C16). This exceedance can be attributed to non-laminar flow being discharged from the peristaltic pump into one or more sample containers, and/or portions of the composite sample not distributed equally into each sample container.

5. Conclusions

Based on the visual geotechnical inspection, there does not appear to be any indications of imminent cover instability or significant erosion at the landfills. All landfills at CAM-4 have been assigned an overall landfill performance rating of “acceptable”. Minor erosion rills on some landfill slopes at the Station Area Non-Hazardous Waste Landfill and Lower Site Landfill appear to be self-armouring. Minor seepage was observed from the lower half of some landfill slopes at the Station Area Non-Hazardous Waste Landfill, Lower Site Landfill, and Tier II Soil Disposal Facility. Minor orange staining was observed on the Station Area Non-Hazardous Waste Landfill northeast slope and at the northeast toe of the Tier II Soil Disposal Facility. No issues of concern requiring immediate attention were identified.

Soil samples were collected at all designated monitoring locations for the 2008 monitoring year. Two samples were collected, (one shallow and one deeper) at each monitoring location. Total Petroleum Hydrocarbon (TPH) concentrations were detected at four monitoring locations at the Tier II Disposal Facility (MW-8, MW-9, MW-15 and MW-16) and at two locations at the Upper Site Landfill (MW-11 and MW-13). These concentrations should be compared to the internal DCC Dew Line Cleanup standards as well as in the context of this monitoring program.

Groundwater samples were collected at all designated monitoring wells for the 2008 monitoring year, with the exception of MW-10, which was dry. The mid-August timing of the sampling event appears to have occurred during maximum thaw. TPH concentrations were detected at six monitoring wells at the Tier II Disposal Facility (MW-5, MW-8, MW-9, MW-14-A, MW-15 and MW-16) and at three monitoring wells at the Upper Site Landfill (MW-11, MW-12 and MW-13). Additionally, elevated chromium and lead concentrations were detected at MW-12. TPH concentrations were also detected at three monitoring wells at the Lower Site Landfill (MW-17, MW-19 and MW-20). These concentrations should be compared to the internal DCC Dew Line Cleanup standards as well as in the context of this monitoring program.

6. Limitations

This report has been prepared as an assessment of the environmental condition of the subject site located at near Kugaaruk (Pelly Bay), Nunavut. The monitoring and investigation programs as described in this report, were conducted in a manner consistent with that level of care and skill normally exercised by other members of the engineering and science professions currently practising under similar conditions, subject to the time limits and financial and physical constraints applicable to the services and in agreement with the Terms of Reference prepared by Defence Construction Canada.

Any use which a third party makes of this report, or any reliance on, or decisions to be made based on it, are the responsibility of such third parties. GLL accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on the information contained in this report.

The content of this report is based on information collected during our investigation, our present understanding of the site conditions, and our professional judgement in light of such information at the time of this report. This report provides a professional opinion and therefore no warranty is either expressed, implied, or made as to the conclusions, advice and recommendations offered in this report. This report does not provide a legal opinion regarding compliance with applicable laws. With respect to regulatory compliance issues, it should be noted that regulatory statutes and the interpretation of regulatory statutes are subject to change.

The findings and conclusions of this report are valid only as of the date of this report. If new information is discovered in future work, including excavations, borings, or other studies, GLL should be requested to re-evaluate the conclusions of this report, and to provide amendments as required.

If you should have any questions regarding this report, please contact the undersigned at your convenience.

Appendix A

Station Area Non-hazardous Waste Landfill

- A1 – Site Condition/Visual Inspection Records
- A2 – Geotechnical Inspection Photographic Records
- A3 – Field Notes

draft for discussion

A1. Station Area Non-hazardous Landfill

A1.1 Landfill Summary

The Station Area Non-Hazardous Waste Landfill is located on the Upper Site, approximately 500 m northeast of the main facilities area. The landfill contains non-hazardous wastes and debris generated and collected during clean up of the site. The landfill consists of perimeter berms and a cap of compacted granular fill. The location of the Station Area Non-Hazardous Waste Landfill is presented in Figure A-1.

For 2008, the monitoring requirements for the Station Area Non-Hazardous Waste Landfill included visual inspection only.

A1.2 Visual Monitoring

No significant erosion, settlement or indications of slope instability were observed at the Station Area Non-Hazardous Waste Landfill. Overall landfill performance is assessed as “acceptable”. Appendix A1 presents a summary of the 2008 visual inspection results.

Minor erosion gullies were observed on the east slope that appear to be self-armouring (Photo SNH-8 in Appendix A2). An area of minor seepage and orange staining was observed on the lower half of the northeast slope (Photos SNH-7A and 7B in Appendix A2). Some minor drainage was observed along the road at the south toe (Photo SNH-10 in Appendix A2). No issues of concern that require immediate attention were identified.


A1.3 Soil Sampling

Soil sampling was not scheduled for the 2008 monitoring year.

A1.4 Groundwater Sampling

Groundwater sampling was not scheduled for the 2008 monitoring year.


Date Plotted: October 16, 2006 Path: N:\Projects\2008\80297\2008\WorkInProgress\Data Interpretation\CAD\CAM-4\C4-RD02.dwg



- Legend**
- TBM4 □ TEMPORARY BENCHMARK
 - BM-1 ▲ PERMANENT BENCHMARK
 - 101→ COORDINATE POINT
 - ⊕ MONITORING WELL LOCATION
 - ① PHOTOGRAPH LOCATION

RECORD DRAWING
NOT FOR CONSTRUCTION

Map Sources / Notes:
Source drawing from UMA: C4-RD02.dwg



File Name:	C4-RD02.dwg	Prepared by:	KAB
Reviewed by:	DCJ	Project Number:	80-297
Date Issued:	October, 2008		

Defence Construction Canada
2008 CAM-4 DEW Line Monitoring Program
CAM-4 Kugaaruk
Nunavut Territory

**Station Area Non-Hazardous
Waste Landfill**

AECOM

Figure A-1
Version 1

A1 – Site Condition/Visual Inspection Records

Visual Inspection Checklist
Inspection Report – Page 1 of 2

SITE NAME:	CAM-4 - Pelly Bay
LANDFILL/AREA DESIGNATION:	Station Area Non-Hazardous Waste Landfill
DATE OF INSPECTION:	August 14, 2008
DATE OF PREVIOUS INSPECTION:	August 24 - 26, 2007
INSPECTED BY:	Darrin Johnson, P.Eng.
REPORT PREPARED BY:	Darrin Johnson, P.Eng.

The preparer represents to the best of the preparer's knowledge, the following statements and observations are true and correct and to the best of the preparer's actual knowledge, no material facts have been suppressed or misstated.

Preliminary Stability Assessment

Feature	Severity Rating	Extent
Settlement	Not observed	None
Erosion	Acceptable	Isolated
Frost Action	Not observed	None
Animal Burrows	Not observed	None
Vegetation	Not observed	None
Staining	Acceptable	Isolated
Vegetation Stress	Not observed	None
Seepage Points	Acceptable	Isolated
Debris Exposed	Not observed	None
Tension Crack	Not observed	None
Overall Landfill Performance	Acceptable	

Station Area Non-Hazardous Waste Landfill - Inspection Report - Page 2 of 2

Checklist Item	Present Yes/No	Location	Dimensions (L x W) (m)	Depth (m)	Extent (%)	Description	Photographic Records (Photos referenced in photolog and in figures)	Additional Comments/ Preliminary Stability Assessment
Settlement	No							
Erosion	Minor	East slope	10m x 10m	0.1m	1%	Isolated area of minor erosion that appears to be self-armouring.	SNH-8	Acceptable
Frost Action	No							
Animal Burrows	No							
Vegetation	No							
Staining	Yes	Northeast corner slope	10m x 10m	N/A	1%	Isolated area of minor orange staining.	SNH-7A and SNH-7B	Acceptable
Vegetation Stress	No							
Seepage Points	Yes	Northeast corner slope	10m x 10m	N/A	1%	Isolated area of minor seepage.	SNH-7A and SNH-7B	Acceptable
Debris Exposed	No							
Presence/ Condition of Monitoring Instruments	Good							
Other Features of Note.	Yes	South toe along road	50m x 5m	N/A	3%	Drainage along road at toe. No staining.	SNH-10	Acceptable
Additional Photos						General	SNH-1A, 1B, 2A, 2B, 3A, 3B, 4A, 4B, 5, 6A, 6B, 9A, 9B	

A2 – Geotechnical Inspection Photographic Records

draft for discussion




Photograph SNH-1A. Southwest corner at the toe, facing northeast.____ ↑



Photograph SNH-1B. Southwest corner at the toe, facing north.____ ↑

draft for discussion




Photograph SNH-2A. Southwest corner at the crest facing northeast. Some tire tracks from a vehicle that tried to drive up onto the landfill near clipboard.____ ↑



Photograph SNH-2B. Southwest corner at the crest, facing north.____ ↑

draft for discussion




Photograph SNH-3A. Facing northeast over landfill surface.____ ↑



Photograph SNH-3B. Facing southeast over landfill top.____ ↑

draft for discussion



Photograph SNH-4A. Northwest corner crest, facing south.____ ↑




Photograph SNH-4B. Northwest corner crest, facing east____ ↑

draft for discussion



Photograph SNH-5. Panoramic of the north slope.____ ↑




Photograph SNH-6A. Northeast corner facing south.____ ↑

draft for discussion



Photograph SNH-6B. Northeast corner facing west.____ ↑



Photograph SNH-7A. Facing slope. Some seepage and orange staining over 10m x 10m area on lower half of east slope, towards the northeast corner toe.____ ↑

draft for discussion



Photograph SNH-7B. Toe of slope near northeast corner. Orange staining and seepage discharging onto rocks at toe of landfill. Down-slope of photo SNH-12____ ↑




Photograph SNH-8. East slope. Area of possible minor erosion with gullies about 0.5m wide and less than 0.1m deep that appear to be self healing with larger rock in cover fill.____ ↑

draft for discussion



Photograph SNH-9A. Facing west along south crest.____ ↑



Photograph SNH-9B. Facing north along east crest. Some tire tracks but no damage.____ ↑

draft for discussion



Photograph SNH-10. Panoramic of the south face. Some seepage and drainage along road at toe.
No staining.____ ↑

A3 – Field Notes

Appendix B

DCC Tier II Soil Disposal Facility

- B1 – Site Condition/Visual Inspection Records
- B2 – Geotechnical Inspection Photographic Records
- B3 – Monitoring Photographic Records
- B4 – Monitoring Well Sampling Records
- B5 – Thermistor Maintenance Records
- B6 – Thermistor Graphs
- B7 – Field Notes

draft for discussion

B1. Tier II Soil Disposal Facility

B1.1 Landfill Summary

The Tier II Soil Disposal Facility is located approximately 550 m west of the main facilities area. The landfill was constructed for disposal of Tier II soil excavated during the clean up. The location and plan of the Tier II Disposal Facility is presented in Figure B-1.

The landfill has a double containment system consisting of a geomembrane liner and placement of sufficient surface fill to promote permafrost aggradation through the landfill contents. The liner was placed across the bottom of the landfill, along the berms and over top of the landfilled material.

For 2008, the monitoring requirements for the Tier II Soil Disposal Facility included visual inspection, soil sampling, groundwater sampling and thermal monitoring.

B1.2 Visual Monitoring

No significant erosion, settlement or indications of slope instability were observed at the Tier II Soil Disposal Facility. Overall landfill performance is assessed as “acceptable”. Appendix B1 presents a summary of the 2008 visual inspection results.


An area of minor orange staining was observed at the toe of the northeast slope (TII-4A in Appendix B2). Seepage was observed from the lower half of the northeast and southeast slopes (TII-6 and 7 in Appendix B2). No staining was observed on the slopes. Minor ponding of water and drainage was observed along the toes of the northwest, southeast and southwest slopes (TII-3, 9A and 10 in Appendix B2). No issues of concern that require immediate attention were identified.

B1.3 Soil Sampling

Soil samples were collected at the designated locations (BMW-3, MW-5, MW-8, MW-9, MW-14-A, MW-15 AND MW-16). Sampling locations are shown on Figure B-1. Two samples were collected at each station at depths of 0.10 – 0.15 m below ground surface and between 0.25 – 0.40 meters below ground surface. The photographs of each monitoring well and test pit location are included in Attachment B3.

No staining or free product was observed during the sampling event at the Tier II Soil Disposal Facility. There were no odours documented during the Tier II Disposal Facility sampling event, with the exception of one monitoring location, MW-16. An ambient hydrocarbon-like odour was detected during soil sampling at the MW-16 monitoring location.

Date Plotted: October 16, 2006 Path: N:\Projects\2008\80297\2008\WorkInProgress\Data Interpretation\CAD\CAM-4\C4-RD03.dwg



Legend

- TBM4 □ TEMPORARY BENCHMARK
- BM-1 ▲ PERMANENT BENCHMARK
- 101- COORDINATE POINT
- MW-11-10, MW-11-40 ■ MONITORING SOIL SAMPLE LOCATION
- Monitoring Well Location (Symbol)
- Vertical Thermistor Location (Symbol)
- Photograph Location (Symbol)

RECORD DRAWING
NOT FOR CONSTRUCTION

Map Sources / Notes:
Source drawing from UMA: C4-RD03.dwg

0 5 10 20 30 40 m
1 : 1000
UTM Zone 16W, NAD83

File Name: C4-RD03.dwg
Reviewed by: DCJ
Date Issued: October, 2008

Prepared by: KAB
Project Number: 80-297

Defence Construction Canada
2008 CAM-4 DEW Line Monitoring Program
CAM-4 Kugaaruk
Nunavut Territory

**DCC Tier II
Soil Disposal Facility**

AECOM

Figure B-1
Version 1

draft for discussion

The laboratory analyses detected concentrations of TPH (C6-34) at monitoring locations MW-8, MW-9, MW-15 and MW-16. It is recommended that these results be evaluated in the context of the Landfill Monitoring Plan.

The analytical results and depths of samples are provided in Table B-1. The Laboratory Certificates of Analysis are provided in Appendix F.

B1.4 Groundwater Sampling

Groundwater measurements and monitoring system condition records were documented for observation wells BMW-3, MW-5, MW-8, MW-9, MW-14-A, MW-15 and MW-16. These records are provided in Attachment B4.

All groundwater monitoring wells slated for monitoring in 2008 at the Tier II Soil Disposal Facility contained sufficient volume for sampling. Samples were collected at a flow rate equal to the recharge rate of the monitoring well (and not exceeding 100mL/min). All monitors were sampled using a peristaltic pump and disposable LDPE tubing with the exception of BMW-3 and MW-16. The rechargeable battery provided with the peristaltic pump from the supplier proved to be faulty, thus monitors that were accessible by vehicle were sampled with the peristaltic pump runoff the vehicle battery. Monitors BMW-3 and MW-16 were not accessible by vehicle, therefore were purged and sampled using a disposable bailer.

Groundwater samples were not filtered and not preserved. Samples were analyzed for total concentration of inorganic metals, TPH (C6-C32) and PCBs.

TPH (C6-C32) was detected in monitoring wells MW-5, MW-8, MW-9, MW-14-A, MW-15 and MW-16. The results should be evaluated in the context of the Landfill Monitoring Plan as well as compared with DCC internal standards.

The results are presented in Table B-2. The laboratory Certificates of Analysis are provided in Appendix F.

B1.5 Thermal Monitoring

All thermistors at the Tier II Soil Disposal Facility were in good condition. Thermistor data was downloaded on August 15, 2008, programming was checked and the data loggers were reset. The data logger clocks were adjusted to local (Standard Time). Battery charge was checked to ensure sufficient remaining charge and batteries were not changed in 2008.

Thermistor Maintenance Records were completed for all thermistors located at the Lower Landfill and are located in Appendix B5. Selected data has been plotted into graphs for each thermistor which are provided as Graphs B-1 through B-4 located in Appendix B6.

Table B-1. CAM-4 Kugaaruk, Summary of 2008 Soil Analysis - Tier II Soil Disposal Facility

Sample Ident.	Sample Location	Depth	Copper Cu	Nickel Ni	Cobalt Co	Cadmium Cd	Lead Pb	Zinc Zn	Chromium Cr	Arsenic As	Mercury Hg	PCB Total Aroclors	F1 C6-C10	F2 C10-C16	F3 C16-C34	TPH C6-34
		(m)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
Upgradient Samples																
BMW-3-15	BMW-3	0.15	13.9	15.7	8.5	<0.50	9.3	44.0	31.8	<5.0	<0.0050	<0.050	<10	<30	<50	0
BMW-3-40	BMW-3	0.40	16.8	17.5	9.0	<0.50	10.9	53.7	35.0	<5.0	0.0086	<0.050	<10	1950000	4600	1954600
BMW-30-40*	BMW-3	0.40	12.0	13.9	7.1	<0.50	8.0	38.3	28.4	<5.0	<0.0050	<0.050	<10	<30	<50	0
MW-14-A-15	MW-14-A	0.15	11.0	13.3	6.2	<0.50	8.0	33.2	28.0	<5.0	<0.0050	<0.050	<10	<30	<50	0
MW-14-A-30	MW-14-A	0.30	12.1	14.2	6.7	<0.50	8.3	35.8	28.1	<5.0	<0.0050	<0.050	<10	<30	<50	0
MW-140-A-30*	MW-14-A	0.30	11.8	13.9	6.1	<0.50	8.0	33.8	27.4	<5.0	<0.0050	<0.050	<10	<30	<50	0
MW-15-15	MW-15	0.15	9.8	9.4	6.5	<0.50	8.0	41.3	17.1	<5.0	<0.0050	<0.050	<10	118	235	353
MW-15-25	MW-15	0.25	11.2	9.3	7.0	<0.50	7.4	43.9	17.9	<5.0	<0.0050	<0.050	<10	119	302	421
MW-16-15	MW-16	0.15	14.2	16.0	7.8	<0.50	8.4	43.1	31.9	<5.0	<0.0050	<0.050	<10	286	133	419
MW-16-40	MW-16	0.40	12.3	15.2	7.8	<0.50	8.0	39.3	29.5	<5.0	<0.0050	<0.050	<10	49	<50	49
Downgradient Samples																
MW-5-10	MW-5	0.10	11.5	9.4	6.6	<0.50	6.6	33.0	18.3	<5.0	<0.0050	<0.050	<10	<30	<50	0
MW-5-25	MW-5	0.25	11.6	9.0	6.3	<0.50	6.8	33.5	19.0	<5.0	0.0051	<0.050	<10	<30	<50	0
MW-8-10	MW-8	0.10	11.9	10.6	6.8	<0.50	7.9	40.5	19.8	<5.0	<0.0050	<0.050	<10	<30	<50	0
MW-8-20	MW-8	0.20	11.9		6.4	<0.50	13.5	38.6	22.5	<5.0	0.0066	<0.050	<10	296	121	417
MW-9-15	MW-9	0.15	10.3	8.9	6.4	<0.50	11.6	35.6	18.1	<5.0	0.0070	<0.050	<10	<30	69	69
MW-9-25	MW-9	0.25	10.4	7.9	6.2	<0.50	9.7	35.6	16.6	<5.0	0.0056	<0.050	<10	<30	<50	0

* Denotes duplicate sample. (Further information located in Table 2 of main report,

Note: mg/kg = ug/g

Table B-2. CAM-4 Kugaaruk, Summary of 2008 Groundwater Analysis - Tier II Soil Disposal Facility

Sample Identification	Location	Groundwater Elevation (masl)	Copper Cu (mg/L)	Nickel Ni (mg/L)	Cobalt Co (mg/L)	Cadmium Cd (mg/L)	Lead Pb (mg/L)	Zinc Zn (mg/L)	Chromium Cr (mg/L)	Arsenic As (mg/L)	Mercury Hg (mg/L)	PCB Total Aroclors (mg/L)	F1 C6-C10 (mg/L)	F2 C10-C16 (mg/L)	F3 C16-C34 (mg/L)	TPH C6-34 (mg/L)
Upgradient Samples																
BMW-3	BMW-3	316.84	0.0155	0.0180	0.00817	0.000061	0.0091	0.0513	0.0437	0.00230	<0.000020	<0.0010	<0.10	<0.30	<0.30	0
MW-14A	MW-14A	317.24	0.0146	0.0091	0.00135	0.000067	0.00112	2.41	0.0100	0.00067	<0.000020	<0.0010	<0.10	<0.30	0.33	0.33
MW-15	MW-15	317.76	<0.0020	0.0065	0.00216	<0.000034	<0.0010	0.250	0.0024	0.0020	<0.000020	<0.0010	0.35	5.98	1.65	7.98
MW-150*	MW-15	317.76	<0.0020	0.0063	0.00208	<0.000034	<0.0010	0.239	<0.0030	0.0020	<0.000020	<0.0010	0.33	5.15	1.40	6.88
MW-16	MW-16	312.96	0.0040	0.0120	0.00210	0.000082	0.00056	0.0149	0.0025	0.00076	<0.000020	<0.0010	2.23	76.7	8.01	86.94
Downgradient Samples																
MW-5	MW-5	310.34	0.0043	0.0086	0.00030	0.000039	0.00142	0.0366	0.0051	<0.00050	<0.000020	<0.0010	<0.10	<0.30	0.33	0.33
MW-8	MW-8	310.20	0.0228	0.0268	0.0031	0.000170	<0.0025	0.0391	<0.0050	<0.0025	<0.000020	<0.0010	2.89	8.17	1.84	12.9
MW-9	MW-9	310.14	0.0071	0.0079	<0.0015	<0.000085	<0.0025	0.0382	0.0183	<0.0025	<0.000020	<0.0010	<0.10	0.44	0.63	1.07

* Denotes duplicate sample. (Further information located in Table 2 of main report,

Note: mg/L = 1000 ug/L

B1 – Site Condition/Visual Inspection Records

Visual Inspection Checklist
Inspection Report – Page 1 of 2

SITE NAME:	CAM-4 - Pelly Bay
LANDFILL/AREA DESIGNATION:	DCC Tier II Soil Disposal Facility
DATE OF INSPECTION:	August 14, 2008
DATE OF PREVIOUS INSPECTION:	August 24 - 26, 2007
INSPECTED BY:	Darrin Johnson, P.Eng.
REPORT PREPARED BY:	Darrin Johnson, P.Eng.

The preparer represents to the best of the preparer's knowledge, the following statements and observations are true and correct and to the best of the preparer's actual knowledge, no material facts have been suppressed or misstated.

Preliminary Stability Assessment


Feature	Severity Rating	Extent
Settlement	Not observed	None
Erosion	Not observed	None
Frost Action	Not observed	None
Animal Burrows	Not observed	None
Vegetation	Not observed	None
Staining	Acceptable	Isolated
Vegetation Stress	Not observed	None
Seepage Points	Acceptable	Occasional
Debris Exposed	Not observed	None
Tension Crack	Not observed	None
Overall Landfill Performance	Acceptable	

DCC Tier II Soil Disposal Facility - Inspection Report - Page 2 of 2


Checklist Item	Present Yes/No	Location	Dimensions (L x W) (m)	Depth (m)	Extent (%)	Description	Photographic Records (Photos referenced in photolog and in figures)	Additional Comments/ Preliminary Stability Assessment
Settlement	No							
Erosion	No							
Frost Action	No							
Animal Burrows	No							
Vegetation	No							
Staining	Yes	Northeast toe	10 m x 10 m	N/A	1%	Orange staining at toe of slope.	TII-4A	Acceptable
Vegetation Stress	No							
Seepage Points	Yes	Lower half of northeast and southeast slopes.	60 m x 10 m	N/A	6%	Some seepage from lower half of slope. No staining on slopes observed.	TII-6 and TII-7	Acceptable
Debris Exposed	No							
Presence/ Condition of Monitoring Instruments	Good							
Other Features of Note.	Yes	Ponded water along toes of northwest, southeast and southwest slopes.	50m x 5m x3	N/A	8%	Minor ponding of water and drainage along toe.	TII-3, 9A, 10	Acceptable
Additional Photos							TII-1A, 1B, 2A, 2B, 2C, 4B, 5A, 5B, 8, 9B	

B2 – Geotechnical Inspection Photographic Records

draft for discussion



Photograph TII-1A. Northwest corner of landfill facing east along crest.____ ↑



Photograph TII-1B. Northwest corner of landfill facing south along crest.____ ↑

draft for discussion



Photograph TII-2A. Northeast corner of landfill facing west.____ ↑



Photograph TII-2B. Northeast corner of landfill facing southwest.____ ↑

draft for discussion



Photograph TII-2C. Northeast corner of landfill facing south.____ ↑



Photograph TII-3. Panoramic photo of the north slope.____ ↑

draft for discussion




Photograph TII-4A. At the northeast toe. Some seepage with orange staining. Some water drainage along the road at the toe.____ ↑




Photograph TII-4B. Northeast corner and toe.____ ↑

draft for discussion



Photograph TII-5A. Southeast crest facing north.____ ↑



Photograph TII-5B. Southeast crest facing west. Some coarse rockfill along crest edge but there does not appear to be tension cracks.____ ↑

draft for discussion



Photograph TII-6. Panoramic photo of the southeast slope. Some water seeping out of slope face.
No staining.____ ↑




Photograph TII-7. South slope from southeast toe facing west. Some seepage from south slope
and minor ponding at toe. No staining.____ ↑

draft for discussion



Photograph TII-8. South slope from southwest toe facing east.____ ↑



Photograph TII-9A. Facing east along crest from the southwest corner of the landfill.____ ↑

draft for discussion



Photograph TII-9B. Facing north along crest from the southwest corner of the landfill. Some ponded water along toe. No staining.____ ↑



Photograph TII-10. Panoramic photo of Tier II landfill facing east from raised gravel pad.____ ↑

B3 – Monitoring Photographic Records

draft for discussion



Photograph 1. Monitoring Location BMW-3 (Upgradient) Facing South. ↑



Photograph 2. Monitoring Location MW-14-A (Upgradient). Facing North. ↑

draft for discussion



Photograph 3. Monitoring Location MW-15 (Upgradient). Facing East. ↑



Photograph 4. Monitoring Location MW-16 (Upgradient). Facing South. ↑

draft for discussion



Photograph 5. Monitoring Location MW-5 (Downgradient). Facing Northwest. ↑



Photograph 6. Monitoring Location MW-8 (Downgradient). Facing Northwest. ↑

draft for discussion



Photograph 7. Monitoring Location MW-9 (Downgradient). Facing North. ↑

B4 – Monitoring Well Sampling Records

2008 Monitoring Well Sampling Log (BMW-3)

Site name:	CAM-4					
Date of sampling event:	14-17 Aug 2008					
Names of samplers:	TFB					
Monitoring well ID:	BMW-3					
Facility:	Tier II Soil Disposal Facility					
Known Data						
Depth of installation* (m):	3.45					
Length of screened section (m):	2.03					
Depth to top of screen* (m):	0.46					
Measured Data						
Condition of well:	Good			Procedure/Equipment:	Interface Meter	
Procedure/Equipment:	Interface Meter			Depth to water surface (m):	0.92	
Well height above ground (m):	0.76			Depth to bottom (m):	2.25	
Diameter of well (m):	0.05			Free product thickness (mm):	-	
Calculations						
Depth of water (m):	1.33			Notes Evidence of sludge: - Evidence of freezing/siltation: -		
Well volume of water (L):	2.61					
Static water level* (m):	0.16					
Length of screen collecting water (m):	1.03					
Development/Purging Information						
Equipment:	Disposable Bailer, Horiba U-22					
Date & Time	Volume Removed (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Turbidity (NTU)	Description of Water
16-Aug-08	3	2.81	8.73	0.504	-	Silty, greyish brown, N/O
Water Sampling				Soil Sampling		
Date & Time Collected:	16-Aug-08			Date and Time Collected:	14-Aug-08	
Sample Number - Water:	BMW-3			Sample Number - Soil:	BMW-3-15	
					BMW-3-40	
				Dup	BMW-30-40	
Sample Containers:	3 x 0.5L Amber Glass 2 x VOC vials			Sample Containers:	8 x 250mL Glass	
Procedure/Equipment:	Disposable Bailer			Procedure/Equipment:	SS Trowel	
Water Description:	Silty, greyish brown, N/O			Soil Description:	Greyish brown silt till, some gravel.	
Sampling Equipment Decontamination (Y/N):	Y			Sampling Equipment Decontamination (Y/N):	Y	
Number Washes:	1			Number Washes:	2	
Number Rinses:	2			Number Rinses:	2	

*From ground surface. Unless this is stated, all measurements are assumed to be from the top of the casing.

n/a=not applicable

LDPE=Low Density Polyethylene

SS=Stainless Steel

2008 Monitoring Well Sampling Log (MW-5)

Site name:	CAM-4					
Date of sampling event:	14-17 Aug 2008					
Names of samplers:	TFB					
Monitoring well ID:	MW-5					
Facility:	Tier II Soil Disposal Facility					
Known Data						
Depth of installation* (m):	3.60					
Length of screened section (m):	2.03					
Depth to top of screen* (m):	0.60					
Measured Data						
Condition of well:	Good			Procedure/Equipment:	Interface Meter	
Procedure/Equipment:	Interface Meter			Depth to water surface (m):	1.17	
Well height above ground (m):	0.60			Depth to bottom (m):	3.25	
Diameter of well (m):	0.05			Free product thickness (mm):	-	
Calculations						
Depth of water (m):	2.08			Notes Evidence of sludge: - Evidence of freezing/siltation: -		
Well volume of water (L):	4.08					
Static water level* (m):	0.57					
Length of screen collecting water (m):	2.05					
Development/Purging Information						
Equipment:	Peristaltic Pump, Horiba U-22 with flow through cell, LDPE					
Date & Time	Volume Removed (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Turbidity (NTU)	Description of Water
16-Aug-08	4.8	2.05	7.32	0.887	6.1	C&C, Slight chemical odour
Water Sampling				Soil Sampling		
Date & Time Collected:	15-Aug-08			Date and Time Collected:	14-Aug-08	
Sample Number - Water:	MW-5			Sample Number - Soil:	MW-5-10	
				Refusal @ 0.25 m	MW-5-25	
Sample Containers:	3 x 0.5L Amber Glass 2 x VOC vials			Sample Containers:	4 x 250mL Glass	
Procedure/Equipment:	Peristaltic Pump, Horiba U-22			Procedure/Equipment:	SS Trowel	
Water Description:	C&C, Slight chemical odour			Soil Description:	Greyish brown silt till, some gravel.	
Sampling Equipment Decontamination (Y/N):	Y			Sampling Equipment Decontamination (Y/N):	Y	
Number Washes:	1			Number Washes:	2	
Number Rinses:	2			Number Rinses:	2	

*From ground surface. Unless this is stated, all measurements are assumed to be from the top of the casing.

n/a=not applicable

LDPE=Low Density Polyethylene

SS=Stainless Steel

2008 Monitoring Well Sampling Log (MW-8)

Site name:	CAM-4					
Date of sampling event:	14-17 Aug 2008					
Names of samplers:	TFB					
Monitoring well ID:	MW-8					
Facility:	Tier II Soil Disposal Facility					
Known Data						
Depth of installation* (m):	4.08					
Length of screened section (m):	2.01					
Depth to top of screen* (m):	0.97					
Measured Data						
Condition of well:	Good			Procedure/Equipment:	Interface Meter	
Procedure/Equipment:	Interface Meter			Depth to water surface (m):	0.97	
Well height above ground (m):	0.97			Depth to bottom (m):	2.45	
Diameter of well (m):	0.05			Free product thickness (mm):	-	
Calculations						
Depth of water (m):	1.48			Notes Evidence of sludge: - Evidence of freezing/siltation: -		
Well volume of water (L):	2.91					
Static water level* (m):	0.00					
Length of screen collecting water (m):	0.51					
Development/Purging Information						
Equipment:	Peristaltic Pump, Horiba U-22 with flow through cell, LDPE					
Date & Time	Volume Removed (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Turbidity (NTU)	Description of Water
16-Aug-08	3	3.7	7.01	1150	10.7	C&C Chemical odour
Water Sampling				Soil Sampling		
Date & Time Collected:	16-Aug-08			Date and Time Collected:	14-Aug-08	
Sample Number - Water:	MW-8			Sample Number - Soil:	MW-8-10	
					MW-8-20	
Sample Containers:	3 x 0.5L Amber Glass 2 x VOC vials			Sample Containers:	4 x 250mL Glass	
Procedure/Equipment:	Peristaltic Pump, Horiba U-22			Procedure/Equipment:	SS Trowel	
Water Description:	C&C, Chemical Odour			Soil Description:	Brown sandy silt till, some gravel.	
Sampling Equipment Decontamination (Y/N):	Y			Sampling Equipment Decontamination (Y/N):	Y	
Number Washes:	1			Number Washes:	2	
Number Rinses:	2			Number Rinses:	3	

*From ground surface. Unless this is stated, all measurements are assumed to be from the top of the casing.

n/a=not applicable

LDPE=Low Density Polyethylene

SS=Stainless Steel

2008 Monitoring Well Sampling Log (MW-9)

Site name:	CAM-4					
Date of sampling event:	14-17 Aug 2008					
Names of samplers:	TFB					
Monitoring well ID:	MW-9					
Facility:	Tier II Soil Disposal Facility					
Known Data						
Depth of installation* (m):	3.32					
Length of screened section (m):	2.01					
Depth to top of screen* (m):	0.40					
Measured Data						
Condition of well:	Good			Procedure/Equipment:	Interface Meter	
Procedure/Equipment:	Interface Meter			Depth to water surface (m):	0.29	
Well height above ground (m):	0.33			Depth to bottom (m):	1.98	
Diameter of well (m):	0.05			Free product thickness (mm):	-	
Calculations						
Depth of water (m):	1.69			Notes Evidence of sludge: - Evidence of freezing/siltation: -		
Well volume of water (L):	3.32					
Static water level* (m):	-0.04					
Length of screen collecting water (m):	1.25					
Development/Purging Information						
Equipment:	Peristaltic Pump, Horiba U-22 with flow through cell, LDPE					
Date & Time	Volume Removed (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Turbidity (NTU)	Description of Water
15-Aug-08	4	2.62	11.34	1060	41.3	C&C Chemical odour
Water Sampling				Soil Sampling		
Date & Time Collected:	16-Aug-08			Date and Time Collected:	14-Aug-08	
Sample Number - Water:	MW-9			Sample Number - Soil:	MW-9-15	
				Refusal @ 0.25 m	MW-9-25	
Sample Containers:	3 x 0.5L Amber Glass 2 x VOC vials			Sample Containers:	4 x 250mL Glass	
Procedure/Equipment:	Peristaltic Pump, Horiba U-22			Procedure/Equipment:	SS Trowel	
Water Description:	C&C Chemical odour			Soil Description:	Brown sandy silt till, some gravel.	
Sampling Equipment Decontamination (Y/N):	Y			Sampling Equipment Decontamination (Y/N):	Y	
Number Washes:	1			Number Washes:	2	
Number Rinses:	2			Number Rinses:	3	

*From ground surface. Unless this is stated, all measurements are assumed to be from the top of the casing.

n/a=not applicable

LDPE=Low Density Polyethylene

SS=Stainless Steel

2008 Monitoring Well Sampling Log (MW-14-A)

Site name:	CAM-4					
Date of sampling event:	14-17 Aug 2008					
Names of samplers:	TFB					
Monitoring well ID:	MW-14-A					
Facility:	Tier II Soil Disposal Facility					
Known Data						
Depth of installation* (m):	4.66					
Length of screened section (m):	2.03					
Depth to top of screen* (m):	1.67					
Measured Data						
Condition of well:	Good			Procedure/Equipment:	Interface Meter	
Procedure/Equipment:	Interface Meter			Depth to water surface (m):	1.07	
Well height above ground (m):	0.51			Depth to bottom (m):	2.47	
Diameter of well (m):	0.05			Free product thickness (mm):	-	
Calculations						
Depth of water (m):	1.40			Notes Evidence of sludge: - Evidence of freezing/siltation: -		
Well volume of water (L):	2.75					
Static water level* (m):	0.56					
Length of screen collecting water (m):	0.29					
Development/Purging Information						
Equipment:	Peristaltic Pump, Horiba U-22 with flow through cell, LDPE					
Date & Time	Volume Removed (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Turbidity (NTU)	Description of Water
16-Aug-08	3	1.01	6.73	0.95	-	Grey, slightly cloudy N/O
Water Sampling				Soil Sampling		
Date & Time Collected:	16-Aug-08			Date and Time Collected:	14-Aug-08	
Sample Number - Water:	MW-14-A			Sample Number - Soil:	MW-14-A-15	
				Refusal @ 0.30 m	MW-14-A-30	
					Dup MW-140-A-30	
Sample Containers:	3 x 0.5L Amber Glass 2 x VOC vials			Sample Containers:	8 x 250mL Glass	
Procedure/Equipment:	Peristaltic Pump, Horiba U-22			Procedure/Equipment:	SS Trowel	
Water Description:	Grey, slightly cloudy, N/O			Soil Description:	Brown sandy silt till.	
Sampling Equipment Decontamination (Y/N):	Y			Sampling Equipment Decontamination (Y/N):	Y	
Number Washes:	2			Number Washes:	2	
Number Rinses:	2			Number Rinses:	2	

*From ground surface. Unless this is stated, all measurements are assumed to be from the top of the casing.

n/a=not applicable

LDPE=Low Density Polyethylene

SS=Stainless Steel

2008 Monitoring Well Sampling Log (MW-15)

Site name:	CAM-4					
Date of sampling event:	14-17 Aug 2008					
Names of samplers:	TFB					
Monitoring well ID:	MW-15					
Facility:	Tier II Soil Disposal Facility					
Known Data						
Depth of installation* (m):	3.25					
Length of screened section (m):	1.97					
Depth to top of screen* (m):	0.33					
Measured Data						
Condition of well:	Good			Procedure/Equipment:	Interface Meter	
Procedure/Equipment:	Interface Meter			Depth to water surface (m):	0.45	
Well height above ground (m):	0.51			Depth to bottom (m):	2.45	
Diameter of well (m):	0.05			Free product thickness (mm):	-	
Calculations						
Depth of water (m):	2.00			Notes Evidence of sludge: - Evidence of freezing/siltation: -		
Well volume of water (L):	3.93					
Static water level* (m):	-0.06					
Length of screen collecting water (m):	1.61					
Development/Purging Information						
Equipment:	Peristaltic Pump, Horiba U-22 with flow through cell, LDPE					
Date & Time	Volume Removed (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Turbidity (NTU)	Description of Water
16-Aug-08	4.5	2.08	6.31	0.846	13.5	Clear, slightly yellow Chemical odour
Water Sampling				Soil Sampling		
Date & Time Collected:	16-Aug-08			Date and Time Collected:	14-Aug-08	
Sample Number - Water:	MW-15			Sample Number - Soil:	MW-15-15	
Dup	MW-150			Refusal @ 0.25 m	MW-15-25	
Sample Containers:	6 x 0.5L Amber glass				4 x 250mL Glass	
	4 x VOC vials					
	2 x 1L Amber glass				1 x 0.25L Plastic	
Procedure/Equipment:	Peristaltic Pump, Horiba U-22			Procedure/Equipment:	SS Trowel	
Water Description:	Clear, slightly yellow, chemical odour			Soil Description:	Brown sandy silt till, some gravel.	
Sampling Equipment Decontamination (Y/N):	Y			Sampling Equipment Decontamination (Y/N):	Y	
Number Washes:	2			Number Washes:	2	
Number Rinses:	2			Number Rinses:	2	

*From ground surface. Unless this is stated, all measurements are assumed to be from the top of the casing.

n/a=not applicable

LDPE=Low Density Polyethylene

SS=Stainless Steel

2008 Monitoring Well Sampling Log (MW-16)

Site name:	CAM-4					
Date of sampling event:	14-17 Aug 2008					
Names of samplers:	TFB					
Monitoring well ID:	MW-16					
Facility:	Tier II Soil Disposal Facility					
Known Data						
Depth of installation* (m):	Data not available					
Length of screened section (m):						
Depth to top of screen* (m):						
Measured Data						
Condition of well:	Good			Procedure/Equipment:	Interface Meter	
Procedure/Equipment:	Interface Meter			Depth to water surface (m):	1.34	
Well height above ground (m):	0.60			Depth to bottom (m):	3.00	
Diameter of well (m):	0.05			Free product thickness (mm):	-	
Calculations				Notes		
Depth of water (m):	1.66			Evidence of sludge:	-	
Well volume of water (L):	3.30			Evidence of freezing/siltation:	-	
Static water level* (m):	0.74					
Length of screen collecting water (m):						
Development/Purging Information						
Equipment:	Disposable Bailer, Horiba U-22					
Date & Time	Volume Removed (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Turbidity (NTU)	Description of Water
16-Aug-08	4	1.7	6.9	0.544	54	C&C, sheen on surface Hydrocarbon odour
Water Sampling				Soil Sampling		
Date & Time Collected:	16-Aug-08			Date and Time Collected:	14-Aug-08	
Sample Number - Water:	MW-16			Sample Number - Soil:	MW-16-15	
				Refusal @ 0.40 m	MW-16-40	
Sample Containers:	3 x 0.5L Amber Glass 2 x VOC vials			Sample Containers:	4 x 250mL Glass	
Procedure/Equipment:	Disposable Bailer			Procedure/Equipment:	SS Trowel	
Water Description:	C&C, sheen on surface, Hydrocarbon odour			Soil Description:	Brown, sandy silt till	
Sampling Equipment Decontamination (Y/N):	Y			Sampling Equipment Decontamination (Y/N):	Y	
Number Washes:	2			Number Washes:	3	
Number Rinses:	3			Number Rinses:	3	

*From ground surface. Unless this is stated, all measurements are assumed to be from the top of the casing.

n/a=not applicable

LDPE=Low Density Polyethylene

SS=Stainless Steel

B5 – Thermistor Maintenance Records

DEW Line Ground Temperature Cables - Kitikmeot

				Configuration			Dates			Location		
Site	Thermistor Cable	Code	Thermistor Location	Vertical or	Cable Serial No.	Data Logger	Date Installed	First	Last	Coordinates Northing	Coordinates Easting	Ground Elevation
				Inclined		No.		Monitoring Event	Monitoring Event			
CAM-4	VT05	CAM-4VT05	Tier II Disposal Facility	Vertical	1616	111092	13-Aug-06	27-Aug-07	15-Aug-08			320.98
CAM-4	VT06	CAM-4VT06	Tier II Disposal Facility	Vertical	1620	111102	13-Aug-06	27-Aug-07	15-Aug-08			319.30
CAM-4	VT07	CAM-4VT07	Tier II Disposal Facility	Vertical	1624	209067	13-Aug-06	27-Aug-07	15-Aug-08			317.83
CAM-4	VT08	CAM-4VT08	Tier II Disposal Facility	Vertical	1622	108038	13-Aug-06	27-Aug-07	15-Aug-08			319.18

DEW Line Groun

Site	Thermistor Cable	Length of Cable (including lead length)	Cable lead above ground	Nodal Points	Bead Depth below ground (vertical cables), or length along cable - inclined cable															
					Legend AG- Above ground, NF - Not functioning															
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CAM-4	VT05	7.7	1.2	13	AG	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.2			
CAM-4	VT06	6.2	1.2	10	AG	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0						
CAM-4	VT07	9.45	1.45	16	0.3	0.8	1.3	1.8	2.3	2.8	3.3	3.8	4.3	4.8	5.3	5.8	6.3	6.8	6.3	5.8
CAM-4	VT08	6.2	1.2	10	AG	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0						

DEW Line Groun

		Calibration for individual beads															
Site	Thermistor Cable	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CAM-4	VT05	-0.02	0.10	-0.01	-0.08	0.03	0.02	0.02	0.05	-0.02	-0.01	0.02	-0.04	0.00			
CAM-4	VT06	0.05	0.06	0.02	-0.02	0.03	0.02	0.03	-0.03	-0.02	0.00						
CAM-4	VT07	-0.02	-0.15	-0.01	0.04	-0.09	-0.03	0.05	-0.01	-0.07	-0.06	-0.01	-0.03	0.00	-0.04	-0.06	-0.01
CAM-4	VT08	0.02	-0.04	0.08	-0.01	-0.01	-0.01	0.02	-0.01	0.00	-0.02						

DEW Line Groun

Site	Thermistor Cable
CAM-4	VT05
CAM-4	VT06
CAM-4	VT07
CAM-4	VT08

Thermal Monitoring Ground Temperature Annual Maintenance Report

Contractor Name: Gartner Lee Limited	Inspection Date:
Prepared By:	

Thermistor Information

Site Name:	CAM-4	Thermistor Location	Tier II Disposal Facility
Thermistor Number:	VT05	Inclination	Vertical
Install Date:	13-Aug-06	First Date Event	27-Aug-07 Last Date Event 15-Aug-08
Coordinates and Elevation	N	E	Elev 320.975
Length of Cable (m)	7.7	Cable Lead Above Ground (m)	1.2 Nodal Points 13
Datalogger Serial #	111092	Cable Serial Number	1616

Code CAM-4VT05

Thermistor Inspection

	<u>Good</u>	<u>Needs Maintenance</u>
Casing	<input type="checkbox"/>	<input type="checkbox"/>
Cover	<input type="checkbox"/>	<input type="checkbox"/>
Data Logger	<input type="checkbox"/>	<input type="checkbox"/>
Cable	<input type="checkbox"/>	<input type="checkbox"/>
Beads	<input type="checkbox"/>	<input type="checkbox"/>
Battery Installation Date		
Battery Levels	Main	Aux

Manual Ground Temperature Readings

Bead	ohms	Temp. (°C)
1		8.4
2		10.9
3		3.4
4		1.4
5		-0.5
6		-2.3
7		-3.4
8		-4.4

Bead	ohms	Temp. (°C)
9		-5.5
10		-6.4
11		-7.1
12		-7.9
13		-8.0

Observations and Proposed Maintenance

Thermal Monitoring Ground Temperature Annual Maintenance Report

Contractor Name: Gartner Lee Limited	Inspection Date:
Prepared By:	

Thermistor Information

Site Name:	CAM-4	Thermistor Location	Tier II Disposal Facility
Thermistor Number:	VT06	Inclination	Vertical
Install Date:	13-Aug-06	First Date Event	27-Aug-07
		Last Date Event	15-Aug-08
Coordinates and Elevation	N	E	Elev 319.3
Length of Cable (m)	6.2	Cable Lead Above Ground (m)	1.2
Datalogger Serial #	111102	Nodal Points	10
		Cable Serial Number	1620

Code CAM-4VT06

Thermistor Inspection

	<u>Good</u>	<u>Needs Maintenance</u>
Casing	<input type="checkbox"/>	<input type="checkbox"/>
Cover	<input type="checkbox"/>	<input type="checkbox"/>
Data Logger	<input type="checkbox"/>	<input type="checkbox"/>
Cable	<input type="checkbox"/>	<input type="checkbox"/>
Beads	<input type="checkbox"/>	<input type="checkbox"/>
Battery Installation Date		
Battery Levels	Main	Aux

Manual Ground Temperature Readings

Bead	ohms	Temp. (°C)
1		9.9
2		9.4
3		4.9
4		3.1
5		0.2
6		-1.5
7		-3.0
8		-4.3

Bead	ohms	Temp. (°C)
9		-5.4
10		-5.6

Observations and Proposed Maintenance

Thermal Monitoring Ground Temperature Annual Maintenance Report

Contractor Name: Gartner Lee Limited	Inspection Date:
Prepared By:	

Thermistor Information

Site Name:	CAM-4	Thermistor Location	Tier II Disposal Facility
Thermistor Number:	VT07	Inclination	Vertical
Install Date:	13-Aug-06	First Date Event	27-Aug-07
		Last Date Event	15-Aug-08
Coordinates and Elevation	N	E	Elev
			317.825
Length of Cable (m)	9.45	Cable Lead Above Ground (m)	1.5
		Nodal Points	16
Datalogger Serial #	209067	Cable Serial Number	1624

Code CAM-4VT07

Thermistor Inspection

	Good	Needs Maintenance
Casing	<input type="checkbox"/>	<input type="checkbox"/>
Cover	<input type="checkbox"/>	<input type="checkbox"/>
Data Logger	<input type="checkbox"/>	<input type="checkbox"/>
Cable	<input type="checkbox"/>	<input type="checkbox"/>
Beads	<input type="checkbox"/>	<input type="checkbox"/>
Battery Installation Date		
Battery Levels	Main	Aux

Manual Ground Temperature Readings

Bead	ohms	Temp. (°C)
1		4.6
2		2.4
3		-0.4
4		-2.0
5		-3.3
6		-4.5
7		-5.5
8		-6.5

Bead	ohms	Temp. (°C)
9		-7.4
10		-8.1
11		-8.7
12		-9.3
13		-9.7
14		-10.0
15		-9.8
16		-9.4

Observations and Proposed Maintenance

Thermal Monitoring Ground Temperature Annual Maintenance Report

Contractor Name: Gartner Lee Limited	Inspection Date:
Prepared By:	

Thermistor Information

Site Name:	CAM-4	Thermistor Location	Tier II Disposal Facility
Thermistor Number:	VT08	Inclination	Vertical
Install Date:	13-Aug-06	First Date Event	27-Aug-07 Last Date Event 15-Aug-08
Coordinates and Elevation	N	E	Elev 319.18
Length of Cable (m)	6.2	Cable Lead Above Ground (m)	1.2 Nodal Points 10
Datalogger Serial #	108038	Cable Serial Number	1622

Code CAM-4VT08

Thermistor Inspection

	<u>Good</u>	<u>Needs Maintenance</u>
Casing	<input type="checkbox"/>	<input type="checkbox"/>
Cover	<input type="checkbox"/>	<input type="checkbox"/>
Data Logger	<input type="checkbox"/>	<input type="checkbox"/>
Cable	<input type="checkbox"/>	<input type="checkbox"/>
Beads	<input type="checkbox"/>	<input type="checkbox"/>
Battery Installation Date		
Battery Levels	Main _____	Aux _____


Manual Ground Temperature Readings

Bead	ohms	Temp. (°C)
1		11.3
2		9.4
3		4.9
4		3.2
5		0.2
6		-1.8
7		-3.6
8		-4.8

Bead	ohms	Temp. (°C)
9		-5.7
10		-6.6


Observations and Proposed Maintenance

B6 – Thermistor Graphs




Graph B-1
Ground Temperature Profile
Tier II Soil Disposal Facility
Vertical GTC VT-5






Graph B-2
Ground Temperature Profile
Tier II Soil Disposal Facility
Vertical GTC VT-6



Graph B-3
Ground Temperature Profile
Tier II Soil Disposal Facility
Vertical GTC VT-7





Graph B-4
Ground Temperature Profile
Tier II Soil Disposal Facility
Vertical GTC VT-8

B7 – Field Notes

Appendix C

Upper Site Landfill

- C1 – Site Condition/Visual Inspection Records
- C2 – Geotechnical Inspection Photographic Records
- C3 – Monitoring Photographic Records
- C4 – Monitoring Well Sampling Records
- C5 – Thermistor Maintenance Records
- C6 – Thermistor Graphs
- C7 – Field Notes

draft for discussion

C1. Upper Site Landfill

C1.1 Landfill Summary

The Upper Site Landfill is located approximately 625 m east of the main facilities area. The original landfill consisted of three lobes (South, Central and North) that encompass an area of approximately 4,500 m². The location of the landfill is presented in Figure C-1.

A previous evaluation and geophysical survey determined landfilled material is continuous throughout the north and central lobes and more isolated in the south lobe. Tier I and Tier II contaminated soil was found downgradient of the central lobe, indicating contaminant migration from the landfill, thus, The Upper Site Landfill was classified as high potential environmental risk.

Remediation of the Upper Site Landfill involved complete excavation of the north lobe, partial excavation of the central lobe and installation of a leachate containment system in the central lobe and regrading of the south lobe.

Monitoring requirements for the 2008 monitoring year include visual inspection, soil sampling, groundwater sampling and thermal monitoring.

C1.2 Visual Monitoring

No significant erosion, settlement or indications of slope instability were observed at the Upper Site Landfill. Overall landfill performance is assessed as “acceptable”. Appendix C1 presents a summary of the 2008 visual inspection results.

No issues of concern that require immediate attention were identified.

C1.3 Soil Sampling

Soil samples were collected at monitoring locations MW-10, MW-11, MW-12 and MW-13. The sampling locations are presented in Figure C-1. Two samples were collected at each monitoring location at depths of approximately 0.10 to 0.15 m and 0.30 to 0.40 m below ground surface. The photographs of each monitoring well and test pit location are included in Attachment C3.

No staining or free product was observed during the sampling event at the Upper Site Landfill. No odours were detected during the sampling event at the Upper Site Landfill.

Date Plotted: October 16, 2006 Path: N:\Projects\2008\80297\2008\WorkInProgress\Data Interpretation\CAD\CAM-4\C4-RD04.dwg




Legend

- TBM4 □ TEMPORARY BENCHMARK
- BM-1 ▲ PERMANENT BENCHMARK
- 101-4 COORDINATE POINT
- C4-MW-1A, C4-MW-1B MONITORING SOIL SAMPLE LOCATION
- Monitoring Well Symbol MONITORING WELL LOCATION
- Vertical Thermistor Symbol VERTICAL THERMISTOR LOCATION
- Photograph Symbol PHOTOGRAPH LOCATION

RECORD DRAWING
NOT FOR CONSTRUCTION

Map Sources / Notes:
Source drawing from UMA: C4-RD04.dwg



File Name: C4-RD04.dwg
Reviewed by: DCJ
Date Issued: October, 2008
Prepared by: KAB
Project Number: 80-297

Defence Construction Canada
2008 CAM-4 DEW Line Monitoring Program
CAM-4 Kugaaruk
Nunavut Territory

Upper Site Landfill

AECOM

Figure C-1
Version 1

draft for discussion

Laboratory analysis detected concentrations of TPH (C6-34) at monitoring locations MW-11 and MW-13. It is recommended that these results be evaluated in the context of the Landfill Monitoring Plan. The soil sample at MW-10-35 (0.35 m depth) returned an arsenic concentration of 93.6 mg/kg. This value is presumed to be anomalously high, given the non-detection at the 0.15 m soil sample. At the time of issuing this draft report the results of the confirmatory analysis are awaited from ALS Laboratory Group.

The analytical results and depths of samples are provided in Table C-1. The Laboratory Certificates of Analysis are provided in Appendix F.

C1.4 Groundwater Sampling

Groundwater measurements and monitoring system condition records were documented for monitoring wells MW-10, MW-11, MW-12 and MW-13. These records are provided in attachment C4.

All groundwater monitoring wells slated for monitoring in 2008 at the Upper Site Landfill contained sufficient volume for sampling, with the exception of MW-10, which was completely dry. Samples were collected at a flow rate equal to the recharge rate of the monitoring well (and not exceeding 100mL/min). Monitor MW-11 was sampled using a peristaltic pump and disposable LDPE tubing. The rechargeable battery provided with the peristaltic pump from the supplier proved to be faulty, thus monitors that were accessible by vehicle were sampled with the peristaltic pump run off the vehicle battery. Monitors MW-12 and MW-13 were not accessible by vehicle, therefore were purged and sampled using a disposable bailer. It should be noted that monitoring well MW-12 was found to have a blockage in the well pipe at approximately 0.64 m below ground surface. Sand was discovered on the interface meter as well as the disposable bailer. The blockage in the well pipe may be attributed to a broken coupling, presumably allowing sand pack from the borehole annulus to enter the well.

Groundwater samples were not filtered and not preserved. Samples were analyzed for total concentration of inorganics, TPH (C6-C34) and PCBs.

TPH (C6-C34) was detected in monitoring wells MW-11, MW-12 and MW-13. Elevated concentrations of Chromium and Lead were also reported for monitor MW-12. The results should be evaluated in the context of the Landfill Monitoring Plan as well as compared with DCC internal standards.

The results are presented in Table C-2. The laboratory Certificates of Analysis are provided in Appendix F.

C1.5 Thermal Monitoring

All thermistors at the Upper Site Landfill were in good condition. Thermistor data was downloaded on August 15, 2008, programming was checked and the data loggers were reset. The data logger clocks were adjusted to local (Standard Time). Battery charge was checked to ensure sufficient remaining charge and batteries were not changed in 2008.

Tabulated ground temperature data since the last download in August 2007 are included in Appendix C5. Graphs of ground temperature versus depth are presented in Appendix C6.

Table C-1. CAM-4 Kugaaruk, Summary of 2008 Soil Analysis - Upper Site Landfil

Sample Ident.	Sample Location	Depth	Copper Cu	Nickel Ni	Cobalt Co	Cadmium Cd	Lead Pb	Zinc Zn	Chromium Cr	Arsenic As	Mercury Hg	PCB Total Aroclors	F1 C6-C10	F2 C10-C16	F3 C16-C34	TPH C6-34
		(m)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
Upgradient Samples																
MW-11-10	MW-11	0.10	11.2	11.9	7.0	<0.50	19.1	43.9	27.7	<5.0	<0.0050	<0.050	<10	<30	1230	1230
MW-11-40	MW-11	0.40	10.0	11.6	6.5	<0.50	8.1	33.3	22.6	<5.0	<0.0050	<0.050	<10	<30	1150	1150
Downgradient Samples																
MW-10-15	MW-10	0.15	6.5	10.5	5.0	<0.50	5.6	22.9	22.3	<5.0	<0.0050	<0.050	<10	<30	<50	0
MW-10-35	MW-10	0.35	8.4	20.0	9.0	<0.50	6.2	27.0	24.8	93.6	<0.0050	<0.050	<10	<30	<50	0
MW-12-15	MW-12	0.15	6.0	6.8	3.6	<0.50	4.9	23.3	17.0	<5.0	<0.0050	<0.050	<10	<30	<50	0
MW-12-30	MW-12	0.30	5.4	6.9	3.8	<0.50	4.9	21.0	15.4	<5.0	<0.0050	<0.050	<10	<30	<50	0
MW-13-15	MW-13	0.15	7.1	8.6	5.1	<0.50	5.7	31.4	17.5	<5.0	0.0117	<0.050	<10	<30	76	76
MW-13-30	MW-13	0.30	3.5	6.6	3.6	<0.50	3.7	17.2	14.9	<5.0	<0.0050	<0.050	<10	<30	<50	0

Note: mg/kg = ug/g

Table C-2. CAM-4 Kugaaruk, Summary of 2008 Groundwater Analysis - Upper Site Landfil

Sample Identification	Location	Groundwater Elevation (masl)	Copper Cu (mg/L)	Nickel Ni (mg/L)	Cobalt Co (mg/L)	Cadmium Cd (mg/L)	Lead Pb (mg/L)	Zinc Zn (mg/L)	Chromium Cr (mg/L)	Arsenic As (mg/L)	Mercury Hg (mg/L)	PCB Total Aroclors (mg/L)	F1 C6-C10 (mg/L)	F2 C10-C16 (mg/L)	F3 C16-C34 (mg/L)	TPH C6-34 (mg/L)
Upgradient Samples																
MW-11	MW-11	311.16	<0.0020	0.0026	0.00146	<0.000034	<0.0010	<0.0050	<0.0020	0.0011	<0.000020	<0.0010	<0.10	<0.30	0.47	0.47
Downgradient Samples																
MW-10	MW-10	<299.13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-12	MW-12	294.18	0.0433	0.0418	0.0156	0.000135	0.0158	0.208	0.0540	0.0051	<0.000020	<0.0012	<0.10	1.26	2.02	3.28
MW-13	MW-13	301.12	0.0288	0.0257	0.00978	0.000176	0.00725	0.0809	0.0205	0.00216	<0.000020	<0.0011	<0.10	<0.30	1.11	1.11

- Denotes dry well; no sample obtained

Note: mg/L = 1000 ug/L

C1 – Site Condition/Visual Inspection Records

Visual Inspection Checklist
Inspection Report – Page 1 of 2

SITE NAME:	CAM-4 - Pelly Bay
LANDFILL/AREA DESIGNATION:	Upper Site Landfill
DATE OF INSPECTION:	August 14, 2008
DATE OF PREVIOUS INSPECTION:	August 24 - 26, 2007
INSPECTED BY:	Darrin Johnson, P.Eng.
REPORT PREPARED BY:	Darrin Johnson, P.Eng.

The preparer represents to the best of the preparer's knowledge, the following statements and observations are true and correct and to the best of the preparer's actual knowledge, no material facts have been suppressed or misstated.

Preliminary Stability Assessment

Feature	Severity Rating	Extent
Settlement	Not observed	None
Erosion	Not observed	None
Frost Action	Not observed	None
Animal Burrows	Not observed	None
Vegetation	Not observed	None
Staining	Not observed	None
Vegetation Stress	Not observed	None
Seepage Points	Not observed	None
Debris Exposed	Not observed	None
Tension Crack	Not observed	None
Overall Landfill Performance	Acceptable	

Upper Site Landfill - Inspection Report - Page 2 of 2

Checklist Item	Present Yes/No	Location	Dimensions (L x W) (m)	Depth (m)	Extent (%)	Description	Photographic Records (Photos referenced in photolog and in figures)	Additional Comments/ Preliminary Stability Assessment
Settlement	No							
Erosion	No							
Frost Action	No							
Animal Burrows	No							
Vegetation	No							
Staining	No							
Vegetation Stress	No							
Seepage Points	No							
Debris Exposed	No							
Presence/ Condition of Monitoring Instruments	Good							
Other Features of Note.	No							
Additional Photos						General	USL-1, 2A, 2B, 2C, 3, 4, 5, 6, 7, 8, 9A, 9B, 10A, 10B, 11A, 11B, 12, 13	

C2 – Geotechnical Inspection Photographic Records

draft for discussion




Photograph USL-1. Panoramic photo facing southeast towards west slope of Upper Site Landfill.____
↑



Photograph USL-2A. Facing southeast along crest.____ ↑

draft for discussion




Photograph USL-2B. Facing east along line of thermistors.____ ↑



Photograph USL-2C. Facing north along west crest.____ ↑

draft for discussion



Photograph USL-3. Facing south slope.____ ↑



Photograph USL-4. Facing west along south slope.____ ↑

draft for discussion



Photograph USL-5. Panoramic photo from the southwest corner of south lobe.____ ↑



Photograph USL-6. Facing south along the south slope of the south lobe from the southeast corner.____ ↑

draft for discussion




Photograph USL-7. Facing north from the southeast corner of the rip-rap.____ ↑




Photograph USL-8. Toe of rip-rap below thiermistors.____ ↑

draft for discussion



Photograph USL-9A. Facing north along crest from southeast corner.____ ↑



Photograph USL-9B. Facing west along south crest from the southeast corner.____ ↑

draft for discussion



Photograph USL-10A.

Panoramic photo of the top of the landfill facing west.____ ↑



Photograph USL-10B.

Facing north along crest.____ ↑

draft for discussion



Photograph USL-11A.

Facing southeast.____ ↑



Photograph USL-11B.

Facing northwest.____ ↑

draft for discussion



Photograph USL-12. North gravel slope.____ ↑



Photograph USL-13. Panoramic photo of the landfill top from the northwest corner.____ ↑

C3 – Monitoring Photographic Records

draft for discussion



Photograph 1. Monitoring Location MW-11 (Upgradient) Facing Southeast. ↑



Photograph 2. Monitoring Location MW-10 (Downgradient). Facing North. ↑

draft for discussion



Photograph 3. Monitoring Location MW-12 (Downgradient). Facing North. ↑



Photograph 4. Monitoring Location MW-13 (Downgradient). Facing Northeast. ↑

C4 – Monitoring Well Sampling Records

2008 Monitoring Well Sampling Log (MW-10)

Site name:	CAM-4					
Date of sampling event:	14-17 Aug 2008					
Names of samplers:	TFB					
Monitoring well ID:	MW-10					
Facility:	Upper Site Landfill					
Known Data						
Depth of installation* (m):	3.37					
Length of screened section (m):	2.03					
Depth to top of screen* (m):	0.38					
Measured Data						
Condition of well:	Good			Procedure/Equipment:	Interface Meter	
Procedure/Equipment:	Interface Meter			Depth to water surface (m):		
Well height above ground (m):	0.68			Depth to bottom (m):	2.38	
Diameter of well (m):	0.05			Free product thickness (mm):	-	
Calculations						
Depth of water (m):	Dry @ 2.38			Notes		
Well volume of water (L):	0.00					
Static water level* (m):						
Length of screen collecting water (m):						
Development/Purging Information						
Equipment:						
Date & Time	Volume Removed (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Turbidity (NTU)	Description of Water
16-Aug-08						
Water Sampling				Soil Sampling		
Date & Time Collected:				Date and Time Collected:	14-Aug-08	
Sample Number - Water:				Sample Number - Soil:	MW-10-15	
					MW-10-35	
Sample Containers:				Sample Containers:	4 x 250mL Glass	
Procedure/Equipment:				Procedure/Equipment:	SS Trowel	
Water Description:				Soil Description:	Brown sandy silt till, some gravel.	
Sampling Equipment Decontamination (Y/N):				Sampling Equipment Decontamination (Y/N):	Y	
Number Washes:				Number Washes:	2	
Number Rinses:				Number Rinses:	2	

*From ground surface. Unless this is stated, all measurements are assumed to be from the top of the casing.

n/a=not applicable

LDPE=Low Density Polyethylene

SS=Stainless Steel



Gartner Lee

2008 Monitoring Well Sampling Log (MW-11)

Site name:	CAM-4					
Date of sampling event:	14-17 Aug 2008					
Names of samplers:	TFB					
Monitoring well ID:	MW-11					
Facility:	Upper Site Landfill					
Known Data						
Depth of installation* (m):	3.85					
Length of screened section (m):	2.03					
Depth to top of screen* (m):	0.86					
Measured Data						
Condition of well:	Good			Procedure/Equipment:	Interface Meter	
Procedure/Equipment:	Interface Meter			Depth to water surface (m):	1.97	
Well height above ground (m):	0.56			Depth to bottom (m):	2.82	
Diameter of well (m):	0.05			Free product thickness (mm):	-	
Calculations						
Depth of water (m):	0.85			Notes Evidence of sludge: - Evidence of freezing/siltation: -		
Well volume of water (L):	1.67					
Static water level* (m):	1.41					
Length of screen collecting water (m):	0.85					
Development/Purging Information						
Equipment:	Peristaltic Pump, Horiba U-22 with flow through cell, LDPE					
Date & Time	Volume Removed (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Turbidity (NTU)	Description of Water
15-Aug-08	2.5	2.71	6.62	0.97	2.3	C&C Chemical odour
Water Sampling				Soil Sampling		
Date & Time Collected:	15-Aug-08			Date and Time Collected:	14-Aug-08	
Sample Number - Water:	MW-11			Sample Number - Soil:	MW-11-10	
				Refusal @ 0.40 m	MW-11-40	
Sample Containers:	3 x 0.5L Amber Glass 2 x VOC vials			Sample Containers:	4 x 250mL Glass	
Procedure/Equipment:	Peristaltic Pump, Horiba U-22			Procedure/Equipment:	SS Trowel	
Water Description:	C&C, Chemical odour			Soil Description:	Brown sandy silt till, some gravel.	
Sampling Equipment Decontamination (Y/N):	Y			Sampling Equipment Decontamination (Y/N):	Y	
Number Washes:	1			Number Washes:	3	
Number Rinses:	2			Number Rinses:	3	

*From ground surface. Unless this is stated, all measurements are assumed to be from the top of the casing.

n/a=not applicable

LDPE=Low Density Polyethylene

SS=Stainless Steel

2008 Monitoring Well Sampling Log (MW-12)

Site name:	CAM-4					
Date of sampling event:	14-17 Aug 2008					
Names of samplers:	TFB					
Monitoring well ID:	MW-12					
Facility:	Upper Site Landfill					
Known Data						
Depth of installation* (m):	3.67					
Length of screened section (m):	2.03					
Depth to top of screen* (m):	0.68					
Measured Data						
Condition of well:	See note below		Procedure/Equipment:	Interface Meter		
Procedure/Equipment:	Interface Meter		Depth to water surface (m):	1.53		
Well height above ground (m):	0.66		Depth to bottom (m):	2.20		
Diameter of well (m):	0.05		Free product thickness (mm):	-		
Note - Blockage in well approx. 1.30 mBTOP. Possible damaged coupling. Sand pack allowed to enter well at damaged area.						
Calculations			Notes			
Depth of water (m):	0.67		Evidence of sludge:	-		
Well volume of water (L):	1.32		Evidence of freezing/siltation:	-		
Static water level* (m):	0.87					
Length of screen collecting water (m):	0.67					
Development/Purging Information						
Equipment:	Disposable Bailer, Horiba U-22					
Date & Time	Volume Removed (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Turbidity (NTU)	Description of Water
16-Aug-08	1.4	Insufficient volume for field parameters				Grey, cloudy, silty Chemical odour
Water Sampling			Soil Sampling			
Date & Time Collected:	16-Aug-08		Date and Time Collected:	14-Aug-08		
Sample Number - Water:	MW-12		Sample Number - Soil:	MW-12-15		
			Refusal @ 0.32 m	MW-12-30		
Sample Containers:	3 x 0.5L Amber Glass 2 x VOC vials		Sample Containers:	4 x 250mL Glass		
Procedure/Equipment:	Disposable Bailer		Procedure/Equipment:	SS Trowel		
Water Description:	Grey, cloudy, silty, chemical odour		Soil Description:	Brown sandy silt, some gravel.		
Sampling Equipment Decontamination (Y/N):	Y		Sampling Equipment Decontamination (Y/N):	Y		
Number Washes:	3		Number Washes:	2		
Number Rinses:	5		Number Rinses:	2		

*From ground surface. Unless this is stated, all measurements are assumed to be from the top of the casing.

n/a=not applicable

LDPE=Low Density Polyethylene

SS=Stainless Steel

2008 Monitoring Well Sampling Log (MW-13)

Site name:	CAM-4					
Date of sampling event:	14-17 Aug 2008					
Names of samplers:	TFB/DAJ					
Monitoring well ID:	MW-13					
Facility:	Upper Site Landfill					
Known Data						
Depth of installation* (m):	3.18					
Length of screened section (m):	1.90					
Depth to top of screen* (m):	0.20					
Measured Data						
Condition of well:	Good			Procedure/Equipment:	Interface Meter	
Procedure/Equipment:	Interface Meter			Depth to water surface (m):	1.88	
Well height above ground (m):	0.64			Depth to bottom (m):	2.18	
Diameter of well (m):	0.05			Free product thickness (mm):	-	
Calculations				Notes		
Depth of water (m):	0.30			Evidence of sludge:	-	
Well volume of water (L):	0.59			Evidence of freezing/siltation:	-	
Static water level* (m):	1.24					
Length of screen collecting water (m):	0.30					
Development/Purging Information						
Equipment:	Disposable Bailer, Horiba U-22					
Date & Time	Volume Removed (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Turbidity (NTU)	Description of Water
16-Aug-08	0.8	2.91	5.98	0.392	903	Grey, cloudy Chemical odour
Water Sampling				Soil Sampling		
Date & Time Collected:	16-Aug-08			Date and Time Collected:	14-Aug-08	
Sample Number - Water:	MW-13			Sample Number - Soil:	MW-13-15	
				Refusal @ 0.30 m	MW-13-30	
Sample Containers:	2 x 0.5L Amber Glass 2 x VOC vials			Sample Containers:	4 x 250mL Glass	
Procedure/Equipment:	Disposable Bailer			Procedure/Equipment:	SS Trowel	
Water Description:	Cloudy, grey, chemical odour			Soil Description:	Brown sandy silt till, some gravel.	
Sampling Equipment Decontamination (Y/N):	Y			Sampling Equipment Decontamination (Y/N):	Y	
Number Washes:	2			Number Washes:	2	
Number Rinses:	3			Number Rinses:	3	

*From ground surface. Unless this is stated, all measurements are assumed to be from the top of the casing.

n/a=not applicable

LDPE=Low Density Polyethylene

SS=Stainless Steel



Gartner Lee

C5 – Thermistor Maintenance Records

DEW Line Ground Temperature Cables - Kitikmeot

				Configuration			Dates			Location		
Site	Thermistor Cable	Code	Thermistor Location	Vertical or Inclined	Cable Serial No.	Data Logger No.	Date Installed	First Monitoring Event	Last Monitoring Event	Coordinates Northing	Coordinates Easting	Ground Elevation
CAM-4	VT01	CAM-4VT01	Upper Site Landfill	Vertical	1615	111071	28-Sep-06	27-Aug-07	15-Aug-08			304.43
CAM-4	VT02	CAM-4VT02	Upper Site Landfill	Vertical	1617	2020175	28-Sep-06	27-Aug-07	15-Aug-08			306.71
CAM-4	VT03	CAM-4VT03	Upper Site Landfill	Vertical	1618	111126	28-Sep-06	27-Aug-06	15-Aug-08			310.09
CAM-4	VT04	CAM-4VT04	Upper Site Landfill	Vertical	1619	207046	26-Sep-06	27-Aug-07	15-Aug-08			312.80

DEW Line Groun

Site	Thermistor Cable	Length of Cable (including lead length)	Cable lead above ground	Nodal Points	Bead Depth below ground (vertical cables), or length along cable - inclined cable															
					Legend AG- Above ground, NF - Not functioning															
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CAM-4	VT01	7.7	1.2	13	AG	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	4.2	3.7			
CAM-4	VT02	6.7	1.2	11	AG	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5					
CAM-4	VT03	7.2	1.2	12	AG	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	4.8				
CAM-4	VT04	6.2	1.2	10	AG	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	3.5						

DEW Line Groun

		Calibration for individual beads															
Site	Thermistor Cable	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CAM-4	VT01																
CAM-4	VT02	-0.02	-0.08	-0.04	0.00	-0.02	-0.02	0.02	-0.01	-0.02	0.02	-0.08					
CAM-4	VT03	0.06	-0.03	0.02	0.02	-0.02	-0.03	-0.01	-0.02	-0.01	-0.07	-0.01	-0.01				
CAM-4	VT04	0.02	-0.01	-0.01	-0.12	-0.01	-0.02	0.02	0.03	-0.01	-0.01						

DEW Line Groun

Site	Thermistor Cable
CAM-4	VT01
CAM-4	VT02
CAM-4	VT03
CAM-4	VT04

Thermal Monitoring Ground Temperature Annual Maintenance Report

Contractor Name: Gartner Lee Limited	Inspection Date:
Prepared By:	

Thermistor Information

Site Name:	CAM-4	Thermistor Location	Upper Site Landfill		
Thermistor Number:	VT01	Inclination	Vertical		
Install Date:	28-Sep-06	First Date Event	27-Aug-07	Last Date Event	15-Aug-08
Coordinates and Elevation	N	E	Elev	304.43	
Length of Cable (m)	7.7	Cable Lead Above Ground (m)	1.2	Nodal Points	13
Datalogger Serial #	111071	Cable Serial Number	1615		

Code CAM-4VT01

Thermistor Inspection

	<u>Good</u>	<u>Needs Maintenance</u>
Casing	<input type="checkbox"/>	<input type="checkbox"/>
Cover	<input type="checkbox"/>	<input type="checkbox"/>
Data Logger	<input type="checkbox"/>	<input type="checkbox"/>
Cable	<input type="checkbox"/>	<input type="checkbox"/>
Beads	<input type="checkbox"/>	<input type="checkbox"/>
Battery Installation Date		
Battery Levels	Main	Aux

Manual Ground Temperature Readings

Bead	ohms	Temp. (°C)
1		10.1
2		12.5
3		5.6
4		4.8
5		4.5
6		3.3
7		-0.2
8		-2.4

Bead	ohms	Temp. (°C)
9		-3.9
10		-5.2
11		-6.4
12		-5.9
13		-4.9

Observations and Proposed Maintenance

Thermal Monitoring Ground Temperature Annual Maintenance Report

Contractor Name: Gartner Lee Limited	Inspection Date:
Prepared By:	

Thermistor Information

Site Name: CAM-4	Thermistor Location: Upper Site Landfill	
Thermistor Number: VT02	Inclination: Vertical	
Install Date: 28-Sep-06	First Date Event: 27-Aug-07	Last Date Event: 15-Aug-08
Coordinates and Elevation: N	E	Elev: 306.71
Length of Cable (m): 6.7	Cable Lead Above Ground (m): 1.2	Nodal Points: 11
Datalogger Serial #: 2020175	Cable Serial Number: 1617	

Code CAM-4VT02

Thermistor Inspection

	Good	Needs Maintenance
Casing	<input type="checkbox"/>	<input type="checkbox"/>
Cover	<input type="checkbox"/>	<input type="checkbox"/>
Data Logger	<input type="checkbox"/>	<input type="checkbox"/>
Cable	<input type="checkbox"/>	<input type="checkbox"/>
Beads	<input type="checkbox"/>	<input type="checkbox"/>
Battery Installation Date		
Battery Levels	Main 	Aux

Manual Ground Temperature Readings

Bead	ohms	Temp. (°C)
1		11.2
2		8.9
3		5.3
4		4.0
5		1.4
6		-0.9
7		-2.6
8		-3.7

Bead	ohms	Temp. (°C)
9		-4.8
10		-6.2
11		-7.6

Observations and Proposed Maintenance

Thermal Monitoring Ground Temperature Annual Maintenance Report

Contractor Name: Gartner Lee Limited	Inspection Date:
Prepared By:	

Thermistor Information

Site Name: CAM-4	Thermistor Location: Upper Site Landfill	
Thermistor Number: VT03	Inclination: Vertical	
Install Date: 28-Sep-06	First Date Event: 27-Aug-06	Last Date Event: 15-Aug-08
Coordinates and Elevation: N	E	Elev: 310.09
Length of Cable (m): 7.2	Cable Lead Above Ground (m): 1.2	Nodal Points: 12
Datalogger Serial #: 111126	Cable Serial Number: 1618	

Code CAM-4VT03

Thermistor Inspection

	Good	Needs Maintenance
Casing	<input type="checkbox"/>	<input type="checkbox"/>
Cover	<input type="checkbox"/>	<input type="checkbox"/>
Data Logger	<input type="checkbox"/>	<input type="checkbox"/>
Cable	<input type="checkbox"/>	<input type="checkbox"/>
Beads	<input type="checkbox"/>	<input type="checkbox"/>
Battery Installation Date		
Battery Levels	Main 	Aux

Manual Ground Temperature Readings

Bead	ohms	Temp. (°C)
1		14.2
2		9.2
3		4.1
4		2.3
5		0.0
6		-1.5
7		-2.8
8		-4.2

Bead	ohms	Temp. (°C)
9		-5.3
10		-6.7
11		-7.6
12		-8.2

Observations and Proposed Maintenance

Thermal Monitoring Ground Temperature Annual Maintenance Report

Contractor Name: Gartner Lee Limited	Inspection Date:
Prepared By:	

Thermistor Information

Site Name:	CAM-4	Thermistor Location	Upper Site Landfill
Thermistor Number:	VT04	Inclination	Vertical
Install Date:	26-Sep-06	First Date Event	27-Aug-07 Last Date Event 15-Aug-08
Coordinates and Elevation	N	E	Elev 312.8
Length of Cable (m)	6.2	Cable Lead Above Ground (m)	1.2 Nodal Points 10
Datalogger Serial #	207046	Cable Serial Number	1619

Code CAM-4VT04

Thermistor Inspection

	<u>Good</u>	<u>Needs Maintenance</u>
Casing	<input type="checkbox"/>	<input type="checkbox"/>
Cover	<input type="checkbox"/>	<input type="checkbox"/>
Data Logger	<input type="checkbox"/>	<input type="checkbox"/>
Cable	<input type="checkbox"/>	<input type="checkbox"/>
Beads	<input type="checkbox"/>	<input type="checkbox"/>
Battery Installation Date		
Battery Levels	Main	Aux


Manual Ground Temperature Readings

Bead	ohms	Temp. (°C)
1		13.7
2		9.6
3		5.0
4		3.4
5		1.2
6		-1.1
7		-2.5
8		-4.0


Bead	ohms	Temp. (°C)
9		-5.2
10		-5.3

Observations and Proposed Maintenance


C6 – Thermistor Graphs



Graph C-1
Ground Temperature Profile
Upper Site Landfill
Vertical GTC VT-1




Graph C-2
Ground Temperature Profile
Upper Site Landfill
Vertical GTC VT-2



Graph C-3
Ground Temperature Profile
Upper Site Landfill
Vertical GTC VT-3





Graph C-4
Ground Temperature Profile
Upper Site Landfill
Vertical GTC VT-4

C7 – Field Notes

Appendix D

Lower Site Non-hazardous Waste Landfill

- D1 – Site Condition/Visual Inspection Records
- D2 – Geotechnical Inspection Photographic Records
- D3 – Field Notes

draft for discussion

D1. Lower Site Non-hazardous Landfill

D1.1 Landfill Summary

The Lower Site Non-Hazardous Waste Landfill is located approximately 1.5 kilometres west of the west end of the airstrip, across the road from the Lower Site Landfill. The landfill contains non-hazardous wastes and debris generated and collected during clean up of the site. The location of the Lower Site Non-Hazardous Waste Landfill is presented in Figure D-1.

The landfill design consists of perimeter berms and a permanent cap of compacted granular fill over the landfilled material.

The monitoring requirements for 2008 include visual inspection only.

D1.2 Visual Monitoring

No significant erosion, settlement or indications of slope instability were observed at the Lower Site Non-Hazardous Waste Landfill. Overall landfill performance is assessed as “acceptable”. Appendix D1 presents a summary of the 2008 visual inspection results.

No issues of concern that require immediate attention were identified.


D1.3 Soil Sampling

Soil sampling was not scheduled for the 2008 monitoring year.

D1.4 Groundwater Sampling

Groundwater sampling was not scheduled for the 2008 monitoring year.


Date Plotted: October 16, 2006 Path: N:\Projects\2008\80297\2008\WorkInProgress\Data Interpretation\CAD\CAM-4\C4-RD05.dwg



- Legend**
- TBM4 □ TEMPORARY BENCHMARK
 - BM-1 ▲ PERMANENT BENCHMARK
 - 101→ COORDINATE POINT
 - ⊕ MONITORING WELL LOCATION
 - ① PHOTOGRAPH LOCATION

RECORD DRAWING
NOT FOR CONSTRUCTION

Map Sources / Notes:
Source drawing from UMA: C4-RD05.dwg



UTM Zone 16W, NAD83

File Name: C4-RD05.dwg
Reviewed by: DCJ
Date Issued: October, 2008
Prepared by: KAB
Project Number: 80-297

Defence Construction Canada
2008 CAM-4 DEW Line Monitoring Program
CAM-4 Kugaaruk
Nunavut Territory
Lower Site
Non-hazardous Waste Landfill

AECOM

Figure D-1
Version 1

D1 – Site Condition/Visual Inspection Records

Visual Inspection Checklist
Inspection Report – Page 1 of 2

SITE NAME:	CAM-4 - Pelly Bay
LANDFILL/AREA DESIGNATION:	Lower Site Non-Hazardous Waste Landfill
DATE OF INSPECTION:	August 15, 2008
DATE OF PREVIOUS INSPECTION:	August 24 - 26, 2007
INSPECTED BY:	Darrin Johnson, P.Eng.
REPORT PREPARED BY:	Darrin Johnson, P.Eng.

The preparer represents to the best of the preparer's knowledge, the following statements and observations are true and correct and to the best of the preparer's actual knowledge, no material facts have been suppressed or misstated.

Preliminary Stability Assessment

Feature	Severity Rating	Extent
Settlement	Not observed	None
Erosion	Not observed	None
Frost Action	Not observed	None
Animal Burrows	Not observed	None
Vegetation	Not observed	None
Staining	Not observed	None
Vegetation Stress	Not observed	None
Seepage Points	Not observed	None
Debris Exposed	Not observed	None
Tension Crack	Not observed	None
Overall Landfill Performance	Acceptable	

Lower Site Non-Hazardous Waste Landfill - Inspection Report - Page 2 of 2

Checklist Item	Present Yes/No	Location	Dimensions (L x W) (m)	Depth (m)	Extent (%)	Description	Photographic Records (Photos referenced in photolog and in figures)	Additional Comments/ Preliminary Stability Assessment
Settlement	No							
Erosion	No							
Frost Action	No							
Animal Burrows	No							
Vegetation	No							
Staining	No							
Vegetation Stress	No							
Seepage Points	No							
Debris Exposed	No							
Presence/ Condition of Monitoring Instruments	Good							
Other Features of Note.	No							
Additional Photos						General	LNH-1, 2A, 2B, 2C, 3A, 3B, 4, 5A, 5B, 5C, 6A, 6B, 7A, 7B	

D2 – Geotechnical Inspection Photographic Records

draft for discussion



Photograph LNH-1. Panoramic photo of the north slope.____ ↑



Photograph LNH-2A. Facing east along crest from the centre of the north crest.____ ↑

draft for discussion




Photograph LNH-2B. Facing west along the crest from the centre of the north crest. Some tire tracks visible but no damage or rutting.____ ↑



Photograph LNH-2C. Top of the landfill facing south from the centre of the north crest.____ ↑

draft for discussion



Photograph LNH-3A. Facing north from the centre of the east crest.____ ↑



Photograph LNH-3B. Facing south from the centre of the east crest.____ ↑

draft for discussion



Photograph LNH-4. Facing northwest along the east slope.____ ↑



Photograph LNH-5A. Facing west along the crest from the centre of the south crest.____ ↑

draft for discussion



Photograph LNH-5B. Facing north along the top of the landfill from the centre of the south crest.____ ↑




Photograph LNH-5C. Facing east along the crest from the centre of the south crest.____ ↑

draft for discussion




Photograph LNH-6A. Facing north along the crest from the centre of the west crest.____ ↑



Photograph LNH-6B. Facing south along the crest from the centre of the west crest.____ ↑

draft for discussion



Photograph LNH-7A. Facing northeast towards the west slope.____ ↑



Photograph LNH-7B. Facing southeast towards the west slope.____ ↑

D3 – Field Notes

Appendix E

Lower Site Landfill

- E1 – Site Condition/Visual Inspection Records
- E2 – Geotechnical Inspection Photographic Records
- E3 – Monitoring Photographic Records
- E4 – Monitoring Well Sampling Records
- E5 – Thermistor Maintenance Records
- E6 – Thermistor Graphs
- E7 – Field Notes

draft for discussion

E1. Lower Site Landfill

E1.1 Landfill Summary

The Lower Site Landfill is located approximately 1.5 kilometres west of the west end of the airstrip. The original landfill consisted of four lobes (north, main, south and east), encompassing an area of approximately 10,000m². The location of the landfill is presented in Figure E-1.

A previous evaluation determined the north, main and south lobes drained into an intermittent channel along the toe, ultimately draining into a small lake near the north lobe. No contaminated soil was found downgradient of the landfill, however, a localized stain of Tier I concentration was identified south of the landfill perimeter. The Lower Site Landfill was classified as a moderate potential environmental risk.

Remediation of the Lower Site Landfill included installation of a double synthetic liner system anchored into the permafrost at the toe, regrading and placement of additional granular fill, complete excavation of the north lobe and regrading of the south and east lobes.

Monitoring requirements for the 2008 monitoring year include visual inspection, soil sampling, groundwater sampling and thermal monitoring.

E1.2 Visual Monitoring

No significant erosion, settlement or indications of slope instability were observed at the Lower Site Landfill. Overall landfill performance is assessed as “acceptable”. Appendix E1 presents a summary of the 2008 visual inspection results.


Minor erosion of fines was observed at the southwest end of the west slope (LSL-10 in Appendix E2). The erosion of fines appears to be self-armouring and is not a concern. Seepage was observed from the lower half of the north slope near the thermistors (LSL-7 in Appendix E2). No staining was observed on the slope. No issues of concern that require immediate attention were identified.

E1.3 Soil Sampling

Soil samples were collected at monitoring locations MW-17, MW-18, MW-19 and MW-20. The sampling locations are presented in Figure E-1. Two samples were collected at each monitoring location at depths of approximately 0.15 – 0.20 meters and 0.30 – 0.50 meters below ground surface. The photographs of each monitoring well and test pit location are included in Attachment E3.

No staining or free product was observed during the sampling event at the Lower Site Landfill. No odours were detected during the sampling event at the Lower Site Landfill.

Date Plotted: October 16, 2006 Path: N:\Projects\2008\80297\2008\WorkInProgress\Data Interpretation\CAD\CAM-4\C4-RD06.dwg




Legend

- TBM4 □ TEMPORARY BENCHMARK
- BM-1 ▲ PERMANENT BENCHMARK
- 101- COORDINATE POINT
- C4-MW-1A C4-MW-1B ■ MONITORING SOIL SAMPLE LOCATION
- ⊕ MONITORING WELL LOCATION
- ⊕ VERTICAL THERMISTOR LOCATION
- ⑩ PHOTOGRAPH LOCATION

RECORD DRAWING
NOT FOR CONSTRUCTION

Map Sources / Notes:
Source drawing from UMA: C4-RD06.dwg



1 : 1000
UTM Zone 16W, NAD83

File Name: C4-RD06.dwg
Reviewed by: DCJ
Date Issued: October, 2008
Prepared by: KAB
Project Number: 80-297

Defence Construction Canada

2008 CAM-4 DEW Line Monitoring Program
CAM-4 Kugaaruk
Nunavut Territory

Lower Site Landfill

AECOM

Figure E-1
Version 1

draft for discussion

No significant concentrations were detected at any of the soil monitoring locations at the Lower Site Landfill.

The analytical results and depths of samples are provided in Table E-1. The Laboratory Certificates of Analysis are provided in Appendix F.

E1.4 Groundwater Sampling

Groundwater measurements and monitoring system condition records were documented for monitoring wells MW-17, MW-18, MW-19 and MW-20. These records are provided in attachment E4.

All groundwater monitoring wells slated for monitoring in 2008 at the Lower Site Landfill contained sufficient volume for sampling. Samples were collected at a flow rate equal to the recharge rate of the monitoring well (and not exceeding 100mL/min). Monitor MW-19 was sampled using a peristaltic pump and disposable LDPE tubing. The rechargeable battery provided with the peristaltic pump from the supplier proved to be faulty following purging and sampling at monitors MW-17 and MW-18. Subsequently, monitors that were accessible by vehicle were sampled with the peristaltic pump running off the vehicle battery. Monitor MW-19 was not accessible by vehicle, therefore were purged and sampled using a disposable bailer.

Groundwater samples were not filtered and not preserved. Samples were analyzed for total concentration of inorganic metals, TPH (C6-C32) and PCBs.

TPH (C6-C32) was detected in monitoring wells MW-17, MW-19 and MW-20. The results should be evaluated in the context of the Landfill Monitoring Plan as well as compared with DCC internal standards.

The results are presented in Table E-2. The laboratory Certificates of Analysis are provided in Appendix F.

E1.5 Thermal Monitoring

All thermistors at the Lower Site Landfill were in good condition. Thermistor data was downloaded on August 15, 2008, programming was checked and the data loggers were reset. The data logger clocks were adjusted to local (Standard Time). Battery charge was checked to ensure sufficient remaining charge and batteries were not changed in 2008.

Thermistor Maintenance Records were completed for all thermistors located at the Lower Landfill and are located in Appendix E5. Selected data has been plotted into graphs for each thermistor which are provided as Graphs E-1 through E-4 located in Appendix E6.

Table E-1. CAM-4 Kugaaruk, Summary of 2008 Soil Analysis - Lower Site Landfil

Sample Ident.	Sample Location	Depth	Copper Cu	Nickel Ni	Cobalt Co	Cadmium Cd	Lead Pb	Zinc Zn	Chromium Cr	Arsenic As	Mercury Hg	PCB Total Aroclors	F1 C6-C10	F2 C10-C16	F3 C16-C34	TPH C6-34
		(m)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
Upgradient Samples																
MW-20-15	MW-20	0.15	12.3	9.6	5.9	<0.50	10.6	37.4	18.0	<5.0	<0.0050	<0.050	<10	<30	<50	0
MW-20-35	MW-20	0.35	10.0	8.7	4.7	<0.50	10.8	25.6	16.7	<5.0	<0.0050	<0.050	<10	<30	<50	0
MW-200-35*	MW-20	0.35	10.8	10.3	5.0	<0.50	10.7	26.8	20.8	<5.0	<0.0050	<0.050	<10	<30	<50	0
Downgradient Samples																
MW-17-15	MW-17	0.15	6.6	6.6	3.8	<0.50	5.4	18.2	14.0	<5.0	<0.0050	<0.050	<10	<30	<50	0
MW-17-40	MW-17	0.40	13.9	10.2	5.5	<0.50	8.7	32.0	20.8	<5.0	0.0052	<0.050	<10	<30	<50	0
MW-18-15	MW-18	0.15	9.5	8.0	3.8	<0.50	7.2	31.4	15.8	<5.0	0.0120	<0.050	<10	<30	<50	0
MW-18-30	MW-18	0.30	10.1	8.7	3.8	<0.50	8.9	35.5	17.9	<5.0	0.0085	<0.050	<10	<30	<50	0
MW-19-20	MW-19	0.20	7.4	7.2	3.9	<0.50	6.4	26.5	14.7	<5.0	<0.0050	<0.050	<10	<30	<50	0
MW-19-50	MW-19	0.50	7.1	6.6	3.9	<0.50	7.8	29.0	12.1	<5.0	<0.0050	<0.050	<10	<30	<50	0

* Denotes duplicate sample. (Further information located in Table 2 of main report,

Note: mg/kg = ug/g

Table E-2. CAM-4 Kugaaruk, Summary of 2008 Groundwater Analysis - Lower Site Landfill

Sample Identification	Location	Groundwater Elevation (masl)	Copper Cu (mg/L)	Nickel Ni (mg/L)	Cobalt Co (mg/L)	Cadmium Cd (mg/L)	Lead Pb (mg/L)	Zinc Zn (mg/L)	Chromium Cr (mg/L)	Arsenic As (mg/L)	Mercury Hg (mg/L)	PCB Total Aroclors (mg/L)	F1 C6-C10 (mg/L)	F2 C10-C16 (mg/L)	F3 C16-C34 (mg/L)	TPH C6-34 (mg/L)
Upgradient Samples																
MW-20	MW-20	133.69	0.0029	<0.0010	<0.00030	0.000024	<0.00050	<0.0050	<0.0010	<0.00050	<0.000020	<0.0010	0.75	1.99	<0.30	2.74
MW-200*	MW-20	133.69	0.0035	<0.0010	<0.00030	0.000028	<0.00050	<0.0050	<0.0010	<0.00050	<0.000020	<0.0010	0.74	2.33	<0.30	3.07
Downgradient Samples																
MW-17	MW-17	119.66	0.0069	0.0024	0.00285	0.000056	<0.00050	<0.0050	0.0014	0.00062	<0.000020	<0.0010	<0.10	<0.30	0.33	0.33
MW-18	MW-18	125.44	0.0023	0.0014	<0.00030	0.000025	<0.00050	0.0081	<0.0010	<0.00050	<0.000020	<0.0010	<0.10	<0.30	<0.30	0
MW-19	MW-19	128.87	0.0033	0.0041	0.00199	0.000210	<0.00050	0.0856	0.0014	<0.00050	<0.000020	<0.0010	<0.10	<0.30	0.32	0.32

* Denotes duplicate sample. (Further information located in Table 2 of main report,

Note: mg/L = 1000 ug/L



E1 – Site Condition/Visual Inspection Records

Visual Inspection Checklist
Inspection Report – Page 1 of 2

SITE NAME:	CAM-4 - Pelly Bay
LANDFILL/AREA DESIGNATION:	Lower Site Landfill
DATE OF INSPECTION:	August 15, 2008
DATE OF PREVIOUS INSPECTION:	August 24 - 26, 2007
INSPECTED BY:	Darrin Johnson, P.Eng.
REPORT PREPARED BY:	Darrin Johnson, P.Eng.

The preparer represents to the best of the preparer's knowledge, the following statements and observations are true and correct and to the best of the preparer's actual knowledge, no material facts have been suppressed or misstated.

Preliminary Stability Assessment

Feature	Severity Rating	Extent
Settlement	Not observed	None
Erosion	Acceptable	Isolated
Frost Action	Not observed	None
Animal Burrows	Not observed	None
Vegetation	Not observed	None
Staining	Not observed	None
Vegetation Stress	Not observed	None
Seepage Points	Acceptable	Isolated
Debris Exposed	Not observed	None
Tension Crack	Not observed	None
Overall Landfill Performance	Acceptable	

Lower Site Landfill - Inspection Report - Page 2 of 2

Checklist Item	Present Yes/No	Location	Dimensions (L x W) (m)	Depth (m)	Extent (%)	Description	Photographic Records (Photos referenced in photolog and in figures)	Additional Comments/ Preliminary Stability Assessment
Settlement	No							
Erosion	Minor	Southwest end of west slope.	30 m x 20 m	N/A	3%	Minor erosion of fines that appears to be self-armouring.	LSL-10	Acceptable
Frost Action	No							
Animal Burrows	No							
Vegetation	No							
Staining	No							
Vegetation Stress	No							
Seepage Points	Yes	Lower half of north slope near thermistors.	20 m x 10 m	N/A	1%	Minor seepage from lower half of slope. No staining.	LSL-7	Acceptable
Debris Exposed	No							
Presence/ Condition of Monitoring Instruments	Good							
Other Features of Note.	No							
Additional Photos						General	LSL-1, 2A, 2B, 3, 4, 5, 6, 7, 8, 9, 10, 11A, 11B, 11C, 12, 13	

E2 – Geotechnical Inspection Photographic Records

draft for discussion



Photograph LSL-1. Panoramic photo of landfill from regraded hill near MW-20 ↑



Photograph LSL-2A. Looking west, upstream, along the rip-rap lined drainage channel. ↑

draft for discussion



Photograph LSL-2B. Facing east, downstream, along the rip-rap lined drainage channel. ↑



Photograph LSL-3. Panoramic photo of the southeast end of the landfill from the toe of the landfill near the rip-rap drainage channel outlet. ↑

draft for discussion



Photograph LSL-4. Panoramic photo facing west to the northeast corner of the landfill. ↑



Photograph LSL-5. View of the northeast corner slope from near MW-17, facing southwest. ↑

draft for discussion




Photograph LSL-6. Facing west long the north crest. Some seepage from lower half of north face.
No staining observed. ↑




Photograph LSL-7. Facing southwest to the north slope near thermistors. Seepage from lower half of slope, with no staining observed. Very small tufts of grass/vegetation observed. ↑

draft for discussion



Photograph LSL-8. Facing east along the north crest near thermistors. ↑




Photograph LSL-9. Facing southeast to slope. ↑

draft for discussion




Photograph LSL-10. Panoramic photo facing southeast to the north slope at northwest end. Minor erosion of fines but self armouring. ↑



Photograph LSL-11A. Facing east along northwest crest. ↑

draft for discussion




Photograph LSL-11B. Facing south over the landfill from the northwest crest. ↑




Photograph LSL-11C. Facing west along the northwest crest. ↑

draft for discussion



Photograph LSL-12. Facing east along crest at the southwest corner. ↑



Photograph LSL-13. Facing northeast to the west slope and rip-rap lined drainage ditch at the toe of the landfill. ↑

E3 – Monitoring Photographic Records

draft for discussion



Photograph 1. Monitoring Location MW-20 (Upgradient) Facing Northeast. ↑



Photograph 2. Monitoring Location MW-17 (Downgradient). Facing Southeast. ↑

draft for discussion



Photograph 3. Monitoring Location MW-18 (Downgradient). Facing Northwest. ↑



Photograph 4. Monitoring Location MW-19 (Downgradient). Facing Southwest. ↑

E4 – Monitoring Well Sampling Records

2008 Monitoring Well Sampling Log (MW-17)

Site name:	CAM-4					
Date of sampling event:	14-17 Aug 2008					
Names of samplers:	TFB					
Monitoring well ID:	MW-17					
Facility:	Lower Site Landfill					
Known Data						
Depth of installation* (m):	3.82					
Length of screened section (m):	2.03					
Depth to top of screen* (m):	0.83					
Measured Data						
Condition of well:	Good			Procedure/Equipment:	Interface Meter	
Procedure/Equipment:	Interface Meter			Depth to water surface (m):	1.48	
Well height above ground (m):	0.74			Depth to bottom (m):	2.20	
Diameter of well (m):	0.05			Free product thickness (mm):	-	
Calculations				Notes		
Depth of water (m):	0.72			Evidence of sludge:	-	
Well volume of water (L):	1.41			Evidence of freezing/siltation:	-	
Static water level* (m):	0.74					
Length of screen collecting water (m):	0.63					
Development/Purging Information						
Equipment:	Peristaltic Pump, Horiba U-22 with flow through cell, LDPE					
Date & Time	Volume Removed (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Turbidity (NTU)	Description of Water
15-Aug-08	3.5	5.41	6.16	0.54	27.9	C&C, N/O
Water Sampling				Soil Sampling		
Date & Time Collected:	15-Aug-08			Date and Time Collected:	15-Aug-08	
Sample Number - Water:	MW-17			Sample Number - Soil:	MW-17-15	
					MW-17-40	
Sample Containers:	3 x 0.5L Amber Glass 2 x VOC vials			Sample Containers:	4 x 250mL Glass	
Procedure/Equipment:	Peristaltic Pump, Horiba U-22			Procedure/Equipment:	SS Trowel	
Water Description:	C&C, N/O			Soil Description:	Brown sandy silt	
Sampling Equipment Decontamination (Y/N):	Y			Sampling Equipment Decontamination (Y/N):	Y	
Number Washes:	1			Number Washes:	2	
Number Rinses:	1			Number Rinses:	3	

*From ground surface. Unless this is stated, all measurements are assumed to be from the top of the casing.

n/a=not applicable

LDPE=Low Density Polyethylene

SS=Stainless Steel

2008 Monitoring Well Sampling Log (MW-18)

Site name:	CAM-4					
Date of sampling event:	14-17 Aug 2008					
Names of samplers:	TFB/DAJ					
Monitoring well ID:	MW_18					
Facility:	Lower Site Landfill					
Known Data						
Depth of installation* (m):	3.80					
Length of screened section (m):	2.03					
Depth to top of screen* (m):	0.81					
Measured Data						
Condition of well:	Good			Procedure/Equipment:	Interface Meter	
Procedure/Equipment:	Interface Meter			Depth to water surface (m):	0.73	
Well height above ground (m):	0.57			Depth to bottom (m):	2.30	
Diameter of well (m):	0.05			Free product thickness (mm):	-	
Calculations						
Depth of water (m):	1.57			Notes Evidence of sludge: - Evidence of freezing/siltation: -		
Well volume of water (L):	3.08					
Static water level* (m):	0.16					
Length of screen collecting water (m):	0.92					
Development/Purging Information						
Equipment:	Peristaltic Pump, Horiba U-22 with flow through cell, LDPE					
Date & Time	Volume Removed (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Turbidity (NTU)	Description of Water
15-Aug-08	3.5	5.12	5.82	0.223	8.6	C&C Slight chemical odour
Water Sampling				Soil Sampling		
Date & Time Collected:	15-Aug-08			Date and Time Collected:	15-Aug-08	
Sample Number - Water:	MW-18			Sample Number - Soil:	MW-18-15	
					MW-18-30	
Sample Containers:	3 x 0.5L Amber Glass 2 x VOC vials			Sample Containers:	4 x 250mL Glass	
Procedure/Equipment:	Peristaltic Pump, Horiba U-22			Procedure/Equipment:	SS Trowel	
Water Description:	C&C, Slight chemical odour			Soil Description:	Brown sandy silt	
Sampling Equipment Decontamination (Y/N):	Y			Sampling Equipment Decontamination (Y/N):	Y	
Number Washes:	2			Number Washes:	2	
Number Rinses:	2			Number Rinses:	2	

*From ground surface. Unless this is stated, all measurements are assumed to be from the top of the casing.

n/a=not applicable

LDPE=Low Density Polyethylene

SS=Stainless Steel

2008 Monitoring Well Sampling Log (MW-19)

Site name:	CAM-4					
Date of sampling event:	14-17 Aug 2008					
Names of samplers:	TFB					
Monitoring well ID:	MW-19					
Facility:	Lower Site Landfill					
Known Data						
Depth of installation* (m):	3.83					
Length of screened section (m):	2.03					
Depth to top of screen* (m):	0.84					
Measured Data						
Condition of well:	Good			Procedure/Equipment:	Interface Meter	
Procedure/Equipment:	Interface Meter			Depth to water surface (m):	0.78	
Well height above ground (m):	0.65			Depth to bottom (m):	2.10	
Diameter of well (m):	0.05			Free product thickness (mm):	-	
Calculations						
Depth of water (m):	1.32			Notes Evidence of sludge: - Evidence of freezing/siltation: -		
Well volume of water (L):	2.59					
Static water level* (m):	0.13					
Length of screen collecting water (m):	0.61					
Development/Purging Information						
Equipment:	Disposable bailer, Horiba U-22					
Date & Time	Volume Removed (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Turbidity (NTU)	Description of Water
15-Aug-08	3.2	7.3	5.55	0.645	260	C&C Slight chemical odour
Water Sampling				Soil Sampling		
Date & Time Collected:	15-Aug-08			Date and Time Collected:	15-Aug-08	
Sample Number - Water:	MW-19			Sample Number - Soil:	MW-19-20	
					MW-19-50	
Sample Containers:	3 x 0.5L Amber Glass 2 x VOC vials			Sample Containers:	4 x 250mL Glass	
Procedure/Equipment:	Peristaltic Pump, Horiba U-22			Procedure/Equipment:	SS Trowel	
Water Description:	C&C, slight chemical odour			Soil Description:	Brown sandy silt	
Sampling Equipment Decontamination (Y/N):	Y			Sampling Equipment Decontamination (Y/N):	Y	
Number Washes:	2			Number Washes:	2	
Number Rinses:	2			Number Rinses:	2	

*From ground surface. Unless this is stated, all measurements are assumed to be from the top of the casing.

n/a=not applicable

LDPE=Low Density Polyethylene

SS=Stainless Steel



Gartner Lee

2008 Monitoring Well Sampling Log (MW-20)

Site name:	CAM-4																			
Date of sampling event:	14-17 Aug 2008																			
Names of samplers:	TFB																			
Monitoring well ID:	MW-20																			
Facility:	Lower Site Landfill																			
Known Data																				
Depth of installation* (m):	3.43																			
Length of screened section (m):	2.05																			
Depth to top of screen* (m):	0.30																			
Measured Data																				
Condition of well:	Good			Procedure/Equipment:	Interface Meter															
Procedure/Equipment:	Interface Meter			Depth to water surface (m):	2.37															
Well height above ground (m):	0.66			Depth to bottom (m):	2.93															
Diameter of well (m):	0.05			Free product thickness (mm):	-															
Calculations																				
Depth of water (m):	0.56			<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="3" style="text-align: center;">Notes</td> </tr> <tr> <td>Evidence of sludge:</td> <td colspan="2">-</td> </tr> <tr> <td>Evidence of freezing/siltation:</td> <td colspan="2">-</td> </tr> </table>			Notes			Evidence of sludge:	-		Evidence of freezing/siltation:	-						
Notes																				
Evidence of sludge:	-																			
Evidence of freezing/siltation:	-																			
Well volume of water (L):	1.10																			
Static water level* (m):	1.71																			
Length of screen collecting water (m):	0.56																			
Development/Purging Information																				
Equipment:	Peristaltic Pump, Horiba U-22 with flow through cell, LDPE																			
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Date & Time</th> <th>Volume Removed (L)</th> <th>Temperature (°C)</th> <th>pH</th> <th>Conductivity (µS/cm)</th> <th>Turbidity (NTU)</th> <th>Description of Water</th> </tr> <tr> <td>15-Aug-08</td> <td>1.5</td> <td>4.76</td> <td>6.67</td> <td>0.396</td> <td>4.4</td> <td>C&C, N/O</td> </tr> </table>							Date & Time	Volume Removed (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Turbidity (NTU)	Description of Water	15-Aug-08	1.5	4.76	6.67	0.396	4.4	C&C, N/O
Date & Time	Volume Removed (L)	Temperature (°C)	pH	Conductivity (µS/cm)	Turbidity (NTU)	Description of Water														
15-Aug-08	1.5	4.76	6.67	0.396	4.4	C&C, N/O														
Water Sampling				Soil Sampling																
Date & Time Collected:	15-Aug-08			Date and Time Collected:	15-Aug-08															
Sample Number - Water:	MW-20			Sample Number - Soil:	MW-20-15															
					MW-20-35															
				Dup	MW-200-35															
Sample Containers:	6 x 0.5L Amber Glass			Sample Containers:	8 x 250mL Glass															
	4 x VOC vials																			
2 x 1L Amber glass	1 x 0.25L Plastic																			
Procedure/Equipment:	Peristaltic Pump, Horiba U-22			Procedure/Equipment:	SS Trowel															
Water Description:	C&C,N/O			Soil Description:	Brown sandy silt															
Sampling Equipment Decontamination (Y/N):	Y			Sampling Equipment Decontamination (Y/N):	Y															
Number Washes:	1			Number Washes:	2															
Number Rinses:	1			Number Rinses:	2															

*From ground surface. Unless this is stated, all measurements are assumed to be from the top of the casing.

n/a=not applicable

LDPE=Low Density Polyethylene

SS=Stainless Steel

E5 – Thermistor Maintenance Records

DEW Line Ground Temperature Cables - Kitikmeot

				Configuration			Dates			Location		
Site	Thermistor Cable	Code	Thermistor Location	Vertical or Inclined	Cable Serial No.	Data Logger No.	Date Installed	First Monitoring Event	Last Monitoring Event	Coordinates Northing	Coordinates Easting	Ground Elevation
CAM-4	VT09	CAM-4VT09	Lower Site Landfill	Vertical	1623	2020165	29-Sep-06	27-Aug-07	15-Aug-08			125.77
CAM-4	VT10	CAM-4VT10	Lower Site Landfill	Vertical	1625	108060	29-Sep-06	27-Aug-07	15-Aug-08			129.92
CAM-4	VT11	CAM-4VT11	Lower Site Landfill	Vertical	1621	111070	29-Sep-06	27-Aug-07	15-Aug-08			131.86
CAM-4	VT12	CAM-4VT12	Lower Site Landfill	Vertical	1626	2020150	29-Sep-06	27-Aug-07	15-Aug-08			131.97

DEW Line Groun

Site	Thermistor Cable	Length of Cable (including lead length)	Cable lead above ground	Nodal Points	Bead Depth below ground (vertical cables), or length along cable - inclined cable															
					Legend AG- Above ground, NF - Not functioning															
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CAM-4	VT09	6.2	1.2	10	AG	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0						
CAM-4	VT10	6.2	1.2	10	AG	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0						
CAM-4	VT11	6.2	1.2	10	AG	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.4	2.8						
CAM-4	VT12	6.7	1.2	11	AG	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.1					

DEW Line Groun

		Calibration for individual beads															
Site	Thermistor Cable	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
CAM-4	VT09	-0.02	-0.04	-0.02	-0.02	0.03	-0.02	-0.02	-0.03	-0.03	0.00						
CAM-4	VT10	-0.10	0.00	-0.04	-0.01	-0.08	0.03	-0.06	-0.01	-0.02	-0.01						
CAM-4	VT11	-0.03	0.00	-0.02	0.00	-0.01	0.05	-0.01	-0.07	0.02	0.02						
CAM-4	VT12	0.03	-0.03	0.00	0.08	0.04	0.05	0.02	0.02	-0.06	-0.02	0.05					

DEW Line Groun

Site	Thermistor Cable
CAM-4	VT09
CAM-4	VT10
CAM-4	VT11
CAM-4	VT12

Thermal Monitoring Ground Temperature Annual Maintenance Report

Contractor Name: Gartner Lee Limited	Inspection Date:
Prepared By:	

Thermistor Information

Site Name: CAM-4	Thermistor Location: Lower Site Landfill	
Thermistor Number: VT09	Inclination: Vertical	
Install Date: 29-Sep-06	First Date Event: 27-Aug-07	Last Date Event: 15-Aug-08
Coordinates and Elevation: N	E	Elev: 125.769
Length of Cable (m): 6.2	Cable Lead Above Ground (m): 1.2	Nodal Points: 10
Datalogger Serial #: 2020165	Cable Serial Number: 1623	

Code CAM-4VT09

Thermistor Inspection

	Good	Needs Maintenance
Casing	<input type="checkbox"/>	<input type="checkbox"/>
Cover	<input type="checkbox"/>	<input type="checkbox"/>
Data Logger	<input type="checkbox"/>	<input type="checkbox"/>
Cable	<input type="checkbox"/>	<input type="checkbox"/>
Beads	<input type="checkbox"/>	<input type="checkbox"/>
Battery Installation Date		
Battery Levels	Main	Aux

Manual Ground Temperature Readings

Bead	ohms	Temp. (°C)
1		16.0
2		13.2
3		6.1
4		4.5
5		2.0
6		-0.6
7		-1.9
8		-3.2

Bead	ohms	Temp. (°C)
9		-4.4
10		-5.4

Observations and Proposed Maintenance

Thermal Monitoring Ground Temperature Annual Maintenance Report

Contractor Name: Gartner Lee Limited	Inspection Date:
Prepared By:	

Thermistor Information

Site Name:	CAM-4	Thermistor Location	Lower Site Landfill
Thermistor Number:	VT10	Inclination	Vertical
Install Date:	29-Sep-06	First Date Event	27-Aug-07
		Last Date Event	15-Aug-08
Coordinates and Elevation	N	E	Elev 129.924
Length of Cable (m)	6.2	Cable Lead Above Ground (m)	1.2
Datalogger Serial #	108060	Nodal Points	10
		Cable Serial Number	1625

Code CAM-4VT10

Thermistor Inspection

	<u>Good</u>	<u>Needs Maintenance</u>
Casing	<input type="checkbox"/>	<input type="checkbox"/>
Cover	<input type="checkbox"/>	<input type="checkbox"/>
Data Logger	<input type="checkbox"/>	<input type="checkbox"/>
Cable	<input type="checkbox"/>	<input type="checkbox"/>
Beads	<input type="checkbox"/>	<input type="checkbox"/>
Battery Installation Date		
Battery Levels	Main	Aux

Manual Ground Temperature Readings

Bead	ohms	Temp. (°C)
1		14.0
2		7.4
3		4.2
4		2.6
5		1.9
6		-0.1
7		-1.5
8		-2.8

Bead	ohms	Temp. (°C)
9		-4.5
10		-5.2

Observations and Proposed Maintenance

Thermal Monitoring Ground Temperature Annual Maintenance Report

Contractor Name: Gartner Lee Limited	Inspection Date:
Prepared By:	

Thermistor Information

Site Name: CAM-4	Thermistor Location: Lower Site Landfill	
Thermistor Number: VT11	Inclination: Vertical	
Install Date: 29-Sep-06	First Date Event: 27-Aug-07	Last Date Event: 15-Aug-08
Coordinates and Elevation: N	E	Elev: 131.86
Length of Cable (m): 6.2	Cable Lead Above Ground (m): 1.2	Nodal Points: 10
Datalogger Serial #: 111070	Cable Serial Number: 1621	

Code CAM-4VT11

Thermistor Inspection

	Good	Needs Maintenance
Casing	<input type="checkbox"/>	<input type="checkbox"/>
Cover	<input type="checkbox"/>	<input type="checkbox"/>
Data Logger	<input type="checkbox"/>	<input type="checkbox"/>
Cable	<input type="checkbox"/>	<input type="checkbox"/>
Beads	<input type="checkbox"/>	<input type="checkbox"/>
Battery Installation Date		
Battery Levels	Main 	Aux

Manual Ground Temperature Readings

Bead	ohms	Temp. (°C)
1		14.9
2		7.4
3		5.8
4		4.5
5		1.8
6		-0.5
7		-2.1
8		-3.2

Bead	ohms	Temp. (°C)
9		-4.1
10		-2.8

Observations and Proposed Maintenance

Thermal Monitoring Ground Temperature Annual Maintenance Report

Contractor Name: Gartner Lee Limited	Inspection Date:
Prepared By:	

Thermistor Information

Site Name: CAM-4	Thermistor Location: Lower Site Landfill	
Thermistor Number: VT12	Inclination: Vertical	
Install Date: 29-Sep-06	First Date Event: 27-Aug-07	Last Date Event: 15-Aug-08
Coordinates and Elevation: N	E	Elev: 131.966
Length of Cable (m): 6.7	Cable Lead Above Ground (m): 1.2	Nodal Points: 11
Datalogger Serial #: 2020150	Cable Serial Number: 1626	

Code CAM-4VT12

Thermistor Inspection

	Good	Needs Maintenance
Casing	<input type="checkbox"/>	<input type="checkbox"/>
Cover	<input type="checkbox"/>	<input type="checkbox"/>
Data Logger	<input type="checkbox"/>	<input type="checkbox"/>
Cable	<input type="checkbox"/>	<input type="checkbox"/>
Beads	<input type="checkbox"/>	<input type="checkbox"/>
Battery Installation Date		
Battery Levels	Main	Aux


Manual Ground Temperature Readings

Bead	ohms	Temp. (°C)
1		15.8
2		10.5
3		6.7
4		5.3
5		3.0
6		0.0
7		-1.4
8		-2.6

Bead	ohms	Temp. (°C)
9		-4.1
10		-5.4
11		-5.4


Observations and Proposed Maintenance

E6 – Thermistor Graphs



Graph E-1
Ground Temperature Profile
Lower Site Landfill
Vertical GTC VT-9






- 15-Sep-07
- 15-Oct-07
- 15-Nov-07
- 15-Dec-07
- 15-Jan-08
- 15-Feb-08
- 15-Mar-08
- 15-Apr-08
- 15-May-08
- 15-Jun-08
- 15-Jul-08
- 15-Aug-08
- Man. Read. (15-Aug)
- Grade
- Liner
- Base of Key Trench
- Freezing Point
- Design Active Layer


Note:
Data downloaded and
datalogger reset on Aug. 15,
2008

Bead 8 data erroneous until
12-July-2008.

Cable Serial No: 1625
Datalogger No: 108060
Date Installed: 29-Sep-2006



Graph E-3
Ground Temperature Profile
Lower Site Landfill
Vertical GTC VT-11



Graph E-4
Ground Temperature Profile
Lower Site Landfill
Vertical GTC VT-12

E7 – Field Notes

Appendix F

Laboratory Reports

- List of Reports

Analysis Report



REPORT ON: Analysis of Soil, Water Samples

REPORTED TO: Gartner Lee Limited
Suite 300
300 Town Centre Boulevard
Markham, ON
L3R 5Z6

Att'n: Tim Boc

CHAIN OF CUSTODY: 2118991
PROJECT NAME: CAM-4
PROJECT NUMBER: 80-297
P.O. NUMBER: 6076

NUMBER OF SAMPLES: 5

REPORT DATE: August 28, 2008

DATE SUBMITTED: August 19, 2008

GROUP NUMBER: 90819109

SAMPLE TYPE: Soil, Water

NOTE: Results contained in this report refer only to the testing of samples as submitted. Other information is available on request.

TEST METHODS:


CCME Petroleum Hydrocarbons in Soil - analysis was performed using Canadian Council of Ministers of the Environment (CCME) "Reference Method for the Canada-Wide Standard for Petroleum Hydrocarbons in Soil" approved December 2000. The method involves extraction of the different hydrocarbon fractions and analysis by gas chromatography with flame ionization detection (GC/FID).

Canada-Wide Standard for Petroleum Hydrocarbons in Soil (F1 Fraction) - The F1 Fraction (nC6 to nC10) was analyzed based on the CCME Reference Method for the Canada-Wide Standard for Petroleum Hydrocarbons in Soil-Tier 1 Method (2001). Analysis involves methanol extraction and quantitation using GasChromatography with Flame Ionization Detector (GC-FID). The F1 Fraction is reported with the BTEX compounds (benzene, toluene, ethylbenzene, and ortho, meta and para-xylenes) subtracted (e.g. corrected). These BTEX compounds analyzed by GCMS may be included in this report on request by the customer.

Canada-Wide Standard for Petroleum Hydrocarbons in Soil (F1 Fraction) - The F1 Fraction (nC6 to nC10) analysis was performed based on the CCME Reference Method for the Canada-Wide Standard for Petroleum Hydrocarbons in Soil - Tier 1 Method (2001). Analysis involves methanol extraction and quantitation using Gas Chromatography with a Flame Ionization Detector (GC-FID). The F1 Fraction is reported with the BTEX compounds (Benzene, Toluene, Ethylbenzene, and Total Xylenes) subtracted (e.g. corrected). These BTEX compounds may be included in this report on request by the customer.

(Continued)

CANTEST LTD.


Anna Becalska, PhD
Trace Metals Coordinator

REPORTED TO: Gartner Lee Limited

REPORT DATE: August 28, 2008

GROUP NUMBER: 90819109



Canada-Wide Standard for Petroleum Hydrocarbons in Soil (F2,F3 and F4 Fractions) - The F2 to F4 Fractions (nC10 to nC50) analysis was performed based on the CCME Reference Method for the Canada-Wide Standard for Petroleum Hydrocarbons in Soil - Tier 1 Method (2001). Analysis involves extraction with 50:50 hexane:acetone, silica-gel cleanup and quantitation using Gas Chromatography with a Flame Ionization Detector (GC-FID).

Moisture in Soil - analysis was performed gravimetrically by heating a separate sample portion at 105 C and measuring the weight loss.

pH in Soil or Solid - analysis was performed based on procedures described in the "Manual on Soil Sampling and Methods of Analysis" (1993) published by the Canadian Society of Soil Science. The test was performed using a deionized water leach with measurement by pH meter.

Conventional Parameters - analyses were performed using procedures based on those described in the most current editions of "British Columbia Environmental Laboratory Manual for the Analysis of Water, Wastewater, Sediment and Biological Materials", (2005 edition) Province of British Columbia and "Standard Methods for the Examination of Water and Wastewater" (21st Edition), published by the American Public Health Association.

Mercury in Water - analysis was performed using procedures based on U. S. EPA Method 245.7, oxidative digestion using bromination, and analysis using Cold Vapour Atomic Fluorescence Spectroscopy.

Metals in Water - analysis was performed using Inductively Coupled Plasma Optical Emission Spectroscopy (ICP), Inductively Coupled Plasma-Mass Spectroscopy (ICP/MS).

Polychlorinated Biphenyls - analysis was performed using procedures based upon U.S. EPA Methods 608/8080, involving extraction, clean-up steps, and analysis using GC/ECD. Aroclors 1242, 1248, 1254 and 1260 were included.

Total Extractable Hydrocarbons (TEH) - analysis was performed using procedures based on USEPA Method 8015 and BC MOELP Environmental Laboratory Manual (1994) Method X366, involving dichloromethane extraction and analysis using GC/FID. Components in the C10 to C30 range are included, using an alkane standard for quantitation. The report states if silica gel cleanup was used.

Silver in Soil - analysis was performed using Inductively Coupled Plasma Mass Spectrometry (ICP/MS).

Arsenic in Soil - analysis was performed using Inductively Coupled Plasma Mass Spectrometry (ICP/MS).

Cadmium in Soil - analysis was performed using Inductively Coupled Plasma Mass Spectrometry (ICP/MS).

Mercury in Soil - analysis was performed using Cold Vapour Atomic Fluorescence.

Molybdenum in Soil - analysis was performed using an acid digestion followed by determination using Inductively Coupled Plasma Mass Spectrometry (ICP/MS).

(Continued)

REPORTED TO: Gartner Lee Limited

REPORT DATE: August 28, 2008

GROUP NUMBER: 90819109



Strong Acid Leachable Metals in Soil - analysis was performed using B.C. MOELP Method "Strong Acid Leachable Metals in Soil, Version 1.0". The method involves drying the sample at 60 C, sieving using a 2 mm (10 mesh) sieve and digestion using a mixture of hydrochloric and nitric acids. Analysis was performed using Inductively Coupled Argon Plasma Spectroscopy (ICAP) or by specific techniques as described.

Selenium in Soil - analysis was using Inductively Coupled Plasma Mass Spectrometry (ICP/MS).

Thallium in Soil - analysis was performed using Inductively Coupled Plasma Mass Spectrometry (ICP/MS).

Total Petroleum Hydrocarbons - analysis was performed using procedures based on Alberta Environment Site Investigation requirements, involving summation of the total volatile (purgeable) and semi-volatile (extractable) hydrocarbons.

TEST RESULTS:

(See following pages)

REPORTED TO: Gartner Lee Limited

REPORT DATE: August 28, 2008

GROUP NUMBER: 90819109



Conventional Parameters in Water

CLIENT SAMPLE IDENTIFICATION:	SAMPLE DATE	CANTEST ID	Hardness (Total) CaCO ₃
MW-20	Aug 15/08	808190321	112
MW-15	Aug 16/08	808190325	342
DETECTION LIMIT UNITS			1 mg/L

mg/L = milligrams per liter

REPORTED TO: Gartner Lee Limited

REPORT DATE: August 28, 2008

GROUP NUMBER: 90819109



Metals Analysis in Water

CLIENT SAMPLE IDENTIFICATION:		MW-20	MW-15	DETECTION LIMIT	UNITS
SAMPLE PREPARATION:		TOTAL	TOTAL		
DATE SAMPLED:		Aug 15/08	Aug 16/08	DETECTION LIMIT	UNITS
CANTEST ID:		808190321	808190325		
Aluminum	Al	0.2	0.042	0.005	mg/L
Antimony	Sb	0.089	<	0.001	mg/L
Arsenic	As	<	0.001	0.001	mg/L
Barium	Ba	0.003	0.095	0.001	mg/L
Beryllium	Be	<	<	0.001	mg/L
Bismuth	Bi	<	<	0.001	mg/L
Boron	B	0.08	0.19	0.05	mg/L
Cadmium	Cd	<	<	0.0002	mg/L
Calcium	Ca	37	112	0.05	mg/L
Chromium	Cr	<	<	0.001	mg/L
Cobalt	Co	<	0.002	0.001	mg/L
Copper	Cu	0.003	0.001	0.001	mg/L
Iron	Fe	0.18	1.44	0.05	mg/L
Lead	Pb	<	<	0.001	mg/L
Lithium	Li	0.004	0.001	0.001	mg/L
Magnesium	Mg	4.79	15	0.05	mg/L
Manganese	Mn	0.031	2.34	0.001	mg/L
Mercury	Hg	<	<	0.02	µg/L
Molybdenum	Mo	0.0043	0.002	0.0005	mg/L
Nickel	Ni	<	0.007	0.001	mg/L
Phosphorus	P	<	<	0.15	mg/L
Potassium	K	4.5	9.2	0.1	mg/L
Selenium	Se	<	0.002	0.001	mg/L
Silicon	Si	2.2	3.9	0.25	mg/L
Silver	Ag	<	<	0.00025	mg/L
Sodium	Na	20.5	40.2	0.05	mg/L
Strontium	Sr	0.046	0.26	0.001	mg/L
Tellurium	Te	<	<	0.001	mg/L
Thallium	Tl	<	<	0.0001	mg/L
Thorium	Th	<	<	0.0005	mg/L
Tin	Sn	<	<	0.001	mg/L

(Continued on next page)

REPORTED TO: Gartner Lee Limited

REPORT DATE: August 28, 2008

GROUP NUMBER: 90819109



Metals Analysis in Water

CLIENT SAMPLE IDENTIFICATION:		MW-20	MW-15		
SAMPLE PREPARATION:		TOTAL	TOTAL		
DATE SAMPLED:		Aug 15/08	Aug 16/08		
CANTEST ID:		808190321	808190325	DETECTION LIMIT	UNITS
Titanium	Ti	0.009	0.002	0.001	mg/L
Uranium	U	0.061	0.036	0.0005	mg/L
Vanadium	V	<	0.002	0.001	mg/L
Zinc	Zn	0.022	0.32	0.005	mg/L
Zirconium	Zr	<	<	0.01	mg/L

mg/L = milligrams per liter

µg/L = micrograms per liter

< = Less than detection limit

REPORTED TO: Gartner Lee Limited

REPORT DATE: August 28, 2008

GROUP NUMBER: 90819109



Total Extractable Hydrocarbons in Water

CLIENT SAMPLE IDENTIFICATION:	SAMPLE DATE	CANTEST ID	TEH
MW-20	Aug 15/08	808190321	1300
MW-15	Aug 16/08	808190325	5400
DETECTION LIMIT UNITS			100 $\mu\text{g/L}$

$\mu\text{g/L}$ = micrograms per liter

REPORTED TO: Gartner Lee Limited

REPORT DATE: August 28, 2008

GROUP NUMBER: 90819109



Polychlorinated Biphenyls in Water

CLIENT SAMPLE IDENTIFICATION:	MW-20	MW-15	
DATE SAMPLED:	Aug 15/08	Aug 16/08	
CANTEST ID:	808190321	808190325	DETECTION LIMIT
Arochlor 1242	<	<	0.1
Arochlor 1248	<	<	0.1
Arochlor 1254	<	<	0.1
Arochlor 1260	<	<	0.1
Total PCB	<	<	0.4
Surrogate Recovery			
2,2',4,4',6,6'-hexabromobiphenyl	85	100	-

Results expressed as micrograms per liter ($\mu\text{g/L}$)

Surrogate recoveries expressed as percent (%)

< = Less than detection limit

REPORTED TO: Gartner Lee Limited

REPORT DATE: August 28, 2008

GROUP NUMBER: 90819109



Conventional Parameters in Soil

CLIENT SAMPLE IDENTIFICATION:	SAMPLE DATE	CANTEST ID	Moisture	pH
MW-14-A-30	Aug 14/08	808190310	15.1	7.1
BMW-3-40	Aug 14/08	808190315	11.0	6.6
MW-20-35	Aug 15/08	808190318	5.0	7.2
DETECTION LIMIT UNITS			0.1 %	0.1 pH units

% = percent

REPORTED TO: Gartner Lee Limited

REPORT DATE: August 28, 2008

GROUP NUMBER: 90819109



Polychlorinated Biphenyls in Soil

CLIENT SAMPLE IDENTIFICATION:	MW-14-A-30	BMW-3-40	MW-20-35	
DATE SAMPLED:	Aug 14/08	Aug 14/08	Aug 15/08	
CANTEST ID:	808190310	808190315	808190318	DETECTION LIMIT
Arochlor 1242	<	<	<	0.03
Arochlor 1248	<	<	<	0.03
Arochlor 1254	<	<	<	0.03
Arochlor 1260	<	<	<	0.03
Total PCB	<	<	<	0.03
Surrogate Recovery				
2,2',4,4',6,6'-hexabromobiphenyl	89	63	89	-

Results expressed as micrograms per gram, on a dry weight basis. ($\mu\text{g/g}$)

Surrogate recoveries expressed as percent (%)

< = Less than detection limit

REPORTED TO: Gartner Lee Limited

REPORT DATE: August 28, 2008

GROUP NUMBER: 90819109



Total Petroleum Hydrocarbons in Soil

CLIENT SAMPLE IDENTIFICATION:	SAMPLE DATE	CANTEST ID	Total Petroleum Hydrocarbons
MW-14-A-30	Aug 14/08	808190310	<
BMW-3-40	Aug 14/08	808190315	<
MW-20-35	Aug 15/08	808190318	<
DETECTION LIMIT UNITS			20 $\mu\text{g/g}$

$\mu\text{g/g}$ = micrograms per gram, on a dry weight basis.

< = Less than detection limit

REPORTED TO: Gartner Lee Limited

REPORT DATE: August 28, 2008

GROUP NUMBER: 90819109



CCME Petroleum Hydrocarbons in Soil

CLIENT SAMPLE IDENTIFICATION:	SAMPLE DATE	CANTEST ID	F1 (C6-C10) uncorrected	F1 minus BTEX (C6-C10)
MW-14-A-30	Aug 14/08	808190310	<	<
BMW-3-40	Aug 14/08	808190315	<	<
MW-20-35	Aug 15/08	808190318	<	<
DETECTION LIMIT UNITS			5 $\mu\text{g/g}$	5 $\mu\text{g/g}$

$\mu\text{g/g}$ = micrograms per gram, on a dry weight basis.

< = Less than detection limit

REPORTED TO: Gartner Lee Limited

REPORT DATE: August 28, 2008

GROUP NUMBER: 90819109



CCME Petroleum Hydrocarbons in Soil

CLIENT SAMPLE IDENTIFICATION:	SAMPLE DATE	CANTEST ID	F2 (C10-C16) uncorrected	F3 (C16-C34) uncorrected
MW-14-A-30	Aug 14/08	808190310	<	<
BMW-3-40	Aug 14/08	808190315	<	<
MW-20-35	Aug 15/08	808190318	<	<
DETECTION LIMIT UNITS			5 $\mu\text{g/g}$	5 $\mu\text{g/g}$

$\mu\text{g/g}$ = micrograms per gram, on a dry weight basis.

< = Less than detection limit

REPORTED TO: Gartner Lee Limited

REPORT DATE: August 28, 2008

GROUP NUMBER: 90819109



Strong Acid Soluble Metals in Soil

CLIENT SAMPLE IDENTIFICATION:		MW-14-A-30	BMW-3-40	MW-20-35	DETECTION LIMIT
DATE SAMPLED:		Aug 14/08	Aug 14/08	Aug 15/08	
CANTEST ID:		808190310	808190315	808190318	
Antimony	Sb	<	<	<	0.1
Arsenic	As	2.4	2.3	1.2	0.1
Barium	Ba	68	81	27	1
Beryllium	Be	<	<	<	1
Cadmium	Cd	<	<	<	0.2
Chromium	Cr	28	30	17	2
Cobalt	Co	7	8	4	1
Copper	Cu	11	12	8	1
Lead	Pb	8.4	8.3	10.4	0.2
Mercury	Hg	0.01	0.01	0.01	0.01
Molybdenum	Mo	0.4	0.5	0.4	0.1
Nickel	Ni	14	16	9	2
Selenium	Se	<	0.2	0.2	0.2
Silver	Ag	<	<	<	0.1
Thallium	Tl	0.2	0.3	0.1	0.1
Tin	Sn	<	<	<	5
Vanadium	V	33	36	23	1
Zinc	Zn	38	46	25	1
Aluminum	Al	12200	13400	6460	10
Boron	B	2	2	1	1
Calcium	Ca	2320	2260	1790	1
Iron	Fe	17700	19800	11200	2
Magnesium	Mg	5530	6180	3370	1
Manganese	Mn	190	246	115	1
Phosphorus	P	807	728	623	20
Potassium	K	3520	4000	1500	10
Sodium	Na	116	103	62	5
Strontium	Sr	7	8	4	1
Titanium	Ti	1030	1140	533	1
Zirconium	Zr	4	5	2	1

Results expressed as micrograms per gram, on a dry weight basis. ($\mu\text{g/g}$)

< = Less than detection limit

REPORTED TO: Gartner Lee Limited

REPORT DATE: August 28, 2008

GROUP NUMBER: 90819109



CCME Petroleum Hydrocarbons in Soil

CLIENT SAMPLE IDENTIFICATION:	MW-14-A-30	BMW-3-40	MW-20-35	
DATE SAMPLED:	Aug 14/08	Aug 14/08	Aug 15/08	
CANTEST ID:	808190310	808190315	808190318	
Benzene	<	<	<	0.005
Ethylbenzene	<	<	<	0.018
Toluene	<	<	<	0.02
Total Xylenes	<	<	<	0.02

Results expressed as micrograms per gram, on a dry weight basis. ($\mu\text{g/g}$)

< = Less than detection limit



Environmental Division

Certificate of Analysis

GARTNER LEE LTD.

ATTN: KEN BOLDT

300 TOWN CENTRE BOULEVARD
SUITE 300
MARKHAM ON L3R 5Z6

Reported On: 04-SEP-08 04:52 PM

Lab Work Order #: L671383

Date Received: 19-AUG-08

Project P.O. #: KSL-00627

Job Reference: 80297

Legal Site Desc:

CofC Numbers: C065198

Other Information:

Comments: Please note that Polychlorinated Biphenyl detection limits have been increased for some of the samples due to the analytical interferences encountered during the analysis.



NATASHA MARKOVIC-MIROVIC
Account Manager

THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN AUTHORITY OF THE LABORATORY.
ALL SAMPLES WILL BE DISPOSED OF AFTER 30 DAYS FOLLOWING ANALYSIS. PLEASE CONTACT THE LAB IF YOU
REQUIRE ADDITIONAL SAMPLE STORAGE TIME.

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID		L671383-1	L671383-2	L671383-3	L671383-4	L671383-5
		16-AUG-08	16-AUG-08	16-AUG-08	16-AUG-08	16-AUG-08
		BMW-3	MW-15	MW-150	MW-14A	MW-16
Grouping	Analyte					
WATER						
Physical Tests	Hardness (as CaCO ₃) (mg/L)	191	335	338	304	157
Total Metals	Arsenic (As)-Total (mg/L)	0.0023	0.0020	0.0020	0.00067	0.00076
	Cadmium (Cd)-Total (mg/L)	0.000061	<0.000034	<0.000034	0.000067	0.000082
	Chromium (Cr)-Total (mg/L)	0.0437	0.0024	<0.0030	0.0100	0.0025
	Cobalt (Co)-Total (mg/L)	0.00817	0.00216	0.00208	0.00135	0.00210
	Copper (Cu)-Total (mg/L)	0.0155	<0.0020	<0.0020	0.0146	0.0040
	Lead (Pb)-Total (mg/L)	0.0091	<0.0010	<0.0010	0.00112	0.00056
	Mercury (Hg)-Total (mg/L)	<0.000020	<0.000020	<0.000020	<0.000020	<0.000020
	Nickel (Ni)-Total (mg/L)	0.0180	0.0065	0.0063	0.0091	0.0120
	Zinc (Zn)-Total (mg/L)	0.0513	0.250	0.239	2.41	0.0149
Hydrocarbons	F1 (C6-C10) (mg/L)	<0.10	0.35	0.33	<0.10	2.23
	F2 (C10-C16) (mg/L)	<0.30	5.98	5.15	<0.30	76.7
	F3 (C16-C34) (mg/L)	<0.30	1.65	1.40	0.33	8.01
Polychlorinated Biphenyls	PCB-1016 (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1221 (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1232 (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1242 (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1248 (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1254 (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1260 (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1262 (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1268 (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	Total Polychlorinated Biphenyls (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID		L671383-6	L671383-7	L671383-8	L671383-9	
		16-AUG-08	16-AUG-08	16-AUG-08	16-AUG-08	
		MW-8	MW-9	MW-13	MW-12	
Grouping	Analyte					
WATER						
Physical Tests	Hardness (as CaCO ₃) (mg/L)	1380	202	140	186	
Total Metals	Arsenic (As)-Total (mg/L)	<0.0025	<0.0025	0.00216	0.0051	
	Cadmium (Cd)-Total (mg/L)	0.000170	<0.000085	0.000176	0.000135	
	Chromium (Cr)-Total (mg/L)	<0.0050	0.0183	0.0205	0.0540	
	Cobalt (Co)-Total (mg/L)	0.0031	<0.0015	0.00978	0.0156	
	Copper (Cu)-Total (mg/L)	0.0228	0.0071	0.0288	0.0433	
	Lead (Pb)-Total (mg/L)	<0.0025	<0.0025	0.00725	0.0158	
	Mercury (Hg)-Total (mg/L)	<0.000020	<0.000020	<0.000020	<0.000020	
	Nickel (Ni)-Total (mg/L)	0.0268	0.0079	0.0257	0.0418	
	Zinc (Zn)-Total (mg/L)	0.0391	0.0382	0.0809	0.208	
Hydrocarbons	F1 (C6-C10) (mg/L)	2.89	<0.10	<0.10	<0.10	
	F2 (C10-C16) (mg/L)	8.17	0.44	<0.30	1.26	
	F3 (C16-C34) (mg/L)	1.84	0.63	1.11	2.02	
Polychlorinated Biphenyls	PCB-1016 (mg/L)	<0.0010	<0.0010	<0.0011	<0.0012	
	PCB-1221 (mg/L)	<0.0010	<0.0010	<0.0011	<0.0012	
	PCB-1232 (mg/L)	<0.0010	<0.0010	<0.0011	<0.0012	
	PCB-1242 (mg/L)	<0.0010	<0.0010	<0.0011	<0.0012	
	PCB-1248 (mg/L)	<0.0010	<0.0010	<0.0011	<0.0012	
	PCB-1254 (mg/L)	<0.0010	<0.0010	<0.0011	<0.0012	
	PCB-1260 (mg/L)	<0.0010	<0.0010	<0.0011	<0.0012	
	PCB-1262 (mg/L)	<0.0010	<0.0010	<0.0011	<0.0012	
	PCB-1268 (mg/L)	<0.0010	<0.0010	<0.0011	<0.0012	
	Total Polychlorinated Biphenyls (mg/L)	<0.0010	<0.0010	<0.0011	<0.0012	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

Methods Listed (if applicable):

ALS Test Code	Matrix	Test Description	Analytical Method Reference(Based On)
---------------	--------	------------------	---------------------------------------

F1-PT-FID-VA Water CCME F1 By P&T with GCFID EPA SW-846, METHOD 8260

This analysis is based on the "Reference Method for the Canada-Wide Standard for Petroleum Hydrocarbons in Soil - Tier 1 Method, Canadian Council of Ministers of the Environment, December 2000." For F1 (C6-C10), the sample undergoes a purge and trap extraction prior to analysis by GC/FID.

F1 (C6-C10): Sum of all hydrocarbons that elute between nC6 and nC10.

F2-F3-SF-FID-VA Water Extractable Hydrocarbons in water GCFID CWS (CCME)

Petroleum Hydrocarbons (F2-F3) in Water

This analysis is carried out using procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846, published by the United States Environmental Protection Agency (EPA) and the "Reference Method for the Canada-Wide Standard for Petroleum Hydrocarbons in Soil - Tier 1 Method, Canadian Council of Ministers of the Environment, December 2000." The procedure involves a liquid-liquid extraction of the entire water sample using dichloromethane prior to capillary column gas chromatography with flame ionization detection (GC/FID).

A silica gel cleanup procedure is applied before GC analysis, which is intended to selectively remove most naturally occurring organics.

HARDNESS-CALC-VA Water Hardness APHA 2340B

Hardness is calculated from Calcium and Magnesium concentrations, and is expressed as calcium carbonate equivalents.

HG-TOT-CCME-CVAFS-VA Water Total Mercury in Water by CVAFS (CCME) EPA 245.7

This analysis is carried out using procedures adapted from "Standard Methods for the Examination of Water and Wastewater" published by the American Public Health Association, and with procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846 published by the United States Environmental Protection Agency (EPA). The procedure involves a cold-oxidation of the acidified sample using bromine monochloride prior to reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry (EPA Method 245.7).

MET-TOT-CCME-ICP-VA Water Total Metals in Water by ICPOES (CCME) EPA SW-846 3005A/6010B

This analysis is carried out using procedures adapted from "Standard Methods for the Examination of Water and Wastewater" published by the American Public Health Association, and with procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846 published by the United States Environmental Protection Agency (EPA). The procedures may involve preliminary sample treatment by acid digestion, using either hotblock or microwave oven, or filtration (EPA Method 3005A). Instrumental analysis is by inductively coupled plasma - optical emission spectrophotometry (EPA Method 6010B).

MET-TOT-CCME-MS-VA Water Total Metals in Water by ICPMS (CCME) EPA SW-846 3005A/6020A

This analysis is carried out using procedures adapted from "Standard Methods for the Examination of Water and Wastewater" published by the American Public Health Association, and with procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846 published by the United States Environmental Protection Agency (EPA). The procedures may involve preliminary sample treatment by acid digestion, using either hotblock or microwave oven, or filtration (EPA Method 3005A). Instrumental analysis is by inductively coupled plasma - mass spectrometry (EPA Method 6020A).

PCB-SF-ECD-VA Water PCB by Extraction with GCECD EPA 3510/8082 Liq-Liq GCECD

This analysis is carried out using procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846, Methods 3510, 3620, 3660, 3665 & 8082, published by the United States Environmental Protection Agency (EPA). The procedure involves a liquid-liquid extraction of the entire water sample using dichloromethane. The extract is then solvent exchanged to hexane followed by one or more of the following clean-up procedures (if required): florisil clean-up, sulphur clean-up and/or sulphuric acid clean-up. The final extract is analysed by capillary column gas chromatography with electron capture detection (GC/ECD).

** Laboratory Methods employed follow in-house procedures, which are generally based on nationally or internationally accepted methodologies. The last two letters of the above ALS Test Code column indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location	Laboratory Definition Code	Laboratory Location
VA	ALS LABORATORY GROUP - VANCOUVER, BC, CANADA		

Reference Information

Methods Listed (if applicable):

ALS Test Code	Matrix	Test Description	Analytical Method Reference(Based On)
---------------	--------	------------------	---------------------------------------

GLOSSARY OF REPORT TERMS

Surr - A surrogate is an organic compound that is similar to the target analyte(s) in chemical composition and behavior but not normally detected in enviromental samples. Prior to sample processing, samples are fortified with one or more surrogate compounds.

The reported surrogate recovery value provides a measure of method efficiency.

mg/kg (units) - unit of concentration based on mass, parts per million

mg/L (units) - unit of concentration based on volume, parts per million

N/A - Result not available. Refer to qualifier code and definition for explanation

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Although test results are generated under strict QA/QC protocols, any unsigned test reports, faxes, or emails are considered preliminary.

ALS Laboratory Group has an extensive QA/QC program where all analytical data reported is analyzed using approved referenced procedures followed by checks and reviews by senior managers and quality assurance personnel. However, since the results are obtained from chemical measurements and thus cannot be guaranteed, ALS Laboratory Group assumes no liability for the use or interpretation of the results.



Environmental Division

REPORT TO:		REPORT FORMAT / DISTRIBUTION		SERVICE REQUESTED	
COMPANY: GARTNER LEE LP.		STANDARD <input checked="" type="checkbox"/> OTHER		REGULAR SERVICE (DEFAULT) <input checked="" type="checkbox"/>	
CONTACT: KEN BOLDT		PDF <input checked="" type="checkbox"/> EXCEL <input checked="" type="checkbox"/> CUSTOM <input type="checkbox"/> FAX		RUSH SERVICE (2-3 DAYS)	
ADDRESS: 300 TOWN CENTRE BLVD.		EMAIL 1: kbaldt@gartnerlee.com		PRIORITY SERVICE (1 DAY or ASAP)	
SUITE 300, MARKHAM ON.		EMAIL 2: TRAC@GARTNERLEE.COM		EMERGENCY SERVICE (<1 DAY / WEEKEND) - CONTACT ALS	
PHONE: 905-477-8800 FAX:		INDICATE BOTTLES: FILTERED / PRESERVED (F/P)		ANALYSIS REQUEST	
INVOICE TO: SAME AS REPORT ? YES (NO)		CLIENT / PROJECT INFORMATION:			
COMPANY: KITHUNA PROJECTS INC.		JOB #: 80297			
CONTACT: PETER ARMSTRONG		PO / AFE:			
ADDRESS: CAMBRIDGE BAY, NU.		Legal Site Description:			
PHONE: 867-983-7828 FAX:		QUOTE #: 1/6 KITHUNA PROJECTS INC.			
Lab Work Order # (lab use only) L671383		SAMPLER (Initials): TB.			
Sample #	SAMPLE IDENTIFICATION (This description will appear on the report)	DATE	TIME	SAMPLE TYPE	
	BMW-3	16-AUG-08		GW	
	MW-15				
	MW-150				
	MW-14-A				
	MW-16				
	MW-8				
	MW-9				
	MW-13				
	MW-12				
PLEASE DECANT GROUNDWATER SAMPLES					
GUIDELINES / REGULATIONS		SPECIAL INSTRUCTIONS / HAZARDOUS DETAILS			
CCME		CCME DETECTION LIMITS (2 codes SHIPPED) METALS = TOTAL METALS			
Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY.					
By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the reverse page of the white report copy.					
RELINQUISHED BY:	DATE & TIME:	RECEIVED BY:	DATE & TIME:	TEMPERATURE	SAMPLE CONDITION (lab use only)
	17/AUG/08/00			13/12°C	SAMPLES RECEIVED IN GOOD CONDITION ? YES (NO)
RELINQUISHED BY:	DATE & TIME:	RECEIVED BY:	DATE & TIME:		
		GMW	Aug. 19		



Environmental Division

Certificate of Analysis

GARTNER LEE LTD.

ATTN: KEN BOLDT

300 TOWN CENTRE BOULEVARD
SUITE 300
MARKHAM ON L3R 5Z6

Reported On: 04-SEP-08 05:23 PM

Revision: 2

Lab Work Order #: L673741

Date Received: 25-AUG-08

Project P.O. #: KSL-00627

Job Reference: 80297

Legal Site Desc:

CofC Numbers: C065109

Other Information:

Comments:


NATASHA MARKOVIC-MIROVIC
Account Manager

THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN AUTHORITY OF THE LABORATORY.
ALL SAMPLES WILL BE DISPOSED OF AFTER 30 DAYS FOLLOWING ANALYSIS. PLEASE CONTACT THE LAB IF YOU
REQUIRE ADDITIONAL SAMPLE STORAGE TIME.

ALS LABORATORY GROUP ANALYTICAL REPORT

		Sample ID	L673741-1	L673741-2	L673741-3	L673741-4	L673741-5
		Description					
		Sampled Date	19-AUG-08	19-AUG-08	19-AUG-08	19-AUG-08	19-AUG-08
		Sampled Time					
		Client ID	C2-MW-5	C2-MW-6	C2-MW-7	C2-MW-8	C2-MW-9
Grouping	Analyte						
WATER							
Physical Tests	Hardness (as CaCO3) (mg/L)		1170	1090	2020	2260	1100
Total Metals	Arsenic (As)-Total (mg/L)		<0.010	<0.020	<0.020	<0.010	<0.020
	Cadmium (Cd)-Total (mg/L)		<0.00050	<0.0010	<0.0010	<0.00050	<0.0010
	Chromium (Cr)-Total (mg/L)		<0.0050	<0.010	<0.010	<0.0050	<0.010
	Cobalt (Co)-Total (mg/L)		<0.0050	<0.010	<0.010	<0.0050	<0.010
	Copper (Cu)-Total (mg/L)		<0.010	<0.020	<0.020	<0.010	<0.020
	Lead (Pb)-Total (mg/L)		<0.010	<0.020	<0.020	<0.010	<0.020
	Mercury (Hg)-Total (mg/L)		<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
	Nickel (Ni)-Total (mg/L)		<0.050	<0.10	<0.10	<0.050	<0.10
	Zinc (Zn)-Total (mg/L)		0.125	<0.010	0.021	<0.0050	<0.010
Volatile Organic Compounds	Surrogate: 4-Bromofluorobenzene (SS) (%)		99	101	99	97	95
	Surrogate: Fluorobenzene (SS) (%)		97	99	98	98	101
Hydrocarbons	F1 (C6-C10) (mg/L)		<0.10	<0.10	<0.10	<0.10	<0.10
	TPH10-32 (mg/L)		<1.0	<1.0	<1.0	<1.0	<1.0
	Surrogate: 2,4-Dichlorotoluene (SS) (%)		118	105	107	107	104
Polychlorinated Biphenyls	PCB-1016 (mg/L)		<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1221 (mg/L)		<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1232 (mg/L)		<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1242 (mg/L)		<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1248 (mg/L)		<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1254 (mg/L)		<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1260 (mg/L)		<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1262 (mg/L)		<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1268 (mg/L)		<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	Total Polychlorinated Biphenyls (mg/L)		<0.0010	<0.0010	<0.0010	<0.0010	<0.0010

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

Methods Listed (if applicable):

ALS Test Code	Matrix	Test Description	Analytical Method Reference(Based On)
EPH-SF-SG-FID-VA	Water	EPH in Water with Silica gel by GCFID	BCMOE EPHsg GCFID
This analysis is carried out using British Columbia Ministry of Water, Land and Air Protection (BC WLAP) methods. Water samples are extracted and analyzed using the BC WLAP method "Extractable Petroleum Hydrocarbons in Water by GC/FID" (version 2.1, July 1999). This procedure involves extraction of the entire water sample with dichloromethane prior to capillary column gas chromatography with flame ionization detection (GC/FID). A silica gel cleanup procedure is applied before GC analysis, which is intended to selectively remove most naturally occurring organics. The silica gel cleanup follows the BC WLAP method "Silica Gel Cleanup of Extractable Petroleum Hydrocarbons" (Draft, October 23, 2003). This analysis is sometimes also referred to as Total Petroleum Hydrocarbons.			
F1-BTX-CALC-VA	Water	F1-Total BTX	CCME CWS PHC TIER 1 (2001)
This analysis is based on the "Reference Method for the Canada-Wide Standard for Petroleum Hydrocarbons in Soil - Tier 1 Method, Canadian Council of Ministers of the Environment, December 2000." For F1 (C6-C10), the sample undergoes a purge and trap extraction prior to analysis by GC/FID. The F1-BTEX result is calculated as follows:			
F1-BTEX: F1 (C6-C10) minus benzene, toluene, ethylbenzene and xylenes (BTEX).			
F1-PT-FID-VA	Water	CCME F1 By P&T with GCFID	EPA SW-846, METHOD 8260
This analysis is based on the "Reference Method for the Canada-Wide Standard for Petroleum Hydrocarbons in Soil - Tier 1 Method, Canadian Council of Ministers of the Environment, December 2000." For F1 (C6-C10), the sample undergoes a purge and trap extraction prior to analysis by GC/FID.			
F1 (C6-C10): Sum of all hydrocarbons that elute between nC6 and nC10.			
HARDNESS-CALC-VA	Water	Hardness	APHA 2340B
Hardness is calculated from Calcium and Magnesium concentrations, and is expressed as calcium carbonate equivalents.			
HG-TOT-CSR-CVAFS-VA	Water	Total Mercury in Water by CVAFS (CSR)	EPA 245.7
This analysis is carried out using procedures adapted from "Standard Methods for the Examination of Water and Wastewater" published by the American Public Health Association, and with procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846 published by the United States Environmental Protection Agency (EPA). The procedure involves a cold-oxidation of the acidified sample using bromine monochloride prior to reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry (EPA Method 245.7).			
MET-TOT-CSR-ICP-VA	Water	Total Metals in Water by ICP-OES (CSR)	EPA SW-846 3005A/6010B
This analysis is carried out using procedures adapted from "Standard Methods for the Examination of Water and Wastewater" published by the American Public Health Association, and with procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846 published by the United States Environmental Protection Agency (EPA). The procedures may involve preliminary sample treatment by acid digestion, using either hotblock or microwave oven, or filtration (EPA Method 3005A). Instrumental analysis is by inductively coupled plasma - optical emission spectrophotometry (EPA Method 6010B).			
MET-TOT-CSR-MS-VA	Water	Total Metals in Water by ICPMS (CSR)	EPA SW-846 3005A/6020A
This analysis is carried out using procedures adapted from "Standard Methods for the Examination of Water and Wastewater" published by the American Public Health Association, and with procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846 published by the United States Environmental Protection Agency (EPA). The procedures may involve preliminary sample treatment by acid digestion, using either hotblock or microwave oven, or filtration (EPA Method 3005A). Instrumental analysis is by inductively coupled plasma - mass spectrometry (EPA Method 6020A).			
PCB-SF-ECD-VA	Water	PCB by Extraction with GCECD	EPA 3510/8082 Liq-Liq GCECD
This analysis is carried out using procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846, Methods 3510, 3620, 3660, 3665 & 8082, published by the United States Environmental Protection Agency (EPA). The procedure involves a liquid-liquid extraction of the entire water sample using dichloromethane. The extract is then solvent exchanged to hexane followed by one or more of the following clean-up procedures (if required): florisil clean-up, sulphur clean-up and/or sulphuric acid clean-up. The final extract is analysed by capillary column gas chromatography with electron capture detection (GC/ECD).			
VOC7-PT-MS-VA	Water	BTEX by Purge Trap GCMS	EPA 8260b, BCMELP CSR Method
This procedure involves the purge and trap extraction of the sample prior to analysis for specific Volatile Organic Compounds (VOC) by capillary column gas chromatography with mass spectrometric detection (GC/MS). The VOC analysis is carried out using procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846, Method 8260, published by the United States Environmental Protection Agency (EPA). Note: For			

Reference Information

Methods Listed (if applicable):

ALS Test Code	Matrix	Test Description	Analytical Method Reference(Based On)
---------------	--------	------------------	---------------------------------------

chlorinated waters certain conditions may cause the formation of trihalomethanes after sample collection. Appropriate chemical treatment of chlorinated waters will prevent trihalomethane formation in the samples. Surrogate recoveries may not be reported in cases where interferences from the sample matrix prevent accurate quantitation.

XYLENES-CALC-VA	Water	CSR VOC7 by MeOH with DI GCMS	CALCULATION
------------------------	-------	-------------------------------	-------------

Calculation of Total Xylenes

Total Xylenes is the sum of the concentrations of the ortho, meta, and para Xylene isomers. Results below detection limit (DL) are treated as zero. The DL for Total Xylenes is set to a value no less than the square root of the sum of the squares of the DLs of the individual Xylenes.

** Laboratory Methods employed follow in-house procedures, which are generally based on nationally or internationally accepted methodologies. The last two letters of the above ALS Test Code column indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location	Laboratory Definition Code	Laboratory Location
VA	ALS LABORATORY GROUP - VANCOUVER, BC, CANADA		

GLOSSARY OF REPORT TERMS

Surr - A surrogate is an organic compound that is similar to the target analyte(s) in chemical composition and behavior but not normally detected in environmental samples. Prior to sample processing, samples are fortified with one or more surrogate compounds.

The reported surrogate recovery value provides a measure of method efficiency.

mg/kg (units) - unit of concentration based on mass, parts per million

mg/L (units) - unit of concentration based on volume, parts per million

N/A - Result not available. Refer to qualifier code and definition for explanation

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Although test results are generated under strict QA/QC protocols, any unsigned test reports, faxes, or emails are considered preliminary.

ALS Laboratory Group has an extensive QA/QC program where all analytical data reported is analyzed using approved referenced procedures followed by checks and reviews by senior managers and quality assurance personnel. However, since the results are obtained from chemical measurements and thus cannot be guaranteed, ALS Laboratory Group assumes no liability for the use or interpretation of the results.



Environmental Division

REPORT TO:	REPORT FORMAT / DISTRIBUTION	SERVICE REQUESTED
COMPANY: <i>Gartner Inc limited</i>	STANDARD <input checked="" type="checkbox"/> OTHER _____	<input checked="" type="checkbox"/> REGULAR SERVICE (DEFAULT)
CONTACT: <i>Ken Boldt</i>	PDF <input checked="" type="checkbox"/> EXCEL <input checked="" type="checkbox"/> CUSTOM <input type="checkbox"/> FAX _____	<input type="checkbox"/> RUSH SERVICE (2-3 DAYS)
ADDRESS: <i>300-300 Town Centre Blvd</i>	EMAIL 1: <i>kboldt@gartner inc. com</i>	<input type="checkbox"/> PRIORITY SERVICE (1 DAY or ASAP)
<i>Markham, Ont. L3R 5Z6</i>	EMAIL 2: _____	<input type="checkbox"/> EMERGENCY SERVICE (<1 DAY / WEEKEND) - CONTACT ALS

PHONE: 905 473 8400 FAX: 905 477 1456

INVOICE TO:	SAME AS REPORT ?	YES	NO
INDICATE BOTTLES: FILTERED / PRESERVED (F/P)	↑	↑	↑

[illegible][illegible][illegible]

7-
ADDRESS: 10120A 12, Cambridge, MA
POINT E.

[illegible]

PHONE: 866-783-7508 FAX: 866-783-7501
QUOTE #: 866-783-7501

Labor Work Order #
LAB WORK ONLY
(lab use only)
~~1B7C49~~
Y
JAWIR LLEN
(Initials)

[illegible]

#
(This description will appear on the report)
DRAIN
SAMPLE TIME
CW
MW
Pk
H/A/HID

Water	1-19	2-20	3-21	4-22	5-23	6-24	7-25
Water	1-19	2-20	3-21	4-22	5-23	6-24	7-25

[illegible]

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

[illegible]

8 - MW-33

[illegible]

1. $\frac{1}{2}$ 2. $\frac{1}{3}$ 3. $\frac{1}{4}$ 4. $\frac{1}{5}$ 5. $\frac{1}{6}$ 6. $\frac{1}{7}$ 7. $\frac{1}{8}$ 8. $\frac{1}{9}$ 9. $\frac{1}{10}$ 10. $\frac{1}{11}$ 11. $\frac{1}{12}$ 12. $\frac{1}{13}$ 13. $\frac{1}{14}$ 14. $\frac{1}{15}$ 15. $\frac{1}{16}$ 16. $\frac{1}{17}$ 17. $\frac{1}{18}$ 18. $\frac{1}{19}$ 19. $\frac{1}{20}$ 20. $\frac{1}{21}$ 21. $\frac{1}{22}$ 22. $\frac{1}{23}$ 23. $\frac{1}{24}$ 24. $\frac{1}{25}$ 25. $\frac{1}{26}$ 26. $\frac{1}{27}$ 27. $\frac{1}{28}$ 28. $\frac{1}{29}$ 29. $\frac{1}{30}$ 30. $\frac{1}{31}$ 31. $\frac{1}{32}$ 32. $\frac{1}{33}$ 33. $\frac{1}{34}$ 34. $\frac{1}{35}$ 35. $\frac{1}{36}$ 36. $\frac{1}{37}$ 37. $\frac{1}{38}$ 38. $\frac{1}{39}$ 39. $\frac{1}{40}$ 40. $\frac{1}{41}$ 41. $\frac{1}{42}$ 42. $\frac{1}{43}$ 43. $\frac{1}{44}$ 44. $\frac{1}{45}$ 45. $\frac{1}{46}$ 46. $\frac{1}{47}$ 47. $\frac{1}{48}$ 48. $\frac{1}{49}$ 49. $\frac{1}{50}$ 50. $\frac{1}{51}$ 51. $\frac{1}{52}$ 52. $\frac{1}{53}$ 53. $\frac{1}{54}$ 54. $\frac{1}{55}$ 55. $\frac{1}{56}$ 56. $\frac{1}{57}$ 57. $\frac{1}{58}$ 58. $\frac{1}{59}$ 59. $\frac{1}{60}$ 60. $\frac{1}{61}$ 61. $\frac{1}{62}$ 62. $\frac{1}{63}$ 63. $\frac{1}{64}$ 64. $\frac{1}{65}$ 65. $\frac{1}{66}$ 66. $\frac{1}{67}$ 67. $\frac{1}{68}$ 68. $\frac{1}{69}$ 69. $\frac{1}{70}$ 70. $\frac{1}{71}$ 71. $\frac{1}{72}$ 72. $\frac{1}{73}$ 73. $\frac{1}{74}$ 74. $\frac{1}{75}$ 75. $\frac{1}{76}$ 76. $\frac{1}{77}$ 77. $\frac{1}{78}$ 78. $\frac{1}{79}$ 79. $\frac{1}{80}$ 80. $\frac{1}{81}$ 81. $\frac{1}{82}$ 82. $\frac{1}{83}$ 83. $\frac{1}{84}$ 84. $\frac{1}{85}$ 85. $\frac{1}{86}$ 86. $\frac{1}{87}$ 87. $\frac{1}{88}$ 88. $\frac{1}{89}$ 89. $\frac{1}{90}$ 90. $\frac{1}{91}$ 91. $\frac{1}{92}$ 92. $\frac{1}{93}$ 93. $\frac{1}{94}$ 94. $\frac{1}{95}$ 95. $\frac{1}{96}$ 96. $\frac{1}{97}$ 97. $\frac{1}{98}$ 98. $\frac{1}{99}$ 99. $\frac{1}{100}$ 100. $\frac{1}{101}$ 101. $\frac{1}{102}$ 102. $\frac{1}{103}$ 103. $\frac{1}{104}$ 104. $\frac{1}{105}$ 105. $\frac{1}{106}$ 106. $\frac{1}{107}$ 107. $\frac{1}{108}$ 108. $\frac{1}{109}$ 109. $\frac{1}{110}$ 110. $\frac{1}{111}$ 111. $\frac{1}{112}$ 112. $\frac{1}{113}$ 113. $\frac{1}{114}$ 114. $\frac{1}{115}$ 115. $\frac{1}{116}$ 116. $\frac{1}{117}$ 117. $\frac{1}{118}$ 118. $\frac{1}{119}$ 119. $\frac{1}{120}$ 120. $\frac{1}{121}$ 121. $\frac{1}{122}$ 122. $\frac{1}{123}$ 123. $\frac{1}{124}$ 124. $\frac{1}{125}$ 125. $\frac{1}{126}$ 126. $\frac{1}{127}$ 127. $\frac{1}{128}$ 128. $\frac{1}{129}$ 129. $\frac{1}{130}$ 130. $\frac{1}{131}$ 131. $\frac{1}{132}$ 132. $\frac{1}{133}$ 133. $\frac{1}{134}$ 134. $\frac{1}{135}$ 135. $\frac{1}{136}$ 136. $\frac{1}{137}$ 137. $\frac{1}{138}$ 138. $\frac{1}{139}$ 139. $\frac{1}{140}$ 140. $\frac{1}{141}$ 141. $\frac{1}{142}$ 142. $\frac{1}{143}$ 143. $\frac{1}{144}$ 144. $\frac{1}{145}$ 145. $\frac{1}{146}$ 146. $\frac{1}{147}$ 147. $\frac{1}{148}$ 148. $\frac{1}{149}$ 149. $\frac{1}{150}$ 150. $\frac{1}{151}$ 151. $\frac{1}{152}$ 152. $\frac{1}{153}$ 153. $\frac{1}{154}$ 154. $\frac{1}{155}$ 155. $\frac{1}{156}$ 156. $\frac{1}{157}$ 157. $\frac{1}{158}$ 158. $\frac{1}{159}$ 159. $\frac{1}{160}$ 160. $\frac{1}{161}$ 161. $\frac{1}{162}$ 162. $\frac{1}{163}$ 163. $\frac{1}{164}$ 164. $\frac{1}{165}$ 165. $\frac{1}{166}$ 166. $\frac{1}{167}$ 167. $\frac{1}{168}$ 168. $\frac{1}{169}$ 169. $\frac{1}{170}$ 170. $\frac{1}{171}$ 171. $\frac{1}{172}$ 172. $\frac{1}{173}$ 173. $\frac{1}{174}$ 174. $\frac{1}{175}$ 175. $\frac{1}{176}$ 176. $\frac{1}{177}$ 177. $\frac{1}{178}$ 178. $\frac{1}{179}$ 179. $\frac{1}{180}$ 180. $\frac{1}{181}$ 181. $\frac{1}{182}$ 182. $\frac{1}{183}$ 183. $\frac{1}{184}$ 184. $\frac{1}{185}$ 185. $\frac{1}{186}$ 186. $\frac{1}{187}$ 187. $\frac{1}{188}$ 188. $\frac{1}{189}$ 189. $\frac{1}{190}$ 190. $\frac{1}{191}$ 191. $\frac{1}{192}$ 192. $\frac{1}{193}$ 193. $\frac{1}{194}$ 194. $\frac{1}{195}$ 195. $\frac{1}{196}$ 196. $\frac{1}{197}$ 197. $\frac{1}{198}$ 198. $\frac{1}{199}$ 199. $\frac{1}{200}$ 200. $\frac{1}{201}$ 201. $\frac{1}{202}$ 202. $\frac{1}{203}$ 203. $\frac{1}{204}$ 204. $\frac{1}{205}$ 205. $\frac{1}{206}$ 206. $\frac{1}{207}$ 207. $\frac{1}{208}$ 208. $\frac{1}{209}$ 209. $\frac{1}{210}$ 210. $\frac{1}{211}$ 211. $\frac{1}{212}$ 212. $\frac{1}{213}$ 213. $\frac{1}{214}$ 214. $\frac{1}{215}$ 215. $\frac{1}{216}$ 216. $\frac{1}{217}$ 217. $\frac{1}{218}$ 218. $\frac{1}{219}$ 219. $\frac{1}{220}$ 220. $\frac{1}{221}$ 221. $\frac{1}{222}$ 222. $\frac{1}{223}$ 223. $\frac{1}{224}$ 224. $\frac{1}{225}$ 225. $\frac{1}{226}$ 226. $\frac{1}{227}$ 227. $\frac{1}{228}$ 228. $\frac{1}{229}$ 229. $\frac{1}{230}$ 230. $\frac{1}{231}$ 231. $\frac{1}{232}$ 232. $\frac{1}{233}$ 233. $\frac{1}{234}$ 234. $\frac{1}{235}$ 235. $\frac{1}{236}$ 236. $\frac{1}{237}$ 237. $\frac{1}{238}$ 238. $\frac{1}{239}$ 239. $\frac{1}{240}$ 240

[illegible][illegible][illegible][illegible][illegible]

GUIDELINES / REGULATIONS	SPECIAL INSTRUCTIONS / HAZARDOUS DETAILS

✓

Failure to complete all work; one of the factors were delay in analysis. Please fill in this form. LEGIBLY

By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the reverse page of the white report cover, and to complete an online survey every day.

RELINQUISHED BY:	DATE & TIME:	RECEIVED BY:	DATE & TIME:	SAMPLE CONDITION	SAMPLE CONDITION (lab use only)

TEMPERATURE	SAMPLES RECEIVED IN GOOD CONDITION ?	YES / NO
<div style="border: 1px solid black; height: 100px; width: 100%;"></div>		

RELINQUISHED BY: _____ DATE & TIME: _____
RECEIVED BY: _____ DATE & TIME: _____
(if no provide details)

[illegible]

WHITE - REPORT COPY, PINK - FILE COPY, YELLOW - CLIENT COPY

103



Environmental Division

Certificate of Analysis

GARTNER LEE LTD.

ATTN: KEN BOLDT

300 TOWN CENTRE BOULEVARD
SUITE 300
MARKHAM ON L3R 5Z6

Reported On: 10-SEP-08 05:47 PM

Revision: 3

Lab Work Order #: L671792

Date Received: 19-AUG-08

Project P.O. #: KSL-00627

Job Reference: GU80-297

Legal Site Desc:

CofC Numbers: C065196, C065204, C065206, C065207

Other Information:

Comments: The detection limits for some metals analysis have been increased due to high levels of metals in the samples or interferences encountered during analysis.



NATASHA MARKOVIC-MIROVIC
Account Manager

THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN AUTHORITY OF THE LABORATORY.
ALL SAMPLES WILL BE DISPOSED OF AFTER 30 DAYS FOLLOWING ANALYSIS. PLEASE CONTACT THE LAB IF YOU
REQUIRE ADDITIONAL SAMPLE STORAGE TIME.

ALS LABORATORY GROUP ANALYTICAL REPORT

		Sample ID	L671792-1	L671792-2	L671792-3	L671792-4	L671792-5
		Description					
		Sampled Date	14-AUG-08	14-AUG-08	14-AUG-08	14-AUG-08	14-AUG-08
		Sampled Time					
		Client ID	BMW-2-15	MW-5-10	MW-5-25	MW-8-10	MW-8-20
Grouping	Analyte						
SOIL							
Physical Tests	% Moisture (%)		20.3	11.0	12.1	8.40	7.89
	pH (pH)		5.96	6.99	6.93	6.93	7.01
Metals	Arsenic (As) (mg/kg)		<5.0	<5.0	<5.0	<5.0	<5.0
	Cadmium (Cd) (mg/kg)		<0.50	<0.50	<0.50	<0.50	<0.50
	Chromium (Cr) (mg/kg)		31.8	18.3	19.0	19.8	22.5
	Cobalt (Co) (mg/kg)		8.5	6.6	6.3	6.8	6.4
	Copper (Cu) (mg/kg)		13.9	11.5	11.6	11.9	11.9
	Lead (Pb) (mg/kg)		9.3	6.6	6.8	7.9	13.5
	Mercury (Hg) (mg/kg)		<0.0050	<0.0050	0.0051	<0.0050	0.0066
	Nickel (Ni) (mg/kg)		15.7	9.4	9.0	10.6	
	Zinc (Zn) (mg/kg)		44.0	33.0	33.5	40.5	38.6
Hydrocarbons	F2 (C10-C16) (mg/kg)		<30	<30	<30	<30	296
	F3 (C16-C34) (mg/kg)		<50	<50	<50	<50	121
	F1 (C6-C10) (mg/kg)		<10	<10	<10	<10	<10
Polychlorinated Biphenyls	PCB-1016 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1221 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1232 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1242 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1248 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1254 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1260 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1262 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1268 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	Total Polychlorinated Biphenyls (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS LABORATORY GROUP ANALYTICAL REPORT

		Sample ID	L671792-6	L671792-7	L671792-8	L671792-9	L671792-10
		Description					
		Sampled Date	14-AUG-08	14-AUG-08	14-AUG-08	14-AUG-08	14-AUG-08
		Sampled Time					
		Client ID	BMW-3-40	BMW-30-40	MW-9-15	MW-9-25	MW-10-15
Grouping	Analyte						
SOIL							
Physical Tests	% Moisture (%)		18.3	21.7	8.83	9.95	8.09
	pH (pH)		6.45	6.60	7.29	7.27	6.57
Metals	Arsenic (As) (mg/kg)		<5.0	<5.0	<5.0	<5.0	<5.0
	Cadmium (Cd) (mg/kg)		<0.50	<0.50	<0.50	<0.50	<0.50
	Chromium (Cr) (mg/kg)		35.0	28.4	18.1	16.6	22.3
	Cobalt (Co) (mg/kg)		9.0	7.1	6.4	6.2	5.0
	Copper (Cu) (mg/kg)		16.8	12.0	10.3	10.4	6.5
	Lead (Pb) (mg/kg)		10.9	8.0	11.6	9.7	5.6
	Mercury (Hg) (mg/kg)		0.0086	<0.0050	0.0070	0.0056	<0.0050
	Nickel (Ni) (mg/kg)		17.5	13.9	8.9	7.9	10.5
	Zinc (Zn) (mg/kg)		53.7	38.3	35.6	35.6	22.9
Hydrocarbons	F2 (C10-C16) (mg/kg)		1950000	<30	<30	<30	<30
	F3 (C16-C34) (mg/kg)		4600	<50	69	<50	<50
	F1 (C6-C10) (mg/kg)		<10	<10	<10	<10	<10
Polychlorinated Biphenyls	PCB-1016 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1221 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1232 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1242 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1248 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1254 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1260 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1262 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1268 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	Total Polychlorinated Biphenyls (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS LABORATORY GROUP ANALYTICAL REPORT

		Sample ID	L671792-11	L671792-12	L671792-13	L671792-14	L671792-15
		Description					
		Sampled Date	14-AUG-08	14-AUG-08	14-AUG-08	14-AUG-08	14-AUG-08
		Sampled Time					
		Client ID	MW-10-35	MW-11-10	MW-11-40	MW-12-15	MW-12-30
Grouping	Analyte						
SOIL							
Physical Tests	% Moisture (%)		12.2	8.75	8.65	9.59	10.8
	pH (pH)		6.48	6.68	6.75	6.82	6.92
Metals	Arsenic (As) (mg/kg)		93.6	<5.0	<5.0	<5.0	<5.0
	Cadmium (Cd) (mg/kg)		<0.50	<0.50	<0.50	<0.50	<0.50
	Chromium (Cr) (mg/kg)		24.8	27.7	22.6	17.0	15.4
	Cobalt (Co) (mg/kg)		9.0	7.0	6.5	3.6	3.8
	Copper (Cu) (mg/kg)		8.4	11.2	10.0	6.0	5.4
	Lead (Pb) (mg/kg)		6.2	19.1	8.1	4.9	4.9
	Mercury (Hg) (mg/kg)		<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
	Nickel (Ni) (mg/kg)		20.0	11.9	11.6	6.8	6.9
	Zinc (Zn) (mg/kg)		27.0	43.9	33.3	23.3	21.0
Hydrocarbons	F2 (C10-C16) (mg/kg)		<30	<30	<30	<30	<30
	F3 (C16-C34) (mg/kg)		<50	1230	1150	<50	<50
	F1 (C6-C10) (mg/kg)		<10	<10	<10	<10	<10
Polychlorinated Biphenyls	PCB-1016 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1221 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1232 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1242 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1248 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1254 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1260 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1262 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1268 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	Total Polychlorinated Biphenyls (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS LABORATORY GROUP ANALYTICAL REPORT

		Sample ID	L671792-16	L671792-17	L671792-18	L671792-19	L671792-20
		Description					
		Sampled Date	14-AUG-08	14-AUG-08	14-AUG-08	14-AUG-08	14-AUG-08
		Sampled Time					
		Client ID	MW-13-15	MW-13-30	MW-14-A-15	MW-14-A-30	MW-140-A-30
Grouping	Analyte						
SOIL							
Physical Tests	% Moisture (%)		12.5	8.23	11.6	16.6	16.5
	pH (pH)		5.72	6.34	6.60	6.68	6.74
Metals	Arsenic (As) (mg/kg)		<5.0	<5.0	<5.0	<5.0	<5.0
	Cadmium (Cd) (mg/kg)		<0.50	<0.50	<0.50	<0.50	<0.50
	Chromium (Cr) (mg/kg)		17.5	14.9	28.0	28.1	27.4
	Cobalt (Co) (mg/kg)		5.1	3.6	6.2	6.7	6.1
	Copper (Cu) (mg/kg)		7.1	3.5	11.0	12.1	11.8
	Lead (Pb) (mg/kg)		5.7	3.7	8.0	8.3	8.0
	Mercury (Hg) (mg/kg)		0.0117	<0.0050	<0.0050	<0.0050	<0.0050
	Nickel (Ni) (mg/kg)		8.6	6.6	13.3	14.2	13.9
	Zinc (Zn) (mg/kg)		31.4	17.2	33.2	35.8	33.8
Hydrocarbons	F2 (C10-C16) (mg/kg)		<30	<30	<30	<30	<30
	F3 (C16-C34) (mg/kg)		76	<50	<50	<50	<50
	F1 (C6-C10) (mg/kg)		<10	<10	<10	<10	<10
Polychlorinated Biphenyls	PCB-1016 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1221 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1232 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1242 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1248 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1254 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1260 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1262 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1268 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	Total Polychlorinated Biphenyls (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS LABORATORY GROUP ANALYTICAL REPORT

		Sample ID	L671792-21	L671792-22	L671792-23	L671792-24	L671792-25
		Description					
		Sampled Date	14-AUG-08	14-AUG-08	14-AUG-08	14-AUG-08	15-AUG-08
		Sampled Time					
		Client ID	MW-16-15	MW-16-40	MW-15-15	MW-15-25	MW-18-15
Grouping	Analyte						
SOIL							
Physical Tests	% Moisture (%)		11.3	18.5	20.7	17.1	21.2
	pH (pH)		6.58	6.60	7.47	7.79	6.78
Metals	Arsenic (As) (mg/kg)		<5.0	<5.0	<5.0	<5.0	<5.0
	Cadmium (Cd) (mg/kg)		<0.50	<0.50	<0.50	<0.50	<0.50
	Chromium (Cr) (mg/kg)		31.9	29.5	17.1	17.9	15.8
	Cobalt (Co) (mg/kg)		7.8	7.8	6.5	7.0	3.8
	Copper (Cu) (mg/kg)		14.2	12.3	9.8	11.2	9.5
	Lead (Pb) (mg/kg)		8.4	8.0	8.0	7.4	7.2
	Mercury (Hg) (mg/kg)		<0.0050	<0.0050	<0.0050	<0.0050	0.0120
	Nickel (Ni) (mg/kg)		16.0	15.2	9.4	9.3	8.0
	Zinc (Zn) (mg/kg)		43.1	39.3	41.3	43.9	31.4
Hydrocarbons	F2 (C10-C16) (mg/kg)		286	49	118	119	<30
	F3 (C16-C34) (mg/kg)		133	<50	235	302	<50
	F1 (C6-C10) (mg/kg)		<10	<10	<10	<10	<10
Polychlorinated Biphenyls	PCB-1016 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1221 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1232 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1242 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1248 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1254 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1260 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1262 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1268 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	Total Polychlorinated Biphenyls (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS LABORATORY GROUP ANALYTICAL REPORT

		Sample ID	L671792-26	L671792-27	L671792-28	L671792-29	L671792-30
		Description					
		Sampled Date	15-AUG-08	15-AUG-08	15-AUG-08	15-AUG-08	15-AUG-08
		Sampled Time					
		Client ID	MW-18-30	MW-17-15	MW-17-40	MW-20-35	MW-20-15
Grouping	Analyte						
SOIL							
Physical Tests	% Moisture (%)		18.4	9.49	10.5	5.00	5.90
	pH (pH)		6.30	6.31	6.50	7.00	7.49
Metals	Arsenic (As) (mg/kg)		<5.0	<5.0	<5.0	<5.0	<5.0
	Cadmium (Cd) (mg/kg)		<0.50	<0.50	<0.50	<0.50	<0.50
	Chromium (Cr) (mg/kg)		17.9	14.0	20.8	16.7	18.0
	Cobalt (Co) (mg/kg)		3.8	3.8	5.5	4.7	5.9
	Copper (Cu) (mg/kg)		10.1	6.6	13.9	10.0	12.3
	Lead (Pb) (mg/kg)		8.9	5.4	8.7	10.8	10.6
	Mercury (Hg) (mg/kg)		0.0085	<0.0050	0.0052	<0.0050	<0.0050
	Nickel (Ni) (mg/kg)		8.7	6.6	10.2	8.7	9.6
	Zinc (Zn) (mg/kg)		35.5	18.2	32.0	25.6	37.4
Hydrocarbons	F2 (C10-C16) (mg/kg)		<30	<30	<30	<30	<30
	F3 (C16-C34) (mg/kg)		<50	<50	<50	<50	<50
	F1 (C6-C10) (mg/kg)		<10	<10	<10	<10	<10
Polychlorinated Biphenyls	PCB-1016 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1221 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1232 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1242 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1248 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1254 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1260 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1262 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	PCB-1268 (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050
	Total Polychlorinated Biphenyls (mg/kg)		<0.050	<0.050	<0.050	<0.050	<0.050

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS LABORATORY GROUP ANALYTICAL REPORT

		Sample ID				
		Description				
		Sampled Date				
		Sampled Time				
		Client ID				
Grouping	Analyte					
SOIL						
Physical Tests	% Moisture (%)	5.29	10.3	10.4		
	pH (pH)	7.52	6.30	6.29		
Metals	Arsenic (As) (mg/kg)	<5.0	<5.0	<5.0		
	Cadmium (Cd) (mg/kg)	<0.50	<0.50	<0.50		
	Chromium (Cr) (mg/kg)	20.8	14.7	12.1		
	Cobalt (Co) (mg/kg)	5.0	3.9	3.9		
	Copper (Cu) (mg/kg)	10.8	7.4	7.1		
	Lead (Pb) (mg/kg)	10.7	6.4	7.8		
	Mercury (Hg) (mg/kg)	<0.0050	<0.0050	<0.0050		
	Nickel (Ni) (mg/kg)	10.3	7.2	6.6		
	Zinc (Zn) (mg/kg)	26.8	26.5	29.0		
Hydrocarbons	F2 (C10-C16) (mg/kg)	<30	<30	<30		
	F3 (C16-C34) (mg/kg)	<50	<50	<50		
	F1 (C6-C10) (mg/kg)	<10	<10	<10		
Polychlorinated Biphenyls	PCB-1016 (mg/kg)	<0.050	<0.050	<0.050		
	PCB-1221 (mg/kg)	<0.050	<0.050	<0.050		
	PCB-1232 (mg/kg)	<0.050	<0.050	<0.050		
	PCB-1242 (mg/kg)	<0.050	<0.050	<0.050		
	PCB-1248 (mg/kg)	<0.050	<0.050	<0.050		
	PCB-1254 (mg/kg)	<0.050	<0.050	<0.050		
	PCB-1260 (mg/kg)	<0.050	<0.050	<0.050		
	PCB-1262 (mg/kg)	<0.050	<0.050	<0.050		
	PCB-1268 (mg/kg)	<0.050	<0.050	<0.050		
	Total Polychlorinated Biphenyls (mg/kg)	<0.050	<0.050	<0.050		

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID		L671792-34	L671792-35	L671792-36	L671792-37	L671792-38
		15-AUG-08	15-AUG-08	15-AUG-08	15-AUG-08	15-AUG-08
		MW-5	MW-11	MW-20	MW-19	MW-17
Grouping	Analyte					
WATER						
Physical Tests	Hardness (as CaCO3) (mg/L)	418	458	109	150	128
Total Metals	Arsenic (As)-Total (mg/L)	<0.00050	0.0011	<0.00050	<0.00050	0.00062
	Cadmium (Cd)-Total (mg/L)	0.000039	<0.000034	0.000028	0.000210	0.000056
	Chromium (Cr)-Total (mg/L)	0.0051	<0.0020	<0.0010	0.0014	0.0014
	Cobalt (Co)-Total (mg/L)	0.00030	0.00146	<0.00030	0.00199	0.00285
	Copper (Cu)-Total (mg/L)	0.0043	<0.0020	0.0035	0.0033	0.0069
	Lead (Pb)-Total (mg/L)	0.00142	<0.0010	<0.00050	<0.00050	<0.00050
	Mercury (Hg)-Total (mg/L)	<0.000020	<0.000020	<0.000020	<0.000020	<0.000020
	Nickel (Ni)-Total (mg/L)	0.0086	0.0026	<0.0010	0.0041	0.0024
	Zinc (Zn)-Total (mg/L)	0.0366	<0.0050	<0.0050	0.0856	<0.0050
Hydrocarbons	F2 (C10-C16) (mg/L)	<0.30	<0.30	2.33	<0.30	<0.30
	F3 (C16-C34) (mg/L)	0.33	0.47	<0.30	0.32	0.33
	F1 (C6-C10) (mg/L)	<0.10	<0.10	0.74	<0.10	<0.10
Polychlorinated Biphenyls	PCB-1016 (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1221 (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1232 (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1242 (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1248 (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1254 (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1260 (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1262 (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	PCB-1268 (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	Total Polychlorinated Biphenyls (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS LABORATORY GROUP ANALYTICAL REPORT

		Sample ID				
		Description				
		Sampled Date				
		Sampled Time				
		Client ID				
Grouping	Analyte					
WATER						
Physical Tests	Hardness (as CaCO ₃) (mg/L)	51.8	113			
Total Metals	Arsenic (As)-Total (mg/L)	<0.00050	<0.00050			
	Cadmium (Cd)-Total (mg/L)	0.000025	0.000024			
	Chromium (Cr)-Total (mg/L)	<0.0010	<0.0010			
	Cobalt (Co)-Total (mg/L)	<0.00030	<0.00030			
	Copper (Cu)-Total (mg/L)	0.0023	0.0029			
	Lead (Pb)-Total (mg/L)	<0.00050	<0.00050			
	Mercury (Hg)-Total (mg/L)	<0.000020	<0.000020			
	Nickel (Ni)-Total (mg/L)	0.0014	<0.0010			
	Zinc (Zn)-Total (mg/L)	0.0081	<0.0050			
Hydrocarbons	F2 (C10-C16) (mg/L)	<0.30	1.99			
	F3 (C16-C34) (mg/L)	<0.30	<0.30			
	F1 (C6-C10) (mg/L)	<0.10	0.75			
Polychlorinated Biphenyls	PCB-1016 (mg/L)	<0.0010	<0.0010			
	PCB-1221 (mg/L)	<0.0010	<0.0010			
	PCB-1232 (mg/L)	<0.0010	<0.0010			
	PCB-1242 (mg/L)	<0.0010	<0.0010			
	PCB-1248 (mg/L)	<0.0010	<0.0010			
	PCB-1254 (mg/L)	<0.0010	<0.0010			
	PCB-1260 (mg/L)	<0.0010	<0.0010			
	PCB-1262 (mg/L)	<0.0010	<0.0010			
	PCB-1268 (mg/L)	<0.0010	<0.0010			
	Total Polychlorinated Biphenyls (mg/L)	<0.0010	<0.0010			

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

Methods Listed (if applicable):

ALS Test Code	Matrix	Test Description	Analytical Method Reference(Based On)
---------------	--------	------------------	---------------------------------------

F1-MET-PT-FID-VA Soil CCME by Purge and Trap with GCMS EPA 8260B & 524.2

This analysis is carried out in accordance with the "Reference Method for the Canada-Wide Standard for Petroleum Hydrocarbons in Soil - Tier 1 Method, Canadian Council of Ministers of the Environment, December 2000." For F1 (C6-C10), a subsample of the sediment/soil is extracted with methanol and analysed by purge & trap GC/FID.

Notes:

1. F1 (C6-C10): Sum of all hydrocarbons that elute between nC6 and nC10.
2. Reported results are expressed as milligrams per dry kilogram.
3. This method is validated for use.
4. Data from analysis of quality control samples is available upon request.

F1-PT-FID-VA Water CCME F1 By P&T with GCFID EPA SW-846, METHOD 8260

This analysis is based on the "Reference Method for the Canada-Wide Standard for Petroleum Hydrocarbons in Soil - Tier 1 Method, Canadian Council of Ministers of the Environment, December 2000." For F1 (C6-C10), the sample undergoes a purge and trap extraction prior to analysis by GC/FID.

F1 (C6-C10): Sum of all hydrocarbons that elute between nC6 and nC10.

F2-F3-SF-FID-VA Water Extractable Hydrocarbons in water GCFID CWS (CCME)

Petroleum Hydrocarbons (F2-F3) in Water

This analysis is carried out using procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846, published by the United States Environmental Protection Agency (EPA) and the "Reference Method for the Canada-Wide Standard for Petroleum Hydrocarbons in Soil - Tier 1 Method, Canadian Council of Ministers of the Environment, December 2000." The procedure involves a liquid-liquid extraction of the entire water sample using dichloromethane prior to capillary column gas chromatography with flame ionization detection (GC/FID).

A silica gel cleanup procedure is applied before GC analysis, which is intended to selectively remove most naturally occurring organics.

F2F3-TUMB-H/A-FID-VA Soil Petroleum Hydrocarbon by Tumbler GCFID CCME

This analysis is carried out in accordance with the "Reference Method for the Canada-Wide Standard for Petroleum Hydrocarbons in Soil - Tier 1 Method, Canadian Council of Ministers of the Environment, December 2000." For C10 to C34 hydrocarbons (F2 & F3) a subsample of the sediment/soil is extracted with 1:1 hexane:acetone using a rotary extractor. The extract undergoes a silica-gel clean-up to remove polar compounds and is analyzed by on-column GC/FID.

Notes:

1. F2 (C10-C16): Sum of all hydrocarbons that elute between nC10 and nC16.
2. F3 (C16-C34): Sum of all hydrocarbons that elute between nC16 and nC34.
3. This method is validated for use.
4. Data from analysis of quality control samples is available upon request.
5. Reported results are expressed as milligrams per dry kilogram.

HARDNESS-CALC-VA Water Hardness APHA 2340B

Hardness is calculated from Calcium and Magnesium concentrations, and is expressed as calcium carbonate equivalents.

HG-CCME-CVAFS-VA Soil CVAFS Hg in Soil (CCME) CCME

This analysis is carried out using procedures from CSR Analytical Method 8 "Strong Acid Leachable Metals (SALM) in Soil", BC Ministry of Environment, Lands and Parks, 26 June 2001, and procedures adapted from "Test Methods for Evaluating Solid Waste", SW-846 Method 3050B United States Environmental Protection Agency (EPA). The sample is manually homogenized, dried at 60 degrees Celsius, sieved through a 2 mm (10 mesh) sieve, and a representative subsample of the dry material is weighed. The sample is then digested at 90 degrees Celsius for 2 hours by block digester using a 1:1 ratio of concentrated nitric and hydrochloric acids. Instrumental analysis is by atomic fluorescence spectrophotometry (EPA Method 7000 series).

Method Limitation: This method is not a total digestion technique. It is a very strong acid digestion that is intended to dissolve those metals that may be environmentally available. By design, elements bound in silicate structures are not normally dissolved by this procedure as they are not usually mobile in the environment.

HG-TOT-CCME-CVAFS-VA Water Total Mercury in Water by CVAFS (CCME) EPA 245.7

This analysis is carried out using procedures adapted from "Standard Methods for the Examination of Water and Wastewater" published by the American Public Health Association, and with procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846 published by the United

Reference Information

Methods Listed (if applicable):

ALS Test Code	Matrix	Test Description	Analytical Method Reference(Based On)
<p>States Environmental Protection Agency (EPA). The procedure involves a cold-oxidation of the acidified sample using bromine monochloride prior to reduction of the sample with stannous chloride. Instrumental analysis is by cold vapour atomic fluorescence spectrophotometry (EPA Method 245.7).</p>			
MET-CSR-FULL-ICP-VA	Soil	Metals in Soil by ICPOES (CSR SALM)	BCMELP CSR SALM METHOD 8
<p>This analysis is carried out using procedures from CSR Analytical Method 8 "Strong Acid Leachable Metals (SALM) in Soil", BC Ministry of Environment, Lands and Parks, 26 June 2001, and procedures adapted from "Test Methods for Evaluating Solid Waste", SW-846 Method 3050B United States Environmental Protection Agency (EPA). The sample is manually homogenized, dried at 60 degrees Celsius, sieved through a 2 mm (10 mesh) sieve, and a representative subsample of the dry material is weighed. The sample is then digested at 90 degrees Celsius for 2 hours by block digester using a 1:1 ratio of concentrated nitric and hydrochloric acids. Instrumental analysis is by inductively coupled plasma - optical emission spectrophotometry (EPA Method 6010B).</p> <p>Method Limitation: This method is not a total digestion technique. It is a very strong acid digestion that is intended to dissolve those metals that may be environmentally available. By design, elements bound in silicate structures are not normally dissolved by this procedure as they are not usually mobile in the environment.</p>			
MET-CSR-MS-VA	Soil	Metals in Soil by ICPMS (CSR SALM)	BCMELP CSR SALM Method 8
<p>This analysis is carried out using procedures from CSR Analytical Method 8 "Strong Acid Leachable Metals (SALM) in Soil", BC Ministry of Environment, Lands and Parks, 26 June 2001, and procedures adapted from "Test Methods for Evaluating Solid Waste", SW-846 Method 3050B United States Environmental Protection Agency (EPA). The sample is manually homogenized, dried at 60 degrees Celsius, sieved through a 2 mm (10 mesh) sieve, and a representative subsample of the dry material is weighed. The sample is then digested at 90 degrees Celsius for 2 hours by either hotplate or block digester using a 1:1 ratio of concentrated nitric and hydrochloric acids. Instrumental analysis is by inductively coupled plasma - mass spectrometry (EPA Method 6020A).</p> <p>Method Limitation: This method is not a total digestion technique. It is a very strong acid digestion that is intended to dissolve those metals that may be environmentally available. By design, elements bound in silicate structures are not normally dissolved by this procedure as they are not usually mobile in the environment.</p>			
MET-TOT-CCME-ICP-VA	Water	Total Metals in Water by ICPOES (CCME)	EPA SW-846 3005A/6010B
<p>This analysis is carried out using procedures adapted from "Standard Methods for the Examination of Water and Wastewater" published by the American Public Health Association, and with procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846 published by the United States Environmental Protection Agency (EPA). The procedures may involve preliminary sample treatment by acid digestion, using either hotblock or microwave oven, or filtration (EPA Method 3005A). Instrumental analysis is by inductively coupled plasma - optical emission spectrophotometry (EPA Method 6010B).</p>			
MET-TOT-CCME-MS-VA	Water	Total Metals in Water by ICPMS (CCME)	EPA SW-846 3005A/6020A
<p>This analysis is carried out using procedures adapted from "Standard Methods for the Examination of Water and Wastewater" published by the American Public Health Association, and with procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846 published by the United States Environmental Protection Agency (EPA). The procedures may involve preliminary sample treatment by acid digestion, using either hotblock or microwave oven, or filtration (EPA Method 3005A). Instrumental analysis is by inductively coupled plasma - mass spectrometry (EPA Method 6020A).</p>			
MOISTURE-VA	Soil	Moisture content	ASTM METHOD D2794-00
<p>This analysis is carried out gravimetrically by drying the sample at 105 C for a minimum of six hours.</p>			
MOISTURE-VA	Soil		ASTM METHOD D2794-00
<p>This analysis is carried out gravimetrically by drying the sample at 105 C for a minimum of six hours.</p>			
PCB-SE-ECD-VA	Soil	PCB by Extraction with GCECD	EPA 3630/8082 GCECD
<p>This analysis is carried out using procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846, Methods 3500, 3620, 3630, 3660, 3665 & 8082, published by the United States Environmental Protection Agency (EPA). The procedure involves a solid-liquid extraction of a subsample of the sediment/soil using a mixture of hexane and acetone. Water is added to the extract and the resulting hexane extract undergoes one or more of the following clean-up procedures (if required): florisil clean-up, silica gel clean-up, sulphur clean-up and/or sulphuric acid clean-up. The final extract is analysed by capillary column gas chromatography with electron capture detection (GC/ECD).</p>			
PCB-SF-ECD-VA	Water	PCB by Extraction with GCECD	EPA 3510/8082 Liq-Liq GCECD

Reference Information

Methods Listed (if applicable):

ALS Test Code	Matrix	Test Description	Analytical Method Reference(Based On)
---------------	--------	------------------	---------------------------------------

This analysis is carried out using procedures adapted from "Test Methods for Evaluating Solid Waste" SW-846, Methods 3510, 3620, 3660, 3665 & 8082, published by the United States Environmental Protection Agency (EPA). The procedure involves a liquid-liquid extraction of the entire water sample using dichloromethane. The extract is then solvent exchanged to hexane followed by one or more of the following clean-up procedures (if required): florisil clean-up, sulphur clean-up and/or sulphuric acid clean-up. The final extract is analysed by capillary column gas chromatography with electron capture detection (GC/ECD).

PH-1:2-VA	Soil	CSR pH by 1:2 Water Leach	BC WLAP METHOD: PH, ELECTROMETRIC, SOIL
------------------	------	---------------------------	---

This analysis is carried out in accordance with procedures described in the pH, Electrometric in Soil and Sediment method - Section B Physical/Inorganic and Misc. Constituents, BC Environmental Laboratory Manual 2007. The procedure involves mixing the dried (at <60°C) and sieved (10 mesh /2mm) sample with deionized/distilled water at a 1:2 ratio of sediment to water. The pH of the solution is then measured using a standard pH probe.

TL-CSR-MS-VA	Soil	ICPMS TI in Soil by CSR SALM	BCMELP CSR SALM Method 8
---------------------	------	------------------------------	--------------------------

This analysis is carried out using procedures from CSR Analytical Method 8 "Strong Acid Leachable Metals (SALM) in Soil", BC Ministry of Environment, Lands and Parks, 26 June 2001, and procedures adapted from "Test Methods for Evaluating Solid Waste", SW-846 Method 3050B United States Environmental Protection Agency (EPA). The sample is manually homogenized, dried at 60 degrees Celsius, sieved through a 2 mm (10 mesh) sieve, and a representative subsample of the dry material is weighed. The sample is then digested at 90 degrees Celsius for 2 hours by either hotplate or block digester using a 1:1 ratio of concentrated nitric and hydrochloric acids. Instrumental analysis is by inductively coupled plasma - mass spectrometry (EPA Method 6020A).

Method Limitation: This method is not a total digestion technique. It is a very strong acid digestion that is intended to dissolve those metals that may be environmentally available. By design, elements bound in silicate structures are not normally dissolved by this procedure as they are not usually mobile in the environment.

** Laboratory Methods employed follow in-house procedures, which are generally based on nationally or internationally accepted methodologies. The last two letters of the above ALS Test Code column indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location	Laboratory Definition Code	Laboratory Location
VA	ALS LABORATORY GROUP - VANCOUVER, BC, CANADA		

GLOSSARY OF REPORT TERMS

Surr - A surrogate is an organic compound that is similar to the target analyte(s) in chemical composition and behavior but not normally detected in environmental samples. Prior to sample processing, samples are fortified with one or more surrogate compounds.

The reported surrogate recovery value provides a measure of method efficiency.

mg/kg (units) - unit of concentration based on mass, parts per million

mg/L (units) - unit of concentration based on volume, parts per million

N/A - Result not available. Refer to qualifier code and definition for explanation

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Although test results are generated under strict QA/QC protocols, any unsigned test reports, faxes, or emails are considered preliminary.

ALS Laboratory Group has an extensive QA/QC program where all analytical data reported is analyzed using approved referenced procedures followed by checks and reviews by senior managers and quality assurance personnel. However, since the results are obtained from chemical measurements and thus cannot be guaranteed, ALS Laboratory Group assumes no liability for the use or interpretation of the results.



Environmental Division

www.alsenviro.com

REPORT TO:		REPORT FORMAT / DISTRIBUTION		SERVICE REQUESTED			
COMPANY: <u>GARTNER LEE LIMITED</u>		STANDARD <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>		REGULAR SERVICE (DEFAULT)			
CONTACT: <u>KEN BOLDT</u>		PDF <input checked="" type="checkbox"/> EXCEL <input checked="" type="checkbox"/> CUSTOM <input type="checkbox"/> FAX <input type="checkbox"/>		RUSH SERVICE (2-3 DAYS)			
ADDRESS: <u>300 TOWN CENTRE, SUITE 300</u>		EMAIL 1: <u>k.boldt@gartnerlee.com</u>		PRIORITY SERVICE (1 DAY or ASAP)			
		EMAIL 2: <u>tbcc@gartnerlee.com</u>		EMERGENCY SERVICE (<1 DAY / WEEKEND) - CONTACT ALS			
PHONE: <u>905 477 8400</u> FAX:							
INVOICE TO: SAME AS REPORT? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		INDICATE BOTTLES: FILTERED / PRESERVED (F/P) → → →					
COMPANY: <u>KITUNNA PROJECTS INC.</u>		CLIENT / PROJECT INFORMATION:					
CONTACT: <u>PETER ARMSTRONG</u>		JOB # <u>6480-297</u>					
ADDRESS: <u>CAMBRIDGE BAY, NU</u>		PO / AFE:					
		Legal Site Description:					
PHONE: <u>867-983-7504</u> FAX:		QUOTE #: <u>C/O KITUNNA PROJECTS INC.</u>					
Lab Work Order # (lab use only) <u>6671792</u>		SAMPLER (Initials): <u>TB</u>					
Sample #	SAMPLE IDENTIFICATION (This description will appear on the report)	DATE	TIME	SAMPLE TYPE	HAZARDOUS ?	HIGHLY CONTAMINATED ?	NUMBER OF CONTAINERS
	<u>BMW -3-15</u>	<u>AUG 14/08</u>		<u>SOIL</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<u>2</u>
	<u>MW-5-10</u>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<u>2</u>
	<u>MW-5-25</u>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<u>2</u>
	<u>MW-8-10</u>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<u>2</u>
	<u>MW-8-20</u>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<u>2</u>
	<u>BMW -3-40</u>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<u>2</u>
	<u>BMW -30-40</u>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<u>2</u>
	<u>MW-9-15</u>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<u>2</u>
	<u>MW-9-25</u>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<u>2</u>
	<u>MW-10-15</u>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<u>2</u>
GUIDELINES / REGULATIONS		SPECIAL INSTRUCTIONS / HAZARDOUS DETAILS					
<u>CCME</u>		<u>CCME DETECTION LIMITS (3 COVERS SHIPPED)</u>					
Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY .							
By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the reverse page of the white report copy.							
RELINQUISHED BY:	DATE & TIME:	RECEIVED BY:	DATE & TIME:	SAMPLE CONDITION (lab use only)			
<u>DARRIN JOHNSON</u>	<u>AUG 16/08</u>			TEMPERATURE			
RELINQUISHED BY:	DATE & TIME:	RECEIVED BY:	DATE & TIME:	SAMPLES RECEIVED IN GOOD CONDITION? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>			
			<u>Aug 19</u>	<u>12/7/6°C</u>			

11am waters soils

Environmental Division



CANADA TOLL FREE 1-800-668-9878

www.alsenviro.com

REPORT TO:		REPORT FORMAT / DISTRIBUTION		SERVICE REQUESTED			
COMPANY: GARTNER LEE LIMITED		STANDARD _____ OTHER _____		REGULAR SERVICE (DEFAULT)			
CONTACT: KEN BOLDT		PDF _____ EXCEL _____ CUSTOM _____ FAX _____		RUSH SERVICE (2-3 DAYS)			
ADDRESS:		EMAIL 1: Kboldt@gartnerlee.com		PRIORITY SERVICE (1 DAY or ASAP)			
		EMAIL 2: tlboc@gartnerlee.com		EMERGENCY SERVICE (<1 DAY / WEEKEND) - CONTACT ALS			
PHONE: 905 477 8400 FAX:		ANALYSIS REQUEST					
INVOICE TO: SAME AS REPORT ? YES / NO		INDICATE BOTTLES: FILTERED / PRESERVED (F/P) → → →					
COMPANY: KITNWA PROJECTS INC.		CLIENT / PROJECT INFORMATION:					
CONTACT: PETER ARMSTRONG		JOB #: GL 00-297					
ADDRESS:		PO / AFE:					
		Legal Site Description:					
PHONE: 867-983-7508 FAX:		QUOTE #: C/o KITNWA PROJECTS INC.					
Lab Work Order # (lab use only)		SAMPLER (Initials): TB					
Sample #	SAMPLE IDENTIFICATION (This description will appear on the report)	DATE	TIME	SAMPLE TYPE	HAZARDOUS ?	HIGHLY CONTAMINATED ?	NUMBER OF CONTAINERS
	MW-10-35	AUG. 14/08		SOIL	✓	✓	2
	MW-11-10				✓	✓	2
	MW-11-40				✓	✓	2
	MW-12-15				✓	✓	2
	MW-12-30				✓	✓	2
	MW-13-15				✓	✓	2
	MW-13-30				✓	✓	2
	MW-14-A-15				✓	✓	2
	MW-14-A-30				✓	✓	2
	MW-140-A-30				✓	✓	2
GUIDELINES / REGULATIONS		SPECIAL INSTRUCTIONS / HAZARDOUS DETAILS					
CCME		PART OF 3 COOLER SHIPMENT					
Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY .							
By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the reverse page of the white report copy.							
RELINQUISHED BY:	DATE & TIME:	RECEIVED BY:	DATE & TIME:	SAMPLE CONDITION (lab use only)			
DARRIN JOHNSON	AUG. 16/08			TEMPERATURE	SAMPLES RECEIVED IN GOOD CONDITION ? YES / NO		
					(If no provide details)		
RELINQUISHED BY:	DATE & TIME:	RECEIVED BY:	DATE & TIME:				
			AUG. 19				

GENF14.00



Environmental Division

www.alsenviro.com

REPORT TO:		REPORT FORMAT / DISTRIBUTION		SERVICE REQUESTED																
COMPANY: GARTNER WEE LIMITED		STANDARD _____ OTHER _____		REGULAR SERVICE (DEFAULT)																
CONTACT: KEN BOLOT		PDF _____ EXCEL _____ CUSTOM _____ FAX _____		RUSH SERVICE (2-3 DAYS)																
ADDRESS:		EMAIL 1: kboldt@gartnerlee.com		PRIORITY SERVICE (1 DAY or ASAP)																
		EMAIL 2: tboe@gartnerlee.com		EMERGENCY SERVICE (<1 DAY / WEEKEND) - CONTACT ALS																
PHONE: 905 477 8400				ANALYSIS REQUEST																
INVOICE TO: SAME AS REPORT ? YES <input checked="" type="checkbox"/>		INDICATE BOTTLES: FILTERED / PRESERVED (F/P) → → →																		
COMPANY: KINUNA PROJECTS INC.		CLIENT / PROJECT INFORMATION:																		
CONTACT: PETER ARMSTRONG		JOB #: BU 80-297																		
ADDRESS:		PO / AFE:																		
		Legal Site Description:																		
PHONE: 967 983-7500		QUOTE #: c/o KINUNA PROJECTS INC.																		
Lab Work Order # (lab use only)		SAMPLER (Initials): TB																		
Sample #	SAMPLE IDENTIFICATION (This description will appear on the report)	DATE	TIME	SAMPLE TYPE	METALS + MINOR	TOX F1 - F3	PCB'S											HAZARDOUS ?	HIGHLY CONTAMINATED ?	NUMBER OF CONTAINERS
	MW-200-35	AUG. 15/08		SOIL	✓	✓	✓													2
	MW-19-20	↓		SOIL	✓	✓	✓													2
	MW-19-50	↓		SOIL	✓	✓	✓													2
	MW-5	↓		WATER	✓	✓	✓													5
	MW-11	↓			✓	✓	✓													5
	MW-200	↓			✓	✓	✓													5
	MW-19	↓			✓	✓	✓													5
	MW-17	↓			✓	✓	✓													5
	MW-18	↓			✓	✓	✓													5
	MW-20	↓			✓	✓	✓													5
GUIDELINES / REGULATIONS		SPECIAL INSTRUCTIONS / HAZARDOUS DETAILS																		
C CME		PART OF 3 COOPER SHIPMENT																		
Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY .																				
By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the reverse page of the white report copy.																				
RELINQUISHED BY: DARRIN JOHNSON		DATE & TIME: AUG. 16/08		RECEIVED BY:		DATE & TIME:		SAMPLE CONDITION (lab use only)												
								TEMPERATURE: 12/7/6°C												
RELINQUISHED BY:		DATE & TIME:		RECEIVED BY:		DATE & TIME: Aug. 19		SAMPLES RECEIVED IN GOOD CONDITION ? YES / NO (If no provide details)												

Appendix G

Quality Assurance/Quality Control

- Table G1 – Soil Sampling QA/QC Results
- Table G2 – Water Sampling QA/QC Results

Table G-1. CAM-4 Kugaaruk, Soil Analysis - QA/QC

	Sample Ident.	Sample Location	Depth (m)	Laboratory	Copper (mg/kg)	Nickel (mg/kg)	Cobalt (mg/kg)	Cadmium (mg/kg)	Lead (mg/kg)	Zinc (mg/kg)	Chromium (mg/kg)	Arsenic (mg/kg)	Mercury (mg/kg)	Petroleum Hydrocarbons				PCB Total Aroclors (mg/kg)
														TPH C6-C34 (mg/kg)	C6-C10 (mg/kg)	C10-C16 (mg/kg)	C16-C34 (mg/kg)	
Average RSD	BMW-3-40	BMW-3	0.40	ALS	16.8	17.5	9.0	<0.50	10.9	53.7	35.0	<5.0	0.0086	1954600	<10	1950000	4600	<0.050
	BMW-30-40*	BMW-3	0.40	ALS	12.0	13.9	7.1	<0.50	8.0	38.3	28.4	<5.0	<0.0050	0	<10	<30	<50	<0.050
	BMW-3-40*	BMW-3	0.40	Cantest	12.0	16.0	8.0	<0.2	8.3	46.0	30.0	2.3	0.01	0	<5	<5	<5	<0.030
					13.60 20%	15.80 11%	8.03 12%	- -	9.07 18%	46.00 17%	31.13 11%	- -	- -	-	-	-	-	-
Average RSD	MW-14-A-30	MW-14-A	0.30	ALS	12.1	14.2	6.7	<0.50	8.3	35.8	28.1	<5.0	<0.0050	0	<10	<30	<50	<0.050
	MW-140-A-30*	MW-14-A	0.30	ALS	11.8	13.9	6.1	<0.50	8.0	33.8	27.4	<5.0	<0.0050	0	<10	<30	<50	<0.050
	MW-14-A-30*	MW-14-A	0.30	Cantest	11.0	14.0	7.0	<0.2	8.4	38.0	28.0	2.4	0.01	0	<5	<5	<5	<0.030
					11.63 5%	14.03 1%	6.60 7%	- -	8.23 3%	35.87 6%	27.83 1%	- -	- -	-	-	-	-	-
Average RSD	MW-20-35	MW-20	0.35	ALS	10.0	8.7	4.7	<0.50	10.8	25.6	16.7	<5.0	<0.0050	0	<10	<30	<50	<0.050
	MW-200-35*	MW-20	0.35	ALS	10.8	10.3	5.0	<0.50	10.7	26.8	20.8	<5.0	<0.0050	0	<10	<30	<50	<0.050
	MW-20-35*	MW-20	0.35	Cantest	8.0	9.0	4.0	<0.2	10.4	25.0	17.0	1.2	0.01	0	<5	<5	<5	<0.030
					9.60 15%	9.33 9%	4.57 11%	- -	10.63 2%	25.80 4%	18.17 13%	- -	- -	-	-	-	-	-

Notes: Relative Standard Deviation (RSDs) calculated by dividing the standard deviation of the comparative set by the average.

* Denotes duplicate sample

xx%

Exceeds QA/QC goal of 20% for inorganics or 30% for organics.

Table G-2. CAM-4 Kugaaruk, 2008 Groundwater Analysis - QA/QC

	Sample Ident.	Sample Location	Laboratory	Copper (mg/L)	Nickel (mg/L)	Cobalt (mg/L)	Cadmium (mg/L)	Lead (mg/L)	Zinc (mg/L)	Chromium (mg/L)	Arsenic (mg/L)	Mercury (mg/L)	Petroleum Hydrocarbons				PCB Total Aroclors (mg/L)
													TPH C6-C34 (mg/L)	C6-C10 (mg/L)	C10-C16 (mg/L)	C16-C34 (mg/L)	
Average RPD	MW-15	MW-15	ALS	<0.0020	0.0065	0.00216	<0.00003	<0.0010	0.250	0.0024	0.002	<0.00002	7.98	0.35	5.98	1.65	<0.0010
	MW-150*	MW-15	ALS	<0.0020	0.0063	0.00208	<0.00003	<0.0010	0.239	<0.0030	0.002	<0.00002	6.88	0.33	5.15	1.4	<0.0010
	MW-15*	MW-15	Cantest	0.001	0.007	0.002	<0.0002	<0.001	0.32	<0.001	<0.001	<0.02			3.8	1.6	<0.0004
				-	0.007	0.002	-	-	0.270	-	-	-	-	-	4.97667	1.55	-
				-	5.5%	3.8%	-	-	16.3%	-	-	-	-	-	22.1%	8.5%	-
Average RPD	MW-20	MW-20	ALS	0.0029	<0.0010	<0.00030	0.000024	<0.00050	<0.0050	<0.0010	<0.00050	<0.00002	2.74	0.75	1.99	<0.30	<0.0010
	MW-200*	MW-20	ALS	0.0035	<0.0010	<0.00030	0.000028	<0.00050	<0.0050	<0.0010	<0.00050	<0.00002	3.07	0.74	2.33	<0.30	<0.0010
	MW-20*	MW-20	Cantest	0.003	<0.001	<0.001	<0.0002	<0.001	0.022	<0.001	<0.001	<0.02			1.2	<0.25	<0.0004
				0.003	-	-	-	-	-	-	-	-	-	-	1.840	-	-
				10.3%	-	-	-	-	-	-	-	-	-	-	31.5%	-	-

Notes: Relative Standard Deviation (RSDs) calculated by dividing the standard deviation of the comparative set by the average.

* Denotes duplicate sample

xx% Exceeds QA/QC goal of 20% for inorganics or 30% for organics.